Notice Inviting Quotation (E-Procurement mode) कोटेशन को आमंत्रित करने की सूचना (इ-प्रोक्योर्मेंट मोड)

INDIAN INSTITUTE OF TECHNOLOGY DELHI भारतीय प्रौद्योगिकी संस्थान दिल्ली HAUZ KHAS, NEW DELHI-110016 होज ख़ास. नई दिल्ली -110016

Dated/ दिनांक: 16/10/2025

Open Tender Notice No. / खुला प्रस्ताव निविदा सूचना नंबर: IITD/COPH(SP-5143)/2025

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

इंडियन इंस्टीट्यूट ऑफ टेक्नोलॉजी दिल्ली निम्नलिखित मदों की खरीद की प्रक्रिया में है।

Details of the item	PHY and MAC layer development for LiFi networks
आइटम का विवरण Earnest Money Deposit to be submitted बयाना जमा करने के लिए जमा राशि	NIL. However, bidders are required to submit 'Bid Security Undertaking' in lieu of EMD (Annexure-IX)
Warranty वारंटी अवधि	1 Years/1 साल
Performance security निष्पादन सुरक्षा	5% of Contract value as per MoF OM No. F.1/2/2023-PPD dated 3-4-2023 (Percentage to be decided by purchaser)
Delivery Schedule	12 to 16 weeks Pl. refer Terms & Conditions No.12
Mandatory Minimum Local Content	 50% for Class 1 Supplier 20% for Class II Supplier
Margin of Purchase Preference for Local Content	20% (Pl. refer to the DPIIT Order mentioned at T&C No.45)

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app . Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app . The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

निविदा दस्तावेज केन्द्रीय सार्वजिनक खरीद पोर्टल http://eprocure.gov.in/eprocure/app से डाउनलोड हो सकते हैं ई-प्रोक्योरमेंट में पंजीकृत नहीं होने वाले इच्छुक बोलीदाताओं को वेबसाइट http://eprocure.gov.in/eprocure/app के माध्यम से भाग लेने से पहले पंजीकरण करना चाहिए। पोर्टल नामांकन मुफ्त है बोलीदाताओं को सलाह दी जाती है कि 'ऑनलाइन बोली के लिए निर्देश' पर दिए गए निर्देशों के माध्यम से जाने की सलाह दी जाए।

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

निविदाकर्ता वेबसाइट पर निविदा दस्तावेज का उपयोग कर सकते हैं (एनआईसी साइट में खोज के लिए, कृपया निविदा खोज विकल्प और 'आईआईटी' टाइप करें। उसके बाद, सभी आईआईटी दिल्ली निविदाओं को देखने के लिए "गो" बटन पर क्लिक करें) उपयुक्त निविदा का चयन करें और उन्हें सभी प्रासंगिक सूचनाओं से भरें और वेबसाइट पर http://eprocure.gov.in/eprocure/app पर पूरा निविदा दस्तावेज ऑनलाइन जमा करें। अगले पृष्ठ में दिए गए कार्यक्रम के अनुसार

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the E-procurement portal).

कोई मैन्युअल बोली स्वीकार नहीं की जाएगी। सभी कोटेशन (तकनीकी और वित्तीय दोनों को ई-प्रोक्योरमेंट पोर्टल में जमा करना चाहिए)

SCHEDULE

Name of Organization	Indian Institute of Technology Delhi
Tender Type (Open/Limited/EOI/Auction/Single/Global)	Open
Tender Category (Services/Goods/works)	Goods
Type/Form of Contract (Work/Supply/ Auction/ Service/ Buy/ Empanelment/ Sell)	Buy
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Electrical Works
Source of Fund (Institute/Project)	Project Code RP04570
Currency	Indian Rupee (INR)
Date of Issue/Publishing	17-10-2025 at 15.00 Hrs)
Document Download/Sale Start Date	17-10-2025 at 15.00 Hrs)
Document Download/Sale End Date	13-11-2025 at 15.00 Hrs)
Date for Pre-Bid Conference	NA
Venue of Pre-Bid Conference	
Last Date and Time for Uploading of Bids	13-11-2025 at 15.00 Hrs)
Date and Time of Opening of Technical Bids	14-11-2025 at 15.00 Hrs)
Tender Fee (If any)	RsNIL/- (For Tender Fee) (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi,
No. of Covers (1/2/3/4)	02
Bid Validity days (180/120/90/60/30)	120 days (From last date of opening of tender)
Address for Communication	Photonics Lab-303, BSTTM, IIT Delhi, New Delhi-110016
Contact No.	01126596582
Email Address	abhishek.dixit@ee.iitd.ac.in

Chairman Purchase Committee (Buyer Member)

Instructions for Online Bid Submission/ ऑनलाइन बोली (बिड) के लिए निर्देश:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

विभाग के निर्देशों के अनुसार, यह निविदा दस्तावेज केंद्रीय सार्वजनिक प्रापण (युआरएल: http://eprocure.gov.in/eprocure/app) पर प्रकाशित किया गया है। बोलीदाताओं को मान्य डिजिटल हस्ताक्षर प्रमाण पत्र का उपयोग करते हुए सीपीपी पोर्टल पर इलेक्टॉनिक रूप से अपनी बोलियों की सॉफ्ट प्रतियां जमा करना आवश्यक है। सीपीपी पोर्टल पर पंजीकरण करने के लिए निविदाकर्ताओं की सहायता करने के लिए नीचे दिए गए निर्देशों का मतलब है, सीपीपी पोर्टल पर आवश्यकताओं के अनुसार अपनी बोलियां तैयार करें और अपनी बोलियां ऑनलाइन जमा करें।

More information useful for submitting online bids on the CPP Portal may be obtained at: अधिक जानकारी सीपीपी पोर्टल पर ऑनलाइन बोलियां जमा करने के लिए उपयोगी हो सकती है: http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
 - बोलीदाताओं को "नामांकन के लिए यहां क्लिक करें" लिंक पर क्लिक करके सेंट्रल पब्लिक प्रोक्युरमेंट पोर्टल (यूआरएल: http://eprocure.gov.in/eprocure/app) के ई-प्रोक्योरमेंट मॉड्यूल पर भर्ती करना आवश्यक है। सीपीपी पोर्टल पर नामांकन नि: शुल्क है
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
 - नामांकन प्रक्रिया के भाग के रूप में, बोलीदाताओं को अपने खाते के लिए एक अद्वितीय उपयोगकर्ता नाम चुनना होगा और एक पासवर्ड प्रदान करना होगा।
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
 - बोलीदाताओं को सलाह दी जाती है कि पंजीकरण प्रक्रिया के भाग के रूप में अपना वैध ईमेल पता और मोबाइल नंबर पंजीकृत करें। इन का उपयोग सीपीपी पोर्टल से किसी भी संचार के लिए किया जाएगा।
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
 - नामांकन पर, बोलीदाताओं को सीसीए इंडिया द्वारा मान्यता प्राप्त किसी प्रमाणन प्राधिकरण द्वारा जारी किए गए अपने मान्य डिजिटल हस्ताक्षर प्रमाण पत्र (कक्षा द्वितीय या कक्षा III प्रमाण पत्र के साथ महत्वपूर्ण उपयोग पर हस्ताक्षर करने) की आवश्यकता होगी (जैसे सिफी / टीसीएस / एनकोड / ई-मुद्रा आदि), उनके प्रोफाइल के साथ
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
 - केवल एक मान्य डीएससी एक बोलीदाता द्वारा पंजीकृत होना चाहिए। कृपया ध्यान दें कि निविदाकर्ता यह सुनिश्चित करने के लिए ज़िम्मेदार हैं कि वे अपने डीएससी को दूसरों को उधार नहीं देते हैं जिससे दुरुपयोग हो सकता है।

6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

बोलीदाता फिर अपने यूजर आईडी / पासवर्ड और डीएससी / ईटीकेन के पासवर्ड को दर्ज करके सुरक्षित लॉग-इन के माध्यम से साइट पर लॉग ऑन करता है।

SEARCHING FOR TENDER DOCUMENTS/ निविदा दस्तावेजों के लिए खोजना

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
 - सीपीपी पोर्टल में निर्मित विभिन्न खोज विकल्प हैं, ताकि बोलीदाताओं को कई मापदंडों से सक्रिय निविदाएं खोज सकें। इन मापदंडों में निविदा आईडी, संगठन का नाम, स्थान, तिथि, मूल्य आदि शामिल हो सकते हैं। निविदाओं के लिए उन्नत खोज का एक विकल्प भी है, जिसमें बोलीदाता कई नामों को जोड़ सकते हैं जैसे संगठन का नाम, अनुबंध का स्थान, स्थान, सीपीपी पोर्टल पर प्रकाशित निविदा की खोज के लिए तारीख, अन्य कीवर्ड आदि।
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
 - बोलीदाताओं ने एक बार निविदाएं चुनी हैं जिसमें वे रुचि रखते हैं, उसका वे आवश्यक दस्तावेज / निविदा कार्यक्रम डाउनलोड कर सकते हैं। ये निविदाएं 'मेरी निविदाओं' फ़ोल्डर में ले जाई जा सकती हैं। इससे सीपीपी पोर्टल को बोलीदाताओं को एसएमएस / ई-मेल के माध्यम से सूचित किया जा सकता है, यदि निविदा दस्तावेज में कोई शुद्धि जारी कि गई है।
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
 - बोलीदाता को प्रत्येक निविदा को निर्दिष्ट अद्वितीय निविदा आईडी का नोट बनाना चाहिए, अगर वे हेल्पडेस्क से कोई स्पष्टीकरण / सहायता प्राप्त करना चाहते हैं।

PREPARATION OF BIDS / बोली (बिड) की तैयारी

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
 - बोलीदाता को अपनी बोलियां जमा करने से पहले निविदा दस्तावेज पर प्रकाशित किसी भी शुद्धि को ध्यान में रखना चाहिए।
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
 - कृपया बोली के भाग के रूप में जमा किए जाने वाले दस्तावेजों को समझने के लिए निविदा विज्ञापन और निविदा दस्तावेज ध्यान से देखें। कृपया उन अंकों की संख्या पर ध्यान दें जिन में बोली दस्तावेज जमा करना है, दस्तावेजों की संख्या जिसमें प्रत्येक दस्तावेज के नाम और सामग्री शामिल हैं, जिन्हें प्रस्तुत करने की आवश्यकता है। इनमें से कोई भी विचलन बोली को अस्वीकार कर सकता है।
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
 - बोलीदाता, अग्रिम में, निविदा दस्तावेज / अनुसूची में बताए अनुसार प्रस्तुत करने के लिए बोली दस्तावेज तैयार करना चाहिए और आम तौर पर, वे पीडीएफ / एक्सएलएस / आरएआर / डीडब्ल्यूएफ स्वरूपों में हो सकते हैं। बोली दस्तावेजों को 100 डीपीआई के साथ काले और सफेद विकल्प स्कैन किया जा सकता है।

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

मानक दस्तावेजों के एक ही सेट को अपलोड करने के लिए आवश्यक समय और प्रयास से बचने के लिए जो प्रत्येक बोली के भाग के रूप में जमा करने के लिए आवश्यक हैं, ऐसे मानक दस्तावेज अपलोड करने का प्रावधान (जैसे पैन कार्ड कॉपी, वार्षिक रिपोर्ट, लेखा परीक्षक प्रमाण पत्र आदि)) बोलीदाताओं को प्रदान किया गया है। ऐसे दस्तावेजों को अपलोड करने के लिए बोलीकर्ता उनके लिए उपलब्ध "मेरा स्पेस" क्षेत्र का उपयोग कर सकते हैं। बोली जमा करते समय ये दस्तावेज़ सीधे "मेरा स्पेस" क्षेत्र से जमा किए जा सकते हैं, और उन्हें बार-बार अपलोड करने की ज़रूरत नहीं है इससे बोली जमा प्रक्रिया के लिए आवश्यक समय में कमी आएगी।

SUBMISSION OF BIDS/ बोली (बिड) का जमा करना

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
 - बोलीदाता को बोली प्रस्तुति के लिए अच्छी तरह से साइट पर लॉग इन करना चाहिए ताकि वह समय पर बोली अपलोड कर सके या फिर बोली प्रस्तुत करने के समय से पहले। अन्य मुद्दों के कारण किसी भी देरी के लिए बोलीदाता जिम्मेदार होगा।
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
 - बोलीदाता को निविदा दस्तावेज में दर्शाए अनुसार एक-एक करके आवश्यक बोली दस्तावेजों को डिजिटल हस्ताक्षर और अपलोड करना होगा।
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee as applicable and enter details of the instrument. Whenever, Tender fees is sought, bidders need to pay the tender fee separately on-line through RTGS (Refer to Schedule, Page No.2).
 - बोलीदाता को निविदा शुल्क / ईएमडी को भुगतान के लिए "ऑन लाइन" के रूप में भुगतान विकल्प चुनना होगा और उपकरण का विवरण दर्ज करना होगा। जब भी, ईएमडी / निविदा शुल्क की मांग की जाती है, बोलीदाताओं को टेंडर शुल्क और ईएमडी अलग-अलग आरटीजीएस के माध्यम से ऑन लाइन पर भुगतान करने की आवश्यकता होती है (अनुसूची, पेज नं .2 देखें)।
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
 - एक मानक BoQ प्रारूप को सभी बोलीदाताओं द्वारा भरने के लिए निविदा दस्तावेज प्रदान किया गया है। बोलीदाताओं को इस बात का ध्यान रखना चाहिए कि उन्हें आवश्यक प्रारूप में अपनी वित्तीय बोली जमा करनी चाहिए और कोई अन्य प्रारूप स्वीकार्य नहीं है। बोलीकर्ताओं को BoQ फाइल को डाउनलोड करने, इसे खोलने और अपने संबंधित वित्तीय उद्धरण और अन्य विवरण (जैसे बोलीदाता का नाम) के साथ सफेद रंगीन (असुरक्षित) कोशिकाओं को पूरा करना आवश्यक है। कोई भी अन्य कक्ष नहीं बदला जाना चाहिए। एक बार विवरण पूरा हो जाने पर, बोलीदाता को इसे सहेजना होगा और इसे ऑनलाइन जमा करना होगा, बिना फ़ाइल नाम बदलना। यदि BOQ फ़ाइल को बोलीदाता द्वारा संशोधित किया गया है, तो बोली को खारिज कर दिया जाएगा।
- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

सर्वर का समय (जो बोलीदाताओं के डैशबोर्ड पर प्रदर्शित होता है) बोलीदाताओं द्वारा बोलियों को खोलने के लिए समय सीमा को संदर्भित करने के लिए मानक समय के रूप में माना जाएगा। बोलीदाताओं को खोलना आदि। बोलीदाताओं को बोली प्रस्तुत करने के दौरान इस समय का पालन करना चाहिए।

- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
 - बोलीदाताओं द्वारा प्रस्तुत सभी दस्तावेज पीकेआई एन्क्रिप्शन तकनीकों का उपयोग करके एन्क्रिप्ट किया जाएगा जिससे डेटा की गोपनीयता सुनिश्चित हो सके। दर्ज किए गए डेटा को अनिधकृत व्यक्तियों द्वारा बोली खोलने के समय तक नहीं देखा जा सकता है। बोलियों की गोपनीयता को सुरक्षित सॉकेट लेयर 128 बिट एन्क्रिप्शन तकनीक का उपयोग कर रखा जाता है। संवेदनशील क्षेत्रों का डेटा संग्रहण एन्क्रिप्शन किया जाता है।
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
 - अपलोड किए गए निविदा दस्तावेज केवल अधिकृत बोलीदाता द्वारा निविदा खोलने के बाद ही पठनीय हो सकते हैं।
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
 - बोलियों के सफल और समय पर जमा होने पर, पोर्टल एक सफल बोली प्रस्तुत करने का संदेश देगा और एक बोली सारांश बोली संख्या के साथ प्रदर्शित किया जाएगा। और अन्य सभी प्रासंगिक विवरणों के साथ बोली प्रस्तुत करने की तारीख और समय।
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet. कृपया अनुपालन पत्रक की एक पीडीएफ फाइल में सभी प्रासंगिक दस्तावेजों के स्कैन किए गए पीडीएफ़ को जोड़ दें।

ASSISTANCE TO BIDDERS / बोलीदाताओं को सहायता

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
 - निविदा दस्तावेज से संबंधित कोई भी प्रश्न और इसमें निहित नियमों और शर्तों को निविदा आमंत्रण प्राधिकरण को निविदा के लिए या निविदा में वर्णित प्रासंगिक संपर्क व्यक्ति से संबोधित किया जाना चाहिए।
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.
 - ऑनलाइन बोली प्रस्तुत करने या सामान्य में सीपीपी पोर्टल से संबंधित प्रश्नों की प्रक्रिया से संबंधित कोई भी प्रश्न 24x7 सीपीपी पोर्टल हैल्पडेस्क पर निर्देशित किया जा सकता है। हेल्पडेस्क के लिए संपर्क संख्या 1800 233 7315 है

General Instructions to the Bidders / बोलीदाताओं के लिए सामान्य निर्देश

- 1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format. निविदाएं पोर्टल http://eprocure.gov.in/eprocure/app के माध्यम से ऑनलाइन प्राप्त होंगी तकनीकी बोलियों में, बोलीदाताओं को सभी दस्तावेजों को। पीडीएफ प्रारूप में अपलोड करना होगा।
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".

कंपनी के नाम में स्मार्ट कार्ड / ई-टोकन के रूप में मान्य क्लास II / III डिजिटल हस्ताक्षर प्रमाण पत्र (डीएससी) के पंजीकरण के लिए एक शर्त है और https://eprocure.gov.in/eprocure/ के माध्यम से बोली प्रस्तुत करने की गतिविधियों में भाग ले सकते है। डिजिटल हस्ताक्षर प्रमाण पत्र अधिकृत प्रमाणित एजेंसियों से प्राप्त की जा सकती है, जिनमें से जानकारी "डीएससी के बारे में सूचना" लिंक के तहत वेब साइट https://eprocure.gov.in/eprocure/app पर उपलब्ध है।

- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.
 - निविदाकर्ता को सलाह दी जाती है कि वे निविदाकार को निर्देश दिए गए हों ताकि ई-प्रोक्योरमेंट के लिए सेंट्रल पब्लिक प्रोकॉर्ममेंट पोर्टल के जिए https://eprocure.gov.in/eprocure/app पर ऑनलाइन निविदाएं जमा कर सकें।

Electrical Engineering Department Indian Institute of Technology Hauz Khas, New Delhi-110 016

NOTICE INVITING QUOTATIONS

Subject: PHY and MAC layer development for LiFi networks

Invitation for Tender Offers

Indian Institute of Technology Delhi invites online Bids (Technical bid and Commercial bid) from eligible and experienced OEM (Original Equipment Manufacturer) OR OEM Authorized Dealer for **supply, installation & integration of PHY and MAC layer development for LiFi networks** with (warranty period as stated at page #1 of this tender) on site comprehensive warranty from the date of receipt of the material as per terms & conditions specified in the tender document, which is available on CPP Portal http://eprocure.gov.in/eprocure/app

TECHNICAL SPECIFICATION:

- Design and Implementation of PHY and MAC for Wireless Network.
- The integrated PHY layer shall be designed in accordance with the objectives listed below, with a provision to test individual modules independently.
- The integrated MAC layer shall be designed in accordance with the objectives listed below, with a provision to test individual modules independently, and output of data flow and frames on debug console.
- The PHY and MAC subsystems shall seamlessly integrate and shall be able to provide internet access to multiple users.
- The communication setup shall consist of two FPGAs connected via a wired interface.
- Verification methods and acceptance criteria for the defined test cases may be relaxed upon consultation and mutual agreement with the IIT Delhi team.
- All interfaces in the design shall be of AXI4-Stream.
- All verification methods and further technical explanations shall be clarified by referring to the accompanying annexure document.

S.	Parameter	Specification	Verificatio
No.			n
1.	M-PAM (M = 2, 4, 8, 16, 32) baseband modulation block	 Pulse Shaping: Root-raised cosine RRC roll-off factor: 0.35-0.45 Line Rate: 200 Mbps Selectable modulation order during runtime: Mandatory 	Annexure 1, Objective 1
2.	M-QAM (M = 4, 16, 64, 256, 1024) passband modulation block	Pulse Shaping: Root- raised cosineRRC roll-off factor:	Annexure 1, Objective 2

		0.35-0.45
		 Line Rate: 200 Mbps Selectable modulation order during runtime: Mandatory Provision to change carrier frequency: Mandatory
3.	BCH channel coding block	 Values of n, k and d with d ≥ 5 targeting a code rate (k/n) in the range of 0.75 to 0.95 Values of n, k and d, along with the generator polynomial g(x) for codeword generation shall be explicitly documented
4.	Channel state information (CSI) estimation block	Estimation method (e.g., pilot-based, decision-directed, blind estimation etc) shall be explicitly documented Annexure 1, Objective 4
5.	Digital automatic gain control (AGC) block	 Normalize the signal amplitude after ADC Shall automatically adjust the gain on a frame-by-frame basis/within the preamble interval Block output shall be independent of input power variations
6.	WiFi access point MAC	WLAN interface: Hardware platform: Zynq7000 CSMA/CA DHCP server functionality Domain master and domain controller modes CRC offloaded in RTL block Supports multiple users in WLAN side Support Raw Ethernet frames WAN interface:

	T		
		 Gigabit Ethernet, GMII/RGMII DHCP client functionality Active internet access assumed from a router on WAN side 	
7.	Wireless station	WLAN interface: Hardware platform: Zynq7000 Compatible with corresponding AP functions in list item number 6.	Annexure 2, Objective 2
		Computer interface: USB CDC interface USB version: USB HighSpeed (480 Mbps) WPA/WPA2 authentication via computer Soft-core USB device stack in FPGA DMA between MAC and USB USB Vendor/Product ID detection Kernel module with hotplug support Linux driver architecture: cfg80211 and mac80211 Windows driver framework: UMDF (User-Mode Driver Framework)	
8.	Solution form (IP/Bitstream)	IP and source code	-
9.	Board support package provided	Mandatory	-
10.	FPGA boards provided for testing	Yes, Zynq7000 with AD-FMC DAQ3-EBZ	-

PHY Layer

Objective 1:

Implementation of M-PAM (2, 4, 8, 16, 32) baseband modulation using root-raised cosine (RRC) pulse shaping, with a target line rate of 200 Mbps between two FPGAs with a provision to switch between various orders of modulation. The RRC roll-off factor shall lie in the range 0.35–0.45.

Test Cases / Verification (to be conducted at IIT Delhi):

a) Order of modulation

- **Method:** Transmit the PRBS data and capture the demodulated PAM symbols from the receiver. Plot a histogram of the symbol amplitudes.
- Acceptance criteria: The number of distinct, equally spaced bins must equal the requested modulation order (2, 4, 8, 16, 32).

b) Baseband verification

- **Method:** Observe the output spectrum of the transmitter using a DSO + FFT or spectrum analyzer.
- **Acceptance criteria:** The spectral plot must be centered around DC and confined within the expected Nyquist bandwidth for the given line rate.

c) Pulse shaping verification

- **Method:** Transmit a repeated short known bit sequence. Capture the transmitter output in the time domain on the DSO. Generate the corresponding MATLAB waveform using the same modulation order, roll-off factor, and symbol rate.
- Acceptance criteria: The captured waveform must visually match the simulated reference waveform.

Objective 2:

Implementation of M-QAM (4, 16, 64, 256, 1024) passband modulation using root-raised cosine (RRC) pulse shaping, with a target line rate of 200 Mbps between two FPGAs with a provision to switch between various orders of modulation. The RRC roll-off factor shall lie in the range 0.35–0.45. Choose the carrier frequency with a provision to switch across different carrier frequencies.

Test Cases / Verification (to be conducted at IIT Delhi):

a) Order of modulation

- **Method:** Transmit a PRBS data sequence and capture the demodulated symbols on the inphase (I) and quadrature (Q) channels. Plot a 2D scatter diagram (constellation) and/or histograms of I and Q amplitudes.
- Acceptance criteria: The number of distinct constellation points must equal the requested modulation order (e.g., 4, 16, 64, 256, 1024). The constellation points should be equally spaced in both I and Q dimensions.

b) Passband verification

• **Method:** Observe the output spectrum of the transmitter using a DSO + FFT or spectrum analyzer.

• Acceptance criteria: The spectral plot must be centered at the chosen carrier frequency and confined within the expected Nyquist bandwidth corresponding to the 200 Mbps line rate. Provision to switch across different carrier frequencies shall be verified by repeating the measurement at multiple carrier settings.

c) Pulse shaping verification

- **Method:** Transmit a repeated short known bit sequence. Capture the transmitter output in the time domain on the DSO. Generate the corresponding MATLAB waveform using the same modulation order, roll-off factor, and symbol rate.
- Acceptance criteria: The captured waveform must visually match the simulated reference waveform.

Objective 3:

Implementation of **BCH** channel coding. Choose the values of n, k and d with $d \ge 5$ targeting a code rate (k/n) in the range of 0.75 to 0.95. The chosen values, along with the generator polynomial, g(x) used for codeword generation, must be explicitly documented.

Test Cases / Verification (to be conducted at IIT Delhi):

a) Encoder functionality

- **Method:** Provide a repeated short known bit sequence of length k to the encoder, which produces a repeated encoded sequence of length n.
- Acceptance criteria: Using the provided generator polynomial g(x), the valid codeword c(x) shall be evaluated independently and must match the encoder's output sequence exactly.

b) Decoder functionality

- **Method:** Transmit a PRBS sequence through the encoder and connect the encoder output directly to the decoder input (error-free channel).
- Acceptance criteria: The decoder output must exactly match the encoder input sequence.

c) Error correction capability

- **Method:** Encode a known bit sequence using the BCH encoder. Pass the encoder output through a random bit-flipping block that flips t bits at random positions, where $2 \le t \le \frac{d-1}{2}$. Feed the corrupted sequence into the BCH decoder.
- Acceptance criteria: The decoder output must reconstruct the original bit sequence correctly, i.e., all introduced errors (up to the designed correction capability) must be corrected.

Objective 4:

Implementation of **channel state information (CSI) estimation**. The chosen estimation method (e.g., pilot-based, decision-directed, blind estimation etc) must be explicitly documented.

Test Cases / Verification (to be conducted at IIT Delhi):

a) Channel estimate monitoring

• **Method:** The vendor will provide a facility to output the estimated channel response (e.g., impulse response taps or per-subcarrier frequency response etc) during operation.

Note: A time-varying channel will be provided by IIT Delhi, either through a

- simulation environment or using physical channel-emulation components.
- Acceptance criteria: The output estimates must be consistent with the documented estimation method and must vary sensibly with controlled changes in the channel.

b) Functional validation through BER

- **Method:** Transmit a PRBS sequence through the transmitter chain. The receiver captures the signal through the time-varying channel, and the receiver uses its CSI estimates to demodulate the data.
- Acceptance criteria: The recovered bit sequence must match the transmitted bit sequence with a bit error rate (BER) $< 10^{-6}$ under nominal indoor SNR test conditions.

Objective 5:

Implementation of a **digital automatic gain control (AGC)** module after the ADC to normalize the signal amplitude and ensure that subsequent DSP blocks (synchronization, CSI estimation, equalization, demodulation, and decoding) operate with a stable nominal input level.

The digital AGC shall automatically adjust the gain on a frame-by-frame basis (or within the preamble interval) to achieve a consistent RMS signal power, independent of input power variations. The vendor shall document the AGC algorithm, control law, gain range, and settling time.

Test Cases / Verification (to be conducted at IIT Delhi):

a) Digital normalization test

- **Method:** Transmit PRBS data at two or more input power levels differing by ≥10 dB. Capture post-AGC digital samples and compute RMS amplitude.
- Acceptance criteria: Normalized RMS power must remain within ±0.5 dB across tested input levels.

b) Transient settling test

- **Method:** Apply a sudden input power step (e.g., -10 dB to nominal) at the start of a frame. Record AGC gain evolution and output waveform.
- Acceptance criteria: AGC must settle to within ± 0.5 dB of target RMS level within the preamble interval, such that payload demodulation is unaffected.

c) BER stability test under input power variation

- **Method:** Sweep input power across the expected operating range while transmitting PRBS data. Measure BER after decoding.
- Acceptance criteria: BER $\leq 10^{-6}$ at nominal SNR across the tested range; no error floor due to AGC operation.

MAC Layer

Objective 1:

Implementation of access point. The access point shall support multiple users (functionally, in the scope of the fact that communication has to be demonstrated on two FPGA boards, new users shall be demonstrated by swapping out user side device FPGA for association of a new user), and shall be connected to any off the shelf router connected to the internet via Ethernet on the WAN side.

1. WAN side connectivity:

- a) 1 Gbps Ethernet full duplex with auto-negotiation
- b) GMII/RGMII interface inside the FPGA board
- c) Connects to a router via Ethernet with active internet connection
- d) DHCP client functionality to take IP address from a DHCP server (from router)
- **2. MAC:** Basic MAC functionality shall be adapted from any wireless point-to-multipoint system utilizing CSMA/CA.
 - a) Implemented on Zynq architecture on RTOS
 - b) Packet processing and relay the IP packets to users with CSMA/CA with/without DCF
 - c) Fragmentation/defragmentation, MTU handling, sequence number handling
 - d) Jumbo frame support
 - e) Association beacon broadcast
 - f) Support for raw Ethernet frames
 - g) DHCP server functionality, subnet hosted after IP address assignment from the router
 - h) CRC offloaded in the RTL
 - i) Stop-and-wait ARQ
 - j) Network management and configuration (AP SSID, password) HTML page hosted on AP's IP address

Test Cases / Verification (to be conducted at IIT Delhi):

- a) New user (FPGA) will be connected to the FPGA board, and the MAC address, IP address, packet structure, and packet statistics will be displayed and verified on a debug UART console.
- b) Packet collisions counter, and carrier sense information from CSMA/CA block shall be displayed on the debug console to verify state changes.
- c) Ping requests to internet are acknowledged back.
- d) iperf test shall yield throughput as per PHY specifications in Annexure 1
- e) Network statistics and configuration can be accessed through LAN on the hosted webpage

Objective 2:

Implementation of a user device (STA). The user device shall be compatible with all MAC functions listed (and any additional features that arise as a result of development). This device shall connect to a computer to provide internet connectivity.

- 1. Implemented in Zynq 7000 processor with RTOS and on PL (distribution of sub modules between PS and PL chosen by the developer)
- 2. The MAC processor at the user responds to the access point network related functions
- 3. **Device driver:** A USB interface acting as communication device class (CDC) shall be implemented to serve as the connection between computer and user FPGA. This device shall be designed in such a way to appear as a USB NIC
- 4. WPA/WPA2 authentication via computer
- 5. USB interface: USB High speed (480 Mbps) with ULPI
- 6. Soft-core USB device stack in FPGA

- 7. Buffer management and DMA between MAC and USB
- 8. USB Vendor/Product ID detection
- 9. Kernel module with hotplug support

10. Driver architecture (suggestions, but not limited to):

- a. Linux wireless stack: cfg80211 and mac80211
 - i. TX/RX data path
 - ii. netlink interface for configuration
 - iii. ioctl support for manual setup
- b. Windows Driver Framework: UMDF (User-Mode Driver Framework)
 - i. Implement standard Windows NDIS
 - ii. Interface with Network API
 - iii. Plug and Play (PnP) support
 - iv. Support for WLAN tools: netsh wlan, WiFi settings
 - v. WHQL signed driver
- 11. The rest of the blocks at the user MAC has similar functionality corresponding to the access point.

Test Cases / Verification (to be conducted at IIT Delhi):

- a) HLK (Hardware Lab Kit) test for USB and NDIS for Windows.
- b) Linux driver tested across common distributions: Ubuntu, Debian, Fedora.
- c) Active internet connection display on the computer with throughput in **iperf** as per PHY specifications.
- d) Packet flow will be observed on WireShark.
- e) Beacon frames, association/dissociation frames shall be displayed on USB debug console.
- f) Packet collisions counter, and carrier sense information from CSMA/CA block shall be displayed on the debug console to verify state changes.

A complete set of tender documents* may be Download by prospective bidder free of cost from the website http://eprocure.gov.in/eprocure/app. Bidder has to make payment of requisite fees (i.e. Tender fees, if any online through RTGS/NEFT only.

Terms & Conditions Details

Sl. No.	Specification
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after the
	due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids: The offer/bid should be submitted in two bid systems i.e. Technical bid and
	Financial bid. The Technical bid should consist of all technical details along with commercial terms
	and conditions. Financial bid should indicate item wise price for the items mentioned in the
	technical bid in the given format i.e BoQ XXXX.
	The Technical bid and the financial bid should be submitted Online.
	Note: -Comparison of prices will be done ONLY on the bids submitted for the Main Equipment and
	anything asked as 'Optional' in the specs is not to be included for overall comparison.
3.	EMD (if applicable): The tenderer should submit an EMD amount through RTGS/NEFT. The
	Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted.
	The EMD will be refunded without any interest to the unsuccessful bidders after the award of
	contract. Refer to Schedule (at page 1 of this document) for its actual place of submission.
4.	Refund of EMD : The EMD will be returned to unsuccessful Tenderer only after the Tenders are
	finalized. In case of successful Tenderer, it will be retained till the successful and complete
	installation of the equipment.
5.	Opening of the tender: The online bid will be opened by a committee duly constituted for this
	purpose. Online bids (complete in all respect) received along with EMD (if any) will be opened as
	mentioned at "Annexure: Schedule" in presence of bidders representative if available. Only one
	representative will be allowed to participate in the tender opening. Bid received without EMD (if
	present) will be rejected straight way. The technical bid will be opened online first and it will be
	examined by a technical committee (as per specification and requirement). The financial offer/bid
	will be opened only for the offer/bid which technically meets all requirements as per the
	specification, and will be opened in the presence of the vendor's representatives subsequently for
	further evaluation. The bidders if interested may participate on the tender opening Date and Time.
	The bidder should produce authorization letter from their company to participate in the tender
	opening.
6.	Acceptance/ Rejection of bids: The Committee reserves the right to reject any or all offers without
	assigning any reason.
7.	Pre-qualification criteria:
, ,	(i) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original
	equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.
	(ii) An undertaking from the OEM is required stating that they would facilitate the bidder on a
	regular basis with technology/product updates and extend support for the warranty as well. (Ref.
	Annexure-II)
	(iii) OEM should be internationally reputed Branded Company.
	(iv) Non-compliance of tender terms, non-submission of required documents, lack of clarity of the
	specifications, contradiction between bidder specification and supporting documents etc. may lead to
	rejection of the bid.
	(v) In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can
	bid but both cannot bid simultaneously for the same item/product in the same tender.
	(vi) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on
	behalf of another Principal/OEM in the same tender for the same item/product.
8.	Performance Security: Performance Security may be furnished in the form of Insurance Surety
· ·	Bonds, Account Payee Demand Draft, Fixed Deposit Receipt from a Commercial bank, Bank
	Guarantee (including e-Bank Guarantee) from a Commercial bank or online payment in an
	acceptable form safeguarding the purchaser's interest in all respects within 21 days from the date of
	receipt of the purchase order and should be kept valid for a period of 60 days beyond the date of
	1 receipt of the parenase order and should be kept valid for a period of ob days beyond the date of

9.	 completion of warranty period. Force Majeure: The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure. For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. Risk Purchase Clause: In event of failure of supply of the item/equipment within the stipulated
	 and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
	such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
10.	delivery schedule, the purchaser has all the right to purchase the item/equipment from the other source on the total risk of the supplier under risk purchase clause.
11.	Packing Instructions: Each package will be marked on three sides with proper paint/indelible ink, the
	following:
	i.Item Nomenclature
	ii.Order/Contract No.
	iii.Supplier's Name and Address
	iv.Consignee details
	v.Packing list reference number
12.	Delivery and Documents:
	Delivery of the goods should be made within a maximum of 12 to 16 weeks (for goods ready for
	shipment) & Maximum (To be filled by Purchaser) weeks (For special/ to be fabricated goods) from
	the date of the Purchase Order. Within 24 hours of shipment, the supplier shall notify the purchaser
	and the insurance company by email the full details of the shipment including contract number, railway
	receipt number/ AAP etc. and date, description of goods, quantity, name of the consignee, invoice etc.
	The supplier shall mail the following documents to the purchaser with a copy to the insurance company:
	1. 4 Copies of the Supplier invoice showing contract number, goods' description, quantity
	2. unit price, total amount;
	3. Insurance Certificate if applicable;
	4. Manufacturer's/Supplier's warranty certificate;
	5. Inspection Certificate issued by the nominated inspection agency, if any
	6. Supplier's factory inspection report; and
	7. Certificate of Origin (if possible by the beneficiary);
	8. Two copies of the packing list identifying the contents of each package.
	9. The above documents should be received by the Purchaser before arrival of the Goods (except
	where the Goods have been delivered directly to the Consignee with all documents) and, if not
	received, the Supplier will be responsible for any consequent expenses.
13.	Delayed delivery: If the delivery is not made within the due date for any reason, the Committee will
	have the right to impose penalty 1% per week and the maximum deduction is 10% of the contract
	value / price.
14.	Prices : The price should be quoted in net per unit (after breakup) and must include all packing and delivery charges.
	Price quoted should be in Indian Rupees, free delivery at IIT Delhi Campus at site (DDP/FOR).

Further, depending on the nature of the goods, there may be cost elements towards installation and commissioning, operator's training, and so on. Normally, it may be included in the equipment cost but if it is quoted separately, the same will be added in the item price for the determination of ranking of the bidders.

The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However, the percentage of taxes & duties shall be clearly indicated.

Necessary certificate will be issued on demand.

The Buyer/PFC will have the right to award contracts to different Bidders for being lowest in particular items.

For ranking of offers, price of complete scope of supply as detailed in technical specifications, the procuring authority/Purchaser may decide as follows for comparison of price bid -

- (i) All items of the bid which are mandatorily required to meet the tendered specifications of the item/system
- (ii) If a bidder has put certain items/modules which are required to meet the tendered specifications in the 'optional' part of the bid, then such optional items shall also be included for the purpose of price comparison
- (iii) On the other hand, if a bidder has inadvertently included any item/module in its main price bid which is not required as per tender specifications, then the price of such item/module shall be excluded from the price comparison provided that the price for the said item/module is clearly reflected separately in the bid
- (iv) Anything asked as 'optional' in our specs is not to be included for overall comparison

Non-conformities between Figures and words:

Sometimes, non-conformities/errors are also observed in responsive tenders between the quoted prices in figures and in words. This situation normally does not arise in case of e-Procurement. This should be taken care of in the manner indicated below:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected.
- (ii) If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected;
- (iii) If there is a discrepancy between words and figures, the amount in words will prevail for calculation of price.

Notices: For the purpose of all notices, the following shall be the address of the Purchaser and Supplier.

Purchaser: Prof. Abhishek Dixit

Electrical Engineering Department Indian Institute of Technology Hauz Khas, New Delhi - 110016.

Supplier: (To be filled in by the supplier)

(Supplier should submit its supplies information as per Annexure-II).

16.	 Progress of Supply: Wherever applicable, supplier shall regularly intimate progress of supply, in writing, to the Purchaser as under: 1. Quantity offered for inspection and date; 2. Quantity accepted/rejected by inspecting agency and date; 3. Quantity dispatched/delivered to consignees and date; 4. Quantity where incidental services have been satisfactorily completed with date; 5. Quantity where rectification/repair/replacement effected/completed on receipt of any communication from consignee/Purchaser with date; 6. Date of completion of entire Contract including incidental services, if any; and 7. Date of receipt of entire payments under the Contract (In case of stage-wise inspection, details required may also be specified).
17.	Inspection and Tests: Inspection and tests prior to shipment of Goods and at final acceptance are as
	 After the goods are manufactured and assembled, inspection and testing of the goods shall be carried out at the supplier's plant by the supplier, prior to shipment to check whether the goods are in conformity with the technical specifications attached to the purchase order. Manufacturer's test certificate with data sheet shall be issued to this effect and submitted along with the delivery documents. The purchaser shall be present at the supplier's premises during such inspection and testing if need is felt. The location where the inspection is required to be conducted should be clearly indicated. The supplier shall inform the purchaser about the site preparation, if any, needed for installation of the goods at the purchaser's site at the time of submission of order acceptance. The acceptance test will be conducted by the Purchaser, their consultant or other such person nominated by the Purchaser at its option after the equipment is installed at purchaser's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There shall not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the equipment is expected to occur. The Supplier shall maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Purchaser, the successful completion of the test specified. In the event of the ordered item failing to pass the acceptance test, a period not exceeding one weeks will be given to rectify the defects and clear the acceptance test, failing which the Purchaser
	reserve the right to get the equipment replaced by the Supplier at no extra cost to the Purchaser. • Successful conduct and conclusion of the acceptance test for the installed goods and equipment
	shall also be the responsibility and at the cost of the Supplier.
18.	Resolution of Disputes: The dispute resolution mechanism to be applied pursuant shall be as follows: • In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director, Indian Institute of Technology Delhi and if he is unable or unwilling to act, to the sole arbitration of some other person appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this order.
19.	Applicable Law: The place of jurisdiction would be New Delhi (Delhi) INDIA.
20.	Right to Use Defective Goods: If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.
	19

21.	Supplier Integrity:
21.	The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the
	Contract using state of the art methods and economic principles and exercising all means available to
	achieve the performance specified in the contract.
22.	Training:
	The Supplier is required to provide training to the designated Purchaser's technical and end user
	personnel to enable them to effectively operate the total equipment.
23.	Installation & Demonstration:
	The supplier is required to done the installation and demonstration of the equipment within one month
	of the arrival of materials at the IITD site of installation, otherwise the penalty clause will be the same
	as per the supply of materials.
	In case of any mishappening/damage to equipment and supplies during the carriage of supplies from
	the origin of equipment to the installation site, the supplier has to replace it with new
	equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance
	company as per his convenience. IITD will not be liable to any type of losses in any form.
24.	Insurance: For delivery of goods at the purchaser's premises, the insurance shall be obtained by the
	supplier in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final
	destinations) on "All Risks" basis including War Risks and Strikes. The insurance shall be valid for a
25	period of not less than 3 months after installation and commissioning. Incidental services: The incidental services also include:
25.	
	• Furnishing of 01 set of detailed operations & maintenance manual.
	• Arranging the shifting/moving of the item to their location of final installation within IITD
	premises at the cost of Supplier through their Indian representatives.
26.	Warranty:
	(i) Warranty period shall be (as stated at page #2 of this tender) from date of installation of Goods at
	the IITD site of installation. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier,
	these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such
	changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in
	order to attain the contractual guarantees specified in the Contract at its own cost and expense and
	to carry out further performance tests. The warranty should be comprehensive on site.
	(ii) The Purchaser shall promptly notify the Supplier in writing of any claims arising under this
	warranty. Upon receipt of such notice, the Supplier shall immediately within in 02 days arrange
	to repair or replace the defective goods or parts thereof free of cost at the ultimate destination.
	The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim
	whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 02 days. If the supplier having been notified fails
	to remedy the defects within 02 days, the purchaser may proceed to take such remedial action as
	may be necessary, at the supplier's risk and expenses and without prejudice to any other rights,
	which the purchaser may have against the supplier under the contract.
	(iii) The warranty period should be clearly mentioned. The maintenance charges (AMC) under
	different schemes after the expiry of the warranty should also be mentioned. The
	comprehensive warranty will commence from the date of the satisfactory
	installation/commissioning of the equipment against the defect of any manufacturing,
	workmanship and poor quality of the components.
	(iv) After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive
	Maintenance Contract (CMC) up to next two years should be started. The AMC/CMC charges will not be included in computing the total cost of the equipment
27.	will not be included in computing the total cost of the equipment.
21.	Governing Language:

	The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language.
28.	Applicable Law: The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction.
29.	 Notices: Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by email and confirmed in writing to the other party's address. A notice shall be effective when delivered or on the notice's effective date, whichever is later.
30.	Taxes: Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, GST etc, in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.
31.	Duties: IIT Delhi is exempted from paying custom duty under notification No.51/96 (partially or full) and necessary "Custom Duty Exemption Certificate" can be issued after providing following information and Custom Duty Exemption Certificate will be issued to the shipment in the name of the Institute, (no certificate will be issued to third party): The procured product should be used for teaching, scientific and research work only. a) Shipping details i.e. Master Airway Bill No. and House Airway No. (if exists) b) Forwarder details i.e. Name, Contact No., etc.
32.	Payment: 100% payment shall be made by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at IITD in good condition and to the entire satisfaction of the Purchaser and on production of unconditional performance bank guarantee as specified in Clause 8 of tender terms and conditions.
33.	User list: Brochure detailing technical specifications and performance, list of industrial and educational establishments where the items enquired have been supplied must be provided. (Ref. Annexure-III)
34.	 Manuals and Drawings: Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply operation and maintenance manuals. These shall be in such details as will enable the Purchaser to operate, maintain, adjust and repair all parts of the works as stated in the specifications. The Manuals shall be in the ruling language (English) in such form and numbers as stated in the contract. Unless and otherwise agreed, the goods equipment shall not be considered to be completed for the purposes of taking over until such manuals and drawing have been supplied to the Purchaser.
35.	Application Specialist : The Tenderer should mention in the Techno-Commercial bid the availability and names of Application Specialist and Service Engineers in the nearest regional office. (Ref. to Annexure-III)
36.	Site Preparation : The supplier shall inform to the Institute about the site preparation, if any, needed for the installation of equipment, immediately after the receipt of the purchase order. The supplier must provide complete details regarding space and all the other infrastructural requirements needed for the equipment, which the Institute should arrange before the arrival of the equipment to ensure its timely installation and smooth operation thereafter. The supplier shall visit the Institute and see the site where the equipment is to be installed and may

	offer his advice and render assistance to the Institute in the preparation of the site and other pre-
25	installation requirements.
37.	Spare Parts The Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: ii. Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and iii. In the event of termination of production of the spare parts: iv. Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and v. Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts, if requested. Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components shall be supplied as promptly as possible but in any case within six months of placement of order.
38.	Defective Equipment : If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 45 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, IIT Delhi may consider "Banning" the supplier.
39.	Termination for Default: The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part: i. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order or within any extension thereof granted by the Purchaser; or ii If the Supplier fails to perform any other obligation(s) under the Contract. iii If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
	 For the purpose of this Clause: "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;" In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure,
40.	upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated. Downtime: During the warranty period not more than 5% downtime will be permissible. For every day exceeding permissible downtime, penalty of 1/365 of the 5% item value will be imposed. Downtime will be counted from the date and time of the filing of complaint with in the business

	hours.
41.	Training of Personnel: The supplier shall be required to undertake to provide the technical training
	to the personnel involved in the use of the equipment at the Institute premises, immediately after
	completing the installation of the equipment for a minimum period of one week at the supplier's
	cost.
42.	Disputes and Jurisdiction: Any legal disputes arising out of any breach of contract pertaining to
	this tender shall be settled in the court of competent jurisdiction located within New Delhi.
43.	Compliancy certificate: This certificate must be provided indicating conformity to the technical
	specifications. (Annexure-I)
44.	As per Ministry of Finance, Deptt. of Expenditure, Public Procurement Division Order (Public
	Procurement No.1) issued from file No.6/18/2019-PPD dated 23rd July, 2020 regarding
	Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs) 2017, it is directed that any
	bidder from a country which shares a land border with India will be eligible to bid in any
İ	procurement whether of goods, services (including consultancy services and non-consultancy
	services) or works (including turnkey projects) only if the bidder is registered with the Competent
	Authority i.e. the Deptt. for Promotion of Industry and Internal Trade (DPIIT). The said order will
	not apply to bidders from those countries (even sharing a land border with India) to which the
	Government of India has extended lines of credit or in which the Government of India is engaged in
	development projects (updated lists of the countries are given in the Ministry of External Affairs)
	"Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means
	any person or firm or company, including any member of a consortium or joint venture (that is an
	association of several persons, or firms or companies), every artificial juridical person not falling in
	any of the descriptions of bidders stated hereinbefore, including any agency branch or office
	controlled by such person, participated in a procurement process.
	"Bidders from a country which shares a land border with India" for the purpose of this Order means:
	i. An entity incorporated, established or registered in such a country; or
	i. A subsidiary of an entity incorporated, established or registered in such a country; or
	i. An entity substantially controlled through entities incorporated, established or registered in such
	a country; or
	v. An entity whose beneficial owner is situated in such a country; or
	v. An Indian (or other) agent of such an entity; or
	i. A natural person who is the citizen of such a country; or
	i. A consortium or joint venture where any member of the consortium or joint venture falls under
	any of the above
	The <i>beneficial owner</i> for the purpose of above will be as under: -
	1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person
	(s), who, whether acting alone or together, or through one or more juridical person, has a
	controlling ownership interest or who exercise control through other means.
	Explanation-
	a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-
	five per cent of share or capital or profit of the company;
	b. "Control" shall include the right to appoint majority of the directors or to control the
	management of policy decisions including by virtue of their shareholding or management
	rights or shareholders agreements or voting agreements;

2. In case of a partnership firm, the beneficial owner is the natural person (s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more

- than fifteen percent of capital or profits of the partnership;
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person (s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

An agent is a person employed to do any act for another, or to represent another in dealings with the third person.

For Works contracts, including Turnkey contracts, the successful bidder shall not be allowed to subcontract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

A certificate shall be submitted by bidders in the tender documents regarding their compliance with the said order. If the certificate submitted by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law. Annexure VI (For Goods/ Services contracts)/ Annexure VII (For Works contracts, including Turnkey contracts)

45 It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VIII for the same). The Annexure VIII once submitted in the Technical Bid will be final. Submission of Revised Annexure VIII will NOT be accepted.

> As per O.M. of DPIIT, Ministry of Commerce and Industry, Govt. of India No.P-45021/102/2019-BE-II- Part (1) (E-50310) Dated 04.03.2021, Bidders offering Imported products will fall under the category of Non Local Suppliers. They cannot claim themselves as Class-I or Class –II Local Suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/CMC etc. as Local Value Addition.

COMPLIANCE SHEET

TECHNICAL SPECIFICATION

S. No.		Specification	Compliance
			Y/N
	•	Design and Implementation of PHY and MAC for Wireless Network.	
	•	The integrated PHY layer shall be designed in accordance with the objectives	
		listed below, with a provision to test individual modules independently.	
	•	The integrated MAC layer shall be designed in accordance with the	
		objectives listed below, with a provision to test individual modules	
		independently, and output of data flow and frames on debug console.	
	•	The PHY and MAC subsystems shall seamlessly integrate and shall be able	
		to provide internet access to multiple users.	
	•	The communication setup shall consist of two FPGAs connected via a wired	
		interface.	
	•	Verification methods and acceptance criteria for the defined test cases may	
		be relaxed upon consultation and mutual agreement with the IIT Delhi team.	
	•	All interfaces in the design shall be of AXI4-Stream.	
	•	All verification methods and further technical explanations shall be clarified	
		by referring to the accompanying annexure document.	

S. No.	Parameter	Specification	Verification	Compliance
				Y/N
1.	M-PAM (M = 2, 4, 8, 16, 32) baseband modulation block	 Pulse Shaping: Root-raised cosine RRC roll-off factor: 0.35-0.45 Line Rate: 200 Mbps Selectable modulation order during runtime: Mandatory 	Annexure 1, Objective 1	
2.	M-QAM (M = 4, 16, 64, 256, 1024) passband modulation block	 Pulse Shaping: Root-raised cosine RRC roll-off factor: 0.35-0.45 Line Rate: 200 Mbps Selectable modulation order during runtime: Mandatory Provision to change carrier frequency: Mandatory 	Annexure 1, Objective 2	
3.	BCH channel coding block	• Values of n , k and d with $d \ge 5$ targeting a code rate (k/n) in the range of 0.75 to	Annexure 1, Objective 3	

		0.95	
4.	Channel state information (CSI)	 Values of <i>n</i>, <i>k</i> and <i>d</i>, along with the generator polynomial <i>g(x)</i> for codeword generation shall be explicitly documented Estimation method (e.g., pilot-based, decision- 	Annexure 1, Objective 4
	estimation block	directed, blind estimation etc) shall be explicitly documented	
5.	Digital automatic gain control (AGC) block	 Normalize the signal amplitude after ADC Shall automatically adjust the gain on a frame-by-frame basis/within the preamble interval Block output shall be independent of input power variations 	Annexure 1, Objective 5
6.	WiFi access point MAC	 WLAN interface: Hardware platform: Zynq7000 CSMA/CA DHCP server functionality Domain master and domain controller modes CRC offloaded in RTL block Supports multiple users in WLAN side Support Raw Ethernet frames WAN interface: Gigabit Ethernet, GMII/RGMII DHCP client functionality Active internet access assumed from a router on 	Annexure 2, Objective 1
7.	Wireless station	WAN side WLAN interface: Hardware platform: Zynq7000 Compatible with corresponding AP functions in list item number 6. Computer interface: USB CDC interface	Annexure 2, Objective 2

8.	Solution form (IP/Bit stream)	 USB version: USB HighSpeed (480 Mbps) WPA/WPA2 authentication via computer Soft-core USB device stack in FPGA DMA between MAC and USB USB Vendor/Product ID detection Kernel module with hotplug support Linux driver architecture: cfg80211 and mac80211 Windows driver framework: UMDF (User-Mode Driver Framework) IP and source code 	_
9.	Board support package provided	Mandatory	-
10.	FPGA boards provided for testing	Yes, Zynq7000 with AD-FMC DAQ3-EBZ	-

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No. :	

Seal of the Company

<< Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and data furnished by
	cation are true and complete to the best of our knowledge. I have tipulations in details and agree to comply with the requirements
*	uthorized (Convetteehad) by the OEM to nexticipate in Tender
	uthorized (Copy attached) by the OEM to participate in Tender. all the conditions of eligibility criteria laid down in this tender
	rt on regular basis with technology / product updates and extend
support for the warranty.	
The prices quoted in the financial bids are subsidi	zed due to academic discount given to IIT Delhi.
We, further specifically certify that our	NAME & ADDRESS OF
organization has not been Black Listed/De	THE Vendor/ Manufacturer / Agent
Listed or put to any Holiday by any Institutional	
Agency/ Govt. Department/ Public Sector Undertaking in the last three years.	
1. Phone	
2. Fax	
3. E-mail	
4. Contact Person Name	
5. Mobile Number	
6. GST Number	
7. PAN Number	
(In case of on-line payment of Tender Fees)	
8. UTR No. (For Tender Fee)	
9. Kindly provide bank details of the bidder in	
the following format:	
a) Name of the Bank	
b) Account Number	
	1
	(Signature of the Tenderer)
	Name:

List of Govt. Organization/Deptt.

ame of the organization	Name of Contact Person	Contact No.
me of application specialist / Sowia	Engineer who have the technical compet	tanay ta handla
	ee Engineer who have the technical compet warranty period.	tency to handle
me of application specialist / Servic oport the quoted product during the me of the organization		tency to handle Contact No.
port the quoted product during the	warranty period.	
port the quoted product during the	warranty period.	
port the quoted product during the	warranty period.	
port the quoted product during the	warranty period.	
port the quoted product during the	warranty period.	
port the quoted product during the	warranty period.	
port the quoted product during the	warranty period.	Contact No.
port the quoted product during the	warranty period. Name of Contact Person	Contact No. Signature of Bio
port the quoted product during the	warranty period.	Contact No.

PREVIOUS SUPPLY ORDER DETAILS

Name of the Firm			

	T	1			T	
Order placed		Description	Value	Date of	Has the	Contact
by (Full	No. and	and quantity	of	Completion	equipment been	person along
address of	Date	of order	order	of delivery	installed	with
Purchaser)		equipment		as per	satisfactorily	Telephone
				contract	(Attach a	No., Fax No.
					Certificate	and email
					from the	address)
					Purchaser/	ŕ
					Consignee)	
					,	

Signati	ire and S	eai of th	e Manuia	acturer/	Bid
Place:					_
Date:					

ORIGINAL EQUIPMENT MANUFACTURER (OEM)

Manufacturing Authorization form (MAF)

(On Letter Head of Manufacturer)

ANNEXURE-V (Revised) Tender No.:-Date:- To The Director, Indian Institute of Technology Delhi, New Delhi- 110016 Dear Sir, We original equipment (.....address manufactures of factory......) do hereby authorize M/s (Name and address of Agent) to submit a bid, negotiate and receive the order format against your tender enquiry. M/s. is authorized to bid and conclude the contract in regard to this business. We hereby extend our full guarantee and warranty as per clause of the terms and conditions NIQ for the goods and services offered by the above firm. Yours Faithfully, (Name) (Name & Seal of Manufactures)

Note: -

- 1. **Items of indigenous nature or quoted in INR**, more than 1 authorized representative may participate in the same tender and submit their bids on behalf of their OEM/Principal/Manufacturer if the OEM permits more than one authorized bidder in such case as per their policy.
- 2. In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorize only one agent/dealer
- 3. The letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. The same should be included by the bidder in its techno-commercial unpriced bid.

<On Organization Letter Head>

<u> </u>	(ANNEXURE-VI) (For Goods/ Services Contracts)
No	Dated:
<u>CERTIFICATE</u>	
I have read the clause regarding restrictions on procure	ement from a bidder of a country which
shares a land border with India and hereby certify that this bide	der is not from such a country.
OR (whichever is applicab	ble)
I have read the clause regarding restrictions on procure	ement from a bidder of a country which
shares a land border with India and hereby certify that this b	oidder is from(Name of
Country) and has been registered with the Competent Authori	ty. I also certify that this bidder fulfills
all the requirements in this regard and is eligible to be consider	red.
(Copy/ evidence of valid registration by the Competent	Authority is to be attached)
	Signature of Bidder/ Agent
	Name:
	Designation:
Orga	anization Name:
	Contact No. :

<On Organization Letter Head>

(ANNEXURE-VII) (For Works Contracts, including Turnkey contracts)

No	Dated:
	<u>CERTIFICATE</u>
shares a land border with India and on sub- certify that this bidder is not from such a	strictions on procurement from a bidder of a country which o-contracting to contractors from such countries and hereby country and will not sub-contract any work to a contractor is registered with the Competent Authority.
OR (w	phichever is applicable)
shares a land border with India and on subcertify that this bidder is from Competent Authority and will not sub-consuch contractor is registered with the Consuch the requirements in this regard and is eligible.	strictions on procurement from a bidder of a country which o-contracting to contractors from such countries and hereby (Name of Country) and has been registered with the intract any work to a contractor from such countries unless impetent Authority. I also certify that this bidder fulfills all ble to be considered. In the competent Authority is to be attached)
	Signature of Bidder/ Agent Name:
	Designation:
	Organization Name:
	Contact No.:

DECLARATION OF LOCAL CONTENT

(To be given on Company Letter Head – For tender value below Rs.10 Crores) (To be given by Statutory Auditor/ Cost Auditor/ Cost Accountant/ CA for tender value above Rs.10 Crores)

Inc	e Director, dian Institute of Technology Delhi w Delhi-110016
Su	bject: - Declaration of Local Content
Te	nder Reference No:
Na	me of Tender/ Work:
1.	Country of Origin of Goods being offered:
	We hereby declare that items offered has% local content
3.	Details of the Location at which the Local Value Addition is made
4.	Details of Local Content
No of Bio the Ins Lo	ocal Content" means the amount of value added in India which shall, unless otherwise prescribed by the dal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value the imported content in the item (including all customs duties) as a proportion of the total value, in percent. Idders offering Imported products will fall under the category of Non Local Suppliers. They cannot claim emselves as Class-I or Class –II Local Suppliers by claiming the services such as Transportation surance, Installation, Commissioning, Training and After Sale Service Support like AMC/ CMC etc. as cal Value Addition.
Ru	False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial less for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the meral Financial Rules along with such other actions as may be permissible under law."
	Yours faithfully
	(Signature of the bidder, with Official Seal

Note: It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VIII for the same). The Annexure VIII once submitted in the Technical Bid will be final. Submission of Revised Annexure VIII will NOT be accepted.

BID SECURITY UNDERTAKING

(To be issued by the bidder on company's letterhead in lieu of EMD)

To,	
I.I.T.	egistrar, Delhi, Hauz Khas, – 110016.
We, N	//s (Name of the Firm), with ref. to Tender
No	dated hereby undertake that:
1. 2. 3.	We accept that, we will not modify our bid during the bid validity period and will honour the contract after the award of contract. In the event of any modification to our bid by us or failure on our part to honour the contract after final award, our firm may be debarred from participation in any tender/ contract notified by IIT Delhi for a period of one year.
Yours	faithfully,
(signa	ture)
Name	
Date:	
Office	Seal:

BID SUBMISSION

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: -

		Envelope – 1			
	(Following documents to be provided as single PDF file)				
Sl. No.	Document	Content	File Types		
1.		Compliance Sheet (Annexure - I)	.PDF		
2.		Organization Declaration (Annexure - II)	.PDF		
3.		List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF		
4.		Technical supporting documents in support of all claims made at Annexure-I	.PDF		
5.	Technical Bid	Previous Supply Order (Annexure - IV)	.PDF		
6.	214	Original Equipment Manufacturing Manufacturing Authorization Form (MAF) (Annexure – V)	.PDF		
7.		(For Goods/ Services Contracts) Certificate - Bidder Not from/ from Country sharing Land border with India & Registration of Bidder with Competent Authority (Annexure-VI)	.PDF		
8.		(For Works Contracts, including Turnkey Contracts) Certificate – Bidder Not from/ from Country sharing Land border with India, Registration of Bidder with Competent Authority & not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority (Annexure-VII)	.PDF		
9.		Declaration of Local Content (Annexure-VIII)	.PDF		
10.		Bid Security Undertaking in lieu of EMD (Annexure-IX)	.PDF		
Envelope – 2					
Sl. No.	Document	Content			
1.	Financial Bid	Price bid should be submitted in given BOQ_XXXX.xls format. (Note: -Comparison of prices will be done ONLY on the bids submitted for the Main Equipment and anything asked as 'Optional' in the specs is not to be included for overall comparison.) Bids for optional items are to be submitted in 'sheet2_Quote for optional items'	.XLS		