



Notice Inviting Tender

Renovation and Structural Repair of 2 Nos. IIB Type Houses and Replacement of windows and Kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.

| | |
|-----------------------------|-----------------------|
| Civil Work | Rs.80,45,578/- |
| Electrical Work | Rs.10,64,585/- |
| Total Estimated Cost | Rs.91,10,163/- |

INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016

INDEX

Name of work : Renovation and Structural Repair of 2 Nos. IIIB Type Houses and Replacement of windows and Kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.

| Sl. No. | Description | Page No. |
|----------------|--|-----------------|
| 1. | Index | 2 |
| 2. | Notice Inviting e-tender | 3 |
| 3. | Part A | |
| | Information and instructions for bidders for e-tendering | 4 |
| | IITD-6 for e-Tendering and Terms & Conditions | 7 |
| | Integrity Pact | 18 |
| | Form of Earnest Money (Bank Guarantee) | 25 |
| | Performance Guarantee | 27 |
| | Form-F | 28 |
| | Annexure- I, II, III | 29 |
| 4. | Part B | |
| | IITD 7/8 e-Tendering | 32 |
| | Schedule A-F | 35 |
| | Special Condition of Contract | 42 |
| | Guarantee Bond for Water Proofing | 44 |
| | Correction slip for Additional Performance Guarantee | 45 |
| | List of Approved/Acceptable Make | 46 |
| | Online Bid Submission | 50 |
| 5. | Part C | |
| | Schedule of Quantity | 51-70 |

It is certified that this document contains three parts i.e. Part A, Part B & Part C, containing page no. **1 to 70**.

Assistant Engineer (Civil)

Assistant Executive Engineer (Elect.)

NIT approved for Rs.91,10,163/- (Rupees Ninety-One Lakh Ten Thousand One Hundred Sixty-Three Only).

Executive Engineer (CD-1)

Executive Engineer (ED-II)

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016

Notice Inviting e -Tender

The Executive Engineer (CD-1), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596851, 011-26597339) on behalf of Board of Governors invite online **Item Rate Tender** from Firms / Contractors Registered in appropriate class and category with CPWD/ MES / BSNL / Railways for **Civil work / Building works / Building & Roads / Composite works** of the following work:

| | | |
|---|---|---|
| NIT No. | : | IITD/EE(CD-1)/2026-27 |
| Name of Work | : | Renovation and Structural Repair of 2 Nos. IIIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi. |
| Estimated cost | : | Rs. 91,10,163/- |
| Earnest Money | : | Rs. 1,82,204/- |
| Performance Guarantee | : | a. 5% of Estimated Cost put to Tender (ECPT) or contract amount, whichever is higher. b. Where the tender amount is less than Eighty Percent (80%) of the Estimated Cost Put to Tender (ECPT), the Performance Guarantee, in addition to the requirement under (a) above , shall be increased by an amount equal to the difference between Eighty percent (80%) of the ECPT and the tendered amount. |
| Security Deposit | : | 2.5% of gross work done, limiting maximum up to tender value. |
| Warranty | : | 1 Year for all Civil Works. 5 Years for Specialized work i.e. water Proofing, and LED Lighting Fixtures and 02 Years for Fans. |
| Period for completion | : | 6 Months |
| Late date & time for submission of bids | : | 06/07/2026 up to 15.00 Hrs. |
| Date & Time of opening of Bids | : | 07/07/2026 at 15.00 Hrs. |

The bid forms and other details can be obtained from the website www.iitd.ac.in or e-Procure.gov.in free of cost. For more clarification you may visit on above website.

**Executive Engineer (CD-1),
For & on Behalf of BOG, IIT Delhi**

Copy to: -

1. Institute Engineer, for information
2. Executive Engineer (CD-1) for information.
3. A.R. (Works Accounts)
4. D.R. (A/Cs) – for opening of uploaded documents at **03:00 PM on 07/07/2026** in the office of D.R. Store
5. Notice Boards.
6. Office Copy
7. Web site Administrator, I.I.T.D.

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

PART 'A'
INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI – 110016
IITD/WORKS (SP-5332)/2026

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-1), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No. 011-26596851, 011-26597339) on behalf of Board of Governors invite online **Item Rate Tender** from Firms / Contractors Registered in appropriate class and category with CPWD/ MES / BSNL / Railways for **Civil work / Building works / Building & Roads / Composite works** of the following work:

| S. No. | NIT No. | Name of Work | Estimated Cost (Rs.) | Earnest Money (Rs.) | Time for Completion |
|--------|------------------------|---|----------------------|---|---------------------|
| 1 | /IITD/EE(CD-1)/2026-27 | Renovation and Structural Repair of 2 Nos. IIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi. | 91,10,163/- | 1,82,204/- (to be returned after submission of PG) | 6 Months |

Last date and time of submission of financial & Technical bid

: **06/07/2026 up to 3:00 pm (online)**

Date and time of opening of Technical bid : **07/07/2026 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.**

1. The successful bidder shall be required to submit performance guarantee of (a) 5% of tendered Value or Estimated Cost Put to Tender (ECPT), whichever is higher. (b) Where the tendered amount is less than eighty percent (80%) of the Estimated Cost Put to Tender (ECPT), the Performance Guarantee, in addition to the requirement under (a) above, shall be increased by an amount equal to the difference between Eighty percent (80%) of the ECPT and the tendered amount, in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within **15 days** of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus **180 (One Eighty)** days beyond that.
2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i. Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs.72,88,000/-** or two similar works each of value not less than **Rs.54,66,000/-** or three similar works each of value not less than **Rs.36,44,000/-** during last 7 years ending last day of the month previous to the one in which tender is invited.
 - ii. **Earnest money of Rs.1,82,204/-** in the form of Banker's Cheque or Demand Draft or Fixed Deposit Receipt of a scheduled bank or through online mode i.e. RTGS/ NEFT in favor of **Registrar, I.I.T. Delhi** with UTR details. No relaxation in EMD will be allowed for MSMEs and MSEs as per the CPWD Manual.
3. **Similar work means Composite work consisting of Civil & Electrical works of Maintenance of Building / Renovation / Addition / Alteration / Rehabilitation / New Construction of Building.**
4. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
5. Information and Instructions for bidders posted on website shall form part of bid document.
6. The bid document consisting of plans, specifications, the schedule of quantities of various types

of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <http://eprocure.gov.in/eprocure/app>.in free of cost.

7. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
8. Work means, work done only under Government/ Central Public Sector Undertaking / State Public Sector Undertaking / Central Autonomous bodies / State Autonomous bodies / City Development Authority / Municipal Cooperation of City formed under any act by Central / State Government and published in Central / State Gazette.
9. The value of the work executed shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the previous day of last day of submission of bids.
10. IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
11. Those contractors not registered on the website mentioned above are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
12. The intending bidder must have valid class-III digital signature to submit the bid.
13. On opening date, the contractor can login and see the bid opening process. After opening the bids he will receive the competitor bid sheets.
14. Contractor can upload documents in the form of JPG format and PDF format.
15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
16. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
18. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favor of **Registrar IIT Delhi** to be deposited with <http://eprocure.gov.in/eprocure/app> / NEFT facility.
19. **The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.**
20. The following undertaking in this regard shall be up-loaded by the intending bidders: **"The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / We become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"**
21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
22. Online bid documents submitted by intending bidders shall be opened only of those bidders whose EMD and other documents scanned and uploaded are found in order.
23. When bids are invited in two /three stages systems and if it is desired to submit a revised financial

bid it shall be mandatory to submit a revised financial bid. If not submitted, then the bid submitted earlier shall become invalid – Not applicable.

24. The bid submitted shall become invalid if:

- a) The bidder is found ineligible and if he fails to upload documents from 1 to 10 on tender notice page 6.
- b) The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
- c) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- d) The lowest bidder does not deposit physical EMD within a week of opening of tender.
- e) The Bidder does not upload ESI & EPF Registration.

25. Bid validity shall be **75 days** from the last date of submission of bid.

26. The rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

1. Demand Draft / Pay order or Banker`s Cheque / Deposit at Call Receipt / FDR of any Scheduled bank or through RTGS/ NEFT with UTR details, against EMD, against EMD.
2. Enlistment order of contractor.
3. Certificate of work experience.
4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
5. **Affidavit on Rs.10/- non judicial stamp paper as per Notice Inviting Tender Condition 1.3 at page 7 of NIT. (Affidavit shall be purchased / notarized between date of publishing and last date of submission of bids beside this NIT / Tender ID and name of work must be mentioned on the affidavit.)**
6. Acceptance to execute INTEGRITY PACT.
7. Undertaking as per ‘S.No. 20 on page No. 5’ on firm’s letter head.
The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.
8. ESI & EPF registration.
9. FORM “F” (Duly filled with all required details).
10. Valid Electrical License.
11. In case of Partnership firm if all the papers of tender not signed by all the partners, then a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
12. Annexure-I (duly filled & signed by the bidders)
13. Annexure-II (duly filled & signed by the bidders)
14. Annexure-III (duly filled & signed by the bidders)

Note: - All Documents mentioned S.No. 1 to 11 are mandatory for technical qualification and documents mentioned at S.No. 12 to 14 are not mandatory.

**Executive Engineer (CD-1),
For & on Behalf of BOG, IIT Delhi
Hauz Khas, New Delhi-110016**

Copy to: -

1. Institute Engineer, for information.
2. A.R. (Works Accounts)
3. D.R. (A/Cs) – for opening of tenders **on 07/07/2026 at 3:00 PM** in the office of D.R. Store.
4. NIT: - Publicity on Website on Institute as well as on CPP portal <http://eprocure.gov.in> may be ensured as per instruction issued.
5. E-tendering Web. <http://eprocure.gov.in/eprocure/app> or www.iitd.ac.in

**INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI – 110016
IITD-6 FOR e-TENDERING AND TERM & CONDITIONS**

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged/ register in appropriate category having completed work in appropriate category for the **work** as per tender notice.

1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
 - 1.1 The work is estimated to cost **as per tender notice**. This estimate, however, is given merely as a rough guide.
 - 1.2 Details of criteria for eligibility As Indicated in “INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e- TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE”
 - 1.3 **To become eligible for the issue of tender, the tenderer shall have to furnish an affidavit on Rs.10/- nonjudicial stamp paper as under: -
I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of the Department before the date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit / Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)**
2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD - 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule ‘F’ or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
4. The site for the work shall be made available in parts as and when site will be available.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <http://eprocure.gov.in/eprocure/app> or iitd.ac.in or e-procure.gov.in **free** of cost.
6. After submission of the bid the contractor can re-submit the revised bid any number of times but before the last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit a revised financial bid, then it shall be mandatory to submit a revised financial bid. If not submitted, then the tender submitted earlier shall become invalid.
9. Earnest Money in the form of Demand Draft or Pay order or Banker’s Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e- tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-1), IIT Delhi, Hauz Khas, New Delhi**. A part of earnest money is acceptable in the form of a bank guarantee also. In such case, 50% of earnest money or Rs.20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders. Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker’s Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:
<http://eprocure.gov.in/eprocure/app>.
10. The bid submitted shall become invalid if:
 - (i) The bidders are found not eligible.
 - (ii) The bidders do not upload all the documents (including GST registration/ **other documents as per Tender Notice**) as stipulated in the bid document.
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
 - (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
12. The contractor whose bid is accepted, will be required to furnish performance guarantee of **(a) 5% of tendered Value or Estimated Cost Put to Tender (ECPT) (whichever is higher). (b) Where the tendered amount is less**

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

than eighty percent (80%) of the Estimated Cost Put to Tender (ECPT), the Performance Guarantee, in addition to the requirement under (a) above, shall be increased by an amount equal to the difference between eighty percent (80%) of the ECPT and the tendered amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
15. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
16. The competent authority on behalf of the Board of Governors reserves to himself the right to accept the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted as a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
19. The tender for the works shall remain open for acceptance for a period of **seventy five (75)** days from last date of submission of bid, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form - 8 or other Standard IITD Form as mentioned.
21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-1)
IIT Delhi, Hauz Khas
New Delhi - 110016

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

NOTICE INVITING TENDER
INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016

Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

| Details of the item | As per Tender Notice |
|--|--|
| Earnest Money Deposit to be submitted | Rs. 1,82,204/- |
| Warranty | As per Tender Notice, NIT & IITD form 8 |
| Performance security | As per Tender Notice, NIT & IITD form 8 |

Tender Documents may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at ‘Instructions for online Bid Submission ‘.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type ‘IIT’. Thereafter, Click on “GO” button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

| | | |
|--|--|---|
| Name of Organization | Indian Institute of Technology, Delhi | |
| Tender Type (Open/Limited/EOI/Auction/Single) | Open | |
| Tender Category (Services/Goods/works) | Works | |
| Type/Form of Contract (Work/Supply/Auction/Service/Buy/Empanelment/ Sell) | Works | |
| Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems) | Composite Work | |
| Source of Fund (Institute/Project) | Rehabilitation / Renovation / 35.04.01 / (2021/007/0670) | |
| Is Multi Currency Allowed | No | |
| Date of Issue/Publishing | 29/06/2026 (16.00 Hrs) | |
| Document Download/Sale Start Date | 29/06/2026 (16.00 Hrs) | |
| Document Download/Sale End Date | 06/07/2026 (15.00 Hrs) | |
| Date for Pre-Bid Conference | Nil | |
| Venue of Pre-Bid Conference | --- | |
| Last Date and Time for Uploading of Bids | 06/07/2026 (15.00 Hrs) | |
| Date and Time of Opening of Technical Bids | 07/07/2026 (15.00 Hrs) | |
| EMD | Rs.1,82,204/- | (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : Registrar IIT Delhi. Account No. 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the on- line quotation / bid. Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II) <u>or as per NIT/ Tender notice</u> |
| No. of Covers (1/2/3/4) | 02 | |
| Bid Validity days (30/75) | 75 days (From the last date of Submission of bid) | |
| Address for Communication | Office of the Executive Engineer (CD-1), Room No- AD-117, Main Building, IIT Delhi, Hauz Khas, New Delhi-110016 | |
| Contact No. | 011-26596851, 011-26597339 | |
| Fax No. | Nil | |
| Email Address | eeplg@iitd.ac.in a26926@admin.iitd.ac.in | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:
<http://eprocure.gov.in/eprocure/app>

REGISTRATION

1. Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
2. As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
3. Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
5. Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
6. Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

1. There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
3. The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
2. Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

1. Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

the bid submission time. Bidder will be responsible for any delay due to other issues.

2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
3. Bidder has to select the payment option as “on-line” to pay the EMD as applicable and enter details of the instrument. Whenever EMD is sought, bidders need to pay the EMD separately on-line through RTGS (Refer to Schedule, **Page No.10**).
4. A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases, Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

5. The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this during bid submission.
6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
7. The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
9. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

1. The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
2. Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <http://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link “Information about DSC”.
3. Tenderer are advised to follow the instructions provided in the ‘Instructions to the Tenderer for the e- submission of the bids online through the Central Public Procurement Portal for e-Procurement at <https://eprocure.gov.in/eprocure/app>.

Terms & Conditions Details

| S.No. | Specification |
|-------|--|
| 1. | Due date: The tender has to be submitted online before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered. |
| 2. | Preparation of Bids: The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. The financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX. OR Financial Bids to be submitted in Excel. The Technical bid and the financial bid should be submitted Online. |
| 3. | EMD (if applicable): As per NIT |
| 4. | Refund of EMD:- As per NIT |
| 5. | Opening of the tender: As per Tender Notice, NIT & IITD form 8 |
| 6. | Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason. |
| 7. | Pre-qualification criteria: - Mentioned in Tender notice |
| 8. | Performance Security: -Mentioned in Tender notice |
| 9. | Force Majeure: - As per IITD form 8 |
| 10. | Risk & Cost Clause: As per IITD form 8 |
| 11. | Delivery and Documents: As per Tender Notice & NIT & IITD form 8 |
| 12. | Delayed delivery: As per Tender Notice & NIT & IITD form 8 |
| 13. | Prices: As per Tender Notice & NIT & IITD form 8 |
| 14. | Progress of Work: As per Tender Notice & NIT & IITD form 8 |
| 15. | Inspection and Tests: As per Tender Notice & NIT & IITD form 8 |
| 16. | Resolution of Disputes: As per Tender Notice & NIT & IITD form 8 |
| 17. | Applicable Law: As per Tender Notice & NIT & IITD form 8 |
| 18. | Supplier Integrity: As per Tender Notice & NIT & IITD form 8 |
| 19. | Training: As per Tender Notice & NIT & IITD form 8 |
| 20. | Installation & Demonstration: As per Tender Notice & NIT & IITD form 8 |
| 21. | Incidental services: As per Tender Notice & NIT & IITD form 8 |
| 22. | Defect liability Period: As per Tender Notice & NIT & IITD form 8 |
| 23. | Governing Language: As per Tender Notice & NIT & IITD form 8 |
| 24. | Applicable Law: As per Tender Notice & NIT & IITD form 8 |
| 25. | Notices: As per Tender Notice & NIT & IITD form 8 |
| 26. | Taxes: As per Tender Notice & NIT & IITD form 8 |
| 27. | Termination for Default: As per Tender Notice & NIT & IITD form 8 |
| 28. | Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8 |
| 29. | Completion certificate: As per Tender Notice & NIT & IITD form 8 |

**INDIAN INSTITUTE OF TECHNOLOGY, DELHI
HAUZ KHAS, NEW DELHI - 110016
NOTICE INVITING TENDER**

Item rate tenders are invited on behalf of The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of CPWD and those of appropriate class of M.E.S., BSNL and Railway dealing with Civil work / Building work/ Building & Road / Composite works for the work of **“Renovation and Structural Repair of 2 Nos. IIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.”**

1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tender.

1.1 The work is estimated to cost **Rs.91,10,163/-** This estimate, however, is given merely as a rough guide.

1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate the Division, which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs.1000/-) during last 7 years ending on previous day of last day of submission of bids. The value of executed works shall be brought to the current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated **during last 7 years ending on previous day of last day of submission of bids.**

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back-to-back basis. Further that, if such a violation comes to the notice of the Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of the Department before date of start of work, the Engineer- in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule ‘F’ or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
4. **The site for the work shall be made available in parts as and when site will be available.**
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and

other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.

6. After submission of the bid the contractor can re-submit the revised bid any number of times but before the last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit a revised financial bid, then it shall be mandatory to submit a revised financial bid. If not submitted, then the tender submitted earlier shall become invalid.
9. Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.
10. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with, and earnest money deposit and other documents scanned and uploaded are found in order. The bid submitted shall become invalid & Tender fees shall not be refunded if:
 - i. The bidder is found ineligible.
 - ii. The bidder does not upload all the documents as stipulated in the bid documents.
 - iii. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - iv. The lowest bidder does not deposit physical EMD within a week of opening of tender.
 - v. The Bidder does not upload ESI & EPF Registration
11. The contractor whose bid is accepted, will be required to furnish **performance guarantee of (a) 5% of tendered Value or Estimated Cost Put to Tender (ECPT) (whichever is higher). (b) Where the tendered amount is less than eighty percent (80%) of the Estimated Cost Put to Tender (ECPT), the Performance Guarantee, in addition to the requirement under (a) above , shall be increased by an amount equal to the difference between eighty percent (80%) of the ECPT and the tendered amount within the period specified in Schedule F.** This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates

at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

13. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed conditions are not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
14. Canvassing whether directly or indirectly in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
15. The competent authority on behalf of the Board of Governors reserves for himself the right to accept the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
16. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted as a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of people who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from the bidding process in future in IIT Delhi.
17. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
18. The bid for the works shall remain open for acceptance for a period of **Seventy Five (75)** days from the last date of submission of bid, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall be debarred for tendering in IIT Delhi for a period of one year.
19. This notice inviting a bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
20. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall be debarred for tendering in IIT Delhi for a period of one year.
21. **For composite Bid:**
 - 21.1 The **Executive Engineer [CD-1]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect to the combined estimate cost put to tender for the composite bid.
 - 21.2 The bid document will include the following three components: -
 - PART A : IITD-6, IITD-7/8 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2023 as

- corrected/modified up to date.
- PART B :** General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.
- PART C :** Schedule A to F for minor component of the work. (Institute Engineer/EE Engineer-in-charge of major components shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/ specific conditions, specifications and schedule of quantities applicable to minor component(s) of the work.
- 21.3** The bidder must associate himself with experienced agencies of the appropriate class eligible of bid for each of the minor components individually.
- 21.4** The eligible bidders shall quote rates for all items of major component as well as for all items of minor component of work.
- 21.5** After acceptance of the bid by Competent authority, the EE [CD-1] i.e., Engineer in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, after the work is awarded, the main contractor will have to enter into one agreement with EE [CD-1] and has also to sign two or more copies of agreement. One such signed set of agreement shall be handed over to EE (ED-II) in charge of minor component. EE of major component will operate Part-A of schedule of quantity and EE (ED-II) in charge of minor component shall operate Part-B of schedule of quantity.
- 21.6** Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- 21.7** Security Deposit will be worked out separately for each component corresponding to the tender value of the respective component of works.
- 21.8** The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).
- 21.9** In case the main contractor wants to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of the Engineer-in-charge of minor component. The Engineer-In-Charge can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- 21.10** The main contractor has to enter into an agreement with contractor(s) associated by him for execution of minor components(s) in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE [CD-1] and EE (ED-II), in charge of major and minor component. In case of change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- 21.11** Running payment for the major component shall be processed by EE of major component to the main contractor. Running payment of minor components shall be made by EE of minor component directly to the main contractor.
- 21.12** The composite work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 21.13** Final bill of whole work shall be finalized and paid by the EE of major component. EE (E), in charge of minor component(s) will prepare and pass the final bill for their respective component of work and pass on the same to the EE of major component for including in the final bill for composite contractor.

| | |
|-----------------------------------|-------------|
| INTEGRITY PACT E-TENDERING | IITD |
|-----------------------------------|-------------|

To,

.....,

.....,

.....

Subject: - NIT No..../IITD/EE (CD-1)/2025-26 for the work of “Renovation and Structural Repair of 2 Nos. IIIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.”

Dear Sir,

It is hereby declared that I.I.T.D is committed to follow the principle of transparency, equity, and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (CD-1)

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| | |
|---|-------------|
| ACCEPTANCE TO EXECUTE INTEGRITY PACT | IITD |
|---|-------------|

(To be signed by bidder and upload the scanned copy)

**To,
Executive Engineer (CD- 1)
IIT Delhi, Hauz Khas, New Delhi – 110016.**

Subject: -Submission of Bid for the work of: Renovation and Structural Repair of 2 Nos. IIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

INTEGRITY PACT E-TENDERING

IITD

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of..... 20.....

BETWEEN

The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 - represented through Executive Engineer (E) IIT Delhi.

....., (Hereinafter referred as the (Address of Division)

‘**Principal/Owner**’, which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

.....(Name and Address of the Individual/firm/Company) through (Hereinafter referred to as the (Details of duly authorized signatory) “**Bidder/Contractor**” and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns) **Preamble**

WHEREAS the Principal / Owner has floated the Tender (NIT No.....) (Hereinafter referred to as

“**Tender/Bid**”) and intends to award, under laid down organizational procedure, contract for

..... (Name of work) hereinafter referred to as the “**Contract**”.

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as “**Integrity Pact**” or “**Pact**”), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| | |
|-----------------------------------|-------------|
| INTEGRATY PACT E-TENDERING | IITD |
|-----------------------------------|-------------|

Now, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

1. The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to
 - b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - c) The Principal/Owner shall endeavour to exclude from the Tender process any person whose conduct in the past has been of biased nature
2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

3. It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
4. The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner aspart of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly, Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participates in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
5. The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
6. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.**
7. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

1. If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such an exclusion may be forever or for a limited period as decided by the Principal/Owner.**
2. **Forfeiture of EMD/Performance Guarantee/Security Deposit:** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
3. **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

1. The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
2. If the Bidder makes an incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
3. If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

1. The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
2. The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
3. The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

1. This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.
2. If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

1. This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
2. Changes and supplements need to be made in writing. Side agreements have not been made.
3. If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In the case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
4. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

| | |
|-----------------------------------|-------------|
| INTEGRITY PACT E-TENDERING | IITD |
|-----------------------------------|-------------|

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of the following witnesses:

.....
(For and on behalf of Principal/Owner)

.....
(For and on behalf of
Bidder/Contractor)

WITNESSES:

1.
(signature, name and address)

2.
(signature, name and address)

Place:

Date:

**On non- Judicial stamp paper of minimum Rs.100/-
(Guarantee offered by Bank to IIT Delhi in connection with the execution of contracts)**

FORM OF BANK GUARANTEE FOR EARNEST MONEY DEPOSIT / PERFORMANCE GUARANTEE.

Ref. _____ No. _____

Bank Guarantee No. _____

Dated: _____

To
The Registrar
Indian Institute of Technology Delhi,
Hauz Khas, New Delhi – 110 016

Dear Sir,

- Whereas the Executive Engineer (name of division) IIT Delhi on behalf of the Board of Governors, IIT Delhi (hereinafter called "The Government") has invited bids under.....(NIT number) dated..... for (Name of Work) The Government has further agreed to accept an irrevocable Bank Guarantee for Rs. (Rupees only) valid up to (date)*..... as **Earnest Money Deposit** from (name and address of the contractor) (herein called "the Contractor") for compliance of his obligations in accordance with the terms and conditions of the said NIT.

OR**

Whereas the Executive Engineer (name of division), IIT Delhi on behalf of the Board of Governors, IIT Delhi (hereinafter called "The Government") has entered into an agreement bearing number with(name and address of the contractor) (hereinafter called "the Contractor") for execution of work..... .. (name of work). The Government has further agreed to accept an irrevocable Bank Guarantee for Rs. (Rupees only) valid up to (date) as **Performance Guarantee / Security Deposit / Mobilization Advance** from the said Contractor for compliance of his obligations in accordance with the terms and conditions of the agreement

- We, (indicate the name of the bank) (herein after referred to as "the Bank"), hereby undertake to pay to the Government an amount not exceeding Rs (Rupees ... only) on demand by the Government within 10 days of the demand.
- We, (indicate the name of the bank), do here by undertake to pay the amount due and payable under this guarantee without any demur, merely on demand from the Government stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this Guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs (Rupees.....only).
- We, (indicate the name of the Bank), further undertake to pay the Government any money so demanded notwithstanding any dispute or disputes raised by the contractor in any suit or proceeding pending before any Court or Tribunal, our liability under this Bank Guarantee being absolute and unequivocal. The payment so made by us under this Bank Guarantee shall be a valid discharge of our liability for payment there under and the Contractor shall have no claim against us for making such payment.
- We, (indicate the name of the Bank), further agree that the Government shall have the fullest liberty without our consent and without affecting in any manner our obligation here under to vary any of the terms and conditions of the said agreement or to extend time of performance by the said

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

Contractor from time to time or to postpone for any time or from time to time any of the powers exercisable by the Government against the said contractor and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation or extension being granted to the said Contractor or for any forbearance, act of omission on the part of the Government or any indulgence by the Government to the said Contractor or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. We, (indicate the name of the Bank), further agree that the Government at its option shall be entitled to enforce this Guarantee against the Bank as a principal debtor at the first instance without proceeding against the Contractor and notwithstanding any security or other guarantee the Government may have in relation to the Contractor's liabilities.
7. This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.
8. We, (indicate the name of the Bank), undertake not to revoke this guarantee except with the consent of the Government in writing.
9. This Bank Guarantee shall be valid up to unless extended on demand by the Government.
Notwithstanding anything mentioned above, our liability against this guarantee is restricted to Rs.(Rupees only) and unless a claim in writing is lodged with us within the date of expiry or extended date of expiry of this guarantee, all our liabilities under this guarantee shall stand discharged.

(Signature)
Full Name:
Designation:
Name & Address of Bank (in legible letters):

Stamps of Attorney as per Power of Attorney No.:

Dated: _____

Witness: 1

Witness: 2

Signature

Signature

Full Name and Address

Full Name and Address

***Date to be worked out on the basis of validity period of 180 from the date of submission of tender.
In paragraph 1, strike out the portion not applicable. Bank Guarantee will be made either for earnest money or for performance guarantee/security deposit/mobilization advance, as the case may be.

PERFORMANCE GUARANTEE

1. **The contractor shall submit an Performance Guarantee of (a) 5% of tendered Value or Estimated Cost Put to Tender (ECPT) (whichever is higher). (b) Where the tendered amount is less than eighty percent (80%) of the Estimated Cost Put to Tender (ECPT), the Performance Guarantee, in addition to the requirement under (a) above , shall be increased by an amount equal to the difference between eighty percent (80%) of the ECPT and the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance.** This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
2. **The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 180 Days beyond that.** In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
3. The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
 - a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
 - b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
4. In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

FORM "F"**STRUCTURE & ORGANISATION**

1. Name & Address of the bidder
2. Telephone no./ Telex no./ Fax no.
3. Legal status of the bidder (attach copies of original document defining the legal status)
 - a. An Individual
 - b. A proprietary firm
 - c. A firm in partnership
 - d. A limited company or Corporation
4. Particulars of registration with various Government Bodies (attach attested photocopy)
Organization/ Place of registration and Registration No.
 - 1.
 - 2.
 - 3.
5. Name and titles of Directors & Officers with designation to
be concerned with this work !
6. Designation of individuals authorized to act for the organization !
7. Has the bidder or any constituent partner in case of partnership firm ever abandoned the
awarded work before its completion?
If so, give the name of the project and reasons for abandonment..... !
8. Has the bidder or any constituent partner in case of partnership
firm, ever been debarred/ blacklisted for tendering in any organization
at any time? If so, give details !
9. Past work experience in IIT Delhi will be considered in deciding the technical bid..... !

Signature of Bidder(S)

ANNEXURE-I
COMPLIANCE SHEET
TECHNICAL SPECIFICATION

| S.No. | Technical Bid Requirement As per Tender Notice & NIT & IITD form 8 | Compliance Y/N |
|-------|--|-------------------|
| 1. | Demand Draft / Pay order or Banker`s Cheque / Deposit at Call Receipt / FDR of any Scheduled Bank against EMD. | |
| 2. | Enlistment order of contractor. | |
| 3. | Certificate of work experience. | |
| 4. | Certificate of Registration for GST and acknowledgement of up to date filed return of GST. | |
| 5. | Affidavit as per Notice Inviting Tender Condition 1.3 page 7 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the Affidavit) | |
| 6. | Acceptance to execute INTEGRITY PACT. | |
| 7. | Undertaking as per page-5/ Sl. No. 20 on firm`s letter head. “The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi” | |
| 8. | ESI & EPF registration. | |
| 9. | FORM “F” (Duly filled with all required details). | |
| 10. | In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents. | |
| 11. | Valid Electrical License. | |
| 12. | Annexure-1 (Dully Filled & signed by the bidders) | |
| 13. | Annexure 2 (Dully Filled & signed by the bidders) | |
| 14. | Annexure 3 (Dully Filled & signed by the bidders) | |
| 15. | Any other documents given in NIT | |
| 16. | BOQ | |

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder(S)

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

**<< Organization Letter Head >>
DECLARATION SHEET**

I/We, _____ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I/We have gone through the specifications, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been registered as per the Tender Notice & NIT & IITD form 8Tender. I/We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document.

| | |
|--|--|
| We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years. | NAME & ADDRESS of the Vendor/ Manufacturer / Agent |
| 1. Phone | As per Tender Notice & NIT |
| 2. Fax | |
| 3. E-mail | |
| 4. Contact Person Name | |
| 5. Mobile Number | |
| 6. GST Number | |
| 7. PAN Number | |
| 9.(In case of on-line payment of EMD) UTR No. (For EMD) | |

(Signature of the Tenderer)

Name:

Seal of the Company

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

PART-B**IITD – 7/8 E-TENDERING****IITD****INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI - 110016****Item Rate Tender & Contract for Composite Work**

Tender for the work of: **Name of work: Renovation and Structural Repair of 2 Nos. IIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.**

To be submitted **as per tender notice** to

.....
(i) To be opened in presence of bidders who may be present at **as per tender notice**

.....
in the office of **D.R. (Store)**

Issued to

Signature of officer issuing the documents

Designation.....

Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for **Seventy Five (75)** days from last date of submission of bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors,

I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

EE (CD-1)**EE(ED-II)****AEE (E)****AE(C)****JE (E)****JE(C)**

| | |
|-------------------------------|-------------|
| IITD – 7/8 E-TENDERING | IITD |
|-------------------------------|-------------|

I/We undertake and confirm that eligible similar work(s) has/have not been executed through another contractor on a back-to-back basis. Further that, if such a violation comes to the notice of the Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of the Department before the date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| | |
|-------------------------------|-------------|
| IITD – 7/8 E-TENDERING | IITD |
|-------------------------------|-------------|

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 for a sum of (Rupees.....).

The letters referred to below shall form part of this contract agreement: -

(a)

(b)

(a)

For & on behalf of Board of Governors, IIT Delhi Signature

.....

Dated:

Designation

PROFORMA OF SCHEDULES**IITD****SCHEDULES (A to F)****(For Civil & Electrical Component)****SCHEDULE 'A'**

Schedule of quantities.

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

| S.No. | Description of item | Quantity | Rates in figures & words at which the material will be charged to the contractor. | Place of issue |
|---------------|---------------------|----------|---|----------------|
| 1 | 2 | 3 | 4 | 5 |
| -----NIL----- | | | | |

SCHEDULE 'C'

Tools and plants to be hired by the contractor

| S.No. | Description | Hire charges per day | Place of Issue |
|---------------|-------------|----------------------|----------------|
| 1 | 2 | 3 | 4 |
| -----NIL----- | | | |

SCHEDULE 'D'

Extra schedule for specific requirement / document for the work, if any. Nil.

SCHEDULE 'E'

Reference to General Conditions of contract : GCC for Maintenance work 2023 for CPWD works along with correction on slips/amendments issued up to last date of submission of bid.

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| | | |
|-------------------------|---|---|
| Name of Work | : | Renovation and Structural Repair of 2 Nos. IIIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi. |
| Estimated cost of work: | : | Rs.91,10,163/- |
| Earnest Money: | : | Rs. 1,82,204 /- |
| Performance Guarantee | : | (a) 5% of tendered Value or Estimated Cost Put to Tender (ECPT) (whichever is higher). (b) Where the tendered amount is less than eighty percent (80%) of the Estimated Cost Put to Tender (ECPT), the Performance Guarantee, in addition to the requirement under (a) above , shall be increased by an amount equal to the difference between eighty percent (80%) of the ECPT and the tendered amount. |
| Security deposit | : | 2.5% of the gross work done, limiting maximum up to tender value. |

SCHEDULE 'F'**GENERAL RULES & DIRECTIONS:**

- | | | | |
|----|--|---|---------------------------|
| 1. | Officer inviting tender | : | Executive Engineer [CD-1] |
| 2. | Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.5 | : | See below |

Definitions:

- | | | | |
|--------|--|---|---|
| 2(i) | Engineer-in-Charge | : | Executive Engineer (CD-I), IIT Delhi for Major Component i.e., Civil Works. Executive Engineer (ED-II), IIT Delhi for Minor Components i.e., E & M Works. |
| 2(ii) | Accepting Authority | : | Executive Engineer (CD-1) |
| 2(iii) | Percentage on cost of materials and Labour to cover all overheads and profits: | : | 15% |
| 2(iv) | Standard Schedule of Rates: | : | Civil Work: DSR 2023 with up-to-date correction slip + 0.973 GST correction Factor + 3% Cost Index on DSR Items + Market Rate Items. E&M Work: DSR 2025 with up-to-date correction slip + Market Rate items. |
| 2(v) | Department: | : | Works department at I.I.T Delhi |
| 2(vi) | IITD Form & CPWD GCC for Maintenance work 2023, modified & corrected up to last date of submission of bid. | : | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

Clause 1

- (i) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance : 15 days
- (ii) Maximum allowable extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above, : 7 days

Clause 2

Authority for fixing compensation under clause 2: : Institute Engineer

Clause 5

Number of days from the date of issue of letter of acceptance for reckoning date of start: : 10 (Ten) days

MILESTONE CHART

| Sl. No. | Description of milestone (financial terms) | Period for completion from date of start in days/months | Withheld amount for non- achievement of milestone. |
|---------|--|---|--|
| | NA | NA | NA |
| | NA | NA | |
| | NA | NA | |
| | NA | NA | |

Time Allowed for execution of work : **6 Months**

Authority to decide:

- (i) Extension of Time : Institute Engineer
- (ii) Rescheduling of milestones : Institute Engineer
- (iii) Shifting of Date of start in case of Delay in handing over of site : Executive Engineer

Clause (6) : Applicable (Computerized MB)

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment: : Minimum Rs. 10.00 Lakhs

Clause -7A: **As per Institute Policy**

No running account bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

Clause 10A

List of testing equipment to be provided by the contractor at site lab : **Not Applicable**

Clause 10B: **Applicable****Clause 10C**

Component of labour expressed as percentage of value of work: **25%** for Civil work & **15%** for Electrical work.

Clause 10CA: **Not Applicable**

| S. No. | Material Covered under this clause | Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed | Base Price of all Materials covered under clause 10 CA* (July 2022) |
|--------|------------------------------------|---|---|
| 1. | Cement | Not Applicable | |
| 2. | Cement | | |
| 3. | Reinforcement bars | | |
| 4. | Structural steel | | |

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

Not Applicable**Clause 11**

Specifications to be followed for execution of work.

: CPWD specifications 2019 Vol I and Vol II as amended up to last date of submission of bid. CPWD Electrical General Specification for electrical 2023 (internal and external) as amended up to last date of submission of bid. Detailed nomenclature of items & specifications for market rate items as per directions of Engineer-In-Charge.

Clause 12

| | Type of work | Maintenance work including works of up-gradation, aesthetic, special repair, addition/alteration |
|-------------|---|---|
| 12.2 & 12.5 | Deviation limit beyond which clauses : 12.2 & 12.5 shall apply for building work | 100% |
| 12.5 (I) | Deviation Limit beyond which clauses : 12.2 & 12.5 shall applicable for foundation work (Except items mentioned in earthwork subhead of DSR and related items) | 100% |
| 12.5 (II) | Deviation Limit for Items in earth work subhead of DSR and related items | 100% |

EE (CD-1)**EE(ED-II)****AEE (E)****AE(C)****JE (E)****JE(C)**

Clause 16

Competent Authority for deciding reduced rates : Institute Engineer

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site : As per requirement

Clause 25

| Constitution of Dispute Redressal Committee (DRC) | |
|--|-----|
| Chairman | NIL |
| Member | |
| Member | |

Note: Any dispute arising out of or in connection with this agreement shall be subject to the exclusive jurisdiction of the courts of Delhi, India. The parties agree not to refer any such dispute to arbitration.

Clause 32**Requirement of Technical Staff(s) & Recovery Rate**

| Cost of Work (Rs. In Crores) | Requirement of Technical Staff | | Minimum experience (Years) | Designation of the Technical Staff | Rate at which recovery shall be made from contractor in the event of not fulfilling the provision of clause 32 |
|-------------------------------------|---|----------------------|-----------------------------------|--|---|
| | Qualification | Number | | | |
| More than 15 lac to 1.5 Crore | Graduate Engineer OR Diploma Engineer | 1 of Major Component | 2 OR 5 | Project Manager cum planning / quality / site / Billing Engineer | Rs.15000/- per month per person |

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineer.

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

Clause 38

| | | |
|-----|---|--------------------------------------|
| i) | Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates 2023 with up-to-date correction printed by C.P.W.D. | |
| ii) | Variations permissible on theoretical quantities | |
| a) | Cement: | |
| | For works with estimated cost put to tender not more than Rs.25 lakh. | 3% plus/minus. (Three percent) |
| | For works with estimated cost put to tender more than Rs.25 lakh | 2% plus/minus. (Two percent) |
| b) | Bitumen all works. | 2.5% plus & only & nil on minus side |
| c) | Steel Reinforcement and structural steel sections for each diameter, section and category | 2% plus/minus (Two percent) |
| d) | All other materials | Nil |

SPECIAL CONDITIONS

1. Non-Judicial stamp paper worth Rs.100/- (Ten Hundred only) will be submitted by the contractor which will have to be signed as token of acceptance.
2. No T & P will be supplied by the Institute and the contractor will have to make his own arrangement.
3. The contractors are advised to get acquainted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained on account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
4. The work shall be carried out as per CPWD specifications for civil and electrical work with up – to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
6. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
7. Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-in-charge shall only be used at work.
8. The sample of material required in the work brought at site shall be submitted prior technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
9. **The sample materials required for the testing shall be provided free of cost by the contractor. All other expenditure to be incurred on taking samples, conveyance, packing and testing charges etc. shall be borne by the contractor.**
10. The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer-In-Charge can modify the program, and the contractors have to work accordingly.
11. The contractor shall make his own arrangement to get permission with respect to trucks from the Traffic Police.
12. No payment shall be made to the contractor for any damage caused by the rain, snowfall or any other natural causes whatsoever during the execution of work.
13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour and material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However, construction of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions, and nothing shall be payable on this account.
14. The contractor shall be fully responsible for the safe custody of the material issued or brought to site by him for doing the work.
15. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.
16. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left

out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.

17. The contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or zero rate for these items.
18. Income tax and other taxes as applicable shall be deducted from the bills of the contractor.
19. 1% labour cess or as applicable will be deducted from the bills of the contractor.
20. Water charges 1% and Electricity charges @0.50% of gross work done shall be deducted from bills of the contractor, if electricity and water provided by IIT Delhi.
21. Agency has to take proper safety majors during the execution of work.
22. **GCC form 7/8 shall form part of NIT, and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.**
23. The contractor shall submit the programme of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
24. The Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
25. GST shall consider as inclusive in quoted rate of agency.
26. Electrical work will be executed only through the agency who is having valid electrical license, and the copy of the valid electrical license will be submitted before start of work.
27. For item of water proofing Guarantee Bond shall be submitted by contractor as per format provided by IIT Delhi.
28. A separate amount @ 10% of the cost of water proofing work shall be retained as a security for the performance of water proofing work. This withheld amount shall be released Five years after the expiry of maintenance period, if the performance of the work done is found satisfactory. If any defect is noticed during the guarantee period, it shall be rectified by the contractor within 7 days of receipt of intimation of defects in the water proofing work. If the defects pointed out not attended within the specified period, the same will be got done from other agency at the risk & cost of contractor. This amount shall be in addition to the security deposit mentioned elsewhere in the contract form. The amount withheld may be released in full against bank Guarantee of equivalent amount in favor of the Registrar, Indian Institute of Technology Delhi of the prescribed period as mentioned above.
29. Prevention of Nuisance and Pollution Control: - The contractor shall take all necessary precautions measures to prevent any nuisance or Inconvenience the owners, tenants or occupiers of adjacent properties and the public in general and to prevent any damage to such properties from pollutants like smoke, dust noise etc. The contractor shall use such methodology and equipment so as cause minimum environmental pollution of any kind during the execution of work and minimum hindrance road users and to occupants of the adjacent properties or other services running adjacent/near the vicinity of work. The contractor shall make good at his own cost and to the satisfaction of the Engineer-in-charge, any damage to road, paths, cross drainage works or public or private property whatsoever caused during the execution of the work or by vehicle /traffic brought thereon by the contractor, without any reservation, entirely to the satisfaction of Engineer-in-charge.

FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

This agreement made this....day of two thousand....between M/s....(Hereinafter called the Guarantor of the one part) and the BOG IIT Delhi (hereinafter called the Govt. of the other part).

Whereas this agreement is supplementary to the contract (hereinafter called the Contract) Dated....made between the Guarantor of the one part and Govt. of the other part, whereby the contractor inter alia, undertook to render the buildings and structures in the said contract recited completely water and leak proof.

And whereas the Guarantor agreed to give a guarantee to the effect that the said structure will remain waterproof for **Five years** to be reckoned from the date after the maintenance period prescribed in the contract expires.

NOW THE GUARANTOR hereby guarantees that water proofing treatment given by him will render the structures completely leak-proof and the minimum life of such water proofing treatment shall be five years to be reckoned from the date after the maintenance period prescribed in the contract.

Provided that the guarantor will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose:

- (a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof;
- (b) Alteration shall mean construction of an additional storey or a part of the roof or construction adjoining to existing roof whereby proofing treatment is removed in parts;
- (c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.

During this period of guarantee the guarantor shall make good all defects and in case of any defect being found, render the building water-proof to the satisfaction of the Engineer-in-Charge at his cost, and shall commence the work for such rectification within seven days from the date of issue of the notice from the Engineer-in-Charge calling upon him to rectify the defects, failing which the work shall be got done by the Department by some other contractor at the GUARANTOR'S cost and risk. The decision of the Engineer- in-Charge as to the cost, payable by the Guarantor shall be final and binding.

That if GUARANTOR fails to execute the water proofing or commits breach thereunder then the GUARANTOR will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplementary agreement. As to the amount of loss and/or damage and/or cost incurred by the Government, the decision of the Engineer-in-Charge will be final and binding on the parties.

In witness whereof of these presents have been executed by the Obligor...and by....for and on behalf of the BOG IIT Delhi on the day, month and year first above written.

SIGNED, SEALED and delivered by OBLIGOR in presence of- 1.

2.

SIGNED for and on behalf of BOG IIT Delhi by in the presence of-

1.

2.

Blanks to be filled by Contractor/EE(CD-I)

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

CORRECTION SLIP

Corrections/modifications have been made in accordance with the CPWD Works Manual 2024

| Reference | Existing Provision | Modified Provision |
|-------------------|--|---|
| Clause 5.2 | Performance Guarantee | Performance Guarantee |
| SI. No. 1 | No Change | No Change |
| SI. No. 2 | PG shall be 5% of the contract amount as prescribed from time to time to be submitted in the form as prescribed in GCC. Performance Guarantee shall remain valid for a minimum period of Sixty days beyond the date of completion of all contractual obligations as per GCC. In case of contracts where supplementary agreement is drawn, the fresh PG shall be obtained from the contractor @ 5% of the amount of the supplementary agreement or as prescribed from time to time. The PG received against the original work shall be released as per contract conditions. | PG shall be 5% of the Estimated cost put to tender (ECPT) or contract amount whichever is higher , or as prescribed from time to time, to be submitted in the form as prescribed in GCC. Performance Guarantee shall remain valid for a minimum period of Six Months beyond the date of completion of all contractual obligations as per GCC. In case of contracts where supplementary agreement is drawn, the fresh PG shall be obtained from the contractor @ 5% of the amount of the supplementary agreement or as prescribed from time to time. The PG received against the original work shall be released as per contract conditions. |
| SI. No. 3 | | No Change |
| SI. No. 4 | No Provision | 4. A bid will be treated as abnormally low if the quoted bid amount is lesser than 80% of the estimated cost put to tender. |
| SI. No. 5 | No Provision | 5. Requirement of Additional Performance Guarantee (APG): In case of abnormally low bids as defined above, the bidder shall be required to submit Additional Performance Guarantee (APG) in addition to the Standard Performance Guarantee (PG). The amount of Additional Performance Guarantee (APG) shall be equivalent to the difference between the 80% amount of ECPT and quoted amount. (e.g. if ECPT is A and quoted amount is 0.7A then the amount of APG shall be 0.8A-0.7A). The Additional Performance Guarantee (APG) shall be in the prescribed format of Performance Guarantee and has to be submitted within the time frame prescribed for submission of Performance Guarantee. The other terms and conditions of release etc. of APG shall be same as that of PG. |

LIST OF PREFERRED MAKES FOR CIVIL & ELECTRICAL ITEMS

| S. No. | Description | Approved Makes |
|---------------|---|--|
| 1. | EWC Seat Covers | HINDWARE/PARRYWARE/ CERA / KEROVIT |
| 2. | C.P Brass Fittings/ Accessories | JAQUAR / MARC / KOHLAR / KEROVIT |
| 3. | PVC Seat Covers | PRAYAG / POLYTUF / SHAKTI / PEARL |
| 4. | PVC Fitting / Accessories | PRAYAG / PRIMA / SHAKTI / PEARL |
| 5. | Cement (Grey) OPC/ PPC Grade-43 | ACC/ L&T/ J.K./ BIRLA/ ULTRA TECH/ VIKRAM |
| 6. | Cement (White) | J.K./ BIRLA |
| 7. | Reinforcement Steel | PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDARY MANUFACTURER HAVING VALID BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS) |
| 8. | Structural Steel | PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDARY MANUFACTURER HAVING VALID BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS) |
| 9. | Stainless Steel (Grade 304) | JINDAL / SAIL / SALEM |
| 10. | Bricks | COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH |
| 11. | Aluminum Sections | HINDALCO/ JINDAL / MAHAVIR |
| 12. | Flush Doors | CENTURY / MERINO / DURO BOARD / GREEN |
| 13. | Laminates | GREENLAM / DURO / ARCHID / MERINO / CENTURY |
| 14. | Glass | SAINT GOBIN/ MODI FLOAT/ ASAHI FLOAT |
| 15. | Ceramic Glazed tiles/ Border tiles | 1ST QUALITY KAJARIA / NITCO/ JOHNSON/ ORIENT/ SOMANY |
| 16. | Vitrified Tiles | JOHNSON/ KAJARIA/ ORIENT/ SOMANY |
| 17. | Interlocking precast paver blocks/ Kerb Stone | HINDUSTAN TILES/ SWASTIK/ DALAL |
| 18. | Stainless Steel Hinges | JOLLY/ GARG/ AMIT/ ASJ / SUPREME |
| 19. | Stainless Steel Nuts bolts / Screws | KUNDAN/ PUJA/ ATUL/ GKW |
| 20. | Paint/ Primer/ Oil bound distemper/ Acrylic paint/ Plastic paint | 1ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC / SHALIMAR/ DULUX |
| 21. | Waterproof Cement Paint/ Exterior Paint | 1ST QUALITY PAINTS OF ASIAN PAINTS / BERGER/ NEROLAC/SHALIMAR/ DULUX |
| 22. | Sanitary ware (Vitreous China) (European Seats, Urinals, Wash Basins, etc.) | HINDWARE/ PARRYWARE/ CERA / KEROVIT |
| 23. | G.I. Pipes | TATA/ JINDAL(HISSAR)/ BHUSHAN/ APL APPOLO |
| 24. | G.I. Fittings | UNIK/ ZOLOTO/ AM |
| 25. | Stainless Steel Sink | NEELKANTH/ JAINA/ KINGSTON (COBRA) |
| 26. | Commercial Board/ Ply | MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK) |
| 27. | CI Pipes / Fittings | RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF |
| 28. | CI Pipes "Class LA" | NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH |
| 29. | Floor Spring | DORMA / GODREJ / HAFELE / GEZE / OZONE |
| 30. | Door Closer | SANDHU / HARDWIN / DORMA / GODREJ / HAFELE / GEZE / OZONE |
| 31. | Mirror | ATUL/ MODIGUARD/ SAINT GOBAIN/ AASHI |
| 32. | Vertical Blinds | VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN / DECK DECOR |
| 33. | False Ceiling | ARMSTROBG/ SAINT GOBAIN/ META WORTH |
| 34. | Water Proofing Compound | SIKA / FOSROC/ PIDILITE / ASIAN / BASF / CICO |

| S. No. | Description | Approved Makes |
|--------|--|--|
| 35. | Particle Board | NOVA PAN/ BHUTAN BOARD/ ECO BOARD |
| 36. | Adhesive | FEVICOL / VAMICOL / DUNLOP / VAM ORGANIC / KAJARIYA |
| 37. | Tile Adhesive | PIDILITE/ FERROUSCRETE/ BALLNDURA/ CICO |
| 38. | Wall Putty | BIRLA / JK/ SARA |
| 39. | Epoxy Grout | BALLENDURA/ KERAKOLL/ FERROUSCRETE |
| 40. | PVC Water storage tank (ISI marked) | SINTEX/ UNI PLAST/ POLYWELL |
| 41. | PVC insulated water storage tank Heavy duty. 4/5 layer | SINTEX/ UNI PLAST/ POLYWELL/ EURO |
| 42. | Brass Ball Valve/ Gate Valve/ Float Valve | ZOLOTO/ AM/ LEADER/ SANT |
| 43. | Aluminum Door Fittings | CLASSIC/ EVEREST/ ARGENT |
| 44. | Brass Bib / Stop Cock | AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA |
| 45. | Thermoplastic Paint | CBM/ CMS/ S.N. INDUSTRIES |
| 46. | Plaster of Paris Putty | ADHARSHREE/ SHREE RAM/ J.K./ BIRLA |
| 47. | Rcc Pipe | LAKSHMI/ SOOD & SOOD/ JAIN & CO. / DIWAN SPUN PIPES |
| 48. | Pvc Pipe | PRAKASH/ PRINCE/ SUPREME |
| 49. | Sandwich Roof Panel (Puff Panel) | KAKTUS / ZEP / E.PACK / LLOYED |
| 50. | WPC Board and MPC Board | FLORESTA, ECOSTE, RAJ SHREE |
| 51. | WPC Door Frame | FLORESTA, ECOSTE, RAJ SHREE |
| 52. | Self-Closing Hinges | HETTICH, KITCH, PLUM |
| 53. | Poly Carbonate Sheet | GE LEXAN / POLYGAL/ TUFLITE |
| 54. | Acp Panel | ALSTRONG/ ALUCOBOND/EUROBOND/ ALUDECOR |
| 55. | Acoustic Wooden/ Fabric Paneling | ARMSTRONG/ ANUTONE/CREDENCE/ TOPAKUSTIC |
| 56. | Polyvinyl Flooring | ARMSTRONG / POLY FLOR/ TARKETT |
| 57. | Glow Stud, Solar Power Stud | ROAD STAR / 3M / DARK EYE /EVERY DENNISON |
| 58. | Laminate Wooden Flooring | VISTA/ ACTION TESA/ ARMSTRONG/ PERGO |
| 59. | Sun Control Film | 3M/ GARWARE/ SAINT GOBAIN |
| 60. | Insulation (Mineral/Rock Wool) | UP TWIGA LTD / ROCKWOOL IND./F.G.P |
| 61. | Fire Door | NAVAIR/ SHAKTI/ RADIANT / SIGNUM / PROMAT |
| 62. | Flush Door Shutters of Various Thickness | MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK) |
| 63. | Open Cell False Ceiling | ARMSTRONG / CREDENCE / HUNTER DOUGLAS |
| 64. | Calcium Silicate False Ceiling | AEROLITE / RAMCO / HILUX / USG BORAL |
| 65. | Gypsum Board | GYPROC BY SAINT GOBAIN / USG BORAL / ARMSTRONG |
| 66. | Fibre Cement Board | EVEREST / USG BORAL / VISAKA |
| 67. | CPVC Pipe Fitting & Solvent | SUPREME / ASTRAL / ASHIRWAD / PRINCE / PRAKASH |
| 68. | UPVC Pipes & Fittings | SFMC / SUPREME / FINOLEX |
| 69. | UPVC Window | FENESTA / REHAU / ENCRAFT / (NCL Wintech) / SAINT GOBAIN |
| 70. | Friction Stay Hinges | EARL. VIHARI / EBCO / HETTICH |
| 71. | M.S Pipes | JINDAL / APPOLO / SWASTIK / TATA / SURYA |
| 72. | Gypsum Plaster | FERROUS CRETE (FERRO-500) / GYPROC (ELITE-100) / KERAKOL (K-100) |
| 73. | GRC Wall Tile / Jali | UNISTONE / DALAL /SWASTIK ALWAR / ULTRA |
| 74. | HDMR Board | CENTURY / GREEN / ACTION TESSA |
| 75. | High Pressure Laminate (HPL) | CENTURY / GREEN / MERINO / TRESPA / FUNDERMAX |

| S. No. | Description | Approved Makes |
|--------|--|--|
| 76. | Anchor Fastener (Mechanical / Chemical) | HILTI / MUNGO / CANON / FISCHER / WUERTH |
| 77. | Cupboard Lock | PLAZA / GODREJ / HETTICH / HAFLEY |
| 78. | Rust Remover / Rust converting primer / paint | FOSROC / SIKA / BASF / PIDILITE |
| 79. | Polymer based Zinc Rich Primer | FOSROC / SIKA / BASF / PIDILITE |
| 80. | anticorrosive paint | FOSROC / SIKA / BASF / PIDILITE |
| 81. | Concrete penetrating HI-TECH Corrosion in hibitor | FOSROC / SIKA / BASF / PIDILITE |
| 82. | Thixotropic Epoxy Repair Mortar | FOSROC / SIKA / BASF / PIDILITE |
| 83. | Latex / SBR Polymer Compound | FOSROC / SIKA / BASF / PIDILITE |
| 84. | Low viscous Epoxy resin grout | FOSROC / SIKA / BASF / PIDILITE |
| 85. | Epoxy resin for Concrete bond coat | FOSROC / SIKA / BASF / PIDILITE |
| 86. | Pre-batched non-shrink polymer modified mortar | FOSROC / SIKA / BASF / PIDILITE |
| 87. | Pre-batched pre-mixed non- Shrink Micro Concrete | FOSROC / SIKA / BASF / PIDILITE |
| 88. | Pre-batched Pre-Mixed Non-metallic composite fiber wrapping system | FOSROC / SIKA / BASF / PIDILITE |
| 89. | Epoxy for rebar / Shear anchor | FOSROC / SIKA / BASF / HILTI |
| 90. | Modular kitchen basket and accessories (SS-304 Grade) | HETTICH / KITCH / PLUM / PECKOCK |
| 91. | Manhole cover / Grating | KK MANGOLE / DALAL / SWASTIK / HINDUSTAN |
| 92. | Laminate Wooden flooring | VISTA / ARMSTRONG / ACTION TESSA |
| 93. | Engineered wood Flooring | PERGO / JUNKEPS / BOEN / SQUARFOOT |
| 94. | SS Pipe (304 Grade) FOR WATER SUPPLY | JINDAL / TATA / ALFA PRESS / VIEGA |
| 95. | Epoxy flooring | FOSROC / SIKA / BASF |

E & M Items

| S. No | Description | Approved Makes |
|-------|--|---|
| 1. | MCB(10KA)/ Isolators & MCB DB with End Box. | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider |
| 2. | MCCB | Legrand / Siemens/ Lauritz knudsen / Havells/ C&S |
| 3. | MCCB BOX | Legrand / Siemens/ Lauritz knudsen / Havells/ C&S |
| 4. | Modular type switch/ socket, TV socket, Fan Regulator. | Lauritz knudsen / ABB/ Wipro North West/ Legrand (Arteor/ Myrius)/ Schneider (Zencelo),Anchor-ROMA. |
| 5. | Steel conduit pipe and Accessories (ISI) | BEC/ AKG/ NIC / Steel Krafts |
| 6. | PVC conduit pipe and Accessories(ISI) | BEC/ AKG/ NIC |
| 7. | Junction Boxes/ MS Boxes | Lauritz knudsen / ABB/ Wipro North West/ Legrand (Arteor/ Myrius)/ Schneider (Zencelo),Anchor-ROMA |
| 8. | Electronic Fan Regulator | Lauritz knudsen / ABB/ Wipro North West/ Legrand (Arteor/ Myrius)/ Schneider (Zencelo),Anchor-ROMA. |
| 9. | FRLS PVC insulated copper conductor cable / Wire | Polycab / Finolux / Havells / KEI |
| 10. | LED Light Fixture | Philips/ Trilux/ Crompton/ Wipro/ Havells |
| 11. | Ceiling Fans (BLDC) & Wall Fan | Havells/ Atomberg/ Bajaj/ Crompton/USHA. |
| 12. | Exhaust Fan/ Fresh Air Fan | Havells/ Bajaj/ Crompton/USHA. |
| 13. | Industrial type socket | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider |
| 14. | DLP U-PVC channel & accessories | Schneider / Legrand or Equivalent |
| 15. | Modular Plate & Cover Plate | Lauritz knudsen / ABB/ Wipro North West/ Legrand (Arteor/ Myrius)/ Schneider (Zencelo),Anchor-ROMA |
| 16. | Distribution Board | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider. |
| 17. | XLPE Alumium/ Copper conductor Armoured Power cables | Havells/ Polycab/ RR kabel/ KEI/ Universal |
| 18. | Digital Multifunction Meter | Lauritz knudsen / AE/ Schneider/ Rishabh/ HPL |
| 19. | Ammeter | Lauritz knudsen / AE/ Rishabh/ Kaycee / Meco / Enercom |
| 20. | Voltmeter | Lauritz knudsen / AE/ Rishabh/ Kaycee / Meco / Enercom |
| 21. | Frequency Meter | Digitron / AE/ Rishabh/ Meco / Keltron |
| 22. | CT's | AE/ KAPPA/ Pragati |
| 23. | Selector Switches | AE/ Kaycee/ Vaishno |
| 24. | Contractors | Lauritz knudsen / Seimens/ GE power/ Legrand/ Havells |
| 25. | Push button | Lauritz knudsen / BCH/ Siemens / Vaishno |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Approved Makes |
|--------------|---|--|
| 26 | Indicating LED Lamp | Lauritz knudsen / Seimens/ AE / Kaycee |
| 27 | GI Pipe | Jindal / SAIL/ Tata |
| 28 | HDPE Pipe | Reliance/ Duraline/ Hasti |
| 29 | Cat 6 LAN Cable | Legrand/ Molex/ Amp |
| 30 | Access Control System | Bosch/ Honeywell/ Nextwatch/GE-Casi |
| 31 | Intruder Alarm System | Ademco/ Bosch/ DSC/ Honeywell |
| 32 | Cable raceway floor/ wall mounted & Accessories(MS/G.I) | Legrand/ AKG/ BEC/ ESSAR/ Honeywell/ Godrej. |
| 33 | Sandwitch Bus trunking/ Rising Main | C&S/ Lauritz knudsen / Schneider/ ABB |
| 34 | Telephone wire | Delton/ Finolex/ Havells/ Skytone |
| 35 | Occupancy Sensor | Wipro/ Schneider/ Honeywell/ Seimens/ Bosch |
| 36 | Gooseneck Microphone | Televic/ Beyerdynamic/ Bosch/ Bose/ Sennheiser |
| 37 | Amplifier | Crown/ Extrom/ Crestron |
| 38 | 24 Port Switch | Cisco/ Netgear/ Hp/ Juniper |
| 39 | 8 Port LIU | Legrand/ AMP/ Molex |
| 40 | 16 Port Gigabit POE Switch | Netgear/ Juniper/ Cisco |
| 41 | HDMI/ USB Cable | AMX/ Crestron/ Manhattan |
| 42 | AV Speaker | JBL/ Bosch/ Bose/ Sony |
| 43 | CCTV Camera | Pelco/ Bosch/ Honeywell |
| 44 | DVR (Digital Video Recorder) | Bosch/ Honeywell/ Pelco |
| 45 | Fire Suppression System | Minimax/ Ceasefire/ Ansul |
| 46 | Fire Panel | Johnson Control / Notifier / Bosch / Fike . |
| 47 | PA System | Notifier/ Johnson Control/ Fike/ Cooper/ Bosch |
| 48 | Addressable Heat/ Smoke detector/ Hooter/ RI/ Pullstation/ | Johnson Control/ Notifier / Bosch / Mircom / Fike . |
| 49 | Conventional Heat/ Smoke detector/ Hooter/ RI/ Pullstation/ | System Sensor/ Cooper/ GST/ Ravel/ Fike/ Essar/ Honeywell/ Bosch/ Bental |
| 50 | Cable joint Kit | Raychem/ M-Seal/ Densons/ 3M |

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in **two** Envelops as explained below: -

| Envelope – 1 (Following documents to be provided as single PDF file) | | | |
|--|------------------|--|-------------------|
| Sl. No. | Documents | Content | File Types |
| 1. | Technical Bid | Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD. | .PDF |
| 2. | | Enlistment order of contractor. | .PDF |
| 3. | | Attested certificate of work experience. | .PDF |
| 4. | | Certificate of Registration of GST and acknowledgment of up-to-date field return of GST. | .PDF |
| 5. | | Affidavit as per Notice Inviting Tender Condition 1.3 at page no. 8 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.) | .PDF |
| 6. | | Acceptance to execute INTEGRITY PACT. | .PDF |
| 7. | | Undertaking as per on firm's letter head. “The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi” | .PDF |
| 8. | | ESI and EPF Registration. | .PDF |
| 9. | | FORM "F" (Duly filled with all required details) | .PDF |
| 10. | | In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents. | .PDF |
| 11. | | Valid Electrical License. | |
| 12. | | Annexure-I (duly filled & signed by the bidders) | .PDF |
| 13. | | Annexure-II (duly filled & signed by the bidders) | .PDF |
| 14. | | Annexure-III (duly filled & signed by the bidders) | .PDF |
| 15. | | Any other documents specified in NIT | .PDF |
| Envelope – 2 | | | |
| Sl. No. | TYPES | Content | |
| 1. | Financial Bid | Price bid should be submitted in BOQ format. | .Xls |

All the above documents shall be as per Tender Notice.

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

PART 'C'**SCHEDULE OF QUANTITY**

Name of work: Renovation and Structural Repair of 2 Nos. IIB Type Houses and Replacement of Windows and kitchen cupboards in 2 Nos. IIIA type houses for the year 2026-2027 (Phase-I) in West Campus at IIT Delhi.

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|------|------|------|--------|
| 1. | Part-A: Civil Work | | | | |
| 2. | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. | | | | |
| 3. | All kinds of soil. | 2 | cum | | |
| 4. | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : | | | | |
| 5. | 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) | 7 | cum | | |
| 6. | 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources: 8 graded stone aggregate 40 mm nominal size derived from natural sources) | 3 | cum | | |
| 7. | Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). | 0.62 | cum | | |
| 8. | Centering and shuttering including strutting, propping etc. and removal of form for | | | | |
| 9. | Shelves (Cast in situ) | 11 | sqm | | |
| 10. | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. | | | | |
| 11. | Thermo-Mechanically Treated bars of grade Fe-500D or more. | 74 | kg | | |
| 12. | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : | | | | |
| 13. | Cement mortar 1:4(1 cement :4 coarse sand) | 5 | cum | | |
| 14. | Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level. | | | | |
| 15. | Cement mortar 1:3(1 cement :3 coarse sand) | 17 | sqm | | |
| 16. | Extra for providing and placing in position 2 Nos 6 mm dia. M.S. bars at every third course of half brick masonry. | 17 | sqm | | |
| 17. | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|-------|------|--------|
| | machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. | | | | |
| 18. | Granite stone slab of colour black, Cherry/Ruby red | | | | |
| 19. | Area of slab over 0.50 sqm | 38 | sqm | | |
| 20. | Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge. | | | | |
| 21. | Granite work | 171 | metre | | |
| 22. | Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete. | 15 | metre | | |
| 23. | Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete. | 2 | each | | |
| 24. | Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3(1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | 144 | sqm | | |
| 25. | Extra for providing frosted glass panes 4 mm thick (weight not less than 10 kg per sqm) instead of ordinary float glass panes 4 mm thick (weight not less than 10 kg per sqm) in doors, windows and clerestory window shutters. (Area of opening for glass panes excluding portion inside rebate shall be measured). | 4 | sqm | | |
| 26. | Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: | | | | |
| 27. | 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws | 38 | sqm | | |
| 28. | Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|-----|---------|------|--------|
| 29. | Fixed to openings /wooden frames with rawl plugs screws etc. | 821 | kg | | |
| 30. | Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : | | | | |
| 31. | 250x16 mm | 24 | each | | |
| 32. | Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : | | | | |
| 33. | 200x10 mm | 24 | each | | |
| 34. | Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : | | | | |
| 35. | 125 mm | 48 | each | | |
| 36. | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. | | | | |
| 37. | Twin rubber stopper | 24 | each | | |
| 38. | Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. | | | | |
| 39. | 1.0 mm thick | 599 | sqm | | |
| 40. | Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete. | | | | |
| 41. | With 12 mm mild steel U beading | 69 | sqm | | |
| 42. | Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete. | | | | |
| 43. | 100mm | 200 | each | | |
| 44. | Providing and fixing stainless steel soft closing spring hinges at 0 degree hinges (hydraulic type) of approved make/brand to cupboard shutters with full threaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge. | 440 | each | | |
| 45. | Providing and fixing stainless steel soft closing heavy type telescopic drawer channels of approved make 500 mm long with screws etc. complete as per direction of Engineer- in-charge, | 72 | One set | | |
| 46. | Providing and fixing ready made 304 grade stainless steel Modular kitchen basket and | 160 | kg | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|------|-------|------|--------|
| | accessories such as right angle basket (Plain Cup & Saucer, plant, Partition, Bottle rack, Thali, Cutlery) kitchen utensil basket, Dinner set basket, kitchen grain basket, Multipurpose basket as per site requirement including finishing (wherever required) and fittings. The same shall be fixed with necessary stainless steel nuts & bolts, Stainless Steel screws & telescopic channel etc. as per direction of Engineer-in- charge. (For payment purpose only weight of Stainless steel basket shall be considered excluding weight of all fixing accessories such as nuts, bolts, fasteners telescopic basket channels etc. Payment of providing and fixing telescopic channel shall be paid separately) | | | | |
| 47. | Providing and fixing 2 mm thick 16 to 19 mm wide PVC edge binding tape of approved quality for cupboard/wardrobe shutters including necessary synthetic resin hot pressed to edges on binding machine etc. complete as per direction of Engineer-in-charge. | 1000 | Metre | | |
| 48. | Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. | | | | |
| 49. | Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size). | 98 | kg | | |
| 50. | Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq.m including pointing the joints with white cement and matching pigments etc., complete. | 34 | sqm | | |
| 51. | Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). | | | | |
| 52. | Size of Tile 600x600 mm | 241 | sqm | | |
| 53. | Providing gola 75x75 mm in cement concrete 1:2:4(1 cement :2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design : | | | | |
| 54. | In 75x75 mm deep chase | 156 | metre | | |
| 55. | Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : | 4 | each | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|------|------|------|--------|
| | 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete. | | | | |
| 56. | 15 mm cement plaster on the rough side of single or half brick wall of mix: | | | | |
| 57. | 1:4(1 cement: 4 fine sand) | 296 | sqm | | |
| 58. | 6 mm cement plaster of mix: | | | | |
| 59. | 1:3(1 cement :3 fine sand) | 235 | sqm | | |
| 60. | Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete. | 1400 | sqm | | |
| 61. | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : | | | | |
| 62. | Two or more coats on new work | 320 | sqm | | |
| 63. | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. | 440 | sqm | | |
| 64. | Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. | | | | |
| 65. | Two coats | 1840 | sqm | | |
| 66. | Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. | | | | |
| 67. | With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre | 1840 | sqm | | |
| 68. | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. | 1840 | sqm | | |
| 69. | Finishing walls with Acrylic Smooth exterior paint of required shade: | | | | |
| 70. | Old work (Two or more coat applied @ 1.67 Itr/ 10 sqm) on existing cement paint surface | 340 | sqm | | |
| 71. | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. | | | | |
| 72. | With cement mortar 1:4 (1 cement : 4 fine sand) | 80 | sqm | | |
| 73. | Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge. | 209 | sqm | | |

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|-----|-------|------|--------|
| 74. | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. | | | | |
| 75. | Nominal concrete 1:3:6 or richer mix (including equivalent design mix) | 12 | cum | | |
| 76. | Nominal concrete 1:4:8 or leaner mix (including equivalent design mix) | 8 | cum | | |
| 77. | Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge. | 2 | cum | | |
| 78. | Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. | | | | |
| 79. | In cement mortar | 3 | cum | | |
| 80. | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : | | | | |
| 81. | Of area 3 sq. metres and below | 100 | each | | |
| 82. | Of area beyond 3 sq. metres | 4 | each | | |
| 83. | Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : | | | | |
| 84. | Of area 3 sq. metres and below | 8 | each | | |
| 85. | Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. | | | | |
| 86. | For thickness of tiles 10 mm to 25 mm | 144 | sqm | | |
| 87. | For thickness of tiles above 25 mm and up to 40 mm | 275 | sqm | | |
| 88. | Demolishing brick tile covering in terracing including stacking of serviceable material and disposal of unserviceable material within 50 metres lead. | 183 | sqm | | |
| 89. | Demolishing mud phaska in terracing and disposal of material within 50 metres lead. | 82 | cum | | |
| 90. | Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead : | | | | |
| 91. | 75 to 80 mm dia pipe | 12 | metre | | |
| 92. | 100 mm dia pipe | 24 | metre | | |
| 93. | Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge : | | | | |
| 94. | 15 mm to 40 mm nominal bore | 100 | metre | | |
| 95. | Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. | 4 | each | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|-----|-------|------|--------|
| 96. | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved. | 157 | cum | | |
| 97. | Providing and fixing wash basin with C.I. brackets, 15 mm dia CP Brass single hole basin mixer of approved quality and make, including painting of fittings and brackets, cutting and making good the walls wherever required:- (a) White Vitreous China Wash basin size 550x400 mm with a 15 mm CP Brass single hole basin mixer | 4 | each | | |
| 98. | Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : | | | | |
| 99. | Kitchen sink without drain board | | | | |
| 100. | 610x510 mm bowl depth 200 mm | 2 | each | | |
| 101. | Providing and fixing CP Brass 32 mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge. | 4 | each | | |
| 102. | Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia | 4 | each | | |
| 103. | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. | | | | |
| 104. | Flexible pipe | | | | |
| 105. | 32 mm dia | 8 | each | | |
| 106. | Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. | 4 | each | | |
| 107. | Providing and fixing soil, waste and vent pipes : | | | | |
| 108. | 100 mm dia | | | | |
| 109. | Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 | 57 | metre | | |
| 110. | Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : | | | | |
| 111. | For 100 mm dia pipe | 24 | each | | |
| 112. | Providing and fixing plain bend of required degree. | | | | |
| 113. | 100 mm dia | | | | |
| 114. | Sand cast iron S&S as per IS : 3989 | 6 | each | | |
| 115. | Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. | | | | |
| 116. | 100x100x100 mm | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|------|-----------|------|--------|
| 117. | Sand cast iron S&S as per IS - 3989 | 4 | each | | |
| 118. | Providing and fixing collar : | | | | |
| 119. | 100 mm | | | | |
| 120. | Sand cast iron S&S as per IS - 3989 | 10 | each | | |
| 121. | Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter : | | | | |
| 122. | 100 mm | 40 | each | | |
| 123. | Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : | | | | |
| 124. | 100 mm inlet and 100 mm outlet | | | | |
| 125. | Sand cast iron S&S as per IS: 3989 | 8 | each | | |
| 126. | Providing and fixing floor mounted, white vitreous china single piece, double traps syphonic water closet of approved brand/make, shape, size and pattern including integrated white vitreous china cistern of capacity 10 litre with dual flushing system, including all fittings and fixtures with seat cover, cistern fittings, nuts, bolts and gasket etc including making connection with the existing P/S trap, complete in all respect as per directions of Engineer-in-Charge. | 4 | each | | |
| 127. | Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall | | | | |
| 128. | 20 mm dia nominal bore | 40 | metre | | |
| 129. | 40 mm dia nominal bore | 50 | metre | | |
| 130. | Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, including making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : | | | | |
| 131. | 20 mm dia nominal bore | 50 | metre | | |
| 132. | Providing and fixing uplasticised PVC connection pipe with brass unions : | | | | |
| 133. | 45 cm length | | | | |
| 134. | 15 mm nominal bore | 20 | each | | |
| 135. | Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : | | | | |
| 136. | 150 mm diameter | 4 | each | | |
| 137. | Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : | | | | |
| 138. | 20 mm nominal bore | 8 | each | | |
| 139. | 40 mm nominal bore | 8 | each | | |
| 140. | Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. | 2000 | per litre | | |
| 141. | Providing and fixing C.P. brass bib cock of | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|-----|------|------|--------|
| | approved quality conforming to IS:8931 : | | | | |
| 142. | 15 mm nominal bore | 6 | each | | |
| 143. | Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms. | | | | |
| 144. | 15 mm nominal bore | 8 | each | | |
| 145. | Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. | | | | |
| 146. | 15 mm nominal bore | 4 | each | | |
| 147. | Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 | | | | |
| 148. | 15 mm nominal bore | 28 | each | | |
| 149. | Providing and fixing C.P. Brass extension nipple (size 15 mm x 50 mm) of approved make and quality as per direction of Engineer-in-charge. | 20 | each | | |
| 150. | Cutting holes up to 30x30 cm in walls including making good the same: | | | | |
| 151. | With common burnt clay F.P.S. (non modular) bricks | 8 | each | | |
| 152. | Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x 300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design: | | | | |
| 153. | 100x100 mm size P type | | | | |
| 154. | With common burnt clay F.P.S. (non modular) bricks of class designation 7.5 | 4 | each | | |
| 155. | Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : | | | | |
| 156. | For pipes 100 to 250 mm diameter | 2 | each | | |
| 157. | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|------|-------|------|--------|
| 158. | For fixed portion | | | | |
| 159. | Powder coated aluminium (minimum thickness of powder coating 50 micron) | 1178 | kg | | |
| 160. | For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) | | | | |
| 161. | Powder coated aluminium (minimum thickness of powder coating 50 micron) | 811 | kg | | |
| 162. | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): | | | | |
| 163. | With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm) | 70 | sqm | | |
| 164. | Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete. | | | | |
| 165. | Upto 5 mm depth and 5 mm width | 506 | metre | | |
| 166. | Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer-in-charge complete. | | | | |
| 167. | 355 X 19 mm | 140 | each | | |
| 168. | Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry. | 23 | sqm | | |
| 169. | Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations: (a) Applying a slurry coat of neat cement using 2.75 kg/sqm of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engineer-in-charge over the RCC slab including adjoining walls upto 300 mm height including cleaning the surface before treatment. (b) Laying brick bats with mortar using broken bricks/brick bats 25 mm to 115 mm size with 50% of cement mortar 1:5 (1 cement : | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|------|-------|------|--------|
| | 5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement :5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (c) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/ sqm of cement admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge. (d) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1 cement :4 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. "All above operations to be done in order and as directed and specified by the Engineer-in-Charge": | | | | |
| 170. | With average thickness of 120 mm and minimum thickness at khurra as 65 mm. | 184 | sqm | | |
| 171. | Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge | | | | |
| 172. | 25 mm average thickness | 225 | sqm | | |
| 173. | Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge. | | | | |
| 174. | Bars upto 12 mm diameter | 1140 | metre | | |
| 175. | Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer- In-charge complete in all respect. | | | | |
| 176. | Epoxy bonding adhesive having coverage 2.20 sqm/kg of approved make | 225 | sqm | | |
| 177. | Providing and injecting approved grout in proportion recommended by the manufacturer into cracks/honey-comb area of concrete/masonry by | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|------|------|--------|
| | suitable gun/pump at required pressure including cutting of nipples after curing etc. complete as per directions of Engineer-in-Charge. (The payment shall be made on the basis of actual weight of approved grout injected.) | | | | |
| 178. | Epoxy injection grout in concrete/RCC work of approved make | 300 | kg | | |
| 179. | Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid board one side white color and other side of board laminted with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive for cup boards, work stations and bathroom/ kitchen cabinet etc. of required sizes comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm ² , modulus of elasticity 850 N/mm ² and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel piano hinges/soft close clip on concealed hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel piano hinges/soft close clip on concealed hinges and necessary S.S screws shall be paid separately) | | | | |
| 180. | 18 mm thick | 85 | sqm | | |
| 181. | Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid plain white color board for backing of cup boards and bathroom/kitchen cabinets etc. of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm ² , modulus of elasticity 850 N/ mm ² and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel screws etc. all as per direction of Engineer-In- Charge. (Note: stainless steel screws shall be paid separately) | | | | |
| 182. | 6 mm thick | 29 | sqm | | |
| 183. | Driling and fixing NRV nozzles in RC members, including (fixing material : Renderoc Plug of Fosroc / Sikadur-31 of Sika / MasterBrace 2200 of BASF or equivalent of Pidilite & Krishna Conchem). i. Drilling Holes: Drilling 12 mm dia, 50 to 75 mm | 750 | Each | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|------|-------|------|--------|
| | <p>deep holes or upto required depth in structural members of the intervals of 350 mm in staggered manner or as directed by the Engineer-in-charge in RC structural elements.</p> <p>ii. Cleaning of holes: Clean the holes by air blower prior to fixing nozzles.</p> <p>iii. Fixing of Nozzles: Insert 12mm dia. NRV nozzles in cleaned holes. External end of nozzles to be machine to receive outlet of grouting gun. Fix it inside the holes by applying thyrrotrophic epoxy putty to ensure complete sealing. Cure the system for min. 12 hrs.</p> <p>iv. Cutting of Nozzles: Cut the nozzles by chisel after completion of grouting without damaging structural elements:</p> | | | | |
| 184. | <p>Providing mixing & applying pre-batched one component polymer modified dual shrinkage compensated thixotropic cementious patch repair mortar as per the manufacturer specifications and as per the direction the Engineer-in-charge. The comperessive strength of polymer modified mortar shall be ≥ 45 Mpa (28 Days) according to ASTM C109. (Product :- Renderock S2 of Fosroc/ SikaTop® 122 F of Sika / MasterEmaco S 348 of BASF or equivalent of Pidilite)</p> | | | | |
| 185. | <p>For 20 mm thickness over slab, beams, columns and stair case slabs .</p> | 225 | sqm | | |
| 186. | <p>Providing and laying anticorrosive Treatment of Reinforcement by any approved make rebar corrosion protection system to existing reinforcement (The application shall be by brush). Process is to be complete as per the recommendation of manufacturer and direction of Engineer-in-charge. for payment exposed length of reinforcement will be measured. (Product - NITAZINC PRIMER of FOSROC / Sika FERROGARD 950 IN of Sika/ MasterEmaco P 130 of BASF or equivalent of pidilite & Krishna Conchem).</p> <p>Bars Upto 12 mm diameter</p> | 1140 | Metre | | |
| 187. | <p>Providing and fixing cup board shutters with 18-19mm thick commercial block board as per IS : 1659 of approved make with necessary SS piano hinges of appropriate size etc. complete as per direction of Engineer In Charge.</p> | 100 | sqm | | |
| 188. | <p>Providing and fixing cup board inside shelves, sides, back portion, drawers etc. with 18-19mm thick commerical block board as per IS : 1659 of approved make with necessary fixing arrangement and as per requirement complete as per direction of Engineer In Charge. (All exposed edges of block board to be lipped with 3 mm thick teak wood beading/ margin.)</p> | 229 | Sqm | | |

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|-------|------|--------|
| 189. | Providing and fixing Glass Corner Tray / Corner Shelf of size 11"x11" of approved design as per directions of Engineer-In-Charge. | 8 | Each | | |
| 190. | Providing and fixing 140 mm dia Stainless Steel Grating with frame (with or without hole) of approved design as per directions of Engineer-In-Charge. | 12 | Each | | |
| 191. | Providing and fixing Chrome Finish 600mm long towel rail of approved design with required accessories as per directions of Engineer-In-Charge. | 4 | Each | | |
| 192. | Providing and fixing CP brass with soap dish holder with all complete as directed by the Engineer-in-Charge. | 8 | Each | | |
| 193. | Providing and fixing Hand Shower (Health Faucet) with 8mm Dia and one meter long flexible tube and wall hook of approved make as per the directions of Engineer-In-Charge. | 4 | Each | | |
| 194. | Providing and fixing chrome finish wall mounted regular Kitchen Sink Mixer with Swinging Spout of approved make as per the directions of Engineer-In-Charge. | 2 | Each | | |
| 195. | Providing and fixing stainless steel (Grade 304) curtain rods having weight upto 0.72 kg./metre with necessary S.S. bracket (Grade 202) and end showcap fixed with S.S screws and rawal plug complete as per direction of Engineer-in-charge. Size:25mmdia (Heavy Type) Note:- For payment purpose total end to end length of rod including End Globe will be measured and no extra payment will be made for Curtain Bracket, End Knob, Pipe Holder, Finials and rings. | 120 | Mtr. | | |
| 196. | Providing and fixing 8-9mm thick ply wood sheet of approved make in cup board including necessary glue and nails etc. complete as per direction of Engineer In Charge. | 81 | sqm | | |
| 197. | Part-B: Electrical Work | | | | |
| 198. | Wiring for light point/Ceiling fan point/ exhaust fan point/ call bell point with 1.5sq.mm FRLS/HFFR PVC insulated copper conductor single/multi core cable in surface/ recessed steel conduit, with modular switch, modular plate, suitable GI box & earthing the point with 1.5sq.mm. FRLS/HFFR PVC insulated copper conductor single core etc as reqd. | | | | |
| 199. | Group A | 66 | Point | | |
| 200. | Wiring for twin control light point with 1.5sq.mm FRLS/HFFR PVC insulated copper conductor single core cable in surface/ recessed steel conduit, 2 way modular switch, modular plate, suitable GI box & earthing the point with 1.5sq.mm. FRLS/HFFR PVC insulated copper conductor single core etc as reqd. | 14 | Point | | |
| 201. | Wiring for light/ power plug with 2X4 sq.mm FRLS /HFFR PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 1 No 4 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable for loop earthing as reqd. | 348 | Metre | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|-------|------|--------|
| 202. | Wiring for light/ power plug with 4X4 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 2 Nos 4 sq.mm FRLS/HFFR PVC insulated copper conductor single core cable for loop earthing as reqd. | 151 | Metre | | |
| 203. | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS/HFFR PVC insulated copper conductor, single core cable in surface/ recessed medium class steel conduit as required | | | | |
| 204. | 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire | 60 | Metre | | |
| 205. | 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire | 198 | Metre | | |
| 206. | 2 X 4 sq. mm + 1 X 4 sq. mm earth wire | 98 | Metre | | |
| 207. | 4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire | 203 | Metre | | |
| 208. | Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in existing surface/ recessed steel/ PVC conduit as required | | | | |
| 209. | 3 X 1.5 sq. mm | 52 | Metre | | |
| 210. | 3 X 2.5 sq. mm | 147 | Metre | | |
| 211. | 3 X 4 sq. mm | 88 | Metre | | |
| 212. | 6 X 4 sq. mm | 89 | Metre | | |
| 213. | Supplying and drawing following pair 0.5 mm dia FRLS/HFFR PVC insulated annealed copper conductor, unarmoured telephone cable in the existing surface / recessed steel / PVC conduit as required. | | | | |
| 214. | 2 Pair | 136 | Metre | | |
| 215. | Supplying and drawing co-axial TV cable RG-6 grade, 0.7 mm solid copper conductor PE insulated, shielded with fine tinned copper braid and protected with PVC sheath in the existing surface/ recessed steel/ PVC conduit as required. | 117 | Metre | | |
| 216. | Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit or cutting the wall and making good the same in case of recessed conduit as required. | | | | |
| 217. | 25 mm | 54 | Metre | | |
| 218. | 32 mm | 49 | Metre | | |
| 219. | Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. | | | | |
| 220. | 20 mm | 48 | Metre | | |
| 221. | 25 mm | 56 | Metre | | |
| 222. | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. | | | | |
| 223. | 5/6 amps switch | 24 | Each | | |
| 224. | 2 way 5/6 amps switch | 14 | Each | | |
| 225. | 15/16 Amp switch | 24 | Each | | |
| 226. | 3 pin 5/6 amp socket outlet | 24 | Each | | |
| 227. | 6 pin 15/16 amp socket outlet | 24 | Each | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|------|------|--------|
| 228. | Telephone socket outlet | 10 | Each | | |
| 229. | TV antenna socket outlet | 10 | Each | | |
| 230. | Bell Push | 2 | Each | | |
| 231. | Supplying and fixing stepped type 2 module electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. | 14 | Each | | |
| 232. | Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required. | 15 | Each | | |
| 233. | Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required. | | | | |
| 234. | 1 or 2 Module (75mmX75mm) | 36 | Each | | |
| 235. | 6 Module (200mmX75mm) | 24 | Each | | |
| 236. | Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required. | 42 | Each | | |
| 237. | Supplying and fixing 3pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc. as required. | 5 | Each | | |
| 238. | Supplying and fixing brass batten/ angle holder including connection etc. as required. | 10 | Each | | |
| 239. | Supply, Installation, Testing, Commissioning of wall bracket /ceiling fittings of all sizes and shapes containing upto two GLS/CFL/LED lamps per fitting, complete with all accessories ,suitable for 9-20W LED B-22 Base including connections etc. as required. | 12 | Each | | |
| 240. | Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. | 2 | Each | | |
| 241. | Providing and fixing M.S. Fan Hook clamp type I or II of 16 mm dia M.S. bar, bent to shape with hooked ends in R.C.C. slabs or beams during laying, including painting the exposed portion of loop, all as per standard design complete as required. | 14 | Each | | |
| 242. | Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar din bar, interconnections, powder painted including earthing etc. as required.(But without MCB/RCCB/Isolator) | | | | |
| 243. | 12 way, Double door | 2 | Each | | |
| 244. | 16 way, Double door | 2 | Each | | |
| 245. | Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. | | | | |
| 246. | Single pole | 42 | Each | | |
| 247. | Supplying and fixing following rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 30 milliamperes in the existing MCB DB complete with connections, testing and | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|-------|------|--------|
| | commissioning etc. as required. | | | | |
| 248. | 40 amps | 2 | Each | | |
| 249. | 63 amps | 2 | Each | | |
| 250. | Supplying and fixing DP sheet steel enclosure on surface / recess along with 25/32 amps 240 volts "C" curve DP MCB complete with connection,testing and commissioning etc as required. | 2 | Each | | |
| 251. | Supplying and fixing 20 amps, 240 volts, SPN industrial type,socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. | 12 | Each | | |
| 252. | Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. | 2 | Each | | |
| 253. | Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) | 15 | Metre | | |
| 254. | Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. | 38 | Metre | | |
| 255. | Supplying, installation, Testing & Commissioning of LED Surface Down lighter (Round/square/ Rectangular) SMD type of following body material with PMMA and prismatic diffuser and construction as per IS : 10322 with driver as per the requirement with Driver efficiency >85%,Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range -5 0C to 40 0C centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection ,THD < 10%, P. F.≥0.95, IP20, CRI >80, UGR (Unified Glare Rating) <19, Flicker free (flicker should be below 5%), life time (LED, Driver & electrical circuitry), lifetime of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends, CCT 3000°K / 4000°K / 5700°K /6500°K (As per ANSI Bin), SDCM(Standard Deviation Color Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard.Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing Complete in all respect i/c external connections with 1.5 sqmm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥120 <135 lm/Watt output . LM79 & LM80 Test report and all testing required for LED fixtures as per BIS shall be submitted.. | | | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|------|------|--------|
| | Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management:heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C).Powder coated die cast /Extruded aluminium Body including trim . | | | | |
| 256. | 15 Watt | 10 | Each | | |
| 257. | Supplying, Installation, Testing & Commissioning of LED surface mounted Batten light(including dismantling of existing lights on buy back basis) of following body material and construction as per IS : 10322 with driver (Replaceable) as per the requirement with Driver efficiency >85%, Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range-5 °C to 40 °C, internal surge protection of 2.5 KVwith Short & Open circuit protection, THD < 10%, P.F.≥0.95, IP20, CRI >80, Flicker free, (flicker should be below 5 %), life time (LED, Driver & electrical circuitry), of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends, CCT 3000°K / 4000°K / 5700°K /6500°K(As per ANSI Bin), SDCM(Standard DeviationColour Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard.Manufactures Word Mark/ Name Engraved/Embossing/ Screen printing on housing. complete in all respect i/c external connections with 1.5 sqmm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 <120 lm/Watt output . LM79 & LM80 Test report and all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in- Charge as per requirement. (Thermal management:heat sink of aluminium housing such that LED junction temperature shall not rise above 90°C). | | | | |
| 258. | Powder Coated CRCA Sheet Body(Thickness ≥ 0.50mm) | | | | |
| 259. | 36 Watt | 14 | Each | | |
| 260. | Supplying and installation of Surface mounting Mirror light with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 10 Watts; Length 450-600mm; Nominal surge protection 2.5 kV; IP 54 complete in all respect i/c external connections with 1.5 sqmm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required.. | 4 | Each | | |
| 261. | Supplying and installation of Surface wall mounting bracket LED bulk head with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 10 Watts; Output lumens not less than 1000 lm; CCT 6500K; Nominal surge protection 2.5 kV; Power factor not less than 0.9, IP | 4 | Each | | |

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|--|-----|-------|------|--------|
| | 66 complete in all respect i/c external connections with 1.5 sqmm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required. | | | | |
| 262. | Supply and fixing and connecting & commissioning following LED lamps in existing fitting as reqd. LED bulb 5W to 10 W. | 22 | Each | | |
| 263. | Supplying, installation DLP mini- trunking 32mm x 20mm with independent cover etc. complete as reqd.[Make Legrand] | | | | |
| 264. | PVC mini trunking with independent cover of size 32mm x 20mm size. | 48 | Metre | | |
| 265. | PVC mini trunking End cap left or right. | 3 | Each | | |
| 266. | PVC mini trunking Internal/ External angle from 60°-120° | 3 | Each | | |
| 267. | Supply, Installation, Testing and Commissioning of ceiling fan with Brush Less Direct Current (BLDC)Motor, class of insulation: B, 3 nos. metal(Aluminium alloy) blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, steel/Al body Power Factor not less than 0.9, Service Value (CM/M/W) minimum as below, 350 RPM (tolerance as per IS : 374-2019), THD (Total Harmonic Distortion)less than 10%, suitable for operation with regulator for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 0C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC supply, Ceiling Fan compliant to IS 374:2019 fan i/c external connections with 1.5 sq.mm FRLS/HFFR, PVC insulated copper conductor single core cable and earthing etc. as required. | | | | |
| 268. | 900mm, service value ≥ 5.1 CM/Min/Watt, air delivery 130 CM/Min (Minimum) | 2 | Each | | |
| 269. | 1200mm, service value ≥ 6.0 CM/Min/Watt, air delivery 210 CM/Min (Minimum) | 12 | Each | | |
| 270. | Supplying and fixing of 250 mm size fresh air fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the existing opening, including making good the damage , connection, testing and commissioning etc. as required.as required | 4 | Each | | |
| 271. | Supplying and fixing of 300 mm size,1400 rpm exhaust fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the existing opening, including connection with 1.5 sq. mm FRLS PVC insulated, copper conductor single/ multi core cable and making good the damage , testing and commissioning etc. as required. | 2 | Each | | |
| 272. | Dismantling/ Disconnecting old damages services. | | | | |
| 273. | Dismantling, disconnecting old damaged unserviceable fl fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with bracket etc. as reqd. | 46 | Each | | |
| 274. | Dismantling damaged DB/TPN Switches/AC box, loose wire boxes along with all accessories as | 46 | Each | | |

EE (CD-1)

EE(ED-II)

AEE (E)

AE(C)

JE (E)

JE(C)

| S. No | Description | Qty | Unit | Rate | Amount |
|-------|---|-----|------|------|--------|
| | required. | | | | |
| 275. | Dismantling of switch / socket /regulator etc. with MS board as reqd. | 48 | Each | | |
| 276. | Credit for Dismantled /Unserviceable Material. | | | | |
| 277. | Credit of dismantle of old Iron Scrap like steel windows / door frames, MS grills, MS bars, GI pipe and fittings etc. | 350 | Kg | | |
| 278. | Credit of dismantle of old Wooden Scrap like old flush doors, wooden frames, ply, board etc. | 300 | Kg | | |
| 279. | Credit of dismantle of old PVC scrap like PVC cistern, PVC tanks, PTMT fittings etc. | 50 | Kg | | |
| 280. | Dismantled old M.S.boxes with bakelite sheet of different sizes | 50 | Kg | | |
| 281. | Dismantled of old 36 Watt batten Fittings | 10 | Nos | | |
| 282. | Dismantled of old wall bracket Fittings | 10 | Nos | | |
| 283. | Dismantled of old 1200mm / 1400mm Ceiling Fans | 10 | Nos | | |
| 284. | Dismantled of old Copper wires | 25 | Kg | | |
| 285. | Dismantled of old SPN/TPN MCB,s | 40 | Nos | | |
| 286. | Dismantled of old 5 Amp switches | 120 | Nos | | |
| 287. | Dismantled of old 5 amps sockets | 110 | Nos | | |
| 288. | Dismantled of old 15 amps switches | 20 | Nos | | |
| 289. | Dismantled of old 15 amps sockets | 20 | Nos | | |
| 290. | Dismantled of old fan regulators | 10 | Nos | | |

Special Conditions:

1. No labour huts shall be allowed in IIT Campus, and nothing shall be paid extra on this account.
2. The contractor must visit the site of work /buildings before quoting the rates.
3. The site shall be available as per the directions of Engineer in Charge.
4. The quoted rates of participating agencies shall be inclusive of GST.
5. Engineer-in-charge may foreclose the work wherever desire, In such eventually, payment of gross work done up to foreclosure date, PG of the contractor shall be refunded, but no payment on account of interest, loss & profit of damages etc. or any other claim shall be payable at all security deposit shall release after completion of defect liability period starting from foreclosure date.