

1

Notice Inviting Tender

Renovation and Modification of Kalyan Mandapam near Adhchini Gate at IIT Delhi.

Sub Head: - Civil, Electrical & Air Condition

Civil work amount Electrical Work amount : Rs. 14,87,978.00/-AC Work Amount **Total Amount**

: Rs. 49,32,970.00/-

: Rs. 9,06,920.00/-

: Rs. 73,27,868.00

(WORKS DEPARTMENT)

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

INDEX

Name of work: - Renovation and Modification of Kalyan Mandapam near Adhchini Gate at IIT Delhi.

Sl. No.	Description	Page No.
1	Index	2
2.	Notice Inviting e-tender	3
3.	Part A	
	Information and instructions for bidders for e-tendering	4-7
	IITD-6 for e-Tendering and Terms & Conditions	8-23
	Integrity Pact	24-30
	Form of Earnest Money (Bank Guarantee)	31
	Performance Guarantee	32
	Form-F	33
	Annexure- I, II, III	34-36
4.	Part B	
	IITD 7/8 e-Tendering	37-39
	Schedule A-F	40-46
	Special Condition of Contract	47-48
	Guarantee Bond for Water Proofing	49
	List of Approved/Acceptable Make	50-52
	Online Bid Submission	53
5.	Part C	
	Schedule of Quantity	54-76

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 76.

Executive Engineer (Elct.)

Executive Engineer (CD-III)

NIT approved for **Rs. 73,27,868.00/-** (**Rupees Seventy-Three Lakh Twenty Seven Thousands Eight Hundred Sixty Eight Only**)

Institute Engineer

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Notice Inviting e -Tender

The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Civil work /Building works/ Building & Roads/Composite works of the following work:

NIT No.	:	IITD/EE(CD-III)/2022-23			
Name of Work	:	Renovation and Modification of Kalyan Mandapa Near Adhchini Gate at IIT Dell Sub Head: - Civil, Electrical & Air Condition			
Estimated cost	:	Rs. 73,27,868.00/-			
Earnest Money	:	Rs. 1,46,557.00/-			
Performance Guarantee	:	3% of Tendered value			
Security Deposit	:	2.5% of Tendered Value			
Warranty	:	1 Year for all works.			
		5 Years for water proofing work.			
Period for completion	:	03 Months			
Late date & time for submission	:	23/01/2023 upto15.00 Hrs.			
of bids					
Date & Time of opening of Bids	:	24/01/2023 at 15.00 Hrs.			

The bid forms and other details can be obtained from the website <u>www.iitd.ac.in</u> or e-Procure.gov.in free of cost. For more clarification you may visit on above website.

Executive Engineer (CD-III), For & on Behalf of BOG, IIT Delhi

Budget Head: Renovation (Research facility and Housing)/ 35.01.02(IOE) 2017/002/0003

Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (CD-III) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of uploaded documents at 3:00 PM on 24/01/2023 in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D.

PART 'A' INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD/WORKS (SP-4083)/2023

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice) The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways **for Civil work** /**Building works/ Building & Roads/Composite works** of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for Completion
1	/IITD/EE(CD-III)/2022-23.	Name of work: Renovation and Modification of Kalyan Mandapam near adhchini gate at IIT Delhi. Sub Head: - Civil, Electrical & Air Condition	73,27,868.00/-	1,46,557/-	1000/-	03 Months

Last date and time of submission of financial & Technical bid

23/01/2023 upto 3:00 pm (on line)

Date and time of opening of Technical bid : 24/01/2023 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

:

- 1. The successful bidders shall be required to submit a performance guarantee of **3%** of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- 2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - Firms/Contractors must have completed satisfactorily one similar work of value not less than Rs. 58,62,300/-or Two similar works each of value not less than Rs. 43,96,800/-or three similar works each of value not less than Rs 29,31,200/- during last 7 years ending on previous day of last day of submission of bids.
 - Earnest money of Rs. 1,46,557/-in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of Registrar, I.I.T. Delhi. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 3. Similar work means Composite works consisting of Civil and E&M.
- 4. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 5. Information and Instructions for bidders posted on website shall form part of bid document.

- 6. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/app.in free of cost.
- 7. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- 8. Work means only work under Government/ Central Public Sector Undertaking / State Public Sector Under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- **9.** The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of submission of financial bid.
- **10.** IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- **11.** Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- **12.** The intending bidder must have valid class-III digital signature to submit the bid.
- **13.** On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 14. Contractor can upload documents in the form of JPG format and PDF format.
- **15.** Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- **16.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- **17.** In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- **18.** The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favor of **Registrar IIT Delhi** to be deposited with <u>http://eprocure.gov.in/eprocure/app</u> / NEFT facility.
- **19.** The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders: "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / usfrom tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD

uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.

- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- **23.** When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.

24. The bid submitted shall become invalid if:

- a. The bidder is found ineligible if he fails to upload documents from 1 to 11 on tender notice page 6.
- b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
- c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
- e. The Bidder does not upload ESI & EPF Registration.
- **25.** Bid validity shall be 75 days from last date of submission of bid.
- 26. Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit as per Notice Inviting Tender Condition 1.3 at page 7 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 20 on page No. 5' on firm's letter head.

The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.

- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. Tender Fee of Rs. 1000/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid
- 11. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 12. Annexure-I (duly filled & signed by the bidders)
- 13. Annexure-II (duly filled & signed by the bidders)
- 14. Annexure-III (duly filled & signed by the bidders)

Note: - All Documents mentioned S.N-1 to 11 are mandatory for technically qualifying and document mentioned 12 to 14 are not mandatory.

> **Executive Engineer (CD-III)**, For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016

Budget Head: Renovation (Research facility and Housing)/ 35.01.02(IOE) 2017/002/0003 Copy to: -

- 1. Executive Engineer (CD-III) for information.
- 2. D.A. (Works Accounts)
- 3. D.R. (A/Cs) for opening of tenders on 24/01/2023 at 3:00 PM in the office of D.R. Store
- 4. Notice Boards.
- 5. Office Copy
- 6. Web site Administrator, I.I.T.D
- 7. NIT :- Publicity on Website on Institute as well as on CPP portal http://eprocure.gov.in may be ensured as per instruction issued.
- 8. E-tendering Web. http://eprocure.gov.in/eprocure/app or www.iitd.ac.in

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 <u>IITD-6 FOR e-TENDERING ANDTERM&CONDITIONS</u>

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged/ register in appropriate category having completed work in appropriate category for the **work** as per tender notice.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost **as per tender notice** This estimate, however, is given merely as a rough guide.
- 1.2 Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e- TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 4. The site for the work is available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site http://eprocure.gov.in/eprocure/app or itd.ac.in or e-procure.gov free of cost.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e- tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-III), IIT Delhi, Hauz Khas, New Delhi**

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending

bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

http://eprocure.gov.in/eprocure/app.

- 10. The bid submitted shall become invalid if:
 - (i) The bidders are found not eligible.
 - (ii) The bidders do not upload all the documents (including GST registration/ other documents as per Tender Notice) as stipulated in the bid document.
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
 - (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 3% (Three Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- 15. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 16. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed

- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- 19. The tender for the works shall remain open for acceptance for a period of **Seventy Five (75)** days from last date of submission of bid, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form 8 or other Standard IITD Form as mentioned.
- 21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-III) IIT Delhi, Hauz Khas New Delhi - 110016

NOTICE INVITING TENDER

11

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI-110016

Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 1,46,557/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app.Aspiring Bidders who have not enrolled / registered in eprocurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app . The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and on submit completed tender document online the website the <u>http://eprocure.gov.in/eprocure/app</u> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

12

23/01/2023 (15.00 Hrs)	
24/01/2023 (15.00 Hrs)	
k details are	
Delhi, in the on- mn of the Tender	
n-III), Hauz Khas,	

C-----NIL I----NIL O--- NIL EE (CD-III) E.E. (Elct.) AEE (C) JE (E)

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:<u>http://eprocure.gov.in/eprocure/app</u>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time

i.e., on or before the bid submission time. Bidder will be responsible for any delay due to other issues.

- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal <u>http://eprocure.gov.in/eprocure/app</u>. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/etoken in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e- submission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

S.No.	Specification
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX.
	OR
	Financial Bids to be submitted in Excel.
	The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
4.	Refund of EMD :- As per NIT
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.
7.	Pre-qualification criteria: - Mentioned in Tender notice
8.	Performance Security:-Mentioned in Tender notice
9.	Force Majeure :- As per IITD form 8
10.	Risk & Cost Clause : As per IITD form 8
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8
13.	Prices: As per Tender Notice & NIT & IITD form 8
14.	Progress of Work : As per Tender Notice & NIT & IITD form 8
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8
19.	Training : As per Tender Notice & NIT & IITD form 8
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8

Terms & Conditions Details

21.	Incidental services: As per Tender Notice & NIT & IITD form 8
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8
23.	Governing Language : As per Tender Notice & NIT & IITD form 8
24.	Applicable Law : As per Tender Notice & NIT & IITD form 8
25.	Notices : As per Tender Notice & NIT & IITD form 8
26.	Taxes : As per Tender Notice & NIT & IITD form 8
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Docur Following		provided as single PDF file)	
Sl. No.	Documents	Content	File
1.		Compliance Sheet as per Annexure – I	Types .PDF
1.		Compliance Sheet as per Annexure – I	.1 D1
2.		Organization Declaration Sheet as per Annexure – II	.PDF
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF
4.		Technical supporting documents in support as per Page- 6 of NIT	.PDF
id Docur	ment – 2		
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in Excel format.	.xls

I.I.T.D- 6 FOR e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS, NEW DELHI -110016 NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL and Railway** dealing with **Civil work / Building work/ Building & Road / Composite works** for the work of **Renovation and Modification of Kalyan Mandapam near Adhichini Gate at IIT Delhi. (Sub. Head: - Civil, Electrical & Air Condition**)

1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of submission of tender is extended, the enlistment of

contractor should be valid on the original date of submission of tenders.

- 1.1 The work is estimated to cost Rs. **73,27,868/-** This estimate, however, is given merely as a rough guide.
- **1.1.1** The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

I.I.T.D – 6 FOR e-TENDERING

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer- in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site for the work shall be made available in parts as and when site will be available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order. The bid submitted shall become invalid & Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- 9. The contractor whose bid is accepted will be required to furnish performance guarantee of 3% (Three Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/

Demand Draft of an	y scheduled bank/Pa	y order of an	y Scheduled Bank	(in case guarantee
		J	j	(0

I.I.T.D – 6 FOR e-TENDERING I.I.T.D

amount is less than Rs.1,00,000/-) or Government Securities or Fixed

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor

- Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy 10. themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before

I.I.T.D – 6 FOR e-TENDERING

submission of the bid or engagement in the contractor's service.

- 16. The bid for the works shall remain open for acceptance for a period of **Seventy Five (75) days** from the last date of submission of bid, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

- b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
- 18. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

19. For Composite Bid

19.1 The **Executive Engineer [CD-III]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.

19.2 The bid document will include following three components: -

Part A- IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2020 as corrected/modified up to date.

Part B – General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.

Part C: - Schedule A to F for minor component of the work I.E. (Institute Engineer/EE incharge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/ specific conditions, specifications and schedule of quantities applicable to minor component(s) of the work.

- 19.3 The bidder must associate himself, with experienced agencies of the appropriate class eligible of bid for each of the minor component individually.
- 19.4 The eligible bidders shall quote rate for all items of major component as well as for all items of minor component of work.

I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

- 19.5 After acceptance of the bid by Competent authority, the EE [CD-III] i.e Engineer in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, After the work is awarded, the main contractor will have to enter into one agreement with EE [CD-III] and has also to sign two or more copies of agreement. On such signed set of agreement shall be handed over to EE (Elect) in charge of minor component. EE of major component will operate part A and EE(Elect) in charge of minor component shall operate part B along with Part A of the agreement.
- 19.6 Entire work under the scope of composite bid including major and all minor component shall be executed under one agreement.
- 19.7 Security Deposit will be worked out separately for each component corresponding to the estimated cost of the respective component of works. The Earnest Money will become part of security deposit of the major component of work.
- 19.8 The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).
- 19.9 In case the main contractor to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of Engineer-in-charge of minor component. The new agency/agencies shall also have agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- 19.10 The main contractor has to enter into agreement with contractor(s) associated by him for execution of minor components(s) in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE[E] and EE(CD-III), in charge of major and minor component. In case of change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- **19.11-** Running payment for the major component shall be processed by EE of major discipline to the main contractor. Running payment of minor components shall be made by EE [E], discipline of minor component directly to the main contractor.
- **19.12A** The composite work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 19.12B Final bill of whole work shall be finalized and paid by the EE of major component. EE (E), in charge of minor component(s) will prepare and pass the final bill for their respective component of work and pass on the same to the EE of major component for including in the final bill for composite contractor.

INTEGRATY PACT e-TENDERING

I.I.T.D

To,

·····,

Subject: - Work of Renovation and Modification of Kalyan Mandapam near Adhchini gate at IIT Delhi. Sub Head: - Civil, Electrical & Air Condition . NIT No. //IITD/EE (CD-III)/2022-23

24

Dear Sir,

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity, and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (CD-III)

ACCEPTANCE TO EXECUTE INTEGRITY PACT

(To be signed by bidder and upload the scanned copy)

25

To,

Executive Engineer (CD- III) IIT Delhi, Hauz Khas, New Delhi – 110016.

Subject: -Work Renovation and Modification of Kalyan Mandapam near Adhchini gate at IIT Delhi. Sub Head: - Civil, Electrical & Air Condition .

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

INTEGRATY PACT e-TENDERING

I.I.T.D

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of 20.....

BETWEEN

The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (E) IIT Delhi.

'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

WHEREAS the Principal / Owner has floated the Tender (NIT No......) (Hereinafter referred to as
"Tender/Bid") and intends to award, under laid down organizational procedure, contract for

(Name of work) hereinafter referred to as the "Contract".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

INTEGRATY PACT e-TENDERING	I.I.T.D
----------------------------	---------

27

Now, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

INTEGRATY PACT e-TENDERING

JE (E)

- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner aspart of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit**: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of

28

Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.

INTEGRATY PACT e-TENDERING

I.I.T.D

3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

INTEGRATY PACT e-TENDERING	I.I.T.D

5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

.....

(For and on behalf of Principal/Owner)

.....

(For and on behalf of

Bidder/Contractor)

WITNESSES:

1.

(signature, name and address)

2. (signature, name and address)

Place: Date:

BANK GUARANTEE BOND

Form of Earnest Money Deposit Bank Guarantee Bond

WHEREAS, contractor.......(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")

SEALED with the Common Seal of the said Bank thisday of 20.... THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
- (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;

OR

(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,

OR

(c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,

OR

(d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date*..... after the deadline for

submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE

WITNESSSEAL

SIGNATURE OF THE BANK

(SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 3% (Three percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1, 00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv). In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

FORM "F"

STRUCTURE & ORGANISATION

- 1. Name & Address of the bidder
- 2. Telephone no./ Telex no./ Fax no.
- 3. Legal status of the bidder (attach copies of original document defining the legal status)
- a. An Individual
- b. A proprietary firm
- c. A firm in partnership
- d. A limited company or Corporation
- 4. Particulars of registration with various Government Bodies (attach attested photocopy) Organization/ Place of registration and Registration No.

	1.						
	2.						
	3.						
5.	Name and tiles of Directors & Officers with designation to						
	be concerned with this work						
	!						
6.	Designation of individuals authorized to act for the organization !						
7.	Has the bidder or any constituent partner in case of partnership firm, ever abandoned the						
	awarded work before its completion?						
	If so, give name of the project and reasons for abandonment						
	!						
8.	Has the bidder or any constituent partner in case of partnership						
	firm, ever been debarred/ blacklisted for tendering in any organization						
	at any time? If so, give details						
ç	P. Past work experience in IIT Delhi will be considered in deciding the Technical bid !						

Signature of Bidder(S)

ANNEXURE-I COMPLIANCE SHEET

TECHNICAL SPECIFICATION:

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form8	Compliance Y/N
1	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	
2	Enlistment order of contractor.	
3	Certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit as per Notice Inviting Tender Condition 1.3 page 7 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the Affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
7	Undertaking as per page-5/ Sl. No. 20' on firm's letter head. "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8	ESI & EPF registration.	
9	FORM "F" (Duly filled with all required details).	
10	Tender Fee of Rs. 1000/- to be deposited through RTGS to Registrar IIT Delhi as per detail given in schedule page-10 and its proof to be uploaded with technical bid	
11	Annexure-1 (Dully Filled & signed by the bidders)	
12	Annexure 2 (Dully Filled & signed by the bidders)	
13	Annexure 3 (Dully Filled & signed by the bidders)	
13	Annexule 5 (Dully Fined & signed by the bidders)	
13	In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
	In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder

Name:_____

Designation:_____

Organization Name: _____

Contact No.	:	

<< Organization Letter Head >> DECLARATION SHEET

We, _____hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been registered as per Tender Notice & NIT & IITD form 8Tender.We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document.

We, further specifically certify that our	NAME & ADDRESS of the Vendor/ Manufacturer / Agent
organization has not been Black Listed/De	
Listed or put to any Holiday by any	
Institutional Agency/ Govt. Department/	
Public Sector	
Undertaking in the last three years.	
1. Phone	
2. Fax	
2. I dx	
3. E-mail	
	As per Tender Notice & NIT
4. Contact Person Name	
5. Mobile Number	
6. GST Number	
7. PAN Number	
8.(In case of on-line payment of Tender Fees)	
UTR No. (For Tender Fee)	
9.(In case of on-line payment of EMD)	
UTR No. (For EMD)	

(Signature of the Tenderer) Name:

Seal of the Company

C-----NIL I----NIL O----NIL

Annexure-III

List of Govt. Organization/Deptt.

List of Government Organizations for who Notice & NIT & IITD form 8	m the Bidder has undertaken such work	x As per Tender
Name of the organization	Name of Contact Person	Contact No.
AS PI	ER TENDER NOTICE	
		Signature of
	Bidder Name:	
	-	
	Organization Name:	
	Contact No. :	

C-----NIL I----NIL O--- NIL EE (CD-III) E.E. (Elct.) AEE (C)

I.I.T.D

PART-B

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016 Item Rate Tender & Contract for Composite Work

37

Tender for the work of: Name of work: - Renovation and Modification of Kalyan Mandapam near Adhchini gate at IIT Delhi. Sub Head: - Civil, Electrical & Air Condition .

To be submitted by **as per tender notice** to

(i)	To be	opened	in	presence	of	bidders	who	may	be	present	at	as	per	tender	notice
in the offi	ce of D.	R. (Stor	e)												
Issued to															
Signature	of offic	er issuing	g the	documen	ts										
Designati		-	-												
Date of Is															

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for Seventy Five (75) days from last date of submission of bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors,

I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

AEE (C)

I.I.T.D – 7/8 e-TENDERING I.I.T.D	I.I.T.D – 7/8 e-TENDERING
-----------------------------------	---------------------------

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Address:

Occupation:

Postal Address

C-----NIL I----NIL O--- NIL

EE (CD-III)

E.E. (Elct.)

I.I.T.D – 7/8 e-TENDERING

I.I.T.D

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is
accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New
Delhi - 16 for a sum of
(Rupees
).
The letters referred to below shall form part of this contract agreement: -
(a)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi Signature
Dated:
Designation

SCHEDULES (A to F)

(For Civil & Electrical Component)

SCHEDULE 'A'

Schedule of quantities for Civil, Electrical & Air Condition work as attached.

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue		
1	2	3	4	5		
	NIL					

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue		
1	2	3	4		
NIL					

SCHEDULE 'D'

Extra schedule for specific Nil. requirement/document for the work, if any.

SCHEDULE 'E'

Reference	to	General	Conditions	of	:	GCC for Maintenance work 2020 for
contract						CPWD works along with correction on
						slips/amendments issued up to last date
						of submission of bid.

Name	of Work	:	Renovation and Modification of Kalyan Mandapam near Adhchini Gate at IIT Delhi. (Sub Head: - Civil, Electrical & Air Condition).
Estima	ated cost of work:	:	Rs. 73,27,868/-
Earnes	st Money:	:	Rs. 1,46,557/-
Perfor	mance Guarantee	:	3% of tendered Value
Securi	ty deposit	:	2.5 % of tendered value
SCHEDU	LE 'F'		
GENERA	L RULES & DIRECTIONS:		
1.	Officer inviting tender	•	Executive Engineer[CD-III]
of wor are to	imum percentage for quantity of items rk to be executed beyond which rates be determined in accordance with uses 12.2 & 12.5	:	See below
Definition	s:		
2(i)	Engineer-in-Charge	:	Executive Engineer [CD-III]
2(ii)	Accepting Authority	:	Institute Engineer
2(iii)	Percentage on cost of materials and Labour to cover all overheads and profits:	:	15%
2(iv)	Standard Schedule of Rates:	:	DSR-2021 for Civil + 7% cost Index on Civil & Electrical works on DSR- 2022 and GST factor 1.0633 with up to date correction slip on date of submission of bid & Market Rate.
2(v)	Department:	:	Works department at I.I.T Delhi
2(vi)	IITD Form & CPWD GCC for Mainter last date of submission of bid.	nance	work 2020, modified & Corrected up to

JE (E)

Clause 1 (i)	Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	:	15 days
(ii)	Maximum allowable extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above,	:	1 to 15 days
Clause 2 Authority clause 2:	for fixing compensation under	:	Institute Engineer
	f days from the date of issue	:	10 (Ten) days

of letter of acceptance for reckoning date of start:

MILE STONE CHART

Sl. No.	Description of mile stone (financial terms)	Period for completion from date of start in days/months	Withheld amount for non- achievement of mile stone.
1	1/8 th (of the whole work)	1/4 th (of the whole work)	In the event of not achieving the
2	3/8 th (of the whole work)	1/3 th (of the whole work)	necessary progress as assessed from the
3	3/4 th (of the whole work)	3/4 th (of the whole work)	running payment, 1% of the Tender
4	Full	Full	value of work will be withheld for failure of each milestone.

	Allowed for execution of work	:	03 Months
	Authority to decide:		
(i)	Extension of Time	:	Institute Engineer
(ii)	Rescheduling of mile stones	:	Institute Engineer
(iii)	Shifting of Date of start in case of		
Delay	in handing over of site	:	Institute Engineer
Claus	e (6 or 6A)	:	Clause 6A

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment:	:	Minimum Rs. 20.00 Lakhs
Clause -7A	:	As per Institute Policy
No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.		
Clause 10A		
List of testing equipment to be provided by the contractor at site lab	:	Not Applicable
Clause 10B	:	Not Applicable

Clause 10C

Component of labour expressed as percent of value of work: **25%** for Civil work & **15%** for Electrical work

:

Clause 10CA

Not Applicable

S. No.	Material Covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA* (July 2022)			
1.	Cement					
2.	Cement	Not Applic	able			
3.	Reinforcement bars					
4.	Structural steel					

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

Clause 11

Specifications to be followed for execution of work

CPWD specifications 2019 Vol I Vol and Π and **CPWD** Specification 2013 for Electrical works corrected slips & manufacturers Specifications upto date of bid the last submission/uploading of tender. Detailed nomenclature of items & specifications for market rate items as per Engineer-in-charge

Clause 12

	Type of work		Maintenance work including works of up-gradation, aesthetic, special repair, addition/alteration
12.2 & 12.5	Deviation limit beyond which clauses	:	100%
	12.2 & 12.5 shall apply for building work		
12.5 (I)	Deviation Limit beyond which clauses 12.2 & 12.5 shall applicable for foundation work (Except items mentioned in earthwork subhead of DSR and related items)	:	100%
12.5 (II)	Deviation Limit for Items in earth work subhead of DSR and related items		100%

Not Applicable

:

Clause 16		
Competent Authority for deciding reduced rates	:	Institute Engineer
Clause 18		
List of mandatory machinery, tools & plants to be deployed by the contractor at site	:	As per requirement

Clause 25

Constitution of Dispute	Redressal Committee (DRC)
Chairman	
Member	NIL
Member	

Note: The above constitution of Dispute Redressal Committee is subject to change, for which necessary notification shall be issued by the competent authority of the department, if required.

Clause 32

Requirement of Technical Staff(s) & Recovery Rate

Cost of Work (Rs. In		aff	Minimum Experience	Designation	Rate at which recovery shall be made from
Crore)	Qualification	Number	(Years)		the Contractor in the event of not fulfilling provision of clause 32
More than 15 lakh to 1.5 cr.	Graduate Engineer or Diploma Engineer	01 (Civil Engineer)	2 or 5 Respectively	Project planning/ quality/ billing Engineer	Rs. 15,000/- per month per person

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineer.

i)	Schedule/statement for determining theoretical quantity of a basis of Delhi Schedule of Rates 2021 with up to date correct			
ii)	Variations permissible on theoretical quantities			
a)	Cement:			
	For works with estimated cost put to tender not more	3% plus/minus. (Three		
	than Rs.5 lakh.	percent)		
	For works with estimated cost put to tender more than	2% plus/minus. (Two		
	Rs.5 lakh	percent)		
b)	Bitumen all works.	2.5% plus & only & nil on minus side		
c)	Steel Reinforcement and structural steel sections for	2% plus/minus (Two		
	each diameter, section and category	percent)		
d)	All other materials			
e)	Schedule for determining theoretical consumption of Brick 2021	work on the basis of DSR		

SPECIAL CONDITIONS

- **1.** Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- **3.** The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4. The work shall be carried out as per CPWD specifications for civil and electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- **6.** Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7. Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-incharge shall only be used at work.
- **8.** The sample of material required in the work brought at site shall be submitted prior Technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- **9.** The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the IITD if satisfactory report and if test results are unsatisfactory than testing charges shall be deducted from bills of contractor. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- **10.** The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- **11.** The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- **12.** No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- **13.** Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour & material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- **14.** The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- **15.** The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed of by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.
- **16.** The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 17. Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote

JE (E)

either minus rate or Zero rate for these items.

- **18.** Income tax and other taxes as applicable shall be deducted from the bills of contractor.
- **19.** 1% labour cess or as applicable will be deducted from the bills of contractor.
- **20.** Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- **21.** Agency has to take proper safety major during the execution of work.
- 22. GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- **23.** ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work.
- **24.** The contractor shall submit the programme of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- **25.** Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- **26.** GST shall considered as inclusive in quoted rate of agency.
- **27.** Electrical work will be executed only through the agency who is having valid electrical license and the copy of valid electrical license will be submitted before start of work
- 28. Specialized Work:
- **28.1** The following works are considered as specialized work.
 - (a). Water Proofing .
 - (b) Aluminum work.
- 28.2 The above specialized work shall be carried by specialized agencies if they have experience of :
 - (a) 03 similar work of 40% value of specialized work component of Tendered amount.
 - (b) 02 similar work of 60% value of specialized work component of Tendered amount.
 - (c) 01 similar work of 80% value of specialized work component of Tendered amount.
- **28.3** In case agency himself has executed these work of required magnitude. He shall be treated as specialized agency.

FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

This thousand	agreement	made	this	day	of	two
between M/s	(hei	einafter called	the Guarantor of the	he one part) a	and the	•••••

BOG IIT Delhi (hereinafter called the Govt. of the other part).

Whereas this agreement is supplementary to the contract (hereinafter called the Contract) dated..... made between the Guarantor of the one part and Govt. of the other part, whereby the contractor inter alia, undertook to render the Buildings and structures in the said contract recited completely water and leak proof.

And whereas the Guarantor agreed to give a guarantee to the effect that the said structure will remain waterproof for Five years to be reckoned from the date after the maintenance period prescribed in the contract expires.

During this period of guarantee the Guarantor shall make good all defects and for that matter, shall replace at his risk and cost such members as may be damaged by water and in case of any other defect being found he shall render the building waterproof at his cost to the satisfaction of the Engineer-in- Charge and shall commence the works of such rectification within seven days from the date of issuing notice from the Engineer-in-Charge calling upon him to rectify the defects failing which the work shall be got done by the Department by some other contractor at the Guarantor's cost and risk and in the latter case the decision of the Engineer-in-charge as to the cost, recoverable from the Guarantor shall be final and binding.

That if the Guarantor fails to execute the waterproofing or commits breaches hereunder then the Guarantor will indemnify principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the Guarantor in performance and observance of this supplemental agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-charge will be final and binding on the parties.

In witness whereof of these presents have been executed by the Obligor...

and by..... For and on behalf of the BOG IIT Delhi on the day, month and year first above written.

SIGNED, SEALED and delivered by OBLIGOR in presence of - 1. 2.

SIGNED for and on behalf of BOG IIT Delhi by in the presence of-1. 2.

Blanks to be filled by Contractor/EE(CD-III)

LIST OF APPROVED MAKES FOR CIVIL & ELECTRICAL WORKS

A Civil Items

S. No.	1	Approved Makes
	EWC Seat Covers	HINDWARE/PARRYWARE/ CERA
2	C.P Brass Fittings/ Accessories	JAQUAR, MARC, KOHLAR
3	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/ J.K./ BIRLA/ ULTRA TECH/ VIKRAM
4	Cement (White)	J.K./ BIRLA
5	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY
		OF
		STEEL/ SECONDARY MANUFACTURER HAVING VALID
		BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS)
6	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY
		OF
		STEEL/ SECONDARY MANUFACTURER HAVING VALID
		BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS)
7	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM
8	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH
9	Aluminum Sections	HINDALCO/ JINDAL/ MAHAVIR
10	Flush Doors	CENTURY/ MERINO/ DURO BOARD/ GREEN
11	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/ DECOLAM/
10	Class	CENTURY
12	Glass	SAINT GOBIN/ MODI FLOAT/ ASAHI FLOAT
13	Ceramic Glazed tiles/ Border tiles	1ST QUALITY KAJARIA / NITCO/ JOHNSON/ ORIENT/
14	Vitrified Tiles	SOMANY JOHNSON/ KAJARIA/ ORIENT/ SOMANY
14 15	Interlocking precast paver blocks/ Kerb Stone	HINDUSTAN TILES/ SWASTIK/ DALAL
16	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASI/ SUPREME
17	Stainless Steel Nuts bols / Screws	KUNDAN/ PUJA/ ATUL/ GKW
18	Paint/ Primer/ Oil bound distemper/ Acrylic	1ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/
	paint/ Plastia paint	SHALIMAR/ DULUX
19	Plastic paint Water Proof Cement Paint/ Exterior Paint	1ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/
19	water Floor Cement Faint/ Exterior Faint	SHALIMAR/ DULUX
20	Sanitary ware (Vitreous China) (European	HINDWARE/ PARRYWARE/ CERA
20	Seats, Urinals, Wash Basins, etc.)	THIND WARE/ TARK I WARE/ CERA
21	G.I. Pipes	TATA/ JINDAL(HISSAR)/ BHUSHAN/ APL APPOLO/ TT
21	0.1. Tipes	SWASTIK
22	G.I. Fittings	UNIK/ZOLOTO/ AM
23	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)/ PRAYAG
24	Commercial Board/ Ply	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
25	CI Pipes/ Fittings & Manhole covers	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF
26	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH
20	Floor Spring	DOORKING/ EVERITE/ SANDHU
28	Door Closer	EVERITE/ SANDHU/ HARDWIN
28 29	Mirror	ATUL/ MODIGUARD/ SAINT GOBAIN/ AASHI
30	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN
<u>30</u> 31	False Ceiling	ARMSTROBG/ SAINT GOBAIN/ META WORTH
32	Water Proofing Compound	CICO/ FOSROC/ PIDILITE/ ECMAS/ ASIAN
32 33	Polymer Compound	CICO/ FIDILITE/ FOSROC/ ECMAS/ ASIAN
33 34	Polymer Compound Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
<u>34</u> 35	Rust Remover/ Anticorrosive	FOSROC/ CICO/ PIDILITE/ ECMAS/ ASIAN
35 36	Crystalline Cementious Waterproofing	XYPEX / KRYTONE/ PENETRON
50	compound	ATTEA/ KRITUNE/ FENEIKUN
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLNDURA/ CICO
<u>37</u> 38	Wall Putty	BIRLA / JK/ SARA
38 39		
	Epoxy Grout DVC Water storage tank (ISI marked)	BALLENDURA/ KERAKOLL/ FERROUSCRETE
40	PVC Water storage tank (ISI marked)	SINTEC/ UNI PLAST/ POLYWELL
41	PVC insulated water storage tank Heavy duty 4/5 layer	SINTEX/ UNI PLAST/ POLYWELL/ EURO
42	Brass Ball Valve/ Gate Valve/ Float Valve	ZOLOTO/ AM/ LEADER/ SANT
47	DIASS DAIL VALVE/ CHAIE VALVE/ FLOAT VALVE	LULUIU/ AM/ LEADEK/ SANI

43	Aluminum Door Fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop Cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic Paint	CBM/ CMS/ S.N. INDUSTRIES
46	Plaster of Paris Putty	ADHARSHREE/ SHREE RAM/ J.K./ BIRLA
47	Rcc Pipe	LAKSHMI/ SOOD & SOOD/ JAIN & CO. / DIWAN SPUN
		PIPES
48	Pvc Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	JSW, BHUSHAN, D-META
50	WPC Board And MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN / POLYGAL/ TUFLITE
54	Acp Panel	ALSTRONG/ ALUCOBOND/ EUROBOND/ ALUDECOR
55	Acoustic Wooden/ Fabric Paneling	ARMSTRONG/ ANUTONE/CREDENCE/ TOPAKUSTIC
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR / 3M / DARK EYE /EVERY DENNISON
58	Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation	UP TWIGA LTD OR EQUIVALENT
61	Fire Door	NAVAIR/ SHAKTI/ GODREJ/ RADIANT
62	Flush Door Shutters Of Various Thickness	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
	Furniture	
63	Work Station	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/
		FEATHERLITE/HERMAN MILLER
64	Executive Table/ Other Table	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/
		FEATHERLITE/
		HERMAN MILLER
65	Chair/ Audi Chair	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/
		FEATHERLITE/
		HERMAN MILLER
66	Lab Furniture's	KEWANEE/ WALDNER/ GODREJ/ WIPRO/ FEATHERLITE
67 68	Hostel Beds And Cots	ZUARI/ EVOK/ GODREJ/ WIPRO/ FEATHERLITE HUNTLEY/ STRIKER/ GODREJ/ WIPRO/ FEATHERLITE
08	Hospital Beds Electrical	HUNILE I/ SIRIKER/ GODREJ/ WIPRO/ FEATHERLITE
69	MCB(10KA) & MCB DB	Legrand /Havells/ / L&T
70	MCCB	Legrand /Havells/ / L&T
70	MCCB BOX	Legrand /Havells/ / L&T
71	Modular type switch/ socket, TV socket,	Havells Crabtree / L&T/ MDS/ Wipro North West/ Legrand/
, 1	Would type switch socket, i v socket,	Schneider
72	Steel conduit pipe and Accessories (ISI)	BEC/ AKG/ NIC
73	PVC conduit pipe and Accessories(ISI)	BEC/ AKG/ NIC
74	Junction Boxes/ MS Boxes	Havells Crabtree / Anchor / North West / Legrand
75	Bushes	PVC/ Nylon
76	FRLS PVC insulated copper conductor cable	Polycab / Finolex / Havells/ KEI
77	Light Fixture	Philips/ Havells/ Wipro
78	Ceiling Fans (Double ball bearing) & Wall	Havells/ Atomberg/ Orient
	Fan	č
79	Exhaust Fan (Double Ball Bearing)	Crompton Greaves / GE / Almonard / Havells/ Orient
80	Industrial type socket	Schneider / L&T/ ABB / Legrand
81	DLP U-PVC channel & accessories	Schneider / Legrand
82	XLPE Aluminium armoured cable upto 100 volt	NICCO / Finolex / Havells (ISI Marked)
	grade	
83	Modular Plate & Cover Plate	Havells Crabtree / L&T/ MDS/ Wipro North West/ Legrand/
		Schneider
84	Plastic U-PvC trauking	Legarnd/ SChnider
85	Distribution Board	Legrand /Havells/ L&T / C&S
86	XLPE Alumium/ Copper conductor Armoured	
	cable	
87	Multifunction Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
88	Ammeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
89	Voltmeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
0)		

90	Frequency Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
91	CT's	L&T/AE/ KAPPA/ Pragati
92	Selector Switches	L&T/AE/ KAPPA/ Pragati
93	Contractors	L&T/ GR power controls/ Crompton/ Havells/ Legrand
94	Push button & Pilor lamps	L&T/ Vishnoo/ BCH
95	LED indicating Lights	L&T/ Siemens/ Kaycee/ Crompton/ Vaishno
96	GI Pipe	Jindal Steel/ Jindal Hisar
97	DW HDPE Pipe	Reliance/ Duraline/ Hasti
98	LED Lights	Philips/ Havells/ wipro
99	Panel Manufacturers (Panel Shall be CPRI approved)	Eva engineering/Milestone/Tricolite/Edlac/ L&T
100	Cat 6 LAN Cable	D-Link
101	AC	As per BOQ

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: -

Sl. No.	Documents	Content	File Types
1.	Technical Bid	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	.PDF
2.	-	Enlistment order of contractor.	.PDF
3.	-	Attested certificate of work experience.	.PDF
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
5.		Affidavit as per Notice Inviting Tender Condition 1.2.2 page 18 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	.PDF
6. 7.		Acceptance to execute INTEGRITY PACT. Undertaking as per on firm's letter head.	.PDF .PDF
0		the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8. 9.	-	ESI and EPF Registration. FORM "F" (Duly filled with all required details	PDF .PDF
10.	-	Proof of tender fees	.PDF
11		In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	PDF
12	1	Annexure-I (duly filled & signed by the bidders)	PDF
13]	Annexure-II (duly filled & signed by the bidders)	PDF
14		Annexure-III (duly filled & signed by the bidders)	PDF
15 nvelope	<u> </u> - 2	Any other documents specified in NIT	PDF
Sl. No.		Contont	
	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

All above documents shall be as per Tender Notice.

PART 'C' A SCHEDULE OF QUANTITY

55

Name of work:- Renovation and Modification of kalyan Mandapam near Adhchini Gate at IIT Delhi.
Sub Head: - Civil, Electrical & Air Condition .

Sr.No	Description	Qty	Unit	Rate	Amount
1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size)	8.61	Cum.		
2	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	4.60	Cum.		
3	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	7.21	Cum		
4	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.	35.00	Sqm		
5	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	157.78	Sqm		
6	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete : 250x16 mm	8.00	each		
7	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	6.00	each		

C-----NIL I----NIL O--- NIL EE (CD-III) E.E. (Elct.) AEE (C) JE (E)

8 9	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 250x10 mm 150x10 mm	29.00 3.00	each each	
10	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm	40.00	each	
11	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. : Twin rubber stopper	16.00	each	
12	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. : Hot finished welded type tubes	4245.56	Kg.	
13	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required. In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works.	241.20	Kg.	
14	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 25 mm thick	58.80	Sqmn.	
15	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigment etc., complete.	64.93	Sqm	

16	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge. : Polished Granite stone slab colour of Black, Cherry/Ruby Red or equivalent	200.00	Sqm.	
17	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	36.00	metre	
18	Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	15.00	Sqm.	
19	Providing and fixing precoated galvanised steel sheet roofing accessories of total coated thickness 0.50mm (base metal of minimum 0.45mm thickness with total coating thickness of 0.05mm with Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete :			
19.1	Ridges plain (500 - 600mm)	35.00	metre	
19.2	Gutter (600 mm over all girth)	55.00	metre	

20	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.			
20.1	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece.	222.40	Sqm.	
21	Providing and fixing thermal insulation with Resin Bonded rock wool conforming to IS: 8183, having density 48 kg/m3,50 mm thick,wrapped in 200 G Virgin Polythene Bags fixed to wall with screw, rawel plug & washers and held and in position by criss cossing GI wire etc. complete as per directions of Engineer-inCharge.	184.16	Sqm.	
22	12 mm cement plaster of mix : 1:4 (1 cement: 4 coarse sand)	34.00	Sqm	
23	15 mm cement plaster on rough side of single or half brick wall of mix: 1:6 (1 cement: 6 coarse sand)	116.00	Sqm	

24	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade: New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	303.32	Sqm.	
25	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	264.64	Sqm.	
26	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete	778.00	Sqm	
27	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	7.97	Cum	
28	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below	6.00	Each	
29	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	234.20	Sqm	
30	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	40.00	Cum.	
31	Providing and laying at or near ground level factory made kerb stone of M- 25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).	5.40	Cum	

32	Providing and laying factory made coloured chamfered edge Cement Concrete paver blocks of required strength, thickness & size/shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of fine sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with jamuna sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand in footpath, parks, lawns, drive ways or light traffic parking etc. complete as per manufacturer's specifications & direction of Engineerin-Charge. 60mm thick C.C. paver block of M-35 grade with approved colour, design & pattern.	37.50	Sqm.	
33	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid	2.00	Each	
34	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe: 32 mm dia	4.00	each	
35	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing : Rectangular shape 1500x450 mm	2.00	each	
36	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.: Area of slab over 0.50 sqm	3.60	Sqm	
37	Providing and fixing soil, waste and vent pipes : 100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	15.00	metre	
38	Providing and fixing plain bend of required degree. 100 mm dia: Sand cast iron S&S as per IS : 3989	8.00	each	

39	Providing and fixing single unequal junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete : 100x100x75 mm Sand cast iron S&S as per IS - 3989	4.00	Each	
40	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter :75 mm	30.00	each	
41	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall : 15 mm dia nominal bore	15.00	metre	
42	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : 100 mm inlet and 75 mm outlet : Sand cast iron S&S as per IS - 3989	5.00	Each	
43	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall 20 mm dia nominal bore	30.00	metre	
44	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work : 20 mm dia nominal bore	30.00	metre	
45	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete : 25 to 40 mm nominal bore	3.00	each	
46	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete : 20 mm nominal bore	2.00	each	
47	Providing and fixing uplasticised PVC connection pipe with brass unions : 45 cm length 15 mm nominal bore	6.00	Each.	
48	Painting G.I. pipes and fittings with synthetic enamel white paint with two coats over a ready mixed priming coat, both of approved quality for new work : 20 mm diameter pipe	30.00	metre	
49	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) : 20 mm nominal bore	6.00	each	
50	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	2000.00	Per. Litre	

51	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design : Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) : With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	1.00	each	
52	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 100 to 250 mm diameter	3.00	each	
53	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion: Powder coated aluminium (minimum thickness of powder coating 50 micron)	365.40	Kg.	

54	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):For shutters of doors, windows & ventilators including provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately): Powder coated aluminium (minimum thickness of powder coating 50 micron)	354.24	Kg.	
55	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	10.80	Sqm.	
56	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete : Upto 5mm depth and 5 mm width	40.20	metre	
57	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).	19.20	Kg	

63

58	Providing and fixing of external wall system on Light gauge steel frame/ Steel Structure work with . Outer face having 6mm thick heavy duty fiber cement board fixed on 9mm thick heavy duty fiber cement board confirming to IS 14862:2000, category IV type A (High pressure steam cured) as per standard sizes fixed with self-drilling / taping screws / fasteners @ 60cm c/c of approved make. A grove of 2 mm to 3mm shall be maintained and groves shall be sealed with silicon based sealant. The board shall be fixed in a staggered pattern.Screws shall be of counter sunk rib head of 1.60mm to 4 mm thick of 8 to 10 gauge of length varying from 25 to 45 mm and internal face 12.5mm thick gypsum plaster board fixed on 8mm thick fiber cement board confirming to IS 14862:2000 of category III type B (High pressure steam cured) as per standard sizes fixed with self- drilling / taping screws / fasteners @ 60cm c/c of approved make, proper taping and jointing to be done using fiber mesh tape and epoxy and acrylic based jointing compound for seamless finish.(cost of frame work to be paid for separately).				
58.1	Outer face: Outer face having 6mm thick fiber cement board fixed on 9mm thick fiber cement board, Type A, as per IS:14862:2000 (high pressure steam cured) Inner Face :- 12.5 mm thick gypsum plaster board conforming to IS 2095:2011 fixed on 8 mm thick fibre cement board confirming to IS:14862:2000 of type B (High pressure steam cured)	120.60	Sqm		
59	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet	364.00	sqm		
60	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	2.00	Each		
61	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location inmarble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc.complete.	2.00	Each		
62	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	9.95	Cum		IE 7EX
U	NIL INIL O NIL EE (CD-III) E	.E. (Elct.)		AEE (C)	JE (E)

63	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 :			
63.1	15 mm nominal bore	2.00	Each.	
64	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) :			
64.1	20 mm nominal bore	2.00	Each.	
65	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931			
65.1	15mm nominal bore	6.00	Each.	
66	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete			
66.1	With 12 mm mild steel U beading	7.20	Sqm.	
67	Providing and fixing GI tank Nipple of approved make in PVC tanks as per directions of Engineer-In- Charge.(20 mm nominal bore)	4.00	Each	
68	Providing and fixing 100mm C.P. grating with or without hole for nahani trap/floor trap of approved make and as per directions of Emgineer-In-Charge.	6.00	Each.	
69	Providing and Fixing hand health faucet of standard size and design with one metre long flexible tube and wall hook complete in all respect.	2.00	Each.	
70	Providing and fixing factory made hot pressed both side laminated flush door ready made shutter with one mm thick decorative laminate on both side confirming to IS:2202 (Part-I) non decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grain or cross bands and face veneer on both face of shutters. 35mm thick including ISI marked stainless steel butt hinges with necessary screws.	12.81	Sqm.	
71	Providing and fixing wash basin with C.I./M.S. brackets, 32mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required. : Oval shaped counter top wash basin (Size - 560mm x 400mm)	2.00	Each	
72	Providing and Fixing of C.P. towel rod with brackets fixed to wooden cleats with C.P. brass screws complete.	4.00	Each	

73	Providing and fixing precast prepolished fiber reinforcement cement concrete heavy duty floor tiles of 22-25 mm of thickness (ultra designer tiles or equivalent) of approved design and pattern of required thickness product should confirm to the testing criteria as per IS 1237 of 1980 (Re-affirmed 2006) further product should confirm ASTM 303 for skid resistance and DIN 51094 for color festness over 20mm bed of cement mortar 1:4 (1 cement : 4 coarse sand) & jointing with grey cement slurry and mixed with matching pigment complete as per the direction of Engineer-in-charge.	129.50	Sqm.	
74	Providing and fixing steel roller for aluminium sliding door with necessary screws etc. complete.	24.00	Nos.	
75	Providing and fixing steel (white power coated) crescent lock for aluminium sliding window/ door with necessary screws etc. complete.	12.00	Nos.	
76	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.			
76.1	Group B	80	Point	
77	Wiring for group controlled (looped) light point/fan point/exhaust fan point/ call bell point (without independent switch etc.) with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, and earthing the point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable etc. as required.[Make:- Havells/ Finolex/ Polycab/ KEI]			
77.1	Group B	10	Point	
78	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.[Make:- Havells/ Finolex/ Polycab/ KEI]	250	Metre	
79	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single	150	Metre	

80	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required[Make:- Havells/ Finolex/ Polycab/ KEI]			
80.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	200	Metre	
80.2	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	200	Metre	
80.3	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	80	Metre	
81	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit/ PVC truncking as required.[Make:- Havells/ Finolex/ Polycab/ KEI]			
81.1	3 x 2.5 sq. mm	100	Metre	
81.2	3 x 4 sq. mm	100	Metre	
81.3	6 x 4 sq. mm	80	Metre	
82	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.[Make:- Havells/ Legrand/ L&T/ Wipro Noth west/ Schneider.]			
82.1	5/6 amp switch	40	Each	
82.2	3 pin 5/6 amp socket outlet	40	Each	
82.3	15/16 amp switch	26	Each	
82.4	6 pin 15/16 amp socket outlet	26	Each	
83	Supplying and fixing following size/ modules, GI/PVC box alongwith modular base & cover plate for modular switches in recess etc as required.[Make:- Havells/ Legrand/ L&T/ Wipro Noth west/ Schneider.]			
83.1	3 Module (100mmX75mm)	10	Each	
83.2	6 Module (200mmX75mm)	20	Each	
83.3	12 Module (200mmX150mm)	4	Each	
84	Supplying and installation of Recess/ Surface mounting LED luminaire equipped with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage not more than 34 Watts;Output lumens not less than 3300 lm; CCT 6000K; Dimension in mm (595X595); Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 20;[Make:- Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix]	20	Each	

85	Supplying and installation of Post Top mounting LED luminaire equipped with fully enclosed precision die-cast aluminium construction, excellent pan with energy efficient electronic driver with following features:-Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 35 Watts; CCT 6000K; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 65;[Make:- Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix]	5	Each	
86	Supplying and installation of Recess/Surface mounting round LED luminaire equipped with die- cast aluminium / CRCA housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:-Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage not more than 12 Watts;Output lumens not less than 650 lm; CCT 6000K; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 20;[Make:- Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix]	20	Each	
87	Supplying and installation of Surface mounting LED batten light with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 40 Watts;Output lumens not less than 4000 lm; CCT 6500K; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Length 4 feet with polycarbonate diffuser.[Make:- Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix]	8	Each	
88	Supplying and installation of LED Flood light equipped with die-cast aluminium / CRCA housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130- 300 Va.c, 50 Hz.; wattage not more than 100 Watts;Output lumens not less than 10000 lm; CCT 6000K; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 65;[Make:- Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix]	6	Each	
89	Supplying and installation of Surface mounting LED bulk head with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 10 Watts;Output lumens not less than 1000 lm; CCT 6500K; Nominal surge protection 2.5 kV;Power factor not less than 0.9, IP 66.[Make:- Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix]	8	Each	

Supplying and fixing of 450mm heavy duty air circulator Wall mount fan complete with all accessories for use on 220/240 volts 50 HZ, single phase A/C Supply including connection with 1.5 sq. mm FRLS PVC insulated, copper conductor single/ multi core cable etc as reqd.(Make- Havells/ Usha/ Bajaj/ Orient).	8	Each	
 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 350 RPM (tolerance as per IS : 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required.(Make- Havells/ Atomberg/ Usha/Bajaj/ Orient/ Halonix). 	14	Each	
 Providing and fixing M.S fan hook for ceiling fan including digging in RCC & making good the same complete as required. 	14	Each	
 Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required. 	20	Each	
 Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)(Make- Legrand/ Havells/ Seimens/ Crompton/ L&T). 			
94.1 8 way, Double door	1	Each	
94.2 12 way, Double door	1	Each	1
Supplying and fixing of following ways surface/ recess mounting, vertical type, 415 volts, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 amps tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCB's (but without MCB's and incomer) as required . (Note : Vertical type MCB TPDB is normally used where 3 phase outlets are required.) and should have provision for MCCB as incomer.(Make- Legrand/ Havells/ Seimens/ Crompton/L&T).			
95.1 8 way $(4 + 24)$, Double door	1	Each	+
	· · · · ·	- Each	

96	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.(Make- Legrand/ Havells/ Seimens/ Crompton/ L&T).			
96.1	Single pole	44	Each	
96.2	Single pole and neutral	2	Each	
96.3	Triple pole	8	Each	
97	Supplying and fixing 125 amps, 16 KA, TP MCCB in the existing TPN Distribution board/ panel board including testing & commissioning etc. complete as required.(Make- Legrand/ Havells/ Seimens/ Crompton/ L&T).	1	Each	
98	Supplying and fixing 100 amps, 16 KA, TP MCCB in the existing TPN Distribution board/ panel board including testing & commissioning etc. complete as required.(Make- Legrand/ Havells/ Seimens/ Crompton/ L&T).	1	Each	
99	Supplying and fixing following rating, double pole, 240 volts, MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required.(Make- Legrand /Havells/ Seimens/ Crompton/ L&T).			
99.1	63 amps	2	Each	
100	Supplying and fixing Cable End Box (Loose Wire Box) suitable forfollowing single pole and neutral, sheet steel, MCB distribution board, 240 Volts, on surface/ recess, complete with testing and commissioning etc. as required .For 8/12 way, Double door SPN MCBDB	2	Each	
101	Supplying and fixing Cable End Box (Loose Wire Box) suitable for following triple pole and neutral, sheet steel, MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc.as required. For 8/ 12 way, Double door TPN MCBDB	1	Each	
102	Supplying and fixing DP sheet steel enclosure on surface/ recess along with 25/32amps 240 volts "C" curve DP MCB complete with connections, testing and commissioning etc. as required.	2	Each	
103	Supplying and fixing TP sheet steel enclosure on surface/ recess along with 16/25/32amps 415 volts "C" curve TP MCB complete with connections, testing and commissioning etc. as required.	2	Each	

Supplying and fixing of 300 mm size exhaust fan complete with suitable size louvers with all accessories suitable for use on 230 V, 50 Hz supply in the existing opening, including making good the damage , connection, testing and commissioning etc. as required. Is required (Make- Havells/ Usha' Bajaj/Orient). 5 Each Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 10 Each 106.1 3X 16 sq. mm (25mm) 10 Each 106.2 3½ X 35 sq. mm (32mm) 6 Each 106.3 3½ X 95 sq. mm (32mm) 2 Each 107 Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size. 1.1 KV grade, direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as required. Each 107.1 3 X 16 sq. mm 60 Metre 107.3 3½ X 35 sq. mm 54 Metre 107.3 3½ X 35 sq. mm 50 Metre 107.3 3½ X 35 sq. mm 54 Metre 107.3 3½ X 35 sq. mm 50 Metre 107.3 3½ X 35 sq. mm 5 Metre 107.3 3½ X 95 sq. mm 54	104	Supplying and fixing of 250 mm size fresh air fan complete with suitable size louvers with all accessories suitable for use on 230 V, 50 Hz supply in the existing opening, including making good the damage, connection, testing and commissioning etc. as required.as required (Make- Havells/ Usha/ Bajaj/ Orient).	6	Each	
compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. Image: Compression gland and gradient of the state of the sheathed state sheathed state of the sheathed state sheathed state of the sheathed state of the	105	complete with suitable size louvers with all accessories suitable for use on 230 V, 50 Hz supply in the existing opening, including making good the damage, connection, testing and commissioning etc. as required.as required (Make- Havells/ Usha/ Bajaj/	5	Each	
106.2 3½ X 35 sq. mm (32mm) 6 Each 106.3 3½ X 95 sq. mm (45mm) 2 Each 3/2 X 95 sq. mm (45mm) 2 Each 106.3 3½ X 95 sq. mm (45mm) 2 Each 107 Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade, direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as required. etc. as required [conforming to 1.S-1554/1/8].(Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 107.1 3 X 16 sq. mm 60 Metre 107.2 3½ X 35 sq. mm 54 Metre 107.3 3½ X 95 sq. mm 54 Metre 107.3 3½ X 95 sq. mm 80 Metre 108 Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 5 108.1 3 X 16 sq. mm 5 Metre 108.2 3½ X 95 sq. mm 5 Metre 108.3 3½ 6 sq. mm 5 Metre 108.3 3½ X 95 sq. mm 5 Metre 108.3 3½ X 95 sq. mm 5 Metre	106	compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as			
106.3 3½ X 95 sq. mm (45mm) 2 Each Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade, direct in ground including excavation, and cushioning, protective covering and refilling the trench etc. as required. etc. as required [conforming to I.S-1554/1/8].(Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 0 107.1 3 X 16 sq. mm 60 Metre 107.3 3½ X 35 sq. mm 54 Metre 107.3 3½ X 55 sq. mm 80 Metre 107.3 3½ X 55 sq. mm 80 Metre 108 Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 108.1 3 X 16 sq. mm 5 Metre 108.1 3 X 16 sq. mm 5 Metre 108.3 3½ X 95 sq. mm 5 Metre 108.3 3½ X 95 sq. mm 5 Metre 108.3 104 x 95 sq. mm 5 Metre 109 surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 10 10 109 su	106.1	3X 16 sq. mm (25mm)	10	Each	
Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade, direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as required. etc. as required [conforming to I.S-1554/1/8].(Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 107.1 3 X 16 sq. mm 60 Metre 107.2 3½ X 35 sq. mm 54 Metre 107.3 3½ X 95 sq. mm 80 Metre 108 of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 108.1 3 X 16 sq. mm 5 Metre 108.2 3½ X 95 sq. mm 5 Metre 108.3 3 X 16 sq. mm 5 Metre 108.1 3 X 16 sq. mm 5 Metre 109 surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 5 109 surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 5	106.2	3 ¹ / ₂ X 35 sq. mm (32mm)	6	Each	
sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade, direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as required. etc. as required [conforming to I.S-1554/1/8].(Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 107.1 3 X 16 sq. mm 60 107.2 3½ X 35 sq. mm 54 107.3 3½ X 95 sq. mm 80 108 Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 108.1 3 X 16 sq. mm 5 108.2 3½ X 35 sq. mm 5 108.3 3½ X 95 sq. mm 5 108.1 3 X 16 sq. mm 5 108.2 3½ X 35 sq. mm 5 108.3 3½ X 95 sq. mm 5 108.3 3½ X 95 sq. mm 5 108.3 3½ X 95 sq. mm 5 109 Supplying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 6	106.3	3½ X 95 sq. mm (45mm)	2	Each	
107.23½ X 35 sq. mm54Metre107.33½ X 95 sq. mm80Metre107.33½ X 95 sq. mm80MetreSupplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).108.1108.13 X 16 sq. mm5Metre108.23½ X 35 sq. mm5Metre108.33½ X 95 sq. mm5Metre109Supplying and laying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).10	107	including excavation, sand cushioning, protective covering and refilling the trench etc. as required. etc. as required [conforming to I.S-1554/1/8].(Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/			
107.33½ X 95 sq. mm80Metre107.33½ X 95 sq. mm80MetreSupplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).80Metre108.13 X 16 sq. mm5Metre108.23½ X 35 sq. mm5Metre108.33½ X 95 sq. mm5Metre108.33½ X 95 sq. mm5Metre109surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).10	107.1	3 X 16 sq. mm	60	Metre	
Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).108.13 X 16 sq. mm5108.23½ X 35 sq. mm5108.33½ X 95 sq. mm5108.33½ X 95 sq. mm5109Supplying and laying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).	107.2	3½ X 35 sq. mm	54	Metre	
108sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ 	107.3	3½ X 95 sq. mm	80	Metre	
108.2 3½ X 35 sq. mm 5 Metre 108.3 3½ X 95 sq. mm 5 Metre 108.3 3½ X 95 sq. mm 5 Metre Supplying and laying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 6		sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/ HUME/ METAL pipe as required. [conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).			
108.3 3½ X 95 sq. mm 5 Metre Supplying and laying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal). 6					
Supplying and laying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).					
PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make- Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal).	108.3		5	Metre	
	109	PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle)[conforming to I.S-1554/1/8]. (Make-Havells/ Gloster/ Polycab/ RR kabel/ KEI/			
109.1 3 X 16 sq. mm 16 Metre	109.1	3 X 16 sq. mm	16	Metre	

109.2	3½ X 35 sq. mm	5	Metre		
109.3	3½ X 95 sq. mm	15	Metre		
110	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	460	Metre		
111	Installation, testing and commissioning of pre-wired, fluorescent fitting / compact fluorescent fitting of all types, complete with all accessories and tube etc. directly on ceiling/ wall, including connection with 1.5 sq. mm FR PVC insulated, copper conductor, single core cable and earthing etc. as required.	10	Each		
112	Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe of 2.7 metre long etc. with charcoal/ coke and salt as required.	3	Each		
113	Providing and fixing 25 mm X 5 mm G.I. strip on surface or in recess for connections etc. as required.	30	Mtr		
114	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required.	21	Mtr		
115	Supply & fixing of 80 mm dia.'B' class GI pole 6 mtr. Long for Flood light/ post top lantern etc. LED Fitting i/c bas eplate 300 x 300 x 3mm GI reducer & nipple for mounting the fitting with painting etc. grounting in cement concrete 1: 3: 6 (1 cement : 3 coarse sand : 6 grade stone aggregate 40mm omplete as reqd.	5	Each		
116	Supplying, Fixing, connecting and commissioning looping type cable end weather proof control box with of size 250 mm x 200 mm x 100 mm having 1 no. 6amp to 32 amp SPMCB 250 volt and 2 nos. brass neutral link 12.5 mm square rod 6 way approx. 60 mm long and fixed on 6 mm thick bakelite sheet. Box shall have almirah type hinge and panel key type lock front door duly painted with earthing strud etc. complete as required.	5	Each		
117	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required.				
117.1	20 mm	20	Metre		
117.2	25 mm	10	Metre		
117.3	32 mm	10	Metre		
118	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
	- 4		+		+

118.2	25 mm	10	Metre	
118.3	32 mm	10	Metre	
119	Supplying and fixing of RJ 45 input and output jack in the existing plate including termination.	2	Each	
120	Supplying and fixing Telephone socket outlet on the existing modular plate & switch box including connections but excluding modular plate etc. as required.	1	Each	
121	Supplying and drawing 2 pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required.	20	Metre	
122	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.	50	Each	
123	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required. 1 Pair	20	Metre	
124	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	8	Each	
	Fire Detection & Fighting System			
125	Supplying, installation, testing & commissioning of smoke detector with built in LED and mounting base complete with all connections etc. as required.	8	Each	
126	Supplying, installation, testing & commissioning of manual call box of ABS type in surface/recess with stainless steel chain & hammer assembly complete with glass and push button etc. as required.	1	Each	
127	Supplying, installation, testing & commissioning response indicator on surface/recess MS box having two LEDs metallic cover complete with all connections etc. as required.	2	Each	
128	Supplying, installation, testing & commissioning fire alarm sounder with facility to make announcement, mounted in A.B.S. box with hinged cover plate & suitable for operation with amplifier i/c line matching transformer etc. complete as required.	1	Each	

129	Supplying, installation, testing & commissioning of main control and indicating panel made out of 16 SWG MS sheet to accommodate the following items duly powder coated in approved colour with louvers for ventilation, locking arrangement, audio and visual indication for fire alarm and public address system, monitoring system including connections, interconnections etc. complete as required. 6 zone panel for fire alarm system 100 watt amplifier racks suitable for operation on 230V AC/24V DC supply conforming to IEC-268-3 complete with all accessories as required- 2 Nos.(one to act as standby) Talk back master station with LED PTT (press to talk) push button for operation on 230V AC/24 V DC supply conforming to IEC-268 for simplex mode of operation/communication suitable for 20 Nos.talk back unit -1 set. Annoucement control desk suitable for selection of different zones selectively and ON ALL CALL switch with visual indication etc., complete as required- 1 set. Amplifier change over switch for inter changing amplifier- 1 No. Monitor panel for loudspeaker complete output selector ON/OFF switch, fuse visual indications etc. complete as required- 1 No. Gooseneck microphone with stand and ON/OFF switch -1 No. Mains ON/OFF switch, fuse indication lamps, DC and AC voltmeters & ammeters terminal blocks etc. complete as required -1 set. Battery charger trickle cum boost to take complete load of fire alarm & PA system complete with all accessories including providing & fixing of 2 nos. 12 volt,30 AH each sealed maintenance free batteries -1 set.	1	Each	
130	armoured cable, 600/1000V rated with annealed copper conductor having XLPE insulation, steel wire armouring & FRLS outer sheath complete as required.	90	Meter	

131	Supply, Installation, Testing and commissioning of 5 Star, inverter type [variable speed] High wall split type air conditioning unit complete with indoor and outdoor units [to be installed at existing structure], intial charge including topping up as required with eco-friendly refrigerant, coil material made of copper , suitable on operation on 240 V, 50 Hz [for single phase] with permissible variation, etc. including pressure testing of refrigerant pipe lines after installation with dry nitrogen gas, vaccumising etc. as per specificatons.				
131.1	Nominal Cooling Capacity: 02 TR	5	Each		
131.2	Nominal Cooling Capacity: 1.5 TR	3	Each		
132	Supply, Installation, Testing and commissioning of inverter type [variable speed] floor standing air conditioning unit complete with floor-standing- indoor and outdoor units [to be installed at existing structure], intial charge including topping up as required with eco-friendly refrigerant, coil material made of copper , suitable on operation on 415 V, 50 Hz [for 3 phase] / 240 V, 50 Hz [for single phase] with permissible variation, etc. including pressure testing of refrigerant pipe lines after installation with dry nitrogen gas, vaccumising etc. as per specificatons.				
132.1	Nominal Cooling Capacity: 04 TR	2	Each		
133	Suppling, installation, testing and commissioning of following size copper refrigerant pipe wrapped with foam / polyurethene / nitrile insulation with proper saddling on wall / tray including cutting, brazing, etc. as required. [N.B Thickness of wall of copper pipes shall be as perr recommendation of the OEM of tower AC under item no 1 above].				
133.1	28.58 mm dia (OD) (Hard drawn) with tube thickness 1.2 mm with 19 mm thick insulation	40	Metre		
133.2	12.7 mm dia (OD) (Soft drawn) with tube thickness 1.2 mm with 19 mm thick insulation	40	Metre		
134	Supplying and laying of ISI marked CPVC pipe of 32 mm dia for draining of sweated water from AC evaporator unit including providing tee, joints, elbows, wherever necessary etc. complete as required.	30	Metre		
135	Fabricating, Providing and fixing M.S. iron frame fabricated with M.S. C-channel of size 100 mm x 50 mm x 6 mm (thick) for resting the condenser unit on the roof / floor of the building duly supported from the bottom as required including painting the framework etc. complete as required	20	Metre		
C	NIL INIL O NIL EE (CD-III) E	.E. (Elct.)		AEE (C)	JE (E)

136	Supplying and laying of following size FRLS industrial flexible copper conductor cable of 1.1 kV grade conforming to IS694:2010 of following sizes including making connections etc. as required. (Acceptable make: Polycab / Havells / Gloster / RR Kabel / Nicco / Skytone / Finolex / KEI / Universal / Anchor)				
136.1	4 core x 2.5 sqmm	30	Metre		
136.2	4 core x 6 sqmm	40	Metre		
137	Supplying and making end termination with brass compression gland and tinned copper lugs for following size of pvc insulated and pvc sheathed / XLPE copper conductor cable of 1.1 kV grade as required.				
137.1	4 core x 6 sqmm	6	Each		
138	Supplying and charging of refrigerant (R410) as applicable for AC unit for topping up where pipe lines are lengthy etc. as required.	10	Kg		
	SUB HEAD - 2A (AMC) (Supplementary agreement shall be formed) under ARMO Fund				
139	Comprehensive (Routine, Preventive and Breakdown) maintenance of 2 x 4.0 TR tower type AC including its all accessories, condensers, evaporator units, time to time checking of refrigerant leakage, electrical circuits, etc. for smooth operation of the entire AC units during the defect liability period of 1 year after date of commissioning as per maintenance schedule. (No payment shall be made separately for this period): 1st Year	1	Job		
140	Comprehensive (Routine, Preventive and Breakdown) maintenance of 2 x 4.0 TR tower Type AC including its all accessories, condensers, evaporator units, time to time checking of refrigerant leakage, electrical circuits, etc. for smooth operation of the entire AC units after defect liability period of 1 year from the date of commissioning as per maintenance schedule. Any breakdown shall be attended within 4 hours of reporting. Spare parts required during breakdown maintenance shall be arranged and replaced by the Contractor . This is applicable for the whole system of AC units installed. (N.B.: 01 Job means during a period of one year)				
140.1	2nd year (For 12 months)	1	Job		
140.2	3rd year (For 12 months)	1	Job		
140.3	4th year (For 12 months)	1	Job		
140.4	5th year (For 12 months)	1	Job		
140.5	6th year (For 12 months)	1	Job		
C	[] Less Credit for Dismantled Materials.(These ar actual.)	e tentativ	ve, may v	ary as per	JE (E)

141.0	Less buyback of T5/ tube light etc. on as is where is basis.	20.00	Nos.		
142.0	Less buyback of 5/15 Amp Switch etc. on as is where is basis.	20.00	Nos.		
143.0	Less buyback of 5/15 Amp Socket etc. on as is where is basis.	20.00	Nos.		
144.0	Less buyback of old aluminium wiring on as is where is basis.	1.00	Lot.		
145.0	G.I. Pipe 15 m to 40 mm dia	60.00	Meter		
146.0	C.I. Pipe upto 100 mm dia including fittings	20.00	Meter		
147.0	M.S. iron frames and M.S. bars	1000.00	Kg		
148.0	Flush door shutters of various thickness with fittings	8.00	Each		
149.0	old PVC tanks of various capaciry	2000.00	Liter		
				Total	

1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.

- 2. The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- 4. Site shall be available as per directions of Engineer in Charge.
- 5. Quoted rates of participating agencies shall be inclusive of GST.