## **Notice Inviting Tender**

Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi.

Sub Head: - Civil & Electrical Works.



### INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI (Works Department)

### INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

### **INDEX**

Name of work: - Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.

Sl. No.	Description	Page No.
1	Index	2
2.	Notice Inviting e-tender	3
	Part A	
	Information and instructions for bidders for e-tendering	4-7
	IITD-6 for e-Tendering and Terms & Conditions	8-22
3.	Integrity Pact	23-29
J.	Form of Earnest Money (Bank Guarantee)	30
	Performance Guarantee	31
	Form-F	32
	Annexure- I, II, III	33-35
	Part B	
	IITD 7/8 e-Tendering	36-38
	Schedule A-F	39-44
4.	Commercial And Additional Conditions	45-47
4.	Special Condition of Contract	48-49
	Guarantee Bond for Water Proofing	50-51
	List of Approved/Acceptable Make	52-54
	Online Bid Submission	55
5.	Part C	
٥.	Schedule of Quantity	56-68

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 68.

**Executive Engineer (E)** 

**Executive Engineer (CD-IV)** 

NIT approved for Rs. 3,67,27,098/- (Civil for Rs. 2,71,81,252.00 + Electrical for Rs. 95,45,846.00) (Rupees Three Crore Sixty Seven Lakhs Twenty Seven Thousand Ninety Eight Only)

**Institute Engineer** 

# INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

#### **Notice Inviting e - Tender**

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways Composite works of the following work:

NIT No. : 23/IITD/NIT/EE(CD-IV)/2022-23

Name of Work : Up-gradation of toilets in Academic Area from Block-I to Block

VI at IIT Delhi.

Sub Head : Civil & Electrical Works.

Estimated cost : Rs. 3,67,27,098/- (Civil for Rs. 2,71,81,252.00 + Electrical for

Rs. 95,45,846.00)

Earnest Money : Rs. 7,34,542/-

Performance Guarantee : 3% of Tendered value Security Deposit : 2.5% of Tendered Value

Warranty : 5 Years for Lighting Fixtures and 1 Year for other work.

Period for completion : 06 Months

Late date & time for : 16/02/2023 upto 15.00 Hrs.

submission of bids

Date & Time of opening : 17/02/2023 at 15.00 Hrs.

of Bids

The bid forms and other details can be obtained from the website **wwww.iitd.ac.in** or **e-procure.gov.in** free of cost. For more clarifications you may visit on above website.

Executive Engineer (CD-IV), For & on Behalf of BOG, IIT Delhi

<u>Ch. Head:- 31.06.30</u> Work Code:- 2021/007/0050

#### Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (E) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of uploaded documents at 3:00 PM on 17/02/2023 in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D.

### PART 'A'

### INDIAN INSTITUTE OF TECHNOLOGY: DELHI HAUZ KHAS: NEW DELHI – 110016

#### **IITD/WORKS(SP-4125)/2023**

#### INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Composite works of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for Comple tion
1	23/IITD/NIT/EE(CD- IV)/2022-23.	Name of work: Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.	Rs. 3,67,27,098/- (Civil for Rs. 2,71,81,252.00 + Electrical for Rs. 95,45,846.00)	7,34,542/-	1500/-	06 Months

Last date and time of submission of financial & Technical bid: -16/02/2023 up to 3:00 pm (online)

Date and time of opening of Technical bid: -17/02/2023 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 3% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 10 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- 2. Contractors who fulfil the following requirements shall be eligible to apply. Joint ventures are not accepted.
  - i) Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs. 2,93,82,000.00/-** or Two similar works each of value not less than **Rs. 2,20,37,000.00/-** or three similar works each of value not less than **Rs 1,46,91,000.00/-** during last 7 years ending on previous day of last day of submission of bids.
  - ii) **Earnest money of Rs. 7,34,542/-** in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of **Registrar, I.I.T. Delhi**. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 3. Similar work shall mean Composite Work consisting Civil and E&M Component.
- **4.** The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- **5.** Information and Instructions for bidders posted on website shall form part of bid document.
- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary

- documents can be seen and downloaded from website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>.in free of cost.
- **7.** Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
  - **8.** Work means only work under Government/ Central Public Sector Undertaking / State Public Sector under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- **9.** The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to previous day of last day of submission of bids.
- **10.** IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- 11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- 12. The intending bidder must have valid class-III digital signature to submit the bid.
- **13.** On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 14. Contractor can upload documents in the form of JPG format and PDF format.
- **15.** Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- **16.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- **17.** In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- **18.** The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favour of **Registrar IIT Delhi** to be deposited with <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> / NEFT facility.
- 19. The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders: "The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- 23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.
- 24. The bid submitted shall become invalid if:
  - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.

- b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
- c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
- e. The Bidder does not upload ESI & PF Registration.
- 25. Bid validity shall be 60 days from date of opening of technical bid.
- **26.** Rate of bidders shall be considered inclusive of GST.

#### List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit as per Notice Inviting Tender Condition 1.3 page 7 of NIT. (Affidavit shall be purchased/notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 20 on page No. 5' on firm's letter head.
  - The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.
- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. Tender Fee of Rs. 1500/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid
- 11. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 12. Annexure-I (duly filled & signed by the bidders)
- 13. Annexure-II (duly filled & signed by the bidders)
- 14. Annexure-III (duly filled & signed by the bidders)
  - Note: All Documents mentioned S.N-1 to 10 are mandatory for technically qualifying and document mentioned 11 to 14 are not mandatory.

Executive Engineer (CD-IV), For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016. Ch. Head: 31.06.30

Work Code: - 2021/007/0050

#### Copy to: -

- 1. Institute Engineer for information.
- 2. Executive Engineer (E) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of tenders on  $\frac{17/02/2023}{2023}$  at 3:00 PM in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D
- 8. NIT: Publicity on Website on Institute as well as on CPP portal <a href="http://eprocure.gov.in">http://eprocure.gov.in</a> may be ensured as per instruction issued.
- 9. E-tendering Web. <a href="http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in">http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in</a>

# INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS: NEW DELHI – 110016 IITD-6 FOR e-TENDERING AND TERM & CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged in the field of Civil & Electrical up gradation work in appropriate category for the **composite work** as per tender notice.

- 1 The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- **1.1** The work is estimated to cost **as per tender notice** This estimate, however, is given merely as a rough guide.
- **1.2** Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-
  - "I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)."
- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- **3.** The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 4. The site for the work is available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> or iitd.ac.in or e-procure.gov free of cost.
- **6.** After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- **8.** If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e-tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-IV), IIT Delhi, Hauz Khas, New Delhi**

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

http://eprocure.gov.in/eprocure/app.

- 10. The bid submitted shall become invalid if:
- (i) The bidders are found not eligible.
- (ii) The bidders do not upload all the documents (including GST registration/ other documents as per **Tender Notice**) as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
- (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per**Tender Notice shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 3% (Three Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- **15.** Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **16.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- **1.1.** The tender for the works shall remain open for acceptance for a period of **Sixty (60)** days from the date of opening of Technical Bid.
- 19. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- **20.** This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:
  - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
  - **b)** Standard IITD Form 8 or other Standard IITD Form as mentioned.
- **21.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-IV) IIT Delhi, Hauz Khas, New Delhi - 110016

#### **Notice Inviting Tender**

### INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

#### **Terms & Conditions**

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 7,34,542/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

### **Schedule**

Name of Organization		Indian Institute of Technology, Delhi	
Tender Type (Open/Limited/EOI/Auction/Single)		Open	
Tender Category (Services/G	oods/works)	Works	
Type/Form of Contract (Wor Auction/Service/Buy/Empane		Works	
Product Category (Civil Works/Fleet Management/ Co		Civil & Electrical works	
Source of Fund (Institute/Pro	Source of Fund (Institute/Project) 31.06.30 (2021/007/0050)		
Is Multi Currency Allowed		No	
Date of Issue/Publishing		08/02/2023 (17.00 Hrs)	
Document Download/Sale Start Date		08/02/2023 (17.00 Hrs)	
Document Download/Sale Er	nd Date	16/02/2023 (15.00 Hrs)	
Date for Pre-Bid Conference		Nil	
Venue of Pre-Bid Conference	•		
Last Date and Time for Uploa	ading of Bids	16/02/2023 (15.00 Hrs)	
Date and Time of Opening of	Technical Bids	17/02/2023 (15.00 Hrs)	
Tender Fee  EMD	Rs. 1500/ Rs. 7,34,542/-	(To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C: Registrar IIT Delhi SBI A/C No.: 10773572622 Name of the Bank: State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code: SBIN0001077 MICR Code: 110002156 Swift No.: SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)or as per NIT/ Tender notice	
No. of Covers (1/2/3/4)		02	
Bid Validity days (180/120/9	0/60/30)	60 days (From the date of opening of technical bid)	
Address for Communication		EE(CD-IV), MZ-129, Main Building, IIT Delhi	
Contact No.		011-26548714	
Fax No.		Nil	
Email Address		Kripa.Shanker.Tripati@admin.iitd.ac.in	

12

EE[E]

#### **Instructions for Online Bid Submission:**

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

#### **REGISTRATION**

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

#### SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### **PREPARATION OF BIDS**

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

#### **SUBMISSION OF BIDS**

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

#### ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

#### **General Instructions to the Bidders**

- 1) The tenders will be received online through portal <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the esubmission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

### **Terms & Conditions Details**

S.No.	Specification		
1.	<b>Due date</b> : The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.		
2.	<b>Preparation of Bids</b> : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX.		
	OR		
	Financial Bids to be submitted in Excel.		
	The Technical bid and the financial bid should be submitted Online.		
3.	EMD (if applicable): As per NIT		
4.	Refund of EMD :- As per NIT		
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8		
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to		
	reject any or all offers without assigning any reason.		
7.	Pre-qualification criteria: - Mentioned in Tender notice		
8.	Performance Security:-Mentioned in Tender notice		
9.	Force Majeure :- As per IITD form 8		
10.	Risk & Cost Clause : As per IITD form 8		
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8		
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8		
13.	Prices: As per Tender Notice & NIT & IITD form 8		
14.	Progress of Work :As per Tender Notice & NIT & IITD form 8		
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8		
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8		
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8		
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8		
19.	Training: As per Tender Notice & NIT & IITD form 8		
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8		
21.	Incidental services: As per Tender Notice & NIT & IITD form 8		
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8		
23.	Governing Language : As per Tender Notice & NIT & IITD form 8		
24.	Applicable Law: As per Tender Notice & NIT & IITD form 8		
25.	Notices : As per Tender Notice & NIT & IITD form 8		
26.	Taxes : As per Tender Notice & NIT & IITD form 8		
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8		
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8		
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8		

EE[CD-IV] EE[E]

### **Bid Submission**

### **Online Bid Submission:**

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Document – 1				
	(Following documents to be provided as single PDF file)			
Sl. No.	Documents	Content	File Types	
1.		Compliance Sheet as per Annexure – I	.PDF	
2.		Organization Declaration Sheet as per Annexure – II	.PDF	
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF	
4.		Technical supporting documents in support of all claims made at Annexure-I.	.PDF	
	Bid Document – 2			
Sl. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in Excel format.	.xls	

#### LI.T.D – 6 FOR e-TENDERING

I.I.T.D

#### INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

#### NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL** and **Railway** dealing with **Composite works of Civil and Electrical** for the work of **Up-gradation of toilets** in **Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.** 

1. The enlistment of the contractors should be valid on the last date of submission of tenders.

In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

- 1.1 The work is estimated to cost Rs. 3,67,27,098/- (Civil for Rs. 2,71,81,252.00 + Electrical for Rs. 95,45,846.00). This estimate, however, is given merely as a rough guide.
- 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

#### I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be as per Tender Notice from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site is available to start the work.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <a href="www.iitd.ac.in">www.iitd.ac.in</a> or e-procure.gov.in free of cost.
- **6.** After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid. Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- 9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 3%** (**Three Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed

#### I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

- 10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **12.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **13.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 16. The bid for the works shall remain open for acceptance for a period of **Sixty** (60) days from date of opening of technical bid. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

#### I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:-
  - The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
  - b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
- **18.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

#### 19. For Composite Bid

- 19.1 The **Executive Engineer [CD-IV]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.
- 19.2 The bid document will include following three components: -
- **Part A-** IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2020 as corrected/modified upto date.
- **Part B** General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.
- **Part C :-** Schedule A to F for minor component of the work I.E. (Institute Engineer/EE Engineer-incharge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/specific conditions, specifications and schedule of quantities applicable to minor component(s) of the work.
- **19.3** The bidder must associate himself, with experienced agencies of the appropriate class eligible of bid for each of the minor component individually.
- **19.4** The eligible bidders shall quote rated for all items of major component as well as for all items of minor component of work.
- **19.5** After acceptance of the bid by Competent authority, the **EE** [**CD-IV**] in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, After the work is awarded, the main contractor will have to enter into one agreement with **EE** [**CD-IV**] and has also to sign two or more copies of agreement. One such signed set of agreement shall be handed over to EE (E) in charge of minor component. **EE** [**E**] will operate Electrical work and EE (CD-IV) will be in charge of major component shall operate Civil works.

- **19.6** Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- **19.7** Security Deposit will be worked out separately for each component corresponding to the estimated cost of the respective component of works. The Earnest Money will become part of security deposit of the major component of work.
- **19.8** The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).
- **19.9** In case the main contractor to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of Engineer-in-charge of minor component. The new agency/agencies shall also have agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- 19.10 The main contractor has to enter into agreement with contractor(s) associated by him for execution of minor components(s) in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE [CD-IV] and EE(E), in charge of major and minor component. In case of change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- **19.11** Running payment for the major component shall be processed by EE [CD-IV] of major discipline to the main contractor. Running payment of minor components shall be made by EE [E], discipline of minor component directly to the main contractor.
- 19.12A The composite work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 19.12B Final bill of whole work shall be finalized and paid by the EE [CD-IV] of major component. EE (E), in charge of minor component(s) will prepare and pass the final bill for their respective component of work and pass on the same to the EE (CD-IV) of major component for including in the final bill for composite contractor.

### **INTEGRATY PACT e-TENDERING**

I.I.T.D

То,
······································
Subject:- NIT No. 23/IITD/NIT/EE(CD-IV)/2022-23 for the work of Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.
Dear Sir,
It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity, an competitiveness in public procurement.
The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.
This declaration shall form part and parcel of the Integrity Agreement and signing of the sam shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.
Yours faithfull
Executive Engineer (CD-IV

(To be signed by bidder and upload the scanned copy)

To,

**Executive Engineer (CD-IV)**,

IIT Delhi, Hauz Khas,

New Delhi – 110016.

Subject:- Submission of Bid for the of Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of I.I.T.D.

#### **INTEGRITY AGREEMENT**

This Integrity Agreement is made at on this day of 20
BETWEEN
The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (CD-IV) IIT Delhi.
, (Hereinafter referred as the(Address of Division)
' <b>Principal/Owner</b> ', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND
WHEREAS the Principal / Owner has floated the Tender (NIT No) (Hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for
(Name of work) hereinafter referred to as the "Contract".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

#### I.I.T.D

#### INTEGRATY PACT e-TENDERING

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

#### **Article 1: Commitment of the Principal/Owner**

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
  - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
  - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
  - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

#### **Article 2: Commitment of the Bidder(s)/Contractor(s)**

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
- a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
- b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner aspart of the

#### INTEGRATY PACT e-TENDERING

I.I.T.D

business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

#### **Article 3: Consequences of Breach**

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
  - 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit**: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.

#### **INTEGRATY PACT e-TENDERING**

I.I.T.D

3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

#### **Article 4: Previous Transgression**

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
  - 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
  - 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

#### **Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors**

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

#### **Article 6- Duration of the Pact**

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

#### **Article 7- Other Provisions**

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement / Pact or interpretation thereof shall not be subject to arbitration.

#### **Article 8- LEGAL AND PRIOR RIGHTS**

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:
(For and on behalf of Principal/Owner)
(For and on behalf of Bidder/Contractor)
WITNESSES:
1
(signature, name and address)
2(signature, name and address)
Place:

Dated:

### **BANK GUARANTEE BOND**

I.I.T.D

### Form of Earnest Money Deposit Bank Guarantee Bond

WHEREAS, contractor(Name) "the contractor") has submitted his tender dated (date) for the dated (hereinafter called "the Tender")	
KNOW ALL PEOPLE by these presents that weregistered office atare bound unto	(hereinafter called "the Bank")
(Name and division of Executive Engineer) (hereinafter calle of Rs (Rs. in wordstruly to be made to the said Engineer-in-Charge the Bank bit these presents.	) for which payment well and
SEALED with the Common Seal of the said Bank this	day of 20
THE CONDITIONS of this obligation are:  (1) If after tender opening the Contractor withdraws, his tender (including extended validity of tender) specifie  (2) If the contractor having been notified of the accepta Charge:	ed in the Form of Tender;
(a) fails or refuses to execute the Form of Agreement is contractor, if required;  OR	in accordance with the Instructions to
(b) fails or refuses to furnish the Performance Guarantee, tender document and Instructions to contractor,  OR	in accordance with the provisions of
(c) fails or refuses to start the work, in accordance with the Instructions to contractor,  OR	ne provisions of the contract and
(d) fails or refuses to submit fresh Bank Guarantee of an eagainst Security Deposit after award of contract.  We undertake to pay to the Engineer-in-Charge either upon receipt of his first written demand, without substantiates his demand, provided that in his demand the amount claimed by his is due to him owing to the conditions, specifying the occurred condition or conditions.	r up to the above amount or part thereof at the Engineer-in-Charge having to d the Engineer-in-Charge will note that a occurrence of one or any of the above
This Guarantee will remain in force up to and including for submission of tender as such deadline is stated in the be extended by the Engineer-in-Charge, notice of who waived. Any demand in respect of this Guarantee shabove date.	ne Instructions to contractor or as it may nich extension(s) to the Bank is hereby
DATE	SIGNATUDE OF THE DANK
WITNESSSEAL	SIGNATURE OF THE BANK
	(SIGNATURE, NAME AND ADDRESS)

<sup>\*</sup>Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

#### PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 3% (Three percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The **Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 Days** beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv) In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

# FORM "F" STRUCTURE & ORGANISATION

1.	Name & Address of the bidder
2.	Telephone no./ Telex no./ Fax no.
3.	Legal status of the bidder (attach copies of original document defining the legal status)
	a. An Individual
	b. A proprietary firm
	c. A firm in partnership
	d. A limited company or Corporation
4.	Particulars of registration with various Government Bodies (attach attested photocopy)
Or	ganization/ Place of registration Registration No.
	1.
	2.
	3.
5.	Name and tiles of Directors & Officers with designation to
	be concerned with this work
6.	Designation of individuals authorized to act for the organization
7.	Has the bidder or any constituent partner in case of partnership
	firm, ever abandoned the awarded work before its completion?
	If so, give name of the project and reasons for abandonment
8.	Has the bidder or any constituent partner in case of partnership
	firm, ever been debarred/ blacklisted for tendering in any organization
	at any time? If so, give details
9.	Past work experience in IIT Delhi will be considered in deciding the Technical bid

32

EE[E]

Signature of Bidder(S)

EE[CD-IV]

#### **COMPLIANCE SHEET**

#### TECHNICAL SPECIFICATION:

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	
2	Enlistment order of contractor.	
3	Certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit as per Notice Inviting Tender Condition 1.3 page 7 of NIT. (Affidavit shall be purchased/notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
7	Undertaking as per page-5/ Sl. No. 20' on firm's letter head.  "The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8	ESI & EPF registration.	
9	FORM "F" (Duly filled with all required details).	
10	Tender Fee of Rs. 1500/- to be deposited through RTGS to Registrar IIT Delhi as per detail given in schedule page-10 and its proof to be uploaded with technical bid	
11		
10	Annexure-1 (Dully Filled & signed by the bidders)	
12	Annexure-1 (Dully Filled & signed by the bidders)  Annexure 2 (Dully Filled & signed by the bidders)	
13		
13 14	Annexure 2 (Dully Filled & signed by the bidders)  Annexure 3 (Dully Filled & signed by the bidders)  In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
13	Annexure 2 (Dully Filled & signed by the bidders)  Annexure 3 (Dully Filled & signed by the bidders)  In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No.:	

# << Organization Letter Head >> DECLARATION SHEET

hereby certify that all the information and data
nis tender specification are true and complete to the best of our
ion, conditions and stipulations in details and agree to comply
on.
been registered as per Tender Notice & NIT & IITD form
tion meets all the conditions of eligibility criteria laid down in
2 ,
NAME & ADDRESS of the Vendor/ Manufacturer / Agent
As per Tender Notice & NIT
-
_
-
-
)

(Signature of the Tenderer)

Name:

**Seal of the Company** 

### List of Govt. Organization/Deptt.

Name of the organization	Name of Contact Person	Contact No.
		\
		1
$\longrightarrow$ As per	Tender Notice & NI	$\Gamma$
As per	Tender Notice & NI	Γ
As per	Tender Notice & NI	Γ
As per	Tender Notice & NI	Γ
As per	Tender Notice & NI	Γ
As per	Tender Notice & NI	Γ

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No. :	

### PART 'B'

### I.I.T.D - 7/8 e-TENDERING

I.I.T.D

#### INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

#### **Item Rate Tender & Contract for Composite Work**

Tender for the work of: Name of work: -Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.

` ′	be submitted by <b>as per tender notice</b> to
(ii) To	be opened in presence of bidders who may be present at <b>as per tender notice</b> the office of <b>D.R.</b> ( <b>Store</b> )
Is	sued to
Si	gnature of officer issuing the documents
D	esignation
D	ate of Issue

#### **TENDER**

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

1.2. We agree to keep the tender open for **Sixty** (60) days from the date of opening of Technical Bid. A sum of as per tender notice is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

# I.I.T.D - 7/8 e-TENDERING

I.I.T.D

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:	
	Signature of Contractor
Witness:	Postal Address
Address:	i ostai riddiess
Occupation:	

# ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted
by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 for
a sum of
(Rupees).
The letters referred to below shall form part of this contract agreement: -
(a)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi
Signature
Dated: Designation

# **SCHEDULES** (A to F)

## (For Civil & Electrical Component)

#### SCHEDULE 'A'

Schedule of quantities for Civil& Electrical work as attached.

## **SCHEDULE 'B'**

Schedule of materials to be issued to the contractor

	NIL					
1	2	3	4	5		
			words at which the material will be charged to the contractor	issue		
S.No.	Description of item	Quantity	Rates in figures &	Place of		

## SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue	
1	2	3	4	
NIL				

# **SCHEDULE 'D'**

Extra schedule for specific Nil. requirement/document for the work, if any.

#### **SCHEDULE 'E'**

Reference to General Conditions of contract : General Conditions of Contract 2020 for

Maintenance Works issued by CPWD with correction slips/amendments issued upto

last date of submission of bid.

Name of Work : Up-gradation of toilets in Academic Area from

Block-I to Block VI at IIT Delhi.

Sub Head : Civil & Electrical Works.

Estimated cost of work: : Rs. 3,67,27,098/- (Civil for Rs. 2,71,81,252.00 +

**Electrical for Rs. 95,45,846.00**)

Earnest Money: : Rs.7,34,542/-

Performance Guarantee : 3% of tendered Value

Security deposit : 2.5 % of tendered value

SCHEDULE 'F'

**GENERAL RULES & DIRECTIONS:** 

1. Officer inviting tender : Executive Engineer [CD-IV]

2.Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.5

See below

**Definitions:** 

2(i) Engineer-in-Charge : Executive Engineer [CD-IV]

2(ii) Accepting Authority : Institute Engineer

2(iii) Percentage on cost of materials : 15%

and Labour to cover all overheads

and profits:

2(iv) Standard Schedule of Rates: : DSR 2021 for Civil works with 7% cost index &

DSR 2022 for Electrical works including 6% (multiplying factor 0.0633) additional GST with corrected up to last date of submission of bid &

Market Rate.

2(v) Department: : Works department at I.I.T Delhi

EE[E]

2(vi) Standard IITD Form & CPWD GCC 2020 for Maintenance Works, modified & Corrected

up to last date of submission of bid.

Clause 1

(i) Time allowed for submission of : 10 days

Performance Guarantee from the date of issue of letter of

acceptance

40

EE[CD-IV]

(ii) Maximum allowable extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above,

5days

## Clause 2

Authority for fixing compensation under

Institute Engineer

clause 2:

#### Clause 5

Number of days from the date of issue of letter of acceptance for reckoning date of start:

10 days

# MILE STONE CHART

Sl. No.	Description of mile stone (financial terms)	Period for completion from date of start in days/months	Withheld amount for non- achievement of mile stone.
	NA		

Allowed for execution of work : **06 Months** 

Authority to decide:

(i) Extension of time : Institute Engineer

(ii) Rescheduling of mile stones : Institute Engineer

(iii) Shifting of Date of start in case of delay : Institute Engineer

in handing over of site

: Applicable (Computerized MB)

#### Clause 7

Clause 6

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment: Minimum Rs. 45.00 lakh for Civil work & 16 lakh

for Electrical work

# Clause -7A : As per Institute Policy

No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge

#### Clause 10A

List of testing equipment to be provided by the : Not Applicable

contractor at site lab

Clause 10B : Not Applicable

#### Clause 10C

Component of labour expressed as percent of value of work: 25% for Civil work

15% for Electrical work

Clause 10CA : Not Applicable

S.No.	Material Covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA* (July 2022)
1.	Cement		
2.	Cement		
3.	Reinforcement bars	Not Applic	eable
4.	Structural steel		

## Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

**Not Applicable** 

#### Clause 11

Specifications to be followed for execution of work

CPWD specifications 2019 Vol I and Vol **CPWD** for civil work and Specifications 2013 for Electrical works with upto date correction slips & manufacturers Specifications upto the last date of bid submission/uploading of tender. Detailed nomenclature of items& specifications for market rate items as per Engineer-in-charge

## Clause 12

Type of work : Maintenance/ Up gradation work

12.2&12.5 Deviation limit beyond which clauses 12.2 : 100%

& 12.5 shall apply for building work

12.5 (I) Deviation Limit beyond which clauses 12.2 : 100%

& 12.5 shall applicable for foundation work (Except items mentioned in earthwork

subhead of DSR and related items)

12.5 (II) Deviation Limit for Items in earth work: 100%

subhead of DSR and related items

Clause 16

Competent Authority for deciding reduced rates : Institute Engineer

Clause 18

List of mandatory machinery, tools & plants to : As per requirement

be deployed by the contractor at site

Clause 32
Requirement of Technical Staff(s) & Recovery Rate

Cost o Work (Rs. In Crore)	St. Qualification	Number (of Major + Minor Component)	Minimum Experience (Years)	Designation of Technical staff	Rate at which recovery shall be made from the Contractor in the event of not fulfilling
More than 1. to 5	Graduate Engineer or Diploma Engineer	1 + 1	2 or 5 respectively	Project Manager cum Planning/Quali ty/Site/Billing Engineer	Rs. 15,000/- per month per person

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineers.

## COMMERCIAL AND ADDITIONAL CONDITIONS

#### 2. GENERAL

- 2.1. Location: Academic area, IIT Delhi.
- 2.2. The work shall be executed as per CPWD General Specifications 2019 (Vol.I&II) for Civil Works and for Electrical Works Part-I (Int.) 2013, Part-II (Ext.) 1994, as amended upto date, relevant I.E. Rules, BIS/IEC and as per directions of Engineer-in- Charge. These additional specifications/conditions are to be read in conjunction with above and in case of variations; specifications given in these additional conditions shall apply. However, nothing extra shall be paid on account of these additional specification and conditions, as the same are to be read along with schedule of quantities for the work.
- **2.3.** The tenderer should in his own interest visit the site and get familiarize with the site conditions before tendering.
- **2.4.** No T&P shall be issued by the Department and nothing extra shall be paid on account of this.

# 3. COMMERCIAL CONDITIONS:

- **3.1. Type of contract:** The work to be awarded by this tender shall be treated as indivisible works contract.
- 3.2. Submission and opening of Tenders:
- **3.2.1.** The tender is in two parts:
  - **3.2.1.1.** Part-I Technical cum Un-priced commercial Bid
  - **3.2.1.2.** Part-II-Price Bid
- **3.3.** The tender shall be submitted online, duly completed as per NIT conditions within period of bid submission.
- **3.4.** The tenderers are advised not to deviate from the technical specifications / item, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- **3.5.** Technical cum un-priced commercial bid only shall be opened on the due date and time in the presence of tenderers or their authorized representative who wish to remain present.
- **3.6.** Scrutiny/evaluation of the technical-cum-commercial bid shall be done by the department. In case, it is found that the technical-cum-commercial bid of a tenderer is not in line with NIT specifications/requirements and/or contains too many deviations, the department reserves the right to reject the technical bid of such firms(s) without making any reference to the tenderer(s).
- 3.7. Necessary clarifications required by the department shall have to be furnished by the tenderer within the time given by the department for the same. The tenderer will have to depute his representative to discuss with the officer(s) of the department as and when so desired. In case, in the opinion of the department a tenderer is taking undue long time in furnishing the desired clarifications, his bid will be rejected without making any reference.
- **3.8.** After obtaining clarification from all the tenders, the department will intimate the tenders whose technical cum commercial bids are acceptable.
- **3.9.** The price bids of only those tenderers shall be opened whose technical bids are found to be technically acceptable. The time and date of opening of price bid shall be fixed after the technical cum unpriced commercial bid is accepted and intimated to them by post/Fax/e-mail.
- **3.10.** The department reserves the right to reject any or all the price bids and call for fresh prices/tenders as the case may be without assigning any reason.

#### 4. TERMS OF PAYMENTS

4.1. Payment shall be released after successful completion (Providing and fixing, Supply, Installation, Testing, and satisfactory commissioning) of the work. However, R.A. bill may be preferred to the extent of pro rata basis based on progress of overall work. Bidder should note that necessary documents (PAN card, cancelled cheque, GST Reg. proof and RTGS mandate form as per prescribed proforma of IIT Delhi) be submitted as soon as the work is awarded to them. Separate Contractor's Code shall be generated in IIT Delhi if the bidder is a new contractor to IIT Delhi ('Code' is perpetual in nature). Payment shall be processed after submission of Invoice and

necessary documents / certificates (as mentioned in the NIT). There is a prevailing practice of preaudit (for total tendered amount more than 3 lakhs) at IIT Delhi before releasing payment. Bidder shall have to comply all necessary documents as outlined in the Contract as to be desired by the Auditor and or by the Accountant. It may take one to two months in the whole process (from submission / acceptance of bill in CMB / MB by the contractor upto processing by Accounts section) to release payment subject to quick compliance of all submittals by the contractor. Applicable Taxes shall be got deducted from the bill as per prevailing orders of the Government. 'GST part of the bill' shall be released after submission of proof of payment of GST, i.e. B2B challan, etc. as may be, by the contractor.

## 5. AWARD OF WORK

5.1. Work shall be awarded to the successful bidder only after concurrence of the **Auditor of the Internal Audit Section** of the IIT Delhi as per extant Rules of the Institute.

#### 6. SECURITY DEPOSIT

**6.1.** Security Deposit shall be deducted from each running bill and final bill to the extent of 2.5% of the gross amount payable. The security deposit shall be released on the expiry of guarantee/ Maintenance period stipulated in the contract i.e 05 Years/1 year as per CPWD manual/manufacturer's guarantee.

## 7. PERFORMANCE GUARANTEE

- 7.1. The successful tenderer shall submit an irrevocable performance guarantee of 3% of the tendered amount in addition to other deposit mentioned elsewhere in the contract for his proper performance of the contract agreement within 15 days of issue of letter of acceptance of tender. This guarantee shall be in the form of Demand Draft/Pay order of irrevocable bank guarantee bond of any schedule bank or the State Bank of India in the specified perform a of Government Security, fixed deposit receipt pledged in favour of **Registrar**, **IIT Delhi** or as specified in the letter of acceptance of tender. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 days. This bank guarantee shall be kept valid till the recording of completion certificate for the work by the competent authority. This shall be released after submission of fresh bank guarantee for the comprehensive maintenance. Fresh bank guarantee shall have to be submitted @3% of the contract amount of comprehensive maintenance for the whole period of maintenance plus 60 days beyond.
- 7.2. Income tax, GST, labour cess & other statutory deduction etc. shall be made at source as per the prevalent laws. The deduction of Security Deposit, Income Tax, etc., shall be done after calculation for the above due payment as per clause 3 above and net payment shall reduce accordingly.

# 8. RATES

8.1. The rates quoted by the tenderer, shall be firm and inclusive of all taxes (including works GST & labour cess), duties, levies, etc. and all charges for packing forwarding, insurance, freight and delivery, installation, testing and commissioning etc. at site including temporary construction of storage, risks overhead charges, general liabilities/ obligations.

## 9. COMPLETENESS OF TENDER

**9.1.** All sundry equipments, fitting, unit assemblies, accessories, hardware items, foundation bolts, termination lugs for electrical connections and all other items which are useful and necessary for efficient assembly and installation of equipment and components of the work shall be deemed to have been included in the tender irrespective of the fact whether such items are specially mentioned in the tender documents or not.

# 10. STORAGE AND CUSTODY OF MATERIAL

10.1. The agency has to make his own arrangement for storage. No separate storage accommodation shall be provided by the department Watch and ward of the storage and their safe custody shall be responsibility till the final taking over of the installation by the department.

# 11. CARE OF THE BUILDING

11.1. Care shall be taken by the contractor while handling and installing the various equipment and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

#### 12. COMPLETION PERIOD

**12.1.** The completion period indicated in the tender documents is for the entire work of planning, designing, approval of drawings etc, arrangement of materials & equipments, delivery at site including transportation, installation, testing, commissioning and handing over of the entire system to the satisfaction of the Engineer-in-charge.

#### 13. GUARANTEE

- 13.1. The contractor shall guarantee the entire Electrical Installation work as per specifications both for components and for system as a whole. All LED lighting fixture shall be guaranteed for Five year from the date of commissioning against unsatisfactory performance and / or breakdown due to defective design, workmanship or material. The equipment or component, or any part thereof, so found defective during guarantee period shall be forthwith replaced free of cost to the satisfaction of the Engineer-in-Charge. In case it is felt by the department that undue delay is being caused by the contactor in doing this, the same will be got done by the department at the risk and cost of the contractor. The decision of Engineer-in-Charge in this regard shall be final & binding on the contractor.
- 13.2. The tenderer shall guarantee among other things, the following:
- 13.2.1. Quality, strength and performance of the material used as per manufacturer's standards.
- 13.2.2. Safe mechanical and electrical stress on all part under all specified conditions of operation.
- 13.2.3. Satisfactory operation during the maintenance period.

#### 14. POWER SUPPLY

- 14.1. Power supply shall be made available by the department at one point near the site free of cost, if required. Further, the arrangement for tapping power supply from this point shall be made by the contractor.
- 15. Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.

#### 16. EXTENT OF WORK

16.1. The work shall comprise of entire labour including supervision and all material necessary to make a complete installation and such tests and adjustment and commissioning as may be required by the department. The term complete installation shall not only mean major items of the plant and equipment's covered by the specification but all incidental sundry components necessary for complete execution and satisfactory performance of installation with all layout charts whether or not those have been mentioned in details in the tender documents in connection with this contract as this is a turnkey job.

#### 17. VALIDITY

**17.1.** Tenders shall be valid for acceptance for a period 60 days from the date of opening of Technical Bid.

## 18. COMPLIANCE WITH REGULATIONS AND INDIAN STANDARDS

- **18.1.** All works shall be carried out in accordance with relevant regulation both statutory and those specified by the Indian Standards related to the works covered by this specification in particular, the equipment and installation will comply with the following:
- **18.1.1.** Factories Act
- **18.1.2.** Indian Electricity Rules
- **18.1.3.** B.l.S. & other standards as applicable
- **18.1.4.** Workmen's compensation Act

**18.1.5.** Statutory norms prescribed by local bodies like fire department, CEA, Power Supply Co. etc.

#### 19. INDEMNITY

19.1. The successful tenderer shall at all times indemnify the department, consequent on this works contract. The successful tenderer shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause and the contractor shall be responsible for any accident or damage incurred or claims arising there from during the period of erection, construction and putting into operation the equipments and ancillary equipment under the supervision of the successful tenderer in so far as the latter is responsible. The successful tenderer shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the successful tenderer on account of the above.

#### 20. ERECTION TOOLS

**20.1.** No tools and tackles either for unloading or for shifting the equipments for erection purposes would be made available by the department. The successful tender shall make his arrangement for all these facilities

# 21. COOPERATION WITH OTHER AGENCIES AND OCCUPANTS OF THE BUILDING

21.1. The successful tenderer shall co-ordinate with other working contractors, if any and other occupants of different offices / Labs, etc., and exchange freely all technical information so as to make the execution of this work / contract smooth. No remuneration should be claimed from the department for such technical cooperation. If any unreasonable hindrance is caused to other agencies and any completed portion of the work has to be dismantled and re-done for want or cooperation and coordination by the tenderer during the course of work, such expenditure incurred will be recovered from the successful tenderer if the restoration work to the original condition or specification of the dismantled portion of work was not under taken by the tenderer himself.

## 22. MOBILIZATION ADVANCE

**22.1.** No mobilization advance shall be paid for this work

## 23. INTERPRETING SPECIFICATION

- **23.1.** In interpreting the specification, the following order of decreasing importance shall be followed in case of contradictions:
- **23.1.1.** Schedule of quantities
- **23.1.2.** Technical Specification
- **23.1.3.** Drawing (if any)
- **23.1.4.** General Specification for Electrical Works of CPWD (relevant Parts)
- **23.1.5.** Relevant BIS or other international code in case BIS code is not available.
- 23.1.6. GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.

#### 24. POLICY OF THE INSTITUTE

**24.1. Institute** has a policy against **sexual harassment** and is committed to providing an environment free from **sexual harassment of women** at the workplace. Contractor shall have to abide by the policy of the Institute with due diligence. Any violation on the part of the contractor shall be dealt with the extant rules of the Institute.

#### SPECIAL CONDITIONS

- 1.0 Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2.0 No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3.0 The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4.0 The work shall be carried out as per CPWD specifications for civil and electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5.0 The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- 6.0 Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7.0 Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-incharge shall only be used at work.
- 8.0 The sample of material required in the work brought at site shall be submitted prior Technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- 9.0 The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the IITD if satisfactory report and if test results are unsatisfactory than testing charges shall be deducted from bills of contractor. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- 10.0 The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- 11.0 The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 12.0 No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13.0 Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- 14.0 The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 15.0 The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.

- 16.0 The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 17.0 Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
- 18.0 Income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 19.0 1% labour cess or as applicable will be deducted from the bills of contractor.
- 20.0 Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- 21.0 Agency has to take proper safety major during the execution of work.
- 22.0 GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- 23.0 ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work. .
- 24.0 The contractor shall submit the programme of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- 25.0 Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- 26.0 GST shall considered as inclusive in quoted rate of agency.
- 27.0 Electrical work will be executed only through the agency who is having valid electrical license and the copy of valid electrical license will be submitted before start of work.

## 28.0 Specialized Work:

- 28.1. The following works are considered as specialized work.
  - (a) Water Proofing.
  - (b) Aluminium Work
- 28.2. The above specialized work shall be carried by specialized agencies/ agency on their own if they have experience of
  - (a) 03 similar work of 40% value of specialized work component of Tendered amount.
  - (b) 02 similar work of 60% value of specialized work component of Tendered amount.
  - (c) 01 similar work of 80% value of specialized work component of Tendered amount.

# **Integral Cement Based Water Proofing Treatment**

- 1) The brickbats shall be from well-burnt bricks. The proprietary waterproofing compound shall conform to IS: 2645-1975. Before execution of work, water proofing compound has to be brought to site from which random sample would be got tested and a certificate of it's conforming to IS Code should be produced. The proprietary waterproofing compound shall be added at the rate recommended by the specialized firm but not exceeding 8% (Eight percent) by weight of cement.
- 2) The finished surface after waterproofing treatment shall have minimum slope of 1 in 80. At no point shall the thickness of waterproofing treatment be less than 65mm.
- 3) While treatment of roof surface is done it shall be ensured that the outlet drainpipes have been fixed and mouths at the entrance have been added and rounded off properly for easy flow of water.
- 4) The surface where the waterproofing is to be done shall be thoroughly cleaned with wire brushes. All loose scales shall be removed and dusted off. The surface shall be treated with neat cement slurry admixed with proprietary water proofing compound to penetrate into crevices and fill up all the pores in the surface. This cement slurry shall be applied at the junction of parapet and terrace slab by injection process.
- 5) After the slurry coat is laid, layer of well burnt brick bats shall be laid in cement mortar of mix as specified by the specialist firm but not leaner than 1:5(1 cement: 5 coarse sand) admixed with proprietary water proofing compound to required gradient and joints filled to half the depth. The brick bat of various thickness shall be used to achieve the specified gradient. This layer shall be rounded at the junction with the parapet and tapered towards top for a height of 300 mm. Curing of this layer shall be done for three days.
- 6) After curing, the surface shall be applied with a coat of cement slurry admixed with proprietary water proofing compound.
- 7) Joints of brick bat layer shall be filled fully with cement mortar of mix as specified by the specialized firm but not leaner than 1:4 (1 cement: 4 coarse sand) admixed with proprietary waterproofing compound and finally top finished with average 20mm thick layer of same mortar and finished smooth with cement slurry admixed with proprietary water proofing compound. The finished surface shall have marking of 300 x 300 mm false squares to give the appearance of tiles.
- 8) Curing of water proofing treatment shall be done for a minimum of ten days.
- 9) The Measurement shall be taken along with the finished surface of treatment including the rounded and trap portion of junction of parapet wall.

# FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

This agreement made this
Whereas this agreement is supplementary to the contract (hereinafter called the Contract) dated made between the Guarantor of the one part and Govt. of the other part, whereby the contractor inter alia, undertook to render the Buildings and structures in the said contract recited completely water and leak proof.
And whereas the Guarantor agreed to give a guarantee to the effect that the said structure will remain waterproof for <b>Five years</b> to be reckoned from the date after the maintenance period prescribed in the contract expires.
During this period of guarantee the Guarantor shall make good all defects and for that matter, shall replace at his risk and cost such members as may be damaged by water and in case of any other defect being found he shall render the building waterproof at his cost to the satisfaction of the Engineer-in-Charge and shall commence the works of such rectification within seven days from the date of issuing notice from the Engineer-in-Charge calling upon him to rectify the defects failing which the work shall be got done by the Department by some other contractor at the Guarantor's cost and risk and in the latter case the decision of the Engineer-in-charge as to the cost, recoverable from the Guarantor shall be final and binding.
That if the Guarantor fails to execute the waterproofing or commits breaches hereunder then the Guarantor will indemnify principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the Guarantor in performance and observance of this supplemental agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-charge will be final and binding on the parties.
In witness whereof of these presents have been executed by the Obligorand by For and on behalf of the BOG IIT Delhi on the day, month and year first above written.
SIGNED, SEALED and delivered by OBLIGOR in presence of- 1. 2.
SIGNED for and on behalf of BOG IIT Delhi byin the presence of- 1. 2.
Blanks to be filled by Contractor/ EE (CD-IV)

# LIST OF APPROVED MAKES FOR CIVIL &ELECTRICAL WORKS

# **A-Civil Items**

	vii items			
-	Description	Approved Makes		
1	EWC Seat Covers	HINDWARE/PARRYWARE/ CERA		
2	C.P Brass Fittings/ Accessories	JAQUAR, MARC, KOHLAR		
3	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/ J.K./ BIRLA/ ULTRA TECH/ VIKRAM		
4	Cement (White)	J.K./ BIRLA		
5	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY		
		MINISTRY OF STEEL/ SECONDARY		
		MANUFACTURER HAVING VALID BIS LICENSE		
		(TO BE AS PER LATEST BIS PROVISIONS)		
6	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY		
		MINISTRY OF STEEL/ SECONDARY		
		MANUFACTURER HAVING VALID BIS LICENSE		
		(TO BE AS PER LATEST BIS PROVISIONS)		
7	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM		
8	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED		
		STRENGTH		
9	Aluminum Sections	HINDALCO/ JINDAL/ MAHAVIR		
10	Flush Doors	CENTURY/ MERINO/ DURO BOARD/ GREEN		
11	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/		
		DECOLAM/ CENTURY		
12	Glass	SAINT GOBIN/ MODI FLOAT/ ASAHI FLOAT		
13	Ceramic Glazed tiles/ Border tiles	1 <sup>ST</sup> QUALITY KAJARIA / NITCO/ JOHNSON/		
		ORIENT/ SOMANY		
14	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY		
15	Interlocking precast paver blocks/ Kerb	HINDUSTAN TILES/ SWASTIK/ DALAL		
	Stone			
16	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASI/ SUPREME		
17	Stainless Steel Nuts bols / Screws	KUNDAN/ PUJA/ ATUL/ GKW		
18	Paint/ Primer/ Oil bound distemper/ Acr			
	paint/ Plastic paint	NEROLAC/ SHALIMAR/ DULUX		
19	Water Proof Cement Paint/ Exterior Pain	1 <sup>ST</sup> QUALITY PAINTS OF ASIAN/ BERGER/		
		NEROLAC/ SHALIMAR/ DULUX		
20	Sanitary ware (Vitreous China)	HINDWARE/ PARRYWARE/ CERA		
	(European Seats, Urinals, Wash Basins,			
	etc.)			
21	G.I. Pipes	TATA/ JINDAL(HISSAR)/ BHUSHAN/ APL APPOLO/		
	1	TT SWASTIK		
22	G.I. Fittings	UNIK/ ZOLOTO/ AM		
23	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)/		
		PRAYAG		
24	Commercial Board/ Ply	MERINO/ DURO/ GREEN/ CENTURY/ KIT		
	,	(SWASTIK)		
25	CI Pipes/ Fittings & Manhole covers	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF		
26	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH		
27	Floor Spring	DOORKING/ EVERITE/ SANDHU		
28	Door Closer	EVERITE/ SANDHU/ HARDWIN		
29	Mirror	ATUL/ MODIGUARD/ SAINT GOBAIN/ AASHI		
30	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN		
31	False Ceiling	ARMSTROBG/ SAINT GOBAIN/ META WORTH		
JI	1 uibe Ceiling	THAID INOUGH STREET OODARY META WORTH		

32	Water Proofing Compound	CICO/ FOSROC/ PIDILITE/ ECMAS/ ASIAN		
33	Polymer Compound	CICO/ PIDILITE/ FOSROC/ ECMAS/ ASIAN		
34	Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD		
35	Rust Remover/ Anticorrosive	FOSROC/ CICO/ PIDILITE/ ECMAS/ ASIAN		
36	Crystalline Cementious Waterproofing	XYPEX / KRYTONE/ PENETRON		
30	compound	ATTEM INCTIONAL TENETROIN		
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLNDURA/ CICO		
38	Wall Putty	BIRLA / JK/ SARA		
39	Epoxy Grout	BALLENDURA/ KERAKOLL/ FERROUSCRETE		
40	PVC Water storage tank (ISI marked)	SINTEC/ UNI PLAST/ POLYWELL		
41	PVC insulated water storage tank	SINTEX/ UNI PLAST/ POLYWELL/ EURO		
	Heavy duty 4/5 layer			
42	Brass Ball Valve/ Gate Valve/ Float	ZOLOTO/ AM/ LEADER/ SANT		
12	Valve	CLASSIC/ EVEREST/ ARGENT		
43	Aluminum Door Fittings			
44	Brass Bib/ Stop Cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA CBM/ CMS/ S.N. INDUSTRIES		
45	Thermoplastic Paint	ADHARSHREE/ SHREE RAM/ J.K./ BIRLA		
46	Plaster of Paris Putty			
47	Rcc Pipe	LAKSHMI/ SOOD & SOOD/ JAIN & CO. / DIWAN SPUN PIPES		
48	Pvc Pipe	PRAKASH/ PRINCE/ SUPREME		
49	Sandwich Roof Panel (Puff Panel)	JSW, BHUSHAN, D-META		
50	WPC Board And MPC Board	FLORESTA, ECOSTE, RAJ SHREE		
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE		
52	Self Closing Hinges	HETTICH, KITCH, PLUM		
53	Poly Carbonate Sheet	GE LEXAN / POLYGAL/ TUFLITE		
54	Acp Panel	ALSTRONG/ ALUCOBOND/ EUROBOND/		
		ALUDECOR		
55	Acoustic Wooden/ Fabric Paneling	ARMSTRONG/ ANUTONE/CREDENCE/ TOPAKUSTIC		
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT		
57	Glow Stud, Solar Power Stud	ROAD STAR / 3M / DARK EYE /EVERY DENNISON		
	,			
58	Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO		
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN		
60	Insulation	UP TWIGA LTD OR EQUIVALENT		
61	Fire Door	NAVAIR/ SHAKTI/ GODREJ/ RADIANT		
62	Flush Door Shutters Of Various	MERINO/ DURO/ GREEN/ CENTURY/ KIT		
	Thickness	(SWASTIK)		
	Furniture			
63	Work Station	GODREJ INTERIO/ HAWORTH/ STEELCASE/		
		WIPRO/ FEATHERLITE/ HERMAN MILLER		
64	Executive Table/ Other Table	GODREJ INTERIO/ HAWORTH/ STEELCASE/		
		WIPRO/ FEATHERLITE/ HERMAN MILLER		
65	Chair/ Audi Chair	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER		
66	Lab Furniture's	KEWANEE/ WALDNER/ GODREJ/ WIPRO/		
OO	Lau fullitule 8	REWANEE/ WALDNER/ GODREJ/ WIPRO/   FEATHERLITE		
67	Hostel Beds And Cots	ZUARI/ EVOK/ GODREJ/ WIPRO/ FEATHERLITE		
67 68				
Uð	Hospital Beds	HUNTLEY/ STRIKER/ GODREJ/ WIPRO/ FEATHERLITE		
	Electrical			

69	MCB(10KA) & MCB DB	Legrand /Havells/ Siemens/ Standard/Crompton/ L&T / GM/ C&S		
70	MCCB	Legrand /Havells/ Siemens/Crompton/ L&T / C&S/ GE Power Control		
71	MCCB BOX	Legrand /Havells/ Siemens/Crompton/ L&T / C&S/ GE Power Control		
71	Modular type switch/ socket, TV socket,	Havells Crabtree / L&T/ MDS/ Wipro North West/ Legrand/GM / Polycab/ Schneider		
72	Steel conduit pipe and Accessories (ISI)	BEC/ AKG/ NIC		
73	PVC conduit pipe and Accessories(ISI)	BEC/ AKG/ NIC		
74	Junction Boxes/ MS Boxes	Havells Crabtree / Anchor / North West / Legrand		
75	Bushes	PVC/ Nylon		
76	FRLS PVC insulated copper conductor cable	Polycab / Finolex / Havells/ KEI		
77	Light Fixture	Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix		
78	Ceiling Fans (Double ball bearing) & Wall Fan	Havells/ Atomberg/ Bajaj/ Usha/ Orient/ Halonix.		
79	Exhaust Fan (Double Ball Bearing)	Crompton Greaves / GE / Almonard / Usha/ Havells/ Orient		
80	Industrial type socket	Schneider / L&T/ ABB / Legrand		
81	DLP U-PVC channel & accessories	Schneider / Legrand		
83	Modular Plate & Cover Plate	Havells Crabtree / L&T/ MDS/ Wipro North West/ Legrand/GM / Polycab/ Schneider		
85	Distribution Board	Legrand /Havells/ Siemens/ Standard/Crompton/ L&T / GM/ C&S		
86	XLPE Alumium/ Copper conductor Armoured cable	Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal		
87	Multifunction Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar		
88	Ammeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar		
89	Voltmeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar		
90	Frequency Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar		
91	CT's	L&T/AE/ KAPPA/ Pragati		
92	Selector Switches	L&T/AE/ KAPPA/ Pragati		
93	Contractors	L&T/ GR power controls/ Crompton/ Havells/ Legrand		
94	Push button & Pilor lamps	L&T/ Vishnoo/ BCH		
95	LED indicating Lights	L&T/ Siemens/ Kaycee/ Crompton/ Vaishno		
96	GI Pipe	Jindal Steel/ Jindal Hisar		
97	DW HDPE Pipe	Reliance/ Duraline/ Hasti		
98	LED Lights	Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix		
99	Panel Manufacturers (Panel Shall be CPRI approved)	Eva engineering/Milestone/Tricolite/Edlac/ L&T		
100	Cat 6 LAN Cable	D-Link		

# **BID SUBMISSION**

# **ONLINE BID SUBMISSION**

The Online bids (complete in all respect) must be uploaded online in **two** Envelops as explained below: -

	(Followin	Envelope – 1 g documents to be provided as single PDF file)	
Sl. No.	Documents	Content	File Types
1.	Technical Bid	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	.PDF
2.	-	Enlistment order of contractor.	.PDF
3.		Attested certificate of work experience.	.PDF
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
5.		Affidavit as per Notice Inviting Tender Condition 1.3 page 19 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	.PDF
6.		Acceptance to execute INTEGRITY PACT.	.PDF
7.		Undertaking as per on firm's letter head.  "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the	.PDF
		lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8.		ESI and EPF Registration.	PDF
9.		FORM "F" (Duly filled with all required details	.PDF
10.		Proof of tender fees	.PDF
11		In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	PDF
12		Annexure-I (duly filled & signed by the bidders)	PDF
13		Annexure-II (duly filled & signed by the bidders)	PDF
14	1	Annexure-III (duly filled & signed by the bidders)	PDF
15	1	Any other documents specified in NIT	PDF
	1	Envelope – 2	
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

All above documents shall be as per Tender Notice.

# PART 'C'

# **SCHEDULE OF QUANTITY**

Name of work: - Up-gradation of toilets in Academic Area from Block-I to Block VI at IIT Delhi. Sub Head:- Civil & Electrical Works.

	ad:- Civil & Electrical Works.				
Item No.	Description of items	Qty.	Unit	Rate	Amount
	SUB HEAD A Civil Work				
1	Disposal of moorum/building rubbish/ malba/ similar unserviceable, dismantled or waste material by mechanical transport including loading, transporting, unloading to approved municipal dumping ground for lead upto 10 km for all lifts, complete as per directions of Engineer-incharge.	32.25	cum		
2	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m:				
2.1	All kinds of soil				
2.1.1	Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	90.00	metre		
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				
3.1	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	13.10	cum		
3.2	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	4.50	cum		
4	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources).	3.25	cum		
5	Centering and shuttering including strutting, propping etc. and removal of form for				
5.1	Shelves (Cast in situ)	50.00	sqm		
6	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
6.1	Thermo-Mechanically Treated bars of grade Fe-500D or more.	300.00	kg		

	<u></u>			
7	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.			
7.1	Cement mortar 1:4 (1 cement :4 coarse sand)	45.00	sqm	
8	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.			
8.1	Granite stone slab colour black, Cherry/Ruby red			
8.1.1	Area of slab upto 0.50 sqm	154.75	sqm	
9	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.			
9.1	Granite work	86.00	metre	
10	Extra for providing opening of required size & shape for wash basin/kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	86.00	each	
11	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	2064.00	sqm	
12	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:			
12.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	107.50	sqm	
13	Extra for providing lipping with 2nd class teak wood battens 25 mm minimum depth on all edges of flush door shutters (over all area of door shutter to be measured).	107.50	sqm	
14	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:			
14.1	300x16 mm	43.00	each	
15	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:			
15.1	200x10 mm	129.00	each	

15.2	150x10 mm	215.00	each		
	Providing and fixing aluminium handles, ISI marked,				
1.0	anodised (anodic coating not less than grade AC 10 as per				
16	IS: 1868) transparent or dyed to required colour or shade,				
	with necessary screws etc. complete:				
16.1	125 mm	172.00	each		
16.2	100 mm	172.00	each		
	Providing & Fixing decorative high pressure laminated				
	sheet of plain / wood grain in gloss / matt/ suede finish with				
17	high density protective surface layer and reverse side of				
	adhesive bonding quality conforming to IS: 2046 Type S,				
17.1	including cost of adhesive of approved quality.  1.0 mm thick	107.50	sam		
17.1	Structural steel work riveted, bolted or welded in built up	107.30	sqm		
	sections, trusses and framed work, including cutting,				
18	hoisting, fixing in position and applying a priming coat of	1955.00	kg		
	approved steel primer all complete.				
	Providing and fixing T-iron frames for doors, windows and				
	ventilators of mild steel Tee-sections, joints mitred and				
19	welded, including fixing of necessary butt hinges and				
	screws and applying a priming coat of approved steel				
	primer.  Fixing with 15x3 mm lugs 10 cm long embedded in cement				
	concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3		_		
19.1	coarse sand : 6 graded stone aggregate 20 mm nominal	344.00	kg		
	size).				
	Providing and fixing stainless steel (Grade 304) railing				
	made of Hollow tubes, channels, plates etc., including				
	welding, grinding, buffing, polishing and making curvature				
	(wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing				
	with necessary accessories & stainless steel dash fasteners,		_		
20	stainless steel bolts etc., of required size, on the top of the	645.00	kg		
	floor or the side of waist slab with suitable arrangement as				
	per approval of Engineer-incharge, (for payment purpose				
	only weight of stainless steel members shall be considered				
	excluding fixing accessories such as nuts, bolts, fasteners				
	etc.).  Providing and laying rectified Glazed Ceramic floor tiles of				
	size 300x300 mm or more (thickness to be specified by the				
	manufacturer), of 1st quality conforming to IS: 15622, of				
21	approved make, in colours White, Ivory, Grey, Fume Red	86.00	gam		
21	Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement:	00.00	sqm		
	4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/				
	sqm including grouting the joints with white cement and				
	matching pigments etc., complete.  Providing and laying Polished Granite stone flooring in				
	required design and patterns, in linear as well as				
	curvilinear portions of the building all complete as per the				
	architectural drawings with 18 mm thick stone slab over				
22	20 mm (average) thick base of cement mortar 1:4 (1				
22	cement : 4 coarse sand) laid and jointed with cement slurry				
	and pointing with white				
	cement slurry admixed with pigment of matching shade including rubbing, curing and polishing etc. all complete				
	as specified and as directed by the Engineer-in-Charge.				
L	as specified and as uncolou by the Engineer-in-Charge.			l	

22.1	Polished Granite stone slab colour of Black, Cherry/Ruby	738.20	sqm	
22.1	Red or equivalent	750.20	sqiii	
23	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.			
23.1	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient ) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece.	1075.00	sqm	
24	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.			
24.1	Two or more coats on old work	301.00	sqm	
25	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade :			
25.1	Two or more coats on new work	645.00	sqm	
26	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	645.00	sqm	
27	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	645.00	sqm	

	<u>,                                      </u>		1	
	Repairs to plaster of thickness 12 mm to 20 mm in patches			
	of area 2.5 sq.meters and under, including cutting the patch			
28	in proper shape, raking out joints and preparing and			
20	plastering the surface of the walls complete, including			
	disposal of rubbish to the dumping ground, all complete as			
	per direction of Engineer-in-Charge.			
28.1	With cement mortar 1:4 (1 cement : 4 fine sand)	387.00	sqm	
	Providing and fixing double scaffolding system (cup lock			
	type) on the exterior side, up to seven story height made			
	with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal			
	& vertical tubes joining with cup & lock system with M.S.			
	tubes, M.S. tube challies, M.S. clamps and M.S. staircase			
	system in the scaffolding for working platform etc. and			
	maintaining it in a serviceable condition for the required			
	duration as approved and removing it there after .The			
	scaffolding system shall be stiffened with bracings, runners,			
29	connection with the building etc wherever required for	387.00	sqm	
	inspection of work at required locations with essential			
	safety features for the workmen etc. complete as per			
	directions and approval of Engineerin-charge .The			
	**			
	elevational area of the scaffolding shall be measured for			
	payment purpose .The payment will be made once			
	irrespective of duration of scaffolding. Note: - This item to			
	be used for maintenance work judicially, necessary			
	deduction for scaffolding in the existing item to be done.			
20	Dismantling W.C. Pan of all sizes including disposal of	120.00	1.	
30	dismantled materials i/c malba all complete as per	120.00	each	
	directions of Engineer-in- Charge.			
21	Demolishing cement concrete manually/ by mechanical			
31	means including disposal of material within 50 metres lead			
	as per direction of Engineer - in - charge.			
31.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	21.50	cum	
	Demolishing brick work manually/ by mechanical means			
	including stacking of serviceable material and disposal of			
32	unserviceable material within 50 metres lead as per			
20.1	direction of Engineer-in-charge.	4.20		
32.1	In cement mortar	4.30	cum	
22	Dismantling doors, windows and clerestory windows (steel			
33	or wood) shutter including chowkhats, architrave, holdfasts			
	etc. complete and stacking within 50 metres lead :			
33.1	Of area 3 sq. metres and below	129.00	each	
	Dismantling tile work in floors and roofs laid in cement			
34	mortar including stacking material within 50 metres lead.			
6.1.1		<b>501</b> 00		
34.1	For thickness of tiles 10 mm to 25 mm	731.00	sqm	
	Dismantling C.I. or asbestos rain water pipe with fittings			
35	and clamps including stacking the material within 50 metres			
	lead:			
35.1	75 to 80 mm dia pipe	258.00	metre	
35.2	100 mm dia pipe	129.00	metre	
33.2	Dismantling G.I. pipes (external work) including	127.00	mene	
36	excavation and refilling trenches after taking out the pipes,			
30	manually/ by mechanical means including stacking of pipes			
	manually, by incondineal means including stacking of pipes			

	within 50 metres lead as per direction of Engineer-in-charge			
	:			
36.1	15 mm to 40 mm nominal bore	90.00	metre	
37	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	120.00	each	
38	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-incharge.	480.00	sqm	
39	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:			
39.1	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	22.00	each	
40	Providing and fixing white vitreous china pedestal type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required:			
40.1	W.C. pan with ISI marked white solid plastic seat and lid	22.00	each	
41	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required:			
41.1	Kitchen sink without drain board			
41.1.1	610x460 mm bowl depth 200 mm	43.00	each	
42	Providing and fixing 8 mm dia C.P. / S.S. Jet with flexible tube upto 1 metre long with S.S. triangular plate to Eureopean type W.C. of quality and make as approved by Engineer - in - charge.	86.00	each	
43	Providing and fixing CP Brass 32mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge.	177.00	each	
44	Providing and fixing toilet paper holder:			
44.1	C.P. brass	86.00	each	
45	Providing and fixing soil, waste and vent pipes:			
45.1	100 mm dia			
45.1.1	Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	440.00	metre	
45.2	75 mm diameter :			
45.2.1	Centrifugally cast (spun) iron socketed pipe as per IS: 3989	758.00	metre	
46	Providing and fixing plain bend of required degree.			

46.1	100 mm dia				
46.1.1	Sand cast iron S&S as per IS: 3989	86.00	each		
46.2	75 mm dia	00.00	cucii		
46.2.1	Sand cast iron S&S as per IS - 3989	129.00	each		
	Providing and fixing single equal plain junction of required	127.00	cacii		
47	degree:				
47.1	100x100x100 mm				
47.1.1	Sand cast iron S&S as per IS - 3989	43.00	each		
47.2	75x75x75 mm				
47.2.1	Sand cast iron S&S as per IS - 3989	43.00	each		
48	Providing and fixing collar:				
48.1	100 mm				
48.1.1	Sand cast iron S&S as per IS - 3989	50.00	each		
48.2	75 mm				
48.2.1	Sand cast iron S&S as per IS - 3989	90.00	each		
49	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:				
49.1	100 mm	301.00	each		
49.2	75 mm	430.00	each		
50	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.  Concealed work, including cutting chases and making good the walls etc.				
50.1	20 mm nominal dia Pipes	731.00	metre		
51	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc.				
51.1	40 mm dia nominal bore	96.00	metre		
51.2	50 mm dia nominal bore	36.00	metre		
52	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc.				
52.1	40 mm dia nominal bore	32.00	metre		
53	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):				
53.1	40 mm nominal bore	24.00	each		
53.2	50 mm nominal bore	8.00	each		
54	Providing and fixing uplasticised PVC connection pipe with brass unions:				
54.1	30 cm length				
54.1.1	15 mm nominal bore	215.00	each		
55	Painting G.I. pipes and fittings with synthetic enamel white paint with two coats over a ready mixed priming coat, both of approved quality for new work:				
55.1	40 mm diameter pipe	96.00	metre		
				-	

55.2	50 mm diameter pipe	36.00	metre	
33.2	Providing and fixing G.I. Union in G.I. pipe including	30.00	metre	
56	cutting and threading the pipe and making long screws etc.			
	complete (New work):			
56.1	25 mm nominal bore	86.00	each	
57	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:			
57.1	15 mm nominal bore	78.00	each	
58	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931			
58.1	15mm nominal bore	172.00	each	
59	Cutting holes up to 30x30 cm in walls including making good the same:			
59.1	With common burnt clay F.P.S. (non modular) bricks	129.00	each	
60	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :			
60.1	For pipes 100 to 250 mm diameter	10.00	each	
61	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):			
61.1	For fixed portion			
61.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	4300.00	kg	
61.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)			
61.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	3440.00	kg	
62	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade l Type ll, in panelling fixed in aluminum doors, windows shutters and partition frames			

	with C.P. brass / stainless steel screws etc. complete as per			
	architectural drawings and directions of engineerin- charge.			
62.1	Pre-laminated particle board with decorative lamination on both sides	215.00	sqm	
63	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):			
63.1	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	172.00	sqm	
64	Providing and laying water proofing treatment to vertical and horizontal surfaces of depressed portions of W.C., kitchen and the like consisting of:  (i) Ist course of applying cement slurry @ 4.4 kg/sqm mixed with water proofing compound conforming to IS 2645 in recommended proportions including rounding off junction of vertical and horizontal surface.  (ii) IInd course of 20 mm cement plaster 1:3 (1 cement : 3 coarse sand) mixed with water proofing compound in recommended proportion including rounding off junction of vertical and horizontal surface.  (iii) IIIrd course of applying blown or residual bitumen applied hot at 1.7 kg. per sqm of area.  (iv) IVth course of 400 micron thick PVC sheet. (Overlaps at joints of PVC sheet should be 100 mm wide and pasted to each other with bitumen @ 1.7 kg/sqm).	238.00	sqm	
65	Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual hisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge			
65.1	25 mm average thickness	64.50	sqm	
66	Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge.			
66.1	Bars upto 12 mm diameter	86.00	metre	
66.2	Bars above 12 mm diameter	43.00	metre	
67	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect.			
67.1	SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer	64.50	sqm	

				1	
68	Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-in-charge. Note: Measurement and payment: The pre-measurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/Sqmm2).				
68.1	12 mm average thickness.	43.00	sqm		
68.2	25 mm average thickness in 2 layers.	21.50	sqm		
69	Dismantling of wall tiles including old plaster and disposal of unserciveable material with all leads and lifts including dumping at MCD dumping ground. As per directions of Engineer-in-charge.	1333.00	sqm		
70	Dismatling of china ware fittings like urinal basin, Wash basin etc., including disposal of unserviceable material with all leads and lifts including dumping at MCD dumping ground. As per direction of Engineer-in-charge.	213.00	each		
71	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm or as size approved by Engineer-in-charge including cutting and making good the walls and floor where ever required work shall be executed as per direction of Engineer-in-charge.	96.00	each		
72	Providing and fixing Urinal Sensors including SS cover plate of approved brand and quality as per direction of Engineer-in-charge.	96.00	each		
73	Providing and fixing stainless steel liquid soap container and sample as approved by Engineer-in-charge of good quality to be fixed steel screws etc., Work shall be executed as per direction of Engineer-in-charge.	86.00	each		
74	Providing and fixing sand cast iron floor trap of good				
74.1	quality. As sample approved by Engineer-in-charge. 75mm	86.00	20.2 <b>b</b>		
75.1	Providing and fixing square stainless steel jali / SS grating 100x100mm nominal size as per sample approved by Engineer-in-charge work shall be executed as per direction of Engineer-in-charge.	172.00	each		
76	Providing and fixing CP brass waste jali 32mm of standard quality as per sample approved by Engineer-in-charge.	129.00	each		
77	Providing and fixing CP cap of approved and standard quality for CP fittings. As sample approved Engineer-incharge.	301.00	each		
78	Providing and fixing 5 mm thick looking mirror of superior quality glass with teak wood taper beading frame of section 50x25mm of approved design and shade with necessary polishing and finishing work including 6 mm thick ISI both side commercial ply wood sheet at back side complete work as per directions of Engineer-in-charge.	64.50	sqm		
79	Providing and fixing sun control film/Frosted glass film of approved quality, shade and colour as approved by Engineer-in-charge. Work shall be executed as per directions of Engineer-in-charge.	172.00	sqm		

		Г		
	Providing and fixing high pressure laminate PVC partition			
	12 mm thickness (1st class quality) in WC and as urincla			
80	partition to be fixed with L-type stainless steel connector,	301.00	sqm	
	as per sample approved by Engineer-in-charge. Work shall			
	be executed as per direction of Engineer-in-charge.			
	Providing and fixing high pressure laminate PVC door12			
	mm thickness (1st class quality) colour and shade to be			
	approved by Engineer-in-charge, to be fixed with nylon			
0.1	PVC/ stainless steel hinges and screws etc., as per sample	215.00		
81	approved by Engineer-in-charge. Including all necessary	215.00	sqm	
	hardware and fittings like tower bolts, handles and hinges			
	etc., and all other accessories to be paid separately in			
	separate item of work.			
	Providing and fixing white vitreous china wall hung type			
	water closet (W.C. pan) with seat and lid, 10 litre in built			
	china ware cistern, including flush pipe, with manually			
82	controlled device (handle lever), with all fittings and			
02	fixtures complete, including cutting and making good the			
	walls and floors wherever required as per sample approved			
	by Engineer-in-charge.			
82.1	With ISI marked/ 1st quality white solid plastic seat and lid	86.00	each	
- ,-	Providing and fixing Health faucet with CP coating as per			
83	sample approved by Engineer-in-charge. Work shall be	43.00	each	
	executed as per direction of Engineer-in-charge.			
	Providing and fixing white vitreous chinaware Oval shape			
	wash basin as per sample approved by Engineer-in-charge.			
84	(Suitable for fixing in granite counter platform) including			
	making all connections but excluding the cost of fittings:			
84.1	Oval shape wash basin of approx. size 630x 450 mm	92.00	each	
	Providing and fixing CP Brass pillar cock of approved			
	quality as per sample approved by Engineer-in-charge,			
85	confirming to IS standards. Work shall be executed as per			
	direction of Engineer-in-charge.			
85.1	15 mm bore	86.00	each	
03.1	Dismantled Items	00.00	Cacii	
86	[] Less Credit for Dismantled Materials.			
86.1	Less buyback of Cast Iron Pipe and fittings of all size	800.00	kα	
86.2	Less buyback of Cast from tipe and fittings of all size	200.00	kg	
86.3	Less buyback of O.I. Fipe and fittings of all size  Less buyback of old aluminium scrap	800.00	kg	
	· ·		kg	
86.4	Less buyback of C.P fittings of various make and model	40.00	kg	
	SUB HEAD B Electrical Installation			
	Wiring for light point/ fan point/ exhaust fan point/ call			
	bell point with 1.5 sq.mm FRLS PVC insulated copper			
	conductor single core cable in surface / recessed steel			
87	conduit, with modular switch, modular plate, suitable GI			
	box and earthing the point with 1.5 sq.mm. FRLS PVC			
	insulated copper conductor single core cable etc as			
	required.			
87.1	Group C	600.00	Point	
	Wiring for light/ power plug with 2X4 sq.mmFRLS PVC			
	insulated copper conductor single core cable in surface/			
88	recessed steel conduit along with 1 No 4 sq.mm FRLS PVC	2000.00	Meter	
	insulated copper conductor single core cable for loop			
	earthing as reqd.			
-				 _

89 90	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.  Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required	300.00	Meter	
90.1	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	1800.00	Meter	
90.2	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	2500.00	Meter	
91	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.			
91.1	5/6 A switch	120.00	Each	
91.2	3 pin 5/6 A socket outlet	120.00	Each	
92	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.	120.00	Lucii	
92.1	1 or 2 Module (75mmX75mm)	120.00	Each	
92.2	3 Module (100mmX75mm)	120.00	Each	
93	Supplying and fixing 3 pin, 5A ceiling rose o the existing junction box/wooden block including connections etc as required.	60.00	Each	
94	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.			
94.1	Single pole	120.00	Each	
95	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Make; Havells /L&T/legrand/Schneider	60.00	Each	
96	Supplying, fixing, testing and commissioning of Return air diffusers of power coated aluminium with aluminium without volume control dampers with anti smudge ring & removable core.	360.00	Sqm	
97	Supply,installation,balancing and commissioning of facory fabricated GSS seet metal rectangular/round ducting complete with neoprene rubber gaskets,elbow,splitter dampers,vaes,hangers,supports etc as per approved drawings and specifications of following sheet thickness coplete as required.			
97.1	Thickness 0.80 mm sheet	360.00	Sqm	
98	Extra if louvers (not exceeding 0.2 sqm) are provided in flush door shutters (overall area of door shutters to be measured).	120.00	Sqm	
99	S/I/T/C of <b>recess</b> mounting round LED luminaire equipped with Aluminium Heat Sink downlighter with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- suitable for operation voltage and frequency: 130-	480.00	each	

	300 V AC, 50 Hz; wattage <b>15 watts</b> , Output lumens not less then 15001m; CCT not less then 5700K; slim profile surface mounted down light square/ round type; Normal			
	surge protection 2.5kV; power factor not less then 0.9; Minimum IP protection 20. (Make : Philips/ Wipro/ Havells)			
100	S/I/T/C microwave surface mountd Sensor including connections etc as required.	120.00	each	
101	S/I/T/C of <b>surface</b> mounting hexagon bulk head back-lit LED luminaire equipped with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- suitable for operation voltage and frequency: 130-300 V AC, 50 Hz; wattage 10 <b>watts</b> , Output lumens not less then 1001m/watt; CCT not less then 6500K; slim profile surface mounted suitable for outdoor, surge protection 2.5kV; power factor not less then 0.9; Minimum IP protection 66. (Make: Philips/ Wipro/ Havells/)	60.00	Each	
102	S/I/T/C of <b>surface</b> mounting <b>LED batten</b> luminaire equipped with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- suitable for operation voltage and frequency: 130-300 V AC, 50 Hz; wattage not more then <b>20 watts</b> , Output lumens not less then 1800lm; CCT not less then 6500K; Length 4 feet; normal surge protection 2.5kV; power factor not less then 0.9; Minimum IP protection 20. (Make: Philips/ Wipro/ Havells)	120.00	Each	
103	S/I/T/C of 12"(300mm) size,1400rpm,copper wound, heavy duty metalic Exhaust Fan of double ball bearing capacitor start,suitable for 230 volt,50 Hz,single phase A.C. supply and complete with accessories such as motor, legs,frame,loober and Nut & bolts etc complete as required Make Crompton Greaves / GE /Havells Turbo Force SP	120.00	Each	
104	S/I/T/C of high speed SS Hand Dryer with Nozzle rated power 2500 watt suitable for 220 volt,50 Hz A.C supply system (Material SS 304 grade), Drying Time 10-15 Second etc as required. Make: orchids/Jaquar/Grasland	60.00	Each	
	TOTAL			

# **Special Conditions:**

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- 2. The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- 4. Site shall be available as per directions of Engineer in Charge.
- **5.** Quoted rates of participating agencies shall be inclusive of GST.