

INDIAN INSTITUTE OF TECHNOLOGY: DELHI
HAUZ KHAS, NEW DELHI-110016
(WORKS SECTION)
(QUOTATION NOTICE)

| | |
|--------------------|---------|
| E.E. (C-II) Office | |
| No. | F12/281 |
| Date | 26/5/14 |

IITD/E.E. (C-II)/2014-15/dt: 23.05.2014/

Name of work:- Supply of C.P. Fittings for type III-A houses at IIT Delhi

Executive Engineer (C-II), I.I.T. Delhi, Hauz Khas, New Delhi - 110016 invites sealed Item Rate Quotation from Manufacturers / Authorized Distributors / Authorized Dealers / Shopkeepers & Agencies on **09.06.2014** upto 2.30 PM and opening at 3.00 PM on the same day in two envelope system for supply of material.

Opening Date & Time: **09.06.2014** at 3.00 PM in the office of E.E. (C-II) Room No. MZ-136

Envelope- 1 Technical bid:-

(i) **Earnest Money:- Rs. 3,707.00**

In form of Banker's Cheque or Demand Draft drawn in favour of Registrar, IIT Delhi along with TIN No. certificate OR registration with Department of VAT.

(ii) Bidder whose Technical Bid is in order shall only be considered and their financial bid shall be opened at notified date & time.

Envelope- 2 Financial Bid

Executive Engineer (C-II)

Terms & Conditions:-


- 1 Rate should be quoted Net in figures and words, which inclusive of all Taxes & Cartage.
- 2 Handling, loading and unloading charges shall be borne by the agency.
- 3 Quotations should be submitted in a sealed envelope marked Envelope No. 1 and envelope No. 2
Super scribing Name of Work, Date of opening and Name of the firm / manufacturers.
- 4 Delivery period: - Within 02 weeks from the date of Supply Order failing which EMD of the successful bidder shall be forfeited.
- 5 Delivery: - F.O.R. IIT Delhi.
- 6 Payment shall be made through Cheque/ RTGS after satisfactory delivery and after certification from the manufacturers regarding the quality of items supplied.
- 7 The firm should quote rate for each Model separately as specified in the Quotations.

The quotation will be received upto 2.30 PM in the office of E.E. (C-II) Room No. MZ-136 and opened at 3.00 PM on the due date of opening.

Quotation received after 2.30 PM on the due date are liable to be rejected.

Authorities of IIT Delhi reserve the right to reject any or all the quotations accept them in part or to reject lowest quotation without assigning any reason whatsoever.

For more details please see our **website- www.iitd.ac.in**


Executive Engineer (C-II)

Ch. To: -PLN-05

Copy to:-

1. Institute Engineer
2. D.A. (Works)
3. D.R. (Accts.)- For opening of quotation on **09.06.2014 at 3:00PM** in the office of E.E.(C-II) Room No. MZ -136
4. Notice Board
5. Office copy
6. Web site Administrator, IIT Delhi.
7. NIQ: - publicity on Website of Institute as well as on CPP portal <http://eprocure.gov.in> may be ensured as per instruction issued.
8. PFC Member
9. A.E.E.(C)

Schedule of Quantity


Name of work: - Supply of C.P. Fittings for type III-A houses at IIT Delhi

| SL. NO. | Description of item | Quantity | Unit | Rate | | Amount |
|---------|--|----------|------|-----------|----------|--------|
| | | | | In figure | in words | |
| 1 | C.P. Brass Bib Cock (Long Body) make Marc - MOR-1030, Jaquar - CON - 107 KN or Similar item of Kohler. | 25 | Each | | | |
| 2 | C.P. Brass Bib Cock (Short Body) - make Marc - MOR-1020A, Jaquar - CON - 037 KN or Similar item of Kohler. | 15 | Each | | | |
| 3 | C.P. Shower Arm - make Marc - MSH - 1260, Jaquar - SHA-477 or Similar item of Kohler. | 10 | Each | | | |
| 4 | C.P. Brass Stop Cock (Concealed) make Marc - MOR-1040A, Jaquar - CON-083 KN or Similar item of Kohler. | 20 | Each | | | |
| 5 | C.P. Brass Angle Valve - make Marc - MOR-1060A, Jaquar - CON - 053 KN or Similar item of Kohler. | 65 | Each | | | |
| 6 | C.P. Health Faucet - make Jaquar - ALD - 573 or Similar item of Kohler. | 10 | Each | | | |

[Handwritten Signature]

| | | | | | | |
|-------------------------|---|----|------|--|--|--|
| 7 | C.P. Shower Head - make Marc - MSR - 1090, Jaquar SHA-1989 or Similar item of Kohler. | 10 | Each | | | |
| 8 | C.P. Bottle Trap - make Marc - MAC-3010, Jaquar - ALD-769 L or Similar item of Kohler. | 10 | Each | | | |
| 9 | C.P. Central Hole Basin Mixer - make Marc - MOR-1100, Jaquar - CON - 167KNB or Similar item of Kohler. | 10 | Each | | | |
| 10 | C.P. Wall Mixer Non Telephonic - make Marc - MOR-1120, Jaquar - CON - 219 KN or Similar item of Kohler. | 10 | Each | | | |
| 11 | C.P. Single Towel Rail - 600mm long - make Jaquar - AQN - 7711 or Similar item of Kohler or MARCH | 10 | Each | | | |
| 12 | C.P. Glass Shelf - 600mm long - make Jaquar - ACN - 1171N or Similar item of Kohler or MARCH | 10 | Each | | | |
| 13 | C.P. Corner Glass Shelf with bracket - make Jaquar - ACN - 1173 or Similar item of Kohler or MARCH | 10 | Each | | | |
| Total Amount Rs. | | | | | | |

A.E.E.(C)


Executive Engineer (C-II)