Notice Inviting Quotation (E-Procurement mode) कोटेशन को आमंत्रित करने की सूचना (इ-प्रोक्योर्मेंट मोड)

INDIAN INSTITUTE OF TECHNOLOGY DELHI भारतीय प्रौद्योगिकी संस्थान दिल्ली HAUZ KHAS, NEW DELHI-110016 हौज ख़ास, नई दिल्ली -110016

Dated/ दिनांक: 21/02/2024

Open Tender Notice No. / खुला प्रस्ताव निविदा सूचना नंबर: IITD/BCVL(SP-4554)/2024

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

इंडियन इंस्टीट्यूट ऑफ टेक्नोलॉजी दिल्ली निम्नलिखित मदों की खरीद की प्रक्रिया में है।

Details of the item आइटम का विवरण	Benchtop Spectrophotometer
Earnest Money Deposit to be submitted	NIL. However, bidders are required to submit 'Bid
बयाना जमा करने के लिए जमा राशि	Security Undertaking' in lieu of EMD (Annexure-IX)
Warranty वारंटी अवधि	3 Years/3 साल
Performance security निष्पादन सुरक्षा	3% of item value
Delivery Schedule	15 days Pl. refer Terms & Conditions No.12
Mandatory Minimum Local Content	 50% for Class 1 Supplier 20% for Class II Supplier
Margin of Purchase Preference for Local Content	20% (Pl. refer to the DPIIT Order mentioned at T&C No.45)

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app . Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app . The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

निविदा दस्तावेज केन्द्रीय सार्वजिनक खरीद पोर्टल http://eprocure.gov.in/eprocure/app से डाउनलोड हो सकते हैं ई-प्रोक्योरमेंट में पंजीकृत नहीं होने वाले इच्छुक बोलीदाताओं को वेबसाइट http://eprocure.gov.in/eprocure/app के माध्यम से भाग लेने से पहले पंजीकरण करना चाहिए। पोर्टल नामांकन मुफ्त है बोलीदाताओं को सलाह दी जाती है कि 'ऑनलाइन बोली के लिए निर्देश' पर दिए गए निर्देशों के माध्यम से जाने की सलाह दी जाए।

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

निविदाकर्ता वेबसाइट पर निविदा दस्तावेज का उपयोग कर सकते हैं (एनआईसी साइट में खोज के लिए, कृपया निविदा खोज विकल्प और 'आईआईटी' टाइप करें। उसके बाद, सभी आईआईटी दिल्ली निविदाओं को देखने के लिए "गो" बटन पर क्लिक करें) उपयुक्त निविदा का चयन करें और उन्हें सभी प्रासंगिक सूचनाओं से भरें और वेबसाइट पर http://eprocure.gov.in/eprocure/app पर पूरा निविदा दस्तावेज ऑनलाइन जमा करें। अगले पृष्ठ में दिए गए कार्यक्रम के अनुसार

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the E-procurement portal).

कोई मैन्युअल बोली स्वीकार नहीं की जाएगी। सभी कोटेशन (तकनीकी और वित्तीय दोनों को ई-प्रोक्योरमेंट पोर्टल में जमा करना चाहिए)

SCHEDULE

CHEPCEE		
Name of Organization	Indian Institute of Technology Delhi	
Tender Type (Open/Limited/EOI/Auction/Single/Global)	Open Tender	
Tender Category (Services/Goods/works)	Goods	
Type/Form of Contract (Work/Supply/ Auction/ Service/ Buy/ Empanelment/ Sell)	Buy, Supply & Installation	
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Benchtop Spectrophotometer	
Source of Fund (Institute/Project)	Budget/ Project Code : DDF (MI00639G)	
Currency	Indian Rupee (INR)	
Date of Issue/Publishing	21/02/2024 (15:00 Hrs)	
Document Download/Sale Start Date	21/02/2024 (15:00 Hrs)	
Document Download/Sale End Date	13/03/2024 (15:00 Hrs)	
Date for Pre-Bid Conference		
Venue of Pre-Bid Conference		
Last Date and Time for Uploading of Bids	13/03/2024 (15:00 Hrs)	
Date and Time of Opening of Technical Bids	14/03/2024 (15:00 Hrs)	
Tender Fee (If any)	Rs. NIL/- (For Tender Fee) (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)	
No. of Covers (1/2/3/4)	02	
Bid Validity days (180/120/90/60/30)	60 days (From last date of opening of tender)	
Address for Communication	Prof. S. Chakma , Water Resources & Engg Lab, Civil Engg Dept, IIT Delhi-110016	
Contact No.	011-26596366	
Email Address	schakma@iitd.ac.in, a26668@iitd.ac.in, sharankumar@iitd.ac.in	

Chairman Purchase Committee (Buyer Member)

Instructions for Online Bid Submission/ ऑनलाइन बोली (बिड) के लिए निर्देश:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

व्यय विभाग के निर्देशों के अनुसार, यह निविदा दस्तावेज केंद्रीय सार्वजनिक प्रापण पोर्टल (यूआरएल: http://eprocure.gov.in/eprocure/app) पर प्रकाशित किया गया है। बोलीदाताओं को मान्य डिजिटल हस्ताक्षर प्रमाण पत्र का उपयोग करते हुए सीपीपी पोर्टल पर इलेक्ट्रॉनिक रूप से अपनी बोलियों की सॉफ्ट प्रतियां जमा करना आवश्यक है। सीपीपी पोर्टल पर पंजीकरण करने के लिए निविदाकर्ताओं की सहायता करने के लिए नीचे दिए गए निर्देशों का मतलब है, सीपीपी पोर्टल पर आवश्यकताओं के अनुसार अपनी बोलियां तैयार करें और अपनी बोलियां ऑनलाइन जमा करें।

More information useful for submitting online bids on the CPP Portal may be obtained at: अधिक जानकारी सीपीपी पोर्टल पर ऑनलाइन बोलियां जमा करने के लिए उपयोगी हो सकती है: http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
 - बोलीदाताओं को "नामांकन के लिए यहां क्लिक करें" लिंक पर क्लिक करके सेंट्रल पब्लिक प्रोक्युरमेंट पोर्टल (यूआरएल: http://eprocure.gov.in/eprocure/app) के ई-प्रोक्योरमेंट मॉड्यूल पर भर्ती करना आवश्यक है। सीपीपी पोर्टल पर नामांकन नि: शुल्क है
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
 - नामांकन प्रक्रिया के भाग के रूप में, बोलीदाताओं को अपने खाते के लिए एक अद्वितीय उपयोगकर्ता नाम चुनना होगा और एक पासवर्ड प्रदान करना होगा।
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
 - बोलीदाताओं को सलाह दी जाती है कि पंजीकरण प्रक्रिया के भाग के रूप में अपना वैध ईमेल पता और मोबाइल नंबर पंजीकृत करें। इन का उपयोग सीपीपी पोर्टल से किसी भी संचार के लिए किया जाएगा।
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
 - नामांकन पर, बोलीदाताओं को सीसीए इंडिया द्वारा मान्यता प्राप्त किसी प्रमाणन प्राधिकरण द्वारा जारी किए गए अपने मान्य डिजिटल हस्ताक्षर प्रमाण पत्र (कक्षा द्वितीय या कक्षा III प्रमाण पत्र के साथ महत्वपूर्ण उपयोग पर हस्ताक्षर करने) की आवश्यकता होगी (जैसे सिफी / टीसीएस / एनकोड / ई-मुद्रा आदि), उनके प्रोफाइल के साथ
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
 - केवल एक मान्य डीएससी एक बोलीदाता द्वारा पंजीकृत होना चाहिए। कृपया ध्यान दें कि निविदाकर्ता यह सुनिश्चित करने के लिए ज़िम्मेदार हैं कि वे अपने डीएससी को दूसरों को उधार नहीं देते हैं जिससे दुरुपयोग हो सकता है।

6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

बोलीदाता फिर अपने यूजर आईडी / पासवर्ड और डीएससी / ईटीकेन के पासवर्ड को दर्ज करके सुरक्षित लॉग-इन के माध्यम से साइट पर लॉग ऑन करता है।

SEARCHING FOR TENDER DOCUMENTS/ निविदा दस्तावेजों के लिए खोजना

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
 - सीपीपी पोर्टल में निर्मित विभिन्न खोज विकल्प हैं, ताकि बोलीदाताओं को कई मापदंडों से सक्रिय निविदाएं खोज सकें। इन मापदंडों में निविदा आईडी, संगठन का नाम, स्थान, तिथि, मूल्य आदि शामिल हो सकते हैं। निविदाओं के लिए उन्नत खोज का एक विकल्प भी है, जिसमें बोलीदाता कई नामों को जोड़ सकते हैं जैसे संगठन का नाम, अनुबंध का स्थान, स्थान, सीपीपी पोर्टल पर प्रकाशित निविदा की खोज के लिए तारीख, अन्य कीवर्ड आदि।
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
 - बोलीदाताओं ने एक बार निविदाएं चुनी हैं जिसमें वे रुचि रखते हैं, उसका वे आवश्यक दस्तावेज / निविदा कार्यक्रम डाउनलोड कर सकते हैं। ये निविदाएं 'मेरी निविदाओं' फ़ोल्डर में ले जाई जा सकती हैं। इससे सीपीपी पोर्टल को बोलीदाताओं को एसएमएस / ई-मेल के माध्यम से सूचित किया जा सकता है, यदि निविदा दस्तावेज में कोई शुद्धि जारी कि गई है।
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
 - बोलीदाता को प्रत्येक निविदा को निर्दिष्ट अद्वितीय निविदा आईडी का नोट बनाना चाहिए, अगर वे हेल्पडेस्क से कोई स्पष्टीकरण / सहायता प्राप्त करना चाहते हैं।

PREPARATION OF BIDS / बोली (बिड) की तैयारी

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
 - बोलीदाता को अपनी बोलियां जमा करने से पहले निविदा दस्तावेज पर प्रकाशित किसी भी शुद्धि को ध्यान में रखना चाहिए।
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
 - कृपया बोली के भाग के रूप में जमा किए जाने वाले दस्तावेजों को समझने के लिए निविदा विज्ञापन और निविदा दस्तावेज ध्यान से देखें। कृपया उन अंकों की संख्या पर ध्यान दें जिन में बोली दस्तावेज जमा करना है, दस्तावेजों की संख्या जिसमें प्रत्येक दस्तावेज के नाम और सामग्री शामिल हैं, जिन्हें प्रस्तुत करने की आवश्यकता है। इनमें से कोई भी विचलन बोली को अस्वीकार कर सकता है।
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.

बोलीदाता, अग्रिम में, निविदा दस्तावेज / अनुसूची में बताए अनुसार प्रस्तुत करने के लिए बोली दस्तावेज तैयार करना चाहिए और आम तौर पर, वे पीडीएफ / एक्सएलएस / आरएआर / डीडब्ल्यूएफ स्वरूपों में हो सकते हैं। बोली दस्तावेजों को 100 डीपीआई के साथ काले और सफेद विकल्प स्कैन किया जा सकता है।

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

मानक दस्तावेजों के एक ही सेट को अपलोड करने के लिए आवश्यक समय और प्रयास से बचने के लिए जो प्रत्येक बोली के भाग के रूप में जमा करने के लिए आवश्यक हैं, ऐसे मानक दस्तावेज अपलोड करने का प्रावधान (जैसे पैन कार्ड कॉपी, वार्षिक रिपोर्ट, लेखा परीक्षक प्रमाण पत्र आदि)) बोलीदाताओं को प्रदान किया गया है। ऐसे दस्तावेजों को अपलोड करने के लिए बोलीकर्ता उनके लिए उपलब्ध "मेरा स्पेस" क्षेत्र का उपयोग कर सकते हैं। बोली जमा करते समय ये दस्तावेज़ सीधे "मेरा स्पेस" क्षेत्र से जमा किए जा सकते हैं, और उन्हें बार-बार अपलोड करने की ज़रूरत नहीं है इससे बोली जमा प्रक्रिया के लिए आवश्यक समय में कमी आएगी।

SUBMISSION OF BIDS/ बोली (बिड) का जमा करना

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues. बोलीदाता को बोली प्रस्तुति के लिए अच्छी तरह से साइट पर लॉग इन करना चाहिए ताकि वह समय पर बोली अपलोड कर सके या फिर बोली प्रस्तुत करने के समय से पहले। अन्य मुद्दों के कारण किसी भी देरी के लिए बोलीदाता जिम्मेदार होगा।
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
 - बोलीदाता को निविदा दस्तावेज में दर्शाए अनुसार एक-एक करके आवश्यक बोली दस्तावेजों को डिजिटल हस्ताक्षर और अपलोड करना होगा।
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee as applicable and enter details of the instrument. Whenever, Tender fees is sought, bidders need to pay the tender fee separately online through RTGS (Refer to Schedule, Page No.2).
 - बोलीदाता को निविदा शुल्क / ईएमडी को भुगतान के लिए "ऑन लाइन" के रूप में भुगतान विकल्प चुनना होगा और उपकरण का विवरण दर्ज करना होगा। जब भी, ईएमडी / निविदा शुल्क की मांग की जाती है, बोलीदाताओं को टेंडर शुल्क और ईएमडी अलग-अलग आरटीजीएस के माध्यम से ऑन लाइन पर भुगतान करने की आवश्यकता होती है (अनुसूची, पेज नं .2 देखें)।
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

एक मानक BoQ प्रारूप को सभी बोलीदाताओं द्वारा भरने के लिए निविदा दस्तावेज प्रदान किया गया है। बोलीदाताओं को इस बात का ध्यान रखना चाहिए कि उन्हें आवश्यक प्रारूप में अपनी वित्तीय बोली जमा करनी चाहिए और कोई अन्य प्रारूप स्वीकार्य नहीं है। बोलीकर्ताओं को BoQ फाइल को डाउनलोड करने, इसे खोलने और अपने संबंधित वित्तीय उद्धरण और अन्य विवरण (जैसे बोलीदाता का नाम) के साथ सफेद रंगीन (असुरक्षित) कोशिकाओं को पूरा करना आवश्यक है। कोई भी अन्य कक्ष नहीं बदला जाना चाहिए। एक बार विवरण पूरा हो जाने पर, बोलीदाता को इसे सहेजना होगा और इसे ऑनलाइन जमा करना होगा, बिना फ़ाइल नाम बदलना। यदि BOQ फ़ाइल को बोलीदाता द्वारा संशोधित किया गया है, तो बोली को खारिज कर दिया जाएगा।

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
 - सर्वर का समय (जो बोलीदाताओं के डैशबोर्ड पर प्रदर्शित होता है) बोलीदाताओं द्वारा बोलियों को खोलने के लिए समय सीमा को संदर्भित करने के लिए मानक समय के रूप में माना जाएगा। बोलीदाताओं को खोलना आदि। बोलीदाताओं को बोली प्रस्तुत करने के दौरान इस समय का पालन करना चाहिए।
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
 - बोलीदाताओं द्वारा प्रस्तुत सभी दस्तावेज पीकेआई एन्क्रिप्शन तकनीकों का उपयोग करके एन्क्रिप्ट किया जाएगा जिससे डेटा की गोपनीयता सुनिश्चित हो सके। दर्ज किए गए डेटा को अनिधकृत व्यक्तियों द्वारा बोली खोलने के समय तक नहीं देखा जा सकता है। बोलियों की गोपनीयता को सुरक्षित सॉकेट लेयर 128 बिट एन्क्रिप्शन तकनीक का उपयोग कर रखा जाता है। संवेदनशील क्षेत्रों का डेटा संग्रहण एन्क्रिप्शन किया जाता है।
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
 - अपलोड किए गए निविदा दस्तावेज केवल अधिकृत बोलीदाता द्वारा निविदा खोलने के बाद ही पठनीय हो सकते हैं।
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
 - बोलियों के सफल और समय पर जमा होने पर, पोर्टल एक सफल बोली प्रस्तुत करने का संदेश देगा और एक बोली सारांश बोली संख्या के साथ प्रदर्शित किया जाएगा। और अन्य सभी प्रासंगिक विवरणों के साथ बोली प्रस्तुत करने की तारीख और समय।
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet. कृपया अनुपालन पत्रक की एक पीडीएफ फाइल में सभी प्रासंगिक दस्तावेजों के स्कैन किए गए पीडीएफ़ को जोड़ दें।

ASSISTANCE TO BIDDERS / बोलीदाताओं को सहायता

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
 - निविदा दस्तावेज से संबंधित कोई भी प्रश्न और इसमें निहित नियमों और शर्तों को निविदा आमंत्रण प्राधिकरण को निविदा के लिए या निविदा में वर्णित प्रासंगिक संपर्क व्यक्ति से संबोधित किया जाना चाहिए।
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.
 - ऑनलाइन बोली प्रस्तुत करने या सामान्य में सीपीपी पोर्टल से संबंधित प्रश्नों की प्रक्रिया से संबंधित कोई भी प्रश्न 24x7 सीपीपी पोर्टल हैल्पडेस्क पर निर्देशित किया जा सकता है। हेल्पडेस्क के लिए संपर्क संख्या 1800 233 7315 है

General Instructions to the Bidders / बोलीदाताओं के लिए सामान्य निर्देश

1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format. निविदाएं पोर्टल http://eprocure.gov.in/eprocure/app के माध्यम से ऑनलाइन प्राप्त होंगी तकनीकी बोलियों में, बोलीदाताओं को सभी दस्तावेजों को। पीडीएफ प्रारूप में अपलोड करना होगा।

- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".

 कंपनी के नाम में स्मार्ट कार्ड / ई-टोकन के रूप में मान्य क्लास ॥ / ॥ डिजिटल हस्ताक्षर प्रमाण पत्र (डीएससी) के पंजीकरण के लिए एक शर्त है और https://eprocure.gov.in/eprocure/ के माध्यम से बोली प्रस्तुत करने की गतिविधियों में भाग ले सकते है। डिजिटल हस्ताक्षर प्रमाण पत्र अधिकृत प्रमाणित एजेंसियों से प्राप्त की जा सकती है, जिनमें से जानकारी "डीएससी के बारे में सूचना" लिंक के तहत वेब साइट https://eprocure.gov.in/eprocure/app पर उपलब्ध है।
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the esubmission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

 निविदाकर्ता को सलाह दी जाती है कि वे निविदाकार को निर्देश दिए गए हों ताकि ई-प्रोक्योरमेंट के लिए सेंट्रल पब्लिक प्रोकॉर्ममेंट पोर्टल के जिरए https://eprocure.gov.in/eprocure/app पर ऑनलाइन निविदाएं जमा कर सकें।

Department of Civil Engineering Indian Institute of Technology Hauz Khas, New Delhi-110 016

NOTICE INVITING QUOTATIONS

Subject: Purchase of Benchtop Spectrophotometer

Invitation for Tender Offers

Indian Institute of Technology Delhi invites online Bids (Technical bid and Commercial bid) from eligible and experienced OEM (Original Equipment Manufacturer) OR OEM Authorized Dealer for **supply, installation & integration of Benchtop Spectrophotometer** with (warranty period as stated at page #1 of this tender) on site comprehensive warranty from the date of receipt of the material as per terms & conditions specified in the tender document, which is available on CPP Portal http://eprocure.gov.in/eprocure/app

TECHNICAL SPECIFICATION:

S. No.	Instrument Specification	*Values
1	Operating Mode Transmittance (%), absorbance, and concentration (wavelength, time)	
2	Source Lamp	Tungsten (visible range), deuterium (UV range)
3	Wavelength Range	190 - 1100 nm
4	Wavelength Accuracy	±1 nm
5	Wavelength Reproducibility	< 0.1 nm
6	Wavelength Resolution	0.1 nm
7	Wavelength Selection	Automatic, based on method selection
8	Spectral Bandwidth	2 nm
9	Photometric Measuring Range	±3 Abs
10	Photometric Accuracy <1% at 0.5-2.0 Abs at 546 nm, 5 mAbs at 0.0-0.5 Ab	
11	Scanning Speed	900 nm/min (in 1 nm steps)
12	Photometric Linearity	0.5% - 2 Abs , ≤1% at > 2 Abs with neutral glass at 546 nm
13	Stray Light	KI-solution at 220 nm < 3.3 Abs/< 0.05%
14	Display	TFT 7-inch WVGA color touch
15	Data Logger	5000 data points (result, date, time, sample ID, user ID)
16	Preprogrammed Methods	>250
17	User Programs	200
18	Sample Cell Compatibility	Rectangular: 10, 20, 30, 50 mm, 1 inch; round: 13 mm, 16 mm, 1 inch Optional 100 mm rectangular cell with additional adapter
19	Max Dimensions (H x W X D)	215 mm x 500 mm x 460 mm
20	Max Weight	11 kg
21	Operating Conditions	10 to 40°C, max. 80% relative humidity (non-condensing)

22	Storage Conditions	-25 to 60°C max. 80% relative humidity (non-condensing)
23	Instrument Enclosure Rating	IP 20 with closed lid
24	Interfaces	USB type A (2), USB type B, Ethernet, RFID module
25	On-Site Warranty	3 Years Warranty

*Attach Supporting Brochures, else the bid will be rejected

Sr. No	Parameters Specification	*Range
1	Alkalinity, Total (TNTplus)	25 - 400 mg/L
2	Aluminum	0.008 - 0.800 mg/L
3	Aluminum	0.002 - 0.250 mg/L
4	Aluminum (TNTplus)	0.02 - 0.50 mg/L
5	ANAMMOX Activity (TNTplus)	0 - 33 umol/L
6	Ammonia, Nitrogen	0.01 - 0.50 mg/L
7	Ammonia, Nitrogen (TNTplus), ULR	0.015 - 2.000 mg/L
8	Ammonia, Nitrogen	0.02 - 2.50 mg/L
9	Ammonia, Nitrogen (Test 'N Tube), LR	0.02 - 2.50 mg/L
10	Ammonia, Nitrogen (TNTplus), LR	1 - 12 mg/L
11	Ammonia, Nitrogen (Test 'N Tube), HR	0.4 - 50.0 mg/L
12	Ammonia, Nitrogen (TNTplus), HR	2 - 47 mg/L
13	Ammonia, Nitrogen (TNTplus), UHR	47 - 130 mg/L
14	Ammonia, Nitrogen (TNTplus), UHR+	100 - 1800 mg/L
15	Arsenic	0.020 - 0.200 mg/L
16	Barium	2 - 100 mg/L
17	Benzotriazole	1.0 - 16.0 mg/L
18	Boron (TNTplus)	0.05 - 2.50 mg/L
19	Boron	0.2 - 14.0 mg/L
20	Bromine	0.05 - 4.50 mg/L
21	Bromine (AccuVac)	0.05 - 4.50 mg/L
22	Cadmium	0.7 - 80.0 μg/L
23	Cadmium (TNTplus) ¹	0.02 - 0.30 mg/L
24	Carbohydrazide	5 - 600 μg/L
25	Chloramine, Mono, LR	0.04 - 4.50 mg/L
26	Chloramine, Mono (Test 'N Tube), HR	0.1 - 10.0 mg/L
27	Chloride	0.1 - 25.0 mg/L
28	Chloride (TNTplus)	1 - 70 mg/L Cl, 70 - 1000 mg/L Cl
29	Chlorine, Free	0.04 - 4.50 mg/L
30	Chlorine, Free	0.02 - 2.00 mg/L
31	Chlorine, Free (AccuVac)	0.02 - 2.00 mg/L
32	Chlorine, Free (Pour-Thru Cell)	0.02 - 2.00 mg/L
33	Chlorine, Free (TNTplus)	0.05 - 2.00 mg/L
34	Chlorine, Free (Test 'N Tube)	0.09 - 5.00 mg/L
35	Chlorine, Free, MR	0.05 - 4.00 mg/L
36	Chlorine, Free, HR	0.1 - 10.0 mg/L
37	Chlorine, Free & Total (TNTplus)	0.05 - 2.00 mg/L

38	Chlorine, Total (Pour-Thru Cell), ULR	2 - 500 μg/L
39	Chlorine, Total	0.02 - 2.00 mg/L
40	Chlorine, Total (AccuVac)	0.02 - 2.00 mg/L
41	Chlorine, Total (Pour-Thru Cell)	0.02 - 2.00 mg/L
42	Chlorine, Total (Test 'N Tube)	0.09 - 5.00 mg/L
43	Chlorine, Total, MR	0.05 - 4.00 mg/L
44	Chlorine, Total, HR	0.1 - 10.0 mg/L
45	Chlorine Demand/Requirement	Multiple Ranges
46	Chlorine Dioxide, DPD	0.04 - 5.00 mg/L
47	Chlorine Dioxide, LR	0.01 - 1.00 mg/L
48	Chlorine Dioxide, MR	1 - 50 mg/L
49	Chlorine Dioxide, HR	5 - 1000 mg/L
50	Chromium, Hexavalent	0.010 - 0.700 mg/L
	Chromium, Hexavalent and Total	
51	(TNTplus)	0.03 - 1.00 mg/L
52	Chromium, Total	0.01 - 0.70 mg/L
53	Cobalt	0.01 - 2.00 mg/L
54	COD, ULR	0.7 - 40.0 mg/L
55	COD, LR	3 - 150 mg/L
56	COD, HR	20 - 1,500 mg/L
57	COD, HR+	200 - 15,000 mg/L
58	COD	30 - 1000 mg/L
59	COD, Mercury-Free (TNTplus), HR	25 - 1000 mg/L
60	COD in Salt Water (TNTplus), LR	7 - 70 mg/L
61	COD in Salt Water (TNTplus), HR	70 - 700 mg/L
62	COD (TNTplus), ULR	1 - 60 mg/L
63	COD (TNTplus), LR	3 - 150 mg/L
64	COD (TNTplus), HR	20 - 1500 mg/L
65	COD (TNTplus), UHR	250 - 15,000 mg/L
66	COD (TNTplus) UHR+	5,000 - 60,000 mg/L
67	Color ⁵	3 - 1000 units
68	Color, True and Apparent	15 - 500 units
69	Color, True and Apparent, LR	3 - 500 units
70	Copper, LR	1 - 210 μg/L
71	Copper	0.04 - 5.00 mg/L
72	Copper (AccuVac)	0.04 - 5.00 mg/L
73	Copper (TNTplus) ²	0.1 - 8.0 mg/L
74	Cyanide	0.002 - 0.240 mg/L
75	Cyanide (TNTplus)	0.01 - 0.6 mg/L CN
76	DEHA (Diethylhydroxylamine)	3 - 450 μg/L
77	Detergents (Surfactants)	0.002 - 0.275 mg/L
78	Dissolved Oxygen (AccuVac), LR	0.04 - 4.50 mg/L
79	Dissolved Oxygen (AccuVac), HR	0.3 - 15.0 mg/L
80	Dissolved Oxygen (AccuVac), UHR	1.0 - 40.0 mg/L
81	Erythorbic Acid (Isoascorbic Acid)	13 - 1500 μg/L
82	Fluoride, Arsenic Free	0.02 - 2.00 mg/L
83	Fluoride, Arsenic Free (AccuVac)	0.02 - 2.00 mg/L
84	Fluoride, Arsenic Free (TNTplus)	0.1 - 2.5 mg/L
85	Fluoride	0.02 - 2.00 mg/L
86	Fluoride (AccuVac)	0.02 - 2.00 mg/L
87	Formaldehyde	3 - 500 µg/L
t	· · · · · · · · · · · · · · · · · · ·	. IV

88	Formaldehyde (TNTplus)	0.5 - 10 mg/L H₂CO
89	Hardness, Total, ULR	8 - 1000 µg/L
90	Hardness, Total, ULR (Pour-Thru Cell)	4 - 1000 μg/L
91	Hardness, Ca & Mg	0.05 - 4.00 mg/L
92	Hardness, Water (TNTplus)	20 - 350 mg/L as CaCO₃ 5 - 100 mg/L Ca 3 - 50 mg/L Mg
93	Hydrazine	4 - 600 μg/L
94	Hydrogen Peroxide (H ₂ O ₂) ¹	0.05 - 5.00 mg/L
95	Hydroquinone	9 - 1000 μg/L
96	International Bitterness Units (TNTplus)	≥ 2 BE
97	Iodine DPD	0.07 - 7.00 mg/L
98	Iodine DPD (AccuVac)	0.07 - 7.00 mg/L
99	Iron (TNTplus) ²	0.2 - 6.0 mg/L
100	Iron	0.009 - 1.400 mg/L
101	Iron (Pour-Thru Cell)	0.009 - 1.400 mg/L
102	Iron, Ferrous	0.02 - 3.00 mg/L
103	Iron, Total	0.01 - 1.80 mg/L
104	Iron, Total	0.012 - 1.800 mg/L
105	Iron, Total	0.02 - 3.00 mg/L
106	Iron, Total (AccuVac)	0.02 - 3.00 mg/L
107	Iron, Total (5-cm Sample Cell)	0.01 - 1.00 mg/L
108	Isoascorbic Acid (Erythorbic Acid) (ISA)	13 - 1500 μg/L
109	Lead	5 - 150 μg/L
110	Lead	3 - 300 μg/L
111	Lead (TNTplus) ²	0.1 - 2.0 mg/L
112	Manganese, LR	0.006 - 0.700 mg/L
113	Manganese, LR	0.005 - 0.500 mg/L
114	Manganese, HR	0.1 - 20.0 mg/L
115	Magnesium (TNTplus)	0.5 - 50 mg/L Mg
116	Mercury	0.1 - 2.5 μg/L
117	Methylethylketoxime (MEKO)	15 - 1000 μg/L
118	Molybdenum, Molybdate, LR	0.02 - 3.00 mg/L
119	Molybdenum, Molybdate, HR	0.2 - 40.0 mg/L
120	Nickel	0.006 - 1.000 mg/L
121	Nickel	0.02 - 1.80 mg/L
122	Nickel (TNTplus) ²	0.1 - 6.0 mg/L
123	Nitrate, Nitrogen, LR	0.01 - 0.50 mg/L
124	Nitrate, Nitrogen (TNTplus), LR	0.23 - 13.5 mg/L
125	Nitrate, Nitrogen, MR	0.1 - 10.0 mg/L
126	Nitrate, Nitrogen (AccuVac), MR	0.1 - 10.0 mg/L
127	Nitrate, Nitrogen	0.1 - 10.0 mg/L
128	Nitrate, Nitrogen (Test 'N Tube), HR	0.2 - 30.0 mg/L
129	Nitrate, Nitrogen, HR	0.3 - 30.0 mg/L
130	Nitrate, Nitrogen (AccuVac), HR	0.3 - 30.0 mg/L
131	Nitrate, Nitrogen (TNTplus), HR	5 - 35 mg/L
132	Nitrite, Nitrogen, LR	0.002 - 0.300 mg/L

134 Nitrite, Nitrogen (TNTplus), LR 0.015 - 0.600 mg/L 135 Nitrite, Nitrogen (TNTplus), HR 0.6 - 6.0 mg/L 136 Nitrite, Nitrogen (TNTplus), UHR 2 - 90 mg/L 137 Nitrite, Nitrogen, TNTplus), UHR 2 - 250 mg/L 138 Nitrogen, Total (Test 'N Tube), LR 0.5 - 25.0 mg/L 139 Nitrogen, Total (TNTplus), LR 1 - 16 mg/L 140 Nitrogen, Total (TNTplus), HR 5 - 40 mg/L 141 Nitrogen, Total (TNTplus), HR 2 - 150 mg/L 142 Nitrogen, Total (TNTplus), UHR 2 - 150 mg/L 143 Nitrogen, Total (TNTplus), UHR 20 - 100 mg/L 144 Nitrogen, Total (TNTplus), UHR 20 - 100 mg/L 144 Nitrogen, Total (TNTplus), UHR 20 - 100 mg/L 145 Nitrogen, Total Kiledahi (TKN) 1 - 150 mg/L 146 Organic Constituents, UV-Absorbing (UV-254) Varies-Units Abs/cm 147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), MR 0.01 - 0.75 mg/L 149 Ozone (AccuVac), HR 0.01 - 150 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorus, Reactive 0.02 - 125.0 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phesphorus, Reactive (Fost 'N Tube) 0.06 - 5.00 mg/L 156 Phosphorus, Reactive (Fost 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (Fost 'N Tube) 0.06 - 5.00 mg/L 158 Phosphorus, Reactive (Test 'N Tube) 0.07 - 0.00 mg/L 159 Phosphorus, Reactive (Test 'N Tube) 0.06 - 3.50 mg/L 160 Phosphorus, Reactive (Test 'N Tube) 0.06 - 3.50 mg/L 161 Phosphorus, Reactive (Test 'N Tube) 0.06 - 3.50 mg/L 162 Phosphorus, Reactive (Total 'N Tube) 0.06 - 3.50 mg/L 163 Phosphorus, Reactive (Total 'N Tube) 0.06 - 3.50 mg/L 164 Phosphorus, Reactive (Total 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Reactive (Total 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus), HR 0.15 - 4.50 mg/L 167 Phosphorus, Reactive and Total	133	Nitrite, Nitrogen (Test 'N Tube), LR	0.003 - 0.500 mg/L
135			
136	135		
137 Nitrite, Nitrogen, Total (Test 'N Tube), LR 0.5 - 25.0 mg/L 138 Nitrogen, Total (TNTplus), LR 1 - 16 mg/L 1 - 15 mg/L 1 -	136		
139 Nitrogen, Total (TNTplus), LR 1 - 16 mg/L 140 Nitrogen, Total (TNTplus), HR 5 - 40 mg/L 141 Nitrogen, Total (TNTplus), HR 2 - 150 mg/L 142 Nitrogen, Total (TNTplus), UHR 20 - 100 mg/L 143 Nitrogen, Total Inorganic (TIN) (Test N Tube) 144 Nitrogen, Simplified TKN (TNTplus) 0.2 - 25.0 mg/L 145 Nitrogen, Simplified TKN (TNTplus) 0 - 16 mg/L 146 Organic Constituents, UV-Absorbing (UV-254) Varies-Units Abs/cm (UV-254) 147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), HR 0.01 - 0.75 mg/L 149 Ozone (AccuVac), HR 0.01 - 1.50 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (Test 'N Tube) 0.10 - 0.50 mg/L 158 Cell) Phosphorus, Reactive (Form Sample Cell), HR 0.01 - 0.50 mg/L 160 Phosphorus, Reactive (Form Sample Cell), HR 0.01 - 0.50 mg/L 161 Phosphorus, Reactive (Test 'N Tube) 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Test 'N Tube) 0.6 - 3.00 mg/L 163 Phosphorus, Reactive (Four-Thru Cell), LR 19 - 3000 μg/L 164 Phosphorus, Reactive (Four-Thru Cell), LR 19 - 3000 μg/L 165 Phosphorus, Reactive (Test 'N Tube) 0.6 - 3.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-	137		2 - 250 mg/L
139 Nitrogen, Total (TNTplus), LR 1 - 16 mg/L 140 Nitrogen, Total (TNTplus), HR 5 - 40 mg/L 141 Nitrogen, Total (TNTplus), HR 2 - 150 mg/L 142 Nitrogen, Total (TNTplus), UHR 20 - 100 mg/L 143 Nitrogen, Total Inorganic (TIN) (Test N Tube) 144 Nitrogen, Simplified TKN (TNTplus) 0.2 - 25.0 mg/L 145 Nitrogen, Simplified TKN (TNTplus) 0 - 16 mg/L 146 Organic Constituents, UV-Absorbing (UV-254) Varies-Units Abs/cm (UV-254) 147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), HR 0.01 - 0.75 mg/L 149 Ozone (AccuVac), HR 0.01 - 1.50 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (Test 'N Tube) 0.10 - 0.50 mg/L 158 Cell) Phosphorus, Reactive (Form Sample Cell), HR 0.01 - 0.50 mg/L 160 Phosphorus, Reactive (Form Sample Cell), HR 0.01 - 0.50 mg/L 161 Phosphorus, Reactive (Test 'N Tube) 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Test 'N Tube) 0.6 - 3.00 mg/L 163 Phosphorus, Reactive (Four-Thru Cell), LR 19 - 3000 μg/L 164 Phosphorus, Reactive (Four-Thru Cell), LR 19 - 3000 μg/L 165 Phosphorus, Reactive (Test 'N Tube) 0.6 - 3.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-	138	Nitrogen, Total (Test 'N Tube), LR	0.5 - 25.0 mg/L
141	139		1 - 16 mg/L
142 Nitrogen, Total (TNTplus), UHR 20 - 100 mg/L 143 Nitrogen, Total Inorganic (TIN) (Test 'N Tube) 0.2 - 25.0 mg/L 144 Nitrogen, Simplified TKN (TNTplus) 0 - 16 mg/L 145 Nitrogen, Total Kjeldahl (TKN) 1 - 150 mg/L 146 Organic Constituents, UV-Absorbing (UV-254) Varies-Units Abs/cm 147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), MR 0.01 - 0.75 mg/L 149 Ozone (AccuVac), HR 0.01 - 1.50 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorates 0.02 - 125 0 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (S-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive (Test 'N Tube) 0.3 - 45.0 mg/L 160 Phosphorus, Reactive (Pour-Thru Cell), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 19 - 3000 μg/L 162 Phosphorus, Reactive (Test 'N Tube) 0.06 - 3.50 mg/L 163 Phosphorus, Reactive (Tour-Thru Cell), HR 19 - 3000 μg/L 164 Phosphorus, Reactive (Tour-Thru Cell), HR 1.0 - 100.0 mg/L 165 Phosphorus, Reactive (Tour-Thru Cell), HR 1.0 - 100.0 mg/L 166 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 167 Phosphorus, Reactive and Total (TNTplus), HR 1.0 - 100.0 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 1.5 - 15.0 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	140	Nitrogen, Total (TNTplus), HR	5 - 40 mg/L
143	141	Nitrogen, Total (Test 'N Tube), HR	2 - 150 mg/L
144 Nitrogen, Simplified TKN (TNTplus) 0 - 16 mg/L 145 Nitrogen, Total Kjeldahl (TKN) 1 - 150 mg/L 146 Organic Constituents, UV-Absorbing (UV-254) Varies-Units Abs/cm (UV-254) 147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), MR 0.01 - 0.75 mg/L 149 Ozone (AccuVac), HR 0.01 - 1.50 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorates 0.02 - 1250 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L 158 Phosphorus, Reactive (Test 'N Tube) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive (Test 'N Tube) 0.01 - 0.50 mg/L 160 Phosphorus, Reactive (Test 'N Tube) 0.3 - 45.0 mg/L 161 Phosphorus, Reactive (Test 'N Tube) 10 - 100.0 mg/L 162 Phosphorus, Reactive (Pour-Thru Cell), HR 10 - 100.0 mg/L 163 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 164 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Total (Test 'N Tube) 1.5 - 4.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus) 1.5 - 15.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 1.5 - 15.0 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	142	Nitrogen, Total (TNTplus), UHR	20 - 100 mg/L
145 Nitrogen, Total Kjeldahl (TKN) 1 - 150 mg/L 146	143		0.2 - 25.0 mg/L
145 Nitrogen, Total Kjeldahl (TKN) 1 - 150 mg/L 146 Organic Constituents, UV-Absorbing (UV-254) Varies-Units Abs/cm 147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), MR 0.01 - 1.50 mg/L 149 Ozone (AccuVac), HR 0.10 - 10.00 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorus, Reactive 0.02 - 125.0 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (5-cm Sample Cell) 0.23 - 30.00 mg/L 158 Phosphorus, Reactive (Four Sample Cell) 0.3 - 45.0 mg/L 159 Phosphorus, Reactive (Four Thru Cell), HR 1.0 - 100.0 mg/L 160 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell) 0.06 - 3.50 mg/L	144	Nitrogen, Simplified TKN (TNTplus)	0 - 16 mg/L
147 Ozone (AccuVac), LR 0.01 - 0.25 mg/L 148 Ozone (AccuVac), MR 0.01 - 0.75 mg/L 149 Ozone (AccuVac), HR 0.01 - 1.50 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorates 0.02 - 125.0 mg/L 154 Phosphorus, Reactive 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 158 Phosphorus, Reactive (S-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive (Test 'N Tube) 0.01 - 0.50 mg/L 160 Phosphorus, Reactive (Test 'N Tube) 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 163 Phosphorus, Reactive (Test 'N Tube) 1.0 - 100.0 mg/L 164 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 165 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 166 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 167 Phosphorus, Reactive and Total (TNTplus), LR 1.5 - 15.0 mg/L 168 Phosphorus, Reactive and Total (TNTplus), LR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 1.5 - 15.0 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	145	Nitrogen, Total Kjeldahl (TKN)	
148	146		Varies-Units Abs/cm
149 Ozone (AccuVac), HR 0.01 - 1.50 mg/L 150 Peracetic Acid (PAA)¹ 0.10 - 10.00 mg/L 151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphorus, Reactive 0.02 - 2.50 mg/L 154 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Totata 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive (Totata 'N Tube) 0.01 - 0.50 mg/L 158 Phosphorus, Reactive (Four Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 160 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 162 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 163 Phosphorus, Reactive (Totata 'N Tube) 0.06 - 3.50 mg/L 164 Phosphorus, Total (Test 'N Tube), HR 1.0 - 100.0 mg/L 165 Phosphorus, Reactive and Total (TNTplus), LR	147	Ozone (AccuVac), LR	0.01 - 0.25 mg/L
150	148	Ozone (AccuVac), MR	
151 Phenols 0.002 - 0.200 mg/L 152 Phenols (TNTplus) 5 - 150 mg/L 153 Phosphonates 0.02 - 125.0 mg/L 154 Phosphorus, Reactive 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive 0.23 - 30.00 mg/L 158 Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive (Test 'N Tube) 1.0 - 100.0 mg/L 160 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 163 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 164 Phosphorus, Acid Hydrolyzable (Test 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus), LR 0.15 - 4.50 mg/L 168 Phosphorus, Reactive and Total (TNTplus), UHR </td <td>149</td> <td>Ozone (AccuVac), HR</td> <td>0.01 - 1.50 mg/L</td>	149	Ozone (AccuVac), HR	0.01 - 1.50 mg/L
152	150	Peracetic Acid (PAA) ¹	0.10 - 10.00 mg/L
153	151	Phenols	
154 Phosphorus, Reactive 0.02 - 2.50 mg/L 155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive 0.23 - 30.00 mg/L 158 Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive 0.3 - 45.0 mg/L 160 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Pour-Thru Cell), HR 19 - 3000 μg/L 163 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 164 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Total (Test 'N Tube), HR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), LR 0.15 - 4.50 mg/L 168 Phosphorus, Reactive and Total (TNTplus), UHR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 0.1 - 7.0 mg/L 170	152	Phenols (TNTplus)	5 - 150 mg/L
155 Phosphorus, Reactive (AccuVac) 0.02 - 2.50 mg/L 156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive 0.23 - 30.00 mg/L 158 Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive 0.3 - 45.0 mg/L 160 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 163 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 164 Phosphorus, Acid Hydrolyzable (Test 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus), LR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 S	153	Phosphonates	0.02 - 125.0 mg/L
156 Phosphorus, Reactive (Test 'N Tube) 0.06 - 5.00 mg/L 157 Phosphorus, Reactive 0.23 - 30.00 mg/L 158 Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive 0.3 - 45.0 mg/L 160 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 162 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 163 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 164 Phosphorus, Acid Hydrolyzable (Test 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Reactive and Total (TNTplus), LR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 4.50 mg/L 168 (Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172	154	Phosphorus, Reactive	0.02 - 2.50 mg/L
157 Phosphorus, Reactive 0.23 - 30.00 mg/L 158 Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L 159 Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 160 Phosphorus, Reactive (Pour-Thru Cell), HR 0.3 - 45.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 162 Phosphorus, Reactive (Pour-Thru Cell), LR 19 - 3000 μg/L 163 Phosphorus, Reactive (TNTplus) 5.0 - 90.0 mg/L 164 Phosphorus, Acid Hydrolyzable (Test 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Total (Test 'N Tube), HR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), LR 0.15 - 4.50 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	155	Phosphorus, Reactive (AccuVac)	0.02 - 2.50 mg/L
Phosphorus, Reactive (5-cm Sample Cell) 0.01 - 0.50 mg/L	156	Phosphorus, Reactive (Test 'N Tube)	0.06 - 5.00 mg/L
159	157	Phosphorus, Reactive	0.23 - 30.00 mg/L
Phosphorus, Reactive (Test 'N Tube), HR 1.0 - 100.0 mg/L 161 Phosphorus, Reactive (Pour-Thru Cell), HR 162 Phosphorus, Reactive (Pour-Thru Cell), LR 163 Phosphorus, Reactive (TNTplus) 164 Phosphorus, Acid Hydrolyzable (Test 'N Tube) 165 Phosphorus, Total (Test 'N Tube) 166 Phosphorus, Total (Test 'N Tube), HR 167 Phosphorus, Reactive and Total (TNTplus), LR 168 Phosphorus, Reactive and Total (TNTplus), HR 169 Phosphorus, Reactive and Total (TNTplus), UHR 170 Potassium 171 Quaternary Ammonium Compounds 1.0 - 100.0 mg/L 1.0 - 100.0 mg/L 1.0 - 3.50 mg/L 1.0 - 100.0 mg/L 1.5 - 4.50 mg/L 1.5 - 15.0 mg/L 1.5 - 15.0 mg/L 1.7 - 100.0 mg/L	158		0.01 - 0.50 mg/L
HR	159	Phosphorus, Reactive	0.3 - 45.0 mg/L
Cell), HR	160	, , , , , , , , , , , , , , , , , , , ,	1.0 - 100.0 mg/L
Cell), LR	161		0.3 - 45.0 mg/L
163Phosphorus, Reactive (TNTplus)5.0 - 90.0 mg/L164Phosphorus, Acid Hydrolyzable (Test 'N Tube)0.06 - 3.50 mg/L165Phosphorus, Total (Test 'N Tube)0.06 - 3.50 mg/L166Phosphorus, Total (Test 'N Tube), HR1.0 - 100.0 mg/L167Phosphorus, Reactive and Total (TNTplus), LR0.15 - 4.50 mg/L168Phosphorus, Reactive and Total (TNTplus), HR1.5 - 15.0 mg/L169Phosphorus, Reactive and Total (TNTplus), UHR6 - 60 mg/L170Potassium0.1 - 7.0 mg/L171Quaternary Ammonium Compounds0.2 - 5.0 mg/L172Silica (Pour-Thru Cell), ULR3 - 1000 μg/L	162	·	19 - 3000 μg/L
164 'N Tube) 0.06 - 3.50 mg/L 165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Total (Test 'N Tube), HR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), LR 0.15 - 4.50 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	163	Phosphorus, Reactive (TNTplus)	5.0 - 90.0 mg/L
165 Phosphorus, Total (Test 'N Tube) 0.06 - 3.50 mg/L 166 Phosphorus, Total (Test 'N Tube), HR 1.0 - 100.0 mg/L 167 Phosphorus, Reactive and Total (TNTplus), LR 0.15 - 4.50 mg/L 168 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	164		0.06 - 3.50 mg/L
166Phosphorus, Total (Test 'N Tube), HR1.0 - 100.0 mg/L167Phosphorus, Reactive and Total (TNTplus), LR0.15 - 4.50 mg/L168Phosphorus, Reactive and Total (TNTplus), HR1.5 - 15.0 mg/L169Phosphorus, Reactive and Total (TNTplus), UHR6 - 60 mg/L170Potassium0.1 - 7.0 mg/L171Quaternary Ammonium Compounds0.2 - 5.0 mg/L172Silica (Pour-Thru Cell), ULR3 - 1000 μg/L	165		0.06 - 3.50 mg/L
Phosphorus, Reactive and Total (TNTplus), LR Phosphorus, Reactive and Total (TNTplus), HR 168 Phosphorus, Reactive and Total (TNTplus), HR Phosphorus, Reactive and Total (TNTplus), UHR 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L			
168 Phosphorus, Reactive and Total (TNTplus), HR 1.5 - 15.0 mg/L 169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L		Phosphorus, Reactive and Total	
169 Phosphorus, Reactive and Total (TNTplus), UHR 6 - 60 mg/L 170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	168	Phosphorus, Reactive and Total	1.5 - 15.0 mg/L
170 Potassium 0.1 - 7.0 mg/L 171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	169	Phosphorus, Reactive and Total	6 - 60 mg/L
171 Quaternary Ammonium Compounds 0.2 - 5.0 mg/L 172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L	170		0.1 - 7.0 mg/L
172 Silica (Pour-Thru Cell), ULR 3 - 1000 μg/L			
	172		
	173		

174	Silica, LR	0.010 - 1.600 mg/L
175	Silica, HR	1 - 100 mg/L
176	Sulfate	2 - 70 mg/L
177	Sulfate (TNTplus), LR	40 - 150 mg/L
178	Sulfate (TNTplus), HR	150 - 900 mg/L
179	Sulfide	5 - 800 μg/L
180	Sulfide (TNTplus)	0.1 - 2.0 mg/L
181	Surfactants, Anionic (TNTplus)	0.1 - 4.0 mg/L
182	Surfactants, Cationic (TNTplus)	0.2 - 2.0 mg/L
183	Surfactants, Nonionic LR (TNTplus)	0.2 - 6.0 mg/L as Triton x 100
184	Surfactants, Nonionic HR (TNTplus)	6 - 200 mg/L as Triton X-100
185	Suspended Solids	5 - 750 mg/L
186	Tannin & Lignin	0.1 - 9.0 mg/L
187	TOC (Total Organic Carbon), LR	0.3 - 20.0 mg/L
188	TOC - Total Organic Carbon (TNTplus), LR	1.5 - 30 mg/L
189	TOC (Total Organic Carbon), MR	15 - 150 mg/L
190	TOC (Total Organic Carbon), HR	100 - 700 mg/L
191	TOC - Total Organic Carbon (TNTplus), HR	30 - 300 mg/L
192	Tolytriazole	1.0 - 20.0 mg/L
193	Toxicity	0 - 100 % inhibition
194	TPH in Soil ¹	2 - 20 ppm, threshold
195	TPH in Water	2 - 20 ppm, threshold
196	Trihalomethanes (THM)	10 - 600 μg/L
197	Trihalomethane Formation Potential (THMFP)	10 - 600 μg/L
198	Vicinal Diketone - VDK (TNTplus)	0.015 - 0.5 mg/kg
199	Volatile Acids	27 - 2800 mg/L
200	Volatile Acids (TNTplus)	50 - 2500 mg/L
201	Zinc	0.01 - 3.00 mg/L

*Attach Supporting Brochures, else the bid will be rejected

A complete set of tender documents* may be Download by prospective bidder free of cost from the website http://eprocure.gov.in/eprocure/app. Bidder has to make payment of requisite fees (i.e. Tender fees, if any online through RTGS/NEFT only.

Terms & Conditions Details

Sl. No.	Specification
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after the
	due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids: The offer/bid should be submitted in two bid systems i.e. Technical bid and Financial bid. The Technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BoQ_XXXX. The Technical bid and the financial bid should be submitted Online. Note: -Comparison of prices will be done ONLY on the bids submitted for the Main Equipment and anything asked as 'Optional' in the specs is not to be included for overall comparison.
3.	EMD (if applicable): The tenderer should submit an EMD amount through RTGS/NEFT. The
	Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted. The EMD will be refunded without any interest to the unsuccessful bidders after the award of contract. Refer to Schedule (at page 1 of this document) for its actual place of submission.
4.	Refund of EMD : The EMD will be returned to unsuccessful Tenderer only after the Tenders are finalized. In case of successful Tenderer, it will be retained till the successful and complete installation of the equipment.
5.	Opening of the tender : The online bid will be opened by a committee duly constituted for this purpose. Online bids (complete in all respect) received along with EMD (if any) will be opened as mentioned at "Annexure: Schedule" in presence of bidders representative if available. Only one representative will be allowed to participate in the tender opening. Bid received without EMD (if present) will be rejected straight way. The technical bid will be opened online first and it will be examined by a technical committee (as per specification and requirement). The financial offer/bid will be opened only for the offer/bid which technically meets all requirements as per the specification, and will be opened in the presence of the vendor's representatives subsequently for further evaluation. The bidders if interested may participate on the tender opening Date and Time. The bidder should produce
	authorization letter from their company to participate in the tender opening.
6.	Acceptance/ Rejection of bids: The Committee reserves the right to reject any or all offers without
7.	assigning any reason. Pre-qualification criteria:
7.	 (i) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original equipment manufacturer (OEM) on the same and specific to the tender should be enclosed. (ii) An undertaking from the OEM is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well. (Ref. Annexure-II)
	 (iii) OEM should be internationally reputed Branded Company. (iv) Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder specification and supporting documents etc. may lead to rejection of the bid.
	 (v) In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can bid but both cannot bid simultaneously for the same item/product in the same tender. (vi) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
8.	Performance Security : The supplier shall require to submit the performance security in the form of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount which is stated at page #1 of the tender document within 21 days from the date of receipt of the purchase order and should be kept valid for a period of 60 days beyond the date of completion of warranty period.

9. Force Majeure: The Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure. For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. 10. Risk Purchase Clause: In event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from the other source on the total risk of the supplier under risk purchase clause. Packing Instructions: Each package will be marked on three sides with proper paint/indelible ink, the 11. following: i.Item Nomenclature ii.Order/Contract No. iii.Supplier's Name and Address iv.Consignee details v.Packing list reference number 12. **Delivery and Documents:** Delivery of the goods should be made within a maximum of 02-03 weeks (for goods ready for shipment) & Maximum (To be filled by Purchaser) weeks (For special/ to be fabricated goods) from the date of the Purchase Order. Within 24 hours of shipment, the supplier shall notify the purchaser and the insurance company by email the full details of the shipment including contract number, railway receipt number/ AAP etc. and date, description of goods, quantity, name of the consignee, invoice etc. The supplier shall mail the following documents to the purchaser with a copy to the insurance company: 4 Copies of the Supplier invoice showing contract number, goods' description, quantity unit price, total amount; Insurance Certificate if applicable; 4. Manufacturer's/Supplier's warranty certificate; Inspection Certificate issued by the nominated inspection agency, if any Supplier's factory inspection report; and Certificate of Origin (if possible by the beneficiary); 7. Two copies of the packing list identifying the contents of each package. The above documents should be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses. 13. **Delayed delivery:** If the delivery is not made within the due date for any reason, the Committee will have the right to impose penalty 1% per week and the maximum deduction is 10% of the contract value 14. **Prices**: The price should be quoted in net per unit (after breakup) and must include all packing and delivery charges. Price quoted should be in Indian Rupees, free delivery at IIT Delhi Campus at site (DDP/FOR).

Further, depending on the nature of the goods, there may be cost elements towards installation and commissioning, operator's training, and so on. Normally, it may be included in the equipment cost but if it is quoted separately, the same will be added in the item price for the determination of ranking of the bidders.

The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However, the percentage of taxes & duties shall be clearly indicated.

Necessary certificate will be issued on demand.

The Buyer/PFC will have the right to award contracts to different Bidders for being lowest in particular items.

For ranking of offers, price of complete scope of supply as detailed in technical specifications, the procuring authority/Purchaser may decide as follows for comparison of price bid -

- (i) All items of the bid which are mandatorily required to meet the tendered specifications of the item/system
- (ii) If a bidder has put certain items/modules which are required to meet the tendered specifications in the 'optional' part of the bid, then such optional items shall also be included for the purpose of price comparison
- (iii) On the other hand, if a bidder has inadvertently included any item/module in its main price bid which is not required as per tender specifications, then the price of such item/module shall be excluded from the price comparison provided that the price for the said item/module is clearly reflected separately in the bid
- (iv) Anything asked as 'optional' in our specs is not to be included for overall comparison

Non-conformities between Figures and words:

Sometimes, non-conformities/errors are also observed in responsive tenders between the quoted prices in figures and in words. This situation normally does not arise in case of e-Procurement. This should be taken care of in the manner indicated below:

- (i) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected.
- (ii) If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected;
- (iii) If there is a discrepancy between words and figures, the amount in words will prevail for calculation of price.

15. **Notices:** For the purpose of all notices, the following shall be the address of the Purchaser and Supplier.

Purchaser: Prof. S. Chakma,

Department of Civil Engg Indian Institute of Technology Hauz Khas, New Delhi - 110016.

Supplier: (To be filled in by the supplier)

(Supplier should submit its supplies information as per Annexure-II).

16. **Progress of Supply**: Wherever applicable, supplier shall regularly intimate progress of supply, in writing, to the Purchaser as under: 1. Quantity offered for inspection and date; 2. Quantity accepted/rejected by inspecting agency and date; 3. Quantity dispatched/delivered to consignees and date; 4. Quantity where incidental services have been satisfactorily completed with date; 5. Quantity where rectification/repair/replacement effected/completed on receipt communication from consignee/Purchaser with date; 6. Date of completion of entire Contract including incidental services, if any; and 7. Date of receipt of entire payments under the Contract (In case of stage-wise inspection, details required may also be specified). 17. **Inspection and Tests:** Inspection and tests prior to shipment of Goods and at final acceptance are as follows: After the goods are manufactured and assembled, inspection and testing of the goods shall be carried out at the supplier's plant by the supplier, prior to shipment to check whether the goods are in conformity with the technical specifications attached to the purchase order. Manufacturer's test certificate with data sheet shall be issued to this effect and submitted along with the delivery documents. The purchaser shall be present at the supplier's premises during such inspection and testing if need is felt. The location where the inspection is required to be conducted should be clearly indicated. The supplier shall inform the purchaser about the site preparation, if any, needed for installation of the goods at the purchaser's site at the time of submission of order acceptance. The acceptance test will be conducted by the Purchaser, their consultant or other such person nominated by the Purchaser at its option after the equipment is installed at purchaser's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There shall not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the equipment is expected to occur. The Supplier shall maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Purchaser, the successful completion of the test specified. In the event of the ordered item failing to pass the acceptance test, a period not exceeding one weeks will be given to rectify the defects and clear the acceptance test, failing which the Purchaser reserve the right to get the equipment replaced by the Supplier at no extra cost to the Purchaser. Successful conduct and conclusion of the acceptance test for the installed goods and equipment shall also be the responsibility and at the cost of the Supplier. 18. **Resolution of Disputes**: The dispute resolution mechanism to be applied pursuant shall be as follows: • In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any matter arising out of or connected with this agreement, such disputes or difference shall be settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director, Indian Institute of Technology Delhi and if he is unable or unwilling to act, to the sole arbitration of some other person appointed by him willing to act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all parties to this 19. Applicable Law: The place of jurisdiction would be New Delhi (Delhi) INDIA. 20. **Right to Use Defective Goods:** If after delivery, acceptance and installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate

	or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete
	replacement is made without interfering with the Purchaser's operation.
21.	Supplier Integrity: The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the Contract using state of the art methods and economic principles and exercising all means available to achieve the performance specified in the contract.
22.	Training: The Supplier is required to provide training to the designated Purchaser's technical and end user personnel to enable them to effectively operate the total equipment.
23.	Installation & Demonstration: The supplier is required to done the installation and demonstration of the equipment within one month of the arrival of materials at the IITD site of installation, otherwise the penalty clause will be the same as per the supply of materials.
	In case of any mishappening/damage to equipment and supplies during the carriage of supplies from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance company as per his convenience. IITD will not be liable to any type of losses in any form.
24.	Insurance: For delivery of goods at the purchaser's premises, the insurance shall be obtained by the supplier in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final destinations) on "All Risks" basis including War Risks and Strikes. The insurance shall be valid for a period of not less than 3 months after installation and commissioning.
25.	Incidental services: The incidental services also include:
	• Furnishing of 01 set of detailed operations & maintenance manual.
	• Arranging the shifting/moving of the item to their location of final installation within IITD premises at the cost of Supplier through their Indian representatives.
26.	 (i) Warranty period shall be (as stated at page #2 of this tender) from date of installation of Goods at the IITD site of installation. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site. (ii) The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall immediately within in 02 days arrange to repair or replace the defective goods or parts thereof free of cost at the ultimate destination. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 02 days. If the supplier having been notified fails to remedy the defects within 02 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract. (iii) The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned. The comprehensive warranty will commence from the date of the satisfactory installation/commissioning of the equipment against the defect of any manufacturing, workmanship and poor quality of the components.

	(iv) After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive Maintenance Contract (CMC) up to next two years should be started. The AMC/CMC charges will not be included in computing the total cost of the equipment.
27.	Governing Language:
	The contract shall be written in English language. English language version of the Contract shall govern
	its interpretation. All correspondence and other documents pertaining to the Contract, which are
	exchanged by the parties, shall be written in the same language.
28.	Applicable Law:
20.	The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall
	be subject to place of jurisdiction.
29.	Notices:
	• Any notice given by one party to the other pursuant to this contract/order shall be sent to the other
	party in writing or by email and confirmed in writing to the other party's address.
	 A notice shall be effective when delivered or on the notice's effective date, whichever is later.
20	
30.	Taxes:
	Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc.,
	incurred until delivery of the contracted Goods to the Purchaser. However, GST etc, in respect of the
	transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.
21	Dution
31.	Duties:
	IIT Delhi is exempted from paying custom duty under notification No.51/96 (partially or full) and
	necessary "Custom Duty Exemption Certificate" can be issued after providing following information
	and Custom Duty Exemption Certificate will be issued to the shipment in the name of the Institute, (no
	certificate will be issued to third party): The procured product should be used for teaching, scientific
	and research work only.
	a) Shipping details i.e. Master Airway Bill No. and House Airway No. (if exists)
	b) Forwarder details i.e. Name, Contact No., etc.
32.	Payment:
	100% payment shall be made by the Purchaser against delivery, inspection, successful installation,
	commissioning and acceptance of the equipment at IITD in good condition and to the entire satisfaction
	of the Purchaser and on production of unconditional performance bank guarantee as specified in Clause
	8 of tender terms and conditions.
33.	User list: Brochure detailing technical specifications and performance, list of industrial and
	educational establishments where the items enquired have been supplied must be provided. (Ref.
	Annexure-III)
34.	Manuals and Drawings:
	(i) Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply
	operation and maintenance manuals. These shall be in such details as will enable the Purchaser to
	operate, maintain, adjust and repair all parts of the works as stated in the specifications.
	(ii) The Manuals shall be in the ruling language (English) in such form and numbers as stated in the
	contract.
	(iii) Unless and otherwise agreed, the goods equipment shall not be considered to be completed for the
	purposes of taking over until such manuals and drawing have been supplied to the Purchaser.
35.	Application Specialist: The Tenderer should mention in the Techno-Commercial bid the availability
	and names of Application Specialist and Service Engineers in the nearest regional office. (Ref. to
	Annexure-III)
36.	Site Preparation: The supplier shall inform to the Institute about the site preparation, if any, needed
50.	for the installation of equipment, immediately after the receipt of the purchase order. The supplier
	1 for the mistandation of equipment, infinediately after the receipt of the purchase often. The supplier

must provide complete details regarding space and all the other infrastructural requirements needed for the equipment, which the Institute should arrange before the arrival of the equipment to ensure its timely installation and smooth operation thereafter.

The supplier shall visit the Institute and see the site where the equipment is to be installed and may offer his advice and render assistance to the Institute in the preparation of the site and other pre-installation requirements.

37. **Spare Parts**

The Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:

- ii. Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and
- iii. In the event of termination of production of the spare parts:
- iv. Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and
- v. Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts, if requested.

Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components shall be supplied as promptly as possible but in any case within six months of placement of order.

Defective Equipment: If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 45 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, IIT Delhi may consider "Banning" the supplier.

Termination for Default:

The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:

- i. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order or within any extension thereof granted by the Purchaser; or
- ii If the Supplier fails to perform any other obligation(s) under the Contract.
- iii If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
- For the purpose of this Clause:
 - i. "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
 - ii. "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;"
- In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar

	Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.
40.	Downtime: During the warranty period not more than 5% downtime will be permissible. For every day exceeding permissible downtime, penalty of 1/365 of the 5% item value will be imposed. Downtime will be counted from the date and time of the filing of complaint with in the business hours.
41.	Training of Personnel: The supplier shall be required to undertake to provide the technical training to the personnel involved in the use of the equipment at the Institute premises, immediately after completing the installation of the equipment for a minimum period of one week at the supplier's cost.
42.	Disputes and Jurisdiction : Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within New Delhi.
43.	Compliancy certificate : This certificate must be provided indicating conformity to the technical specifications. (Annexure-I)
44.	As per Ministry of Finance, Deptt. of Expenditure, Public Procurement Division Order (Public Procurement No.1) issued from file No.6/18/2019-PPD dated 23 rd July, 2020 regarding Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs) 2017, it is directed that any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority i.e. the Deptt. for Promotion of Industry and Internal Trade (DPIIT). The said order will not apply to bidders from those countries (even sharing a land border with India) to which the Government of India has extended lines of credit or in which the Government of India is engaged in development projects (updated lists of the countries are given in the Ministry of External Affairs) "Bidder" (including the term 'tenderer', 'consultant' or 'service provider' in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participated in a procurement process. "Bidders from a country which shares a land border with India" for the purpose of this Order means: i. An entity incorporated, established or registered in such a country; or ii. A subsidiary of an entity incorporated, established or registered in such a country; or v. An entity whose beneficial owner is situated in such a country; or v. An entity whose beneficial owner is situated in such a country; or v. An indian (or other) agent of such an entity; or vi. A natural person who is the citizen of such a country; or vi. A natural person who is the citizen of such a country; or vi. A natural person who is the citizen
	Explanation- a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent of share or capital or profit of the company;

- b. "Control" shall include the right to appoint majority of the directors or to control the management of policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- 2. In case of a partnership firm, the beneficial owner is the natural person (s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person (s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership.

An agent is a person employed to do any act for another, or to represent another in dealings with the third person.

For Works contracts, including Turnkey contracts, the successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

A certificate shall be submitted by bidders in the tender documents regarding their compliance with the said order. If the certificate submitted by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law. Annexure VI (For Goods/ Services contracts)/ Annexure VII (For Works contracts, including Turnkey contracts)

It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VIII for the same). The Annexure VIII once submitted in the Technical Bid will be final. Submission of Revised Annexure VIII will NOT be accepted.

As per O.M. of DPIIT, Ministry of Commerce and Industry, Govt. of India No.P-45021/102/2019-BE-II- Part (1) (E-50310) Dated 04.03.2021, Bidders offering Imported products will fall under the category of Non_Local Suppliers. They cannot claim themselves as Class-I or Class –II Local Suppliers by claiming the services such as Transportation, Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/CMC etc. as Local Value Addition.

COMPLIANCE SHEET

S. No.	Instrument Specification	*Values	*Compliance (Yes/No) and Proposed Make / Model
1	Operating Mode	Transmittance (%), absorbance, and concentration (wavelength, time)	
2	Source Lamp	Tungsten (visible range), deuterium (UV range)	
3	Wavelength Range	190 - 1100 nm	
4	Wavelength Accuracy	±1 nm	
5	Wavelength Reproducibility	< 0.1 nm	
6	Wavelength Resolution	0.1 nm	
7	Wavelength Selection	Automatic, based on method selection	
8	Spectral Bandwidth	2 nm	
9	Photometric Measuring Range	±3 Abs	
10	Photometric Accuracy	<1% at 0.5-2.0 Abs at 546 nm, 5 mAbs at 0.0-0.5 Abs	
11	Scanning Speed 900 nm/min (in 1 nm steps)		
12	Photometric Linearity	0.5% - 2 Abs , ≤1% at > 2 Abs with neutral glass at 546 nm	
13	Stray Light	KI-solution at 220 nm < 3.3 Abs/< 0.05%	
14	Display TFT 7-inch WVGA color touch		
15	Data Logger	5000 data points (result, date, time, sample ID, user ID)	
16	Preprogrammed Methods	>250	
17	User Programs	200	
18	Sample Cell Compatibility	Rectangular: 10, 20, 30, 50 mm, 1 inch; round: 13 mm, 16 mm, 1 inch Optional 100 mm rectangular cell with additional adapter	
19	Max Dimensions (H x W X D)	215 mm x 500 mm x 460 mm	
20	Max Weight	11 kg	
21	Operating Conditions	10 to 40°C, max. 80% relative humidity (non-condensing)	
22	Storage Conditions	-25 to 60°C max. 80% relative humidity (non-condensing)	
23	Instrument Enclosure Rating IP 20 with closed lid		
24	Interfaces USB type A (2), USB type B, Ethernet, RFID module		
25	On-Site Warranty	3 Years Warranty	

*Attach Supporting Brochures, else the bid will be rejected

Sr. No	Parameters Specification	*Range	Compliance (Yes/No)		
1	Alkalinity, Total (TNTplus)	25 - 400 mg/L			
2	Aluminum	0.008 - 0.800 mg/L	0.008 - 0.800 mg/L		
3	Aluminum	0.002 - 0.250 mg/L			
4	Aluminum (TNTplus)	0.02 - 0.50 mg/L			
5	ANAMMOX Activity (TNTplus)	0 - 33 umol/L			
6	Ammonia, Nitrogen	0.01 - 0.50 mg/L			
7	Ammonia, Nitrogen (TNTplus), ULR	0.015 - 2.000 mg/L			
8	Ammonia, Nitrogen	0.02 - 2.50 mg/L	Š .		
9	Ammonia, Nitrogen (Test 'N Tube), LR	0.02 - 2.50 mg/L			
10	Ammonia, Nitrogen (TNTplus), LR	1 - 12 mg/L			
11	Ammonia, Nitrogen (Test 'N Tube), HR	0.4 - 50.0 mg/L			
12	Ammonia, Nitrogen (TNTplus), HR	2 - 47 mg/L			
13	Ammonia, Nitrogen (TNTplus), UHR	47 - 130 mg/L			
14	Ammonia, Nitrogen (TNTplus), UHR+	100 - 1800 mg/L			
15	Arsenic	0.020 - 0.200 mg/L			
16	Barium	2 - 100 mg/L			
17	Benzotriazole	1.0 - 16.0 mg/L			
18	Boron (TNTplus)	0.05 - 2.50 mg/L			
19	Boron	0.2 - 14.0 mg/L			
20	Bromine	0.05 - 4.50 mg/L			
21	Bromine (AccuVac)	0.05 - 4.50 mg/L			
22	Cadmium	0.7 - 80.0 μg/L			
23	Cadmium (TNTplus) ¹	0.02 - 0.30 mg/L			
24	Carbohydrazide	5 - 600 µg/L			
25	Chloramine, Mono, LR	0.04 - 4.50 mg/L			
26	Chloramine, Mono (Test 'N Tube), HR	0.1 - 10.0 mg/L			
27	Chloride	0.1 - 25.0 mg/L			
28	Chloride (TNTplus)	1 - 70 mg/L Cl, 70	-		
	, ,	1000 mg/L CI			
29	Chlorine, Free	0.04 - 4.50 mg/L			
30	Chlorine, Free	i	0.02 - 2.00 mg/L		
31	Chlorine, Free (AccuVac)	0.02 - 2.00 mg/L			
32	Chlorine, Free (Pour-Thru Cell)	0.02 - 2.00 mg/L			
33	Chlorine, Free (TNTplus)	0.05 - 2.00 mg/L			
34	Chlorine, Free (Test 'N Tube)	0.09 - 5.00 mg/L			
35	Chloring, Free, MR	0.05 - 4.00 mg/L			
36	Chloring, Free, HR	0.1 - 10.0 mg/L			
37	Chlorine, Free & Total (TNTplus)	0.05 - 2.00 mg/L			
38	Chlorine, Total (Pour-Thru Cell), ULR	2 - 500 µg/L			
39	Chlorine, Total	0.02 - 2.00 mg/L			
40	Chlorine, Total (AccuVac)	0.02 - 2.00 mg/L			
41	Chlorine, Total (Pour-Thru Cell)	0.02 - 2.00 mg/L			
42	Chlorine, Total (Test 'N Tube)	0.09 - 5.00 mg/L			
43	Chlorine, Total, MR	0.05 - 4.00 mg/L			
44	Chlorine, Total, HR	0.1 - 10.0 mg/L			
45	Chlorine Demand/Requirement	Multiple Ranges			
46	Chlorine Dioxide, DPD	0.04 - 5.00 mg/L			
47	Chlorine Dioxide, LR	0.01 - 1.00 mg/L			
48	Chlorine Dioxide, MR	1 - 50 mg/L			

49	Chlorine Dioxide, HR	5 - 1000 mg/L		
50	Chromium, Hexavalent	0.010 - 0.700 mg/L		
51	Chromium, Hexavalent and Total (TNTplus)	0.03 - 1.00 mg/L		
52	Chromium, Total	0.01 - 0.70 mg/L		
53	Cobalt	0.01 - 2.00 mg/L		
54	COD, ULR	0.7 - 40.0 mg/L		
55	COD, LR	3 - 150 mg/L		
56	COD, HR	20 - 1,500 mg/L		
57	COD, HR+	200 - 15,000 mg/L		
58	COD	30 - 1000 mg/L		
59	COD, Mercury-Free (TNTplus), HR	25 - 1000 mg/L		
60	COD in Salt Water (TNTplus), LR	7 - 70 mg/L		
61	COD in Salt Water (TNTplus), HR	70 - 700 mg/L		
62	COD (TNTplus), ULR	1 - 60 mg/L		
63	COD (TNTplus), LR	3 - 150 mg/L		
64	COD (TNTplus), HR	20 - 1500 mg/L		
65	COD (TNTplus), HK	250 - 15,000 mg/L		
66	COD (TNTplus), OHK COD (TNTplus) UHR+	5,000 - 60,000 mg/L		
67	Color ⁵	3 - 1000 units		
		15 - 500 units		
68	Color, True and Apparent			
69	Color, True and Apparent, LR	3 - 500 units		
70	Copper, LR	1 - 210 μg/L		
71	Copper	0.04 - 5.00 mg/L		
72	Copper (AccuVac)	0.04 - 5.00 mg/L		
73	Copper (TNTplus) ²	0.1 - 8.0 mg/L		
74	Cyanide	0.002 - 0.240 mg/L		
75	Cyanide (TNTplus)	0.01 - 0.6 mg/L CN		
76	DEHA (Diethylhydroxylamine)	3 - 450 µg/L		
77	Detergents (Surfactants)	0.002 - 0.275 mg/L		
78	Dissolved Oxygen (AccuVac), LR	0.04 - 4.50 mg/L		
79	Dissolved Oxygen (AccuVac), HR	0.3 - 15.0 mg/L		
80	Dissolved Oxygen (AccuVac), UHR	1.0 - 40.0 mg/L		
	Erythorbic Acid (Isoascorbic Acid)	13 - 1500 μg/L		
82	Fluoride, Arsenic Free	0.02 - 2.00 mg/L		
83	Fluoride, Arsenic Free (AccuVac)	0.02 - 2.00 mg/L		
84	Fluoride, Arsenic Free (TNTplus)	0.1 - 2.5 mg/L		
85	Fluoride	0.02 - 2.00 mg/L		
86	Fluoride (AccuVac)	0.02 - 2.00 mg/L		
87	Formaldehyde	3 - 500 μg/L		
88	Formaldehyde (TNTplus)	0.5 - 10 mg/L H ₂ CO		
89	Hardness, Total, ULR	8 - 1000 μg/L		
90	Hardness, Total, ULR (Pour-Thru Cell)	4 - 1000 μg/L		
91	Hardness, Ca & Mg	0.05 - 4.00 mg/L		
92	Hardness, Water (TNTplus)	20 - 350 mg/L as CaCO₃ 5 - 100 mg/L Ca 3 - 50 mg/L Mg		
93	Hydrazine	4 - 600 μg/L		
94	Hydrogen Peroxide (H ₂ O ₂) ¹	0.05 - 5.00 mg/L		
95	Hydroquinone	9 - 1000 μg/L		
96	International Bitterness Units (TNTplus)	≥ 2 BE		

97	Iodine DPD	0.07 - 7.00 mg/L
98	Iodine DPD (AccuVac)	0.07 - 7.00 mg/L
99	Iron (TNTplus) ²	0.2 - 6.0 mg/L
100	Iron	0.009 - 1.400 mg/L
101	Iron (Pour-Thru Cell)	0.009 - 1.400 mg/L
	Iron, Ferrous	0.02 - 3.00 mg/L
	Iron, Total	0.01 - 1.80 mg/L
	Iron, Total	0.012 - 1.800 mg/L
105	Iron, Total	0.02 - 3.00 mg/L
106	Iron, Total (AccuVac)	0.02 - 3.00 mg/L
107	Iron, Total (5-cm Sample Cell)	0.01 - 1.00 mg/L
	Isoascorbic Acid (Erythorbic Acid) (ISA)	13 - 1500 μg/L
	Lead	5 - 150 μg/L
	Lead	3 - 300 µg/L
111	Lead (TNTplus) ²	0.1 - 2.0 mg/L
	Manganese, LR	0.006 - 0.700 mg/L
113	Manganese, LR	0.005 - 0.500 mg/L
114	Manganese, HR	0.1 - 20.0 mg/L
115	Magnesium (TNTplus)	0.5 - 50 mg/L Mg
	Mercury	0.1 - 2.5 μg/L
117	Methylethylketoxime (MEKO)	15 - 1000 μg/L
118	Molybdenum, Molybdate, LR	0.02 - 3.00 mg/L
119	Molybdenum, Molybdate, HR	0.2 - 40.0 mg/L
120	Nickel	0.006 - 1.000 mg/L
	Nickel	0.02 - 1.80 mg/L
	Nickel (TNTplus) ²	0.1 - 6.0 mg/L
123	Nitrate, Nitrogen, LR	0.01 - 0.50 mg/L
124	Nitrate, Nitrogen (TNTplus), LR	0.23 - 13.5 mg/L
	Nitrate, Nitrogen, MR	0.1 - 10.0 mg/L
	Nitrate, Nitrogen (AccuVac), MR	0.1 - 10.0 mg/L
	Nitrate, Nitrogen	0.1 - 10.0 mg/L
	Nitrate, Nitrogen (Test 'N Tube), HR	0.2 - 30.0 mg/L
	Nitrate, Nitrogen, HR	0.3 - 30.0 mg/L
	Nitrate, Nitrogen (AccuVac), HR	0.3 - 30.0 mg/L
	, 0 (),	5 - 35 mg/L
	Nitrite, Nitrogen, LR	0.002 - 0.300 mg/L
	Nitrite, Nitrogen (Test 'N Tube), LR	0.003 - 0.500 mg/L
	Nitrite, Nitrogen (TNTplus), LR	0.015 - 0.600 mg/L
	Nitrite, Nitrogen (TNTplus), HR	0.6 - 6.0 mg/L
	Nitrite, Nitrogen (TNTplus), UHR	2 - 90 mg/L
137	Nitrite, Nitrogen, HR	2 - 250 mg/L
	0	0.5 - 25.0 mg/L
	Nitrogen, Total (TNTplus), LR	1 - 16 mg/L
	Nitrogen, Total (TNTplus), HR	5 - 40 mg/L
141	Nitrogen, Total (Test 'N Tube), HR	2 - 150 mg/L
	Nitrogen, Total (TNTplus), UHR	20 - 100 mg/L
	Nitrogen, Total Inorganic (TIN) (Test 'N Tube)	0.2 - 25.0 mg/L
	Nitrogen, Simplified TKN (TNTplus)	0 - 16 mg/L
145	Nitrogen, Total Kjeldahl (TKN)	1 - 150 mg/L
146	Organic Constituents, UV-Absorbing (UV-254)	Varies-Units Abs/cm

147	Ozone (AccuVac), LR	0.01 - 0.25 mg/L	
		0.01 - 0.75 mg/L	
	Ozone (AccuVac), HR	0.01 - 1.50 mg/L	
	Peracetic Acid (PAA) ¹	0.10 - 10.00 mg/L	
	Phenols	0.002 - 0.200 mg/L	
	Phenols (TNTplus)	5 - 150 mg/L	
		0.02 - 125.0 mg/L	
	Phosphorus, Reactive	0.02 - 2.50 mg/L	
		0.02 - 2.50 mg/L	
	Phosphorus, Reactive (Test 'N Tube)	0.06 - 5.00 mg/L	
		0.23 - 30.00 mg/L	
		0.01 - 0.50 mg/L	
	Phosphorus, Reactive	0.3 - 45.0 mg/L	
		1.0 - 100.0 mg/L	
		0.3 - 45.0 mg/L	
	Phosphorus, Reactive (Pour-Thru Cell), LR	19 - 3000 μg/L	
	Phosphorus, Reactive (TNTplus)	5.0 - 90.0 mg/L	
	Phosphorus, Acid Hydrolyzable (Test 'N Tube)	0.06 - 3.50 mg/L	
		0.06 - 3.50 mg/L	
	Phosphorus, Total (Test 'N Tube), HR	1.0 - 100.0 mg/L	
		0.15 - 4.50 mg/L	
		1.5 - 15.0 mg/L	
		6 - 60 mg/L	
	Potassium	0.1 - 7.0 mg/L	
	Quaternary Ammonium Compounds	0.2 - 5.0 mg/L	
		3 - 1000 μg/L	
	Silica (Pour-Thru Cell), ULR	3 - 1000 μg/L	
		0.010 - 1.600 mg/L	
	•	1 - 100 mg/L	
176	Sulfate	2 - 70 mg/L	
	Sulfate (TNTplus), LR	40 - 150 mg/L	
		150 - 900 mg/L	
179	Sulfide	5 - 800 μg/L	
180		0.1 - 2.0 mg/L	
181	Surfactants, Anionic (TNTplus)	0.1 - 4.0 mg/L	
182	Surfactants, Cationic (TNTplus)	0.2 - 2.0 mg/L	
183	Surfactants, Nonionic LR (TNTplus)	0.2 - 6.0 mg/L as Triton	
184	Surfactants, Nonionic HR (TNTplus)	x 100 6 - 200 mg/L as Triton	
185	Suspended Solids	X-100 5 - 750 mg/L	
	•	0.1 - 9.0 mg/L	
	TOC (Total Organic Carbon), LR	0.1 - 9.0 mg/L 0.3 - 20.0 mg/L	
188	TOC (Total Organic Carbon), LR TOC - Total Organic Carbon (TNTplus), LR	1.5 - 30 mg/L	
		1.5 - 30 mg/L 15 - 150 mg/L	
	TOC (Total Organic Carbon), MR TOC (Total Organic Carbon), HR	100 - 700 mg/L	
191	TOC (Total Organic Carbon), HK TOC - Total Organic Carbon (TNTplus), HR	30 - 300 mg/L	
192	Tolytriazole	1.0 - 20.0 mg/L	
	Toxicity	0 - 100 % inhibition	
		2 - 20 ppm, threshold	
		2 - 20 ppm, threshold	
130	ιι ιι ιι γναισι	2 Zu ppin, tilicollulu	

196	Trihalomethanes (THM)	10 - 600 μg/L
197	Trihalomethane Formation Potential (THMFP)	10 - 600 μg/L
198	Vicinal Diketone - VDK (TNTplus)	0.015 - 0.5 mg/kg
199	Volatile Acids	27 - 2800 mg/L
200	Volatile Acids (TNTplus)	50 - 2500 mg/L
201	Zinc	0.01 - 3.00 mg/L

^{*} Please upload the Information brochure, without failing to same bids will be rejected

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No.:	

<< Organization Letter Head >> DECLARATION SHEET

hereby certify that all the information and data furnished by
ation are true and complete to the best of our knowledge. I have
lations in details and agree to comply with the requirements and
orized (Copy attached) by the OEM to participate in Tender. We
onditions of eligibility criteria laid down in this tender document.
asis with technology / product updates and extend support for the
ed due to academic discount given to IIT Delhi.
NAME & ADDRESS OF
THE Vendor/ Manufacturer / Agent
(Signature of the Tenderer)
Name:
Seal of the Company

Annexure-III

List of Govt. Organization/Deptt.

List of Government Organizations for whom the Bidder has undertaken such work during last three				
years (must be supported with work orders)				
Name of the organization	Name of Contact Person	Contact No.		
Name of application specialist / Service Engineer w	ho have the technical compete	ency to handle and		
support the quoted product during the warranty peri				
Name of the organization	Name of Contact Person	Contact No.		
		- 1		
	•	Signature of Bidder		
	Name:			
	Designation:			
·	Organization Name:			
	Contact No. :			

PREVIOUS SUPPLY ORDER DETAILS

Annexure - IV

Name of the	Firm		

Order placed	Order	Description	Value	Date of	Has the	Contact
by (Full	No. and	and quantity	of	Completion	equipment been	person along
address of	Date	of order	order	of delivery	installed	with
Purchaser)		equipment		as per	satisfactorily	Telephone
				contract	(Attach a	No., Fax No.
					Certificate	and email
					from the	address)
					Purchaser/	·
					Consignee)	

Signature and Seal of the Manufacturer/ Bio	lder
Place:	
Date:	

ORIGINAL EQUIPMENT MANUFACTURER (OEM)

Manufacturing Authorization form (MAF) (On Letter Head of Manufacturer)

ANNEXURE-V (Revised)

Tender No.:	Date:
To The Director, Indian Institute of Technology Delhi, New Delhi- 110016	
Dear Sir,	
We manufactures of original equipment at factory) do hereby authorize M/s (!] negotiate and receive the order format against your tender enquire	Name and address of Agent) to submit a bid,
M/s is authorized to bid business.	and conclude the contract in regard to this
We hereby extend our full guarantee and warranty as per clau conditions NIQ for the goods and services offered by the above	
Yours Faithfully,	
(Name)	
(Name & Seal of Manufactures)	
Note: -	

- 1. **Items of indigenous nature or quoted in INR**, more than 1 authorized representative may participate in the same tender and submit their bids on behalf of their OEM/Principal/Manufacturer if the OEM permits more than one authorized bidder in such case as per their policy.
- 2. In cases of agents quoting in offshore procurements, on behalf of their principal manufacturers, one agent cannot represent two manufacturers or quote on their behalf in a particular tender enquiry. One manufacturer can also authorize only one agent/dealer
- 3. The letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. The same should be included by the bidder in its techno-commercial unpriced bid.

<On Organization Letter Head>

(ANNEXURE-VI)

Contact No. : _____

	(For Goods/ Services Contracts)
No	Dated:
<u>CERTIFICATE</u>	
I have read the clause regarding restrictions on procu	rement from a bidder of a country which
shares a land border with India and hereby certify that this bi	dder is not from such a country.
OR (whichever is applica	able)
I have read the clause regarding restrictions on procu	rement from a bidder of a country which
shares a land border with India and hereby certify that this	bidder is from(Name of
Country) and has been registered with the Competent Autho	rity. I also certify that this bidder fulfills
all the requirements in this regard and is eligible to be consid	ered.
(Copy/ evidence of valid registration by the Competer	nt Authority is to be attached)
	Signature of Bidder/ Agent
	Name:
	Designation:
Or	ganization Nama:

<On Organization Letter Head>

(ANNEXURE-VII)

(For Works Contracts, including Turnkey contracts)

No	Dated:
<u>CER'</u>	<u>TIFICATE</u>
shares a land border with India and on sub-contr	ons on procurement from a bidder of a country which racting to contractors from such countries and hereby ry and will not sub-contract any work to a contractor gistered with the Competent Authority.
OR (whiche	ver is applicable)
shares a land border with India and on sub-contract certify that this bidder is from(Competent Authority and will not sub-contract such contractor is registered with the Competent requirements in this regard and is eligible to be only the contract of the contra	ons on procurement from a bidder of a country which racting to contractors from such countries and hereby (Name of Country) and has been registered with the any work to a contractor from such countries unless a Authority. I also certify that this bidder fulfills all the considered. the Competent Authority is to be attached)
	Signature of Bidder/ Agent Name: Designation: Organization Name: Contact No. :

(Signature of the bidder, with Official Seal)

DECLARATION OF LOCAL CONTENT

(To be given on Company Letter Head – For tender value below Rs.10 Crores) (To be given by Statutory Auditor/ Cost Auditor/ Cost Accountant/ CA for tender value above Rs.10 Crores)

To, The Director, Indian Institute of Technology Delhi New Delhi-110016
Subject: - Declaration of Local Content
Tender Reference No:
Name of Tender/ Work:
Country of Origin of Goods being offered:
2. We hereby declare that items offered has% local content
3. Details of the Location at which the Local Value Addition is made
4. Details of Local Content
"Local Content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of the imported content in the item (including all customs duties) as a proportion of the total value, in percent
Bidders offering Imported products will fall under the category of Non Local Suppliers. They cannot clain themselves as Class-I or Class —II Local Suppliers by claiming the services such as Transportation Insurance, Installation, Commissioning, Training and After Sale Service Support like AMC/CMC etc. a Local Value Addition.
"*False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rule for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law."
Yours faithfully

Note: It is mandatory for bidders to quote items having local content minimum 20%. Refer revised Public Procurement (Preference to Make in India), Order 2017, No. P-45021/2/2017-PP (B.E-II) dated 16.09.2020 issued by DPIIT, Ministry of Commerce and Industry, Govt. of India. (Submit duly filled Annexure VIII for the same). The Annexure VIII once submitted in the Technical Bid will be final. Submission of Revised Annexure VIII will NOT be accepted.

BID SECURITY UNDERTAKING

(To be issued by the bidder on company's letterhead in lieu of EMD)

To,	
I.I.T. I	egistrar, Delhi, Hauz Khas, – 110016.
We, M	I/s (Name of the Firm), with ref. to Tender
No	dated hereby undertake that:
1.	We accept all terms and conditions of the tender document.
2.	We accept that, we will not modify our bid during the bid validity period and will honour the contract after the award of contract.
3.	In the event of any modification to our bid by us or failure on our part to honour the contract after final award, our firm may be debarred from participation in any tender/contract notified by IIT Delhi for a period of one year.
Yours	faithfully,
(signat	ture)
Name:	
Date:	
Office	Seal:

BID SUBMISSION

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in **two** Envelops as explained below: -

	(Follo	Envelope – 1 owing documents to be provided as single PDF file)		
Sl. No.	Document	Content	File Types	
1.		Compliance Sheet (Annexure - I)	.PDF	
2.		Organization Declaration (Annexure - II)	.PDF	
3.		List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF	
4.		Technical supporting documents in support of all claims made at Annexure-I	.PDF	
5.	Technical Bid	Previous Supply Order (Annexure - IV)	.PDF	
6.	Dia	Original Equipment Manufacturing Manufacturing Authorization Form (MAF) (Annexure – V)	.PDF	
7.		(For Goods/ Services Contracts) Certificate - Bidder Not from/ from Country sharing Land border with India & Registration of Bidder with Competent Authority (Annexure-VI)	.PDF	
8.		(For Works Contracts, including Turnkey Contracts) Certificate – Bidder Not from/ from Country sharing Land border with India, Registration of Bidder with Competent Authority & not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority (Annexure-VII)	.PDF	
9.		Declaration of Local Content (Annexure-VIII)	.PDF	
10.		Bid Security Undertaking in lieu of EMD (Annexure-IX)	.PDF	
	Envelope – 2			
Sl. No.	Document	Content		
1.	Financial Bid	Price bid should be submitted in given BOQ_XXXX.xls format. (Note: -Comparison of prices will be done ONLY on the bids submitted for the Main Equipment and anything asked as 'Optional' in the specs is not to be included for overall comparison.) Bids for optional items are to be submitted in 'sheet2_Quote for optional items'	.XLS	