

Notice Inviting Tender

Renovation and up-gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi.

Sub-Head:- Civil and Electrical Works (P/F E.I. work).

Civil work amount : Rs. 23,66,623/-E.I. work Amount : Rs. 6,84,707/-Total Amount : Rs. 30,51,330/-

(WORKS DEPARTMENT)

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

INDEX

Name of work: - Renovation and up-gradation of Drawing Branch office MZ-131 in

Academic area at IIT Delhi.

Sub-Head : - Civil and Electrical Works (P/F E.I. work).

Sl. No.	Description	Page No.
1	Index	2
2.	Notice Inviting e-tender	3
3.	Part A	
	Information and instructions for bidders for e-tendering	4-7
	IITD-6 for e-Tendering and Terms & Conditions	8-23
	Integrity Pact	24-30
	Form of Earnest Money / Bank Guarantee	31
	Performance Guarantee	32
	Form-F	33
	Annexure- I, II, III	34-36
4.	Part B	
	IITD 7/8 e-Tendering	37-39
	Schedule A-F	40-46
	Special Condition of Contract	47-48
	Guarantee Bond for Water Proofing	49
	List of Approved/Acceptable Make	50-55
	Online Bid Submission	56
5.	Part C	
	Schedule of Quantity	57-77

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 77.

Assistant Engineer (Civil)

Junior Engineer (Electrical)

NIT approved for Rs. **30,51,330.00** (Rupees Thirty Lakhs Fifty One Thousand Three Hundred Thirty only)

Executive Engineer (CD-I)

Executive Engineer (ED-I)

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Notice Inviting e - Tender

The Executive Engineer (CD-I), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596851) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for the following work:

NIT No. : **73/IITD/EE(CD-I)/2024-25**

Name of Work : Renovation and up gradation of Drawing Branch

office MZ-131 in Academic area at IIT Delhi.

Sub-Head : Civil and Electrical Works (P/F E.I. work).

Estimated cost : **Rs. 30,51,330/-**

Earnest Money : **Rs. 61,027/-**

Performance Guarantee : 5% of Tendered value
Security Deposit : 2.5% of Tendered Value

Period for completion : **04 Months**

Last date & time for submission : 11/10/2024 upto15.00 Hrs.

of bids

Date & Time of opening of Bids : 14/10/2024 at 15.00 Hrs.

The bid forms and other details can be obtained from the website <u>www.iitd.ac.in</u> or e-Procure.gov.in free of cost. For more clarification you may visit on above website.

Executive Engineer (CD-I), For & on Behalf of BOG, IIT Delhi

Budget Head: 35.01.02 (IoE)/Renovation(Research Facility and Housing)

Work Code:- (2021/007/0380)

Copy to: -

- 1. Executive Engineer (CD-I) for information.
- 2. D.A. (Works Accounts)
- 3. D.R. (A/Cs) for opening of uploaded documents on 14/10/2024 at 15:00 Hrs. in the office of D.R. Store
- 4. Notice Boards.
- 5. Office Copy
- 6. Web site Administrator, I.I.T.D.

PART 'A'

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD/WORKS (SP-4766)/2024

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-I), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596851) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with any one of CPWD/MES/ BSNL/ Railways for the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for Completion
1	(CD-I)/2024-25	Renovation and up - gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi. Sub-Head:- Civil and Electrical Works (P/F E.I. work)	30,51,330/-	61,027/- (To be returned after deposition of P.G)	Nil	04 Month

Last date and time of submission of financial & Technical bid: 11/10/2024 upto 15:00 Hrs. (on line)

Date and time of opening of Technical bid: 14/10/2024 at 15:00 Hrs. (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- **2.** Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs.24,41,100** /-or two similar works each of value not less than **Rs. 18,30,800**/-or three similar works each of value not less than **Rs.12,20,600** /- during last 7 years ending on previous day of last date of submission of bid.
 - ii) **Earnest money of Rs. 61,027**/-in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of **Registrar, I.I.T. Delhi**. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 3. Similar work means successfully completed work of original building work / renovation/composite work consisting of Civil and E&M in a single contract.
- **4.** The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 5. Information and Instructions for bidders posted on website shall form part of bid document.

- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/app.in free of cost.
- 7. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- **8.** Work means only work under Government/ Central Public Sector Undertaking / State Public Sector Under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- 9. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of submission of financial bid.
- 10. IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- 11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- 12. The intending bidder must have valid class-III digital signature to submit the bid.
- 13. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 14. Contractor can upload documents in the form of JPG format and PDF format.
- 15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- 16. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- 17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- 18. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favor of **Registrar IIT Delhi** to be deposited with http://eprocure.gov.in/eprocure/app / NEFT facility.
- 19. The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders: "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD

Uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.

- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- 23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.
- 24. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.
 - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
 - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
 - e. The Bidder does not upload ESI & EPF Registration.
- 25. Bid validity shall be 75 days from last date of submission of bid.
- **26.** Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD/ online submission.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit as per Notice Inviting Tender Condition 1.3 at page 8 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 20 on page No. 5' on firm's letter head.
 - The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.
- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 11. Annexure-I (duly filled & signed by the bidders)
- 12. Annexure-II (duly filled & signed by the bidders)
- 13. Annexure-III (duly filled & signed by the bidders)

Note: - All Documents mentioned S.N-1 to 10 are mandatory for technically qualifying and Document mentioned 11 to 13 are not mandatory.

Executive Engineer (CD-I), For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016

<u>Budget Head</u>:- 35.01.02 (IoE)/Renovation(Research Facility and Housing) Work Code:- (2021/007/0380)

Copy to: -

- 1. Executive Engineer (CD-I) for information.
- 2. D.A. (Works Accounts)
- 3. D.R. (A/Cs) for opening of tenders on 14/10/2024 at 15:00 Hrs. in the office of D.R. Store
- 4. Notice Boards.
- 5. Office Copy
- 6. Web site Administrator, I.I.T.D
- 7. NIT:- Publicity on Website on Institute as well as on CPP portal http://eprocure.gov.in may be ensured as per instruction issued.
- **8.** E-tendering Web. http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD-6 FOR e-TENDERING ANDTERM&CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged/ register in appropriate category having completed work in appropriate category for the **work** as per tender notice.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost **as per tender notice** this estimate, however, is given merely as a rough guide.
- 1.2 Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e- TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-
 - I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)
 - 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
 - 3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.

4. The site for the work is available.

- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site http://eprocure.gov.in/eprocure/appor iitd.ac.in or e-procure.gov **free** of cost.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e- tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-I), IIT Delhi, Hauz Khas, New Delhi**

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending

bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission: http://eprocure.gov.in/eprocure/app.

- 10. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.
 - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
 - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
 - e. The Bidder does not upload ESI & EPF Registration.
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- 15. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 16. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and

who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- 19. The tender for the works shall remain open for acceptance for a period of Seventy Five (75) days from last date of submission of bid, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:-
 - The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form 8 or other Standard IITD Form as mentioned.
- 21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-I) IIT Delhi, Hauz Khas New Delhi - 110016

NOTICE INVITING TENDER

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI-110016

Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 61,027/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

Name of Organization		Indian Institute of Technology, Delhi	
Tender Type (Open/Limited/EOI/Auction/Single) Tender Category (Services/Goods/works) Type/Form of Contract (Work/Supply/Auction/Service/Buy/Empanelment/ Sell)		Open	
		Works	
		Works	
Product Category (Civil Works/ Works/Fleet Management/ Com		Civil and Electrical Works. (P/F E.I. Work)	
Source of Fund (Institute/Projec	t)	35.01.02 (IoE)/Renovation(Research Facility and Housing) (2021/007/0380)	
Is Multi Currency Allowed		No	
Date of Issue/Publishing		04/10/2024 (15.00 Hrs)	
Document Download/Sale Start	Date	04/10/2024 (15.00 Hrs)	
Document Download/Sale End	Date	11/10/2024 (15.00 Hrs)	
Date for Pre-Bid Conference		Nil	
Venue of Pre-Bid Conference			
Last Date and Time for Uploadi	ng of Bids	11/10/2024 (15.00 Hrs)	
Date and Time of Opening of To	echnical Bids	14/10/2024 (15.00 Hrs)	
Tender Fee	Nil	(To be paid through RTGS/NEFT. IIT Delhi Bank details are as under:	
EMD	Rs. 61,027 /-	Name of the Bank A/C: Registrar IIT Delhi SBI A/C No. 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II) or as per NIT/ Tender notice	
No. of Covers (1/2/3/4)		02	
Bid Validity days (180/120/90/75/60/30)		75 days (From last date of Submission of bid)	
Address for Communication		Office of the Executive Engineer (CD-I), Room No. AD- 117, Academic Building, IIT Delhi, Hauz Khas, New Delhi-110016	
Contact No. Fax No.		011-26596851	
		Nil	
Email Address		eeplg@iitd.ac.in, a26897@admin.iitd.ac.in, aashish@admin.iitd.ac.in	

C ---- NIL I --- NIL EE (CD-I)

E.E.(ED-I)

AE (C)

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.

C ---- NIL I --- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C) J.E.(E)

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time
 - i.e., on or before the bid submission time. Bidder will be responsible for any delay due to other assues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) The bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

C ---- NIL I --- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C) J.E.(E)

General Instructions to the Bidders

- 1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e- submission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

Terms & Conditions Details

S.No.	Specification
1.	Due date : The tender must be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX.
	OR
	Financial Bids to be submitted in Excel.
	The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
4.	Refund of EMD :- As per NIT
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.
7.	Pre-qualification criteria: - Mentioned in Tender notice
8.	Performance Security:-Mentioned in Tender notice
9.	Force Majeure :- As per IITD form 8
10.	Risk & Cost Clause : As per IITD form 8
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8
13.	Prices: As per Tender Notice & NIT & IITD form 8
14.	Progress of Work :As per Tender Notice & NIT & IITD form 8
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8
19.	Training : As per Tender Notice & NIT & IITD form 8
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8

21.	Incidental services: As per Tender Notice & NIT & IITD form 8
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8
23.	Governing Language : As per Tender Notice & NIT & IITD form 8
24.	Applicable Law: As per Tender Notice & NIT & IITD form 8
25.	Notices: As per Tender Notice & NIT & IITD form 8
26.	Taxes: As per Tender Notice & NIT & IITD form 8
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Docu (Following		provided as single PDF file)	
Sl. No.	Documents	Content	File Types
1.		Compliance Sheet as per Annexure – I	.PDF
2.		Organization Declaration Sheet as per Annexure – II	.PDF
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF
4.		Technical supporting documents in support as per Page-6 of NIT	.PDF
Bid Docu	ment – 2		
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in Excel format.	.xls

I.I.T.D- 6 FOR e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS, NEW DELHI -110016 NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL** and **Railway** dealing with **Renovation and up-gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi.**

Sub-Head: - Civil and Electrical Works (P/F E.I. work).

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders.

 In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost Rs. 30,51,330/- This estimate, however, is given merely as a rough guide.
- **1.1.1** The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.
 - For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.
- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (value of work as mentioned in tender notice) during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

I.I.T.D

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer- in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site is available to start the work.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order. The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- 9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5%** (**Five Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 15000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1.00.000/-) or Government Securities or Fixed.

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

- 10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 12. Canvassing, whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

submission of the bid or engagement in the contractor's service.

- 16. The bid for the works shall remain open for acceptance for a period of **Seventy Five** (75) days from the last date of submission of bid, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
- In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 19. For Composite Bid
- 19.1 The **Executive Engineer [CD-I]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.
- 19.2 The bid document will include following three components: -
 - **Part A-** IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2023 as corrected/modified up to date.
 - **Part B** General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.
 - **Part C:** Schedule A to F for minor component of the work I.E. (Institute Engineer/EE incharge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/ specific conditions, specifications, and schedule of quantities applicable to minor component(s) of the work.
- 19.3 The bidder must associate himself with experienced agencies of the appropriate class eligible for bid for each of the minor component individually.
- 19.4 The eligible bidders shall quote rates for all items of major component as well as for all items of minor component of work.

I.I.T.D – 6 FOR e-TENDERING

- 19.5 After acceptance of the bid by Component authority, the EE [Civil] of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, After the work is awarded, the main contractor will have to enter into agreement with EE [Civil] and has to sign two or more copies of agreement.
- 19.6 Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- 19.7 Security Deposit will be worked out separately for each component corresponding to the estimated cost of the respective component of works. The Earnest Money will become part of security deposit of the major component of work.
- **19.8** Running payment for the major component (Civil) shall be processed by EE (CD-I) and minor component (Electrical) shall be processed by EE (ED-I).
- 19.9 Final bill of whole work shall be finalized and paid by the EE (CD-I).

	INTEGRATY PACT e-TENDERING	I.I.T.D
т		
To	0,,	

Subject: - NIT No. 73/<u>IITD/EE(CD-I)/2024-2</u>5 for the work of Renovation and up-gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi. Sub-Head:- Civil and Electrical Works (P/F E.I. work)..

Dear Sir,

.....

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity, and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (CD-I)

ACCEPTANCE TO EXECUTE INTEGRITY PACT

I.I.T.D

(To be signed by bidder and upload the scanned copy)

To, Executive Engineer (CD- I) IIT Delhi, Hauz Khas, New Delhi – 110016.

Subject: - Renovation and up-gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi.

Sub-Head:- Civil and Electrical Works (P/F E.I. work).

Dear Sir.

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

I.I.T.D

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of 20
BETWEEN
The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (E) IIT Delhi.
'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND(Name and Address
of the Individual/firm/Company) through(Hereinafter referred to as the (Details of duly authorized signatory) "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns Preamble
WHEREAS the Principal / Owner has floated the Tender (NIT No
(Name of work) hereinafter referred to as the "Contract". AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land

rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid

C ---- NIL I --- NIL O--- NIL EE (CD-I)

documents and Contract between the parties.

E.E.(ED-I)

INTEGRATY PACT e-TENDERING I.I.T.D

Now, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.\

INTEGRATY PACT e-TENDERING

I.I.T.D

- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action, or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.

3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

INTEGRATY PACT e-TENDERING

I.I.T.D

It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/Owner)
(For and on behalf of
Bidder/Contractor)
WITNESSES:
1
(signature, name and address)
2. (signature, name and address)
Place:

Date:

BANK GUARANTEE BOND

I.I.T. D

Form of Earnest Money Deposit / Bank Guarantee Bond

	WHEREAS, contractor(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")
	KNOW ALL PEOPLE by these presents that we
	(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs
	payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.
	SEALED with the Common Seal of the said Bank thisday of
(1)	If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
(2)	If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
(a)	fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR
(b)	fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
(c)	OR fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,
(d)	OR fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.
	We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.
	This Guarantee will remain in force upto and including the date* after the deadline for
	submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.
	DATE
	SIGNATURE OF THE BANK WITNESSSEAL
	(SIGNATURE, NAME AND ADDRESS)
*Date	e to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

C ---- NIL I --- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C) J.E.(E)

PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 5% (Five Percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv). In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

FORM "F"

STRUCTURE & ORGANISATION

2.	Telephone no./ Telex no./ Fax no.
3.	Legal status of the bidder (attach copies of original document defining the legal status)
a.	An Individual
b.	A proprietary firm
c.	A firm in partnership
d.	A limited company or Corporation
4.	Particulars of registration with various Government Bodies (attach attested photocopy) Organization/ Place of registration and Registration No.
	1.
	2.
	3.
5.	Name and tiles of Directors & Officers with designation to
	be concerned with this work
	!
6.	Designation of individuals authorized to act for the organization
7.	Has the bidder or any constituent partner in case of partnership firm, ever abandoned the awarded work before its completion?
	If so, give name of the project and reasons for abandonment
	1
8.	Has the bidder or any constituent partner in case of partnership
0.	firm, ever been debarred/ blacklisted for tendering in any organization
	at any time? If so, give details
9	. Past work experience in IIT Delhi will be considered in deciding the Technical bid
	Signature of Bidder(S)
	Signature of Didder(S)

1. Name & Address of the bidder

ANNEXURE-I COMPLIANCE SHEET

TECHNICAL SPECIFICATION:

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	
2	Enlistment order of contractor.	
3	Certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the Affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
7	Undertaking as per page-5/ Sl. No. 20' on firm's letter head. "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8	ESI & EPF registration.	
9	FORM "F" (Duly filled with all required details).	
10	Annexure-1 (Dully Filled & signed by the bidders)	
11	Annexure 2 (Dully Filled & signed by the bidders)	
12	Annexure 3 (Dully Filled & signed by the bidders)	
13	In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
14	Any other documents given in NIT	
15	BOQ	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization N	Name:
Contact No. : _	

ANNEXURE-II

<< Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and data					
furnished by our organization with regard to the	nis tender specification are true and complete to the best of					
our knowledge. I have gone through the specif	fication, conditions and stipulations in details and agree to					
comply with the requirements and intent of sp	ecification.					
This is certified that our organization has been	registered as per Tender Notice & NIT & IITD form					
8Tender.We further certified that our organiza	tion meets all the conditions of eligibility criteria laid down					
in this tender document.						
We, further specifically certify that our	NAME & ADDRESS of the Vendor/ Manufacturer / Agen					
organization has not been Black Listed/De						
Listed or put to any Holiday by any						
Institutional Agency/ Govt. Department/						
Public Sector						
Undertaking in the last three years.						
1. Phone						
2. Fax						
2. 1 dx						
3. E-mail						
4. Contact Person Name						
5. Mobile Number						
6. GST Number						
7. PAN Number						
7. FAIN Number						
8.(In case of on-line payment of EMD)						
UTR No. (For EMD)						
	(Signature of the Tenderer)					

Seal of the Company

Name:

Annexure-III

List of Govt. Organization/Deptt.

List of Government Organizations for whom the Bidder has undertaken such work As per Tender						
Notice & NIT & IITD form 8						
Name of the organization	Name of Contact Person	Contact No.				
-						

	Signature of
Bidder Name:	
Designation:	
Organization Name:	
Contact No. :	

I.I.T.D – 7/8 e-TENDERING

I.I.T.D

PART-B

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS. NEW DELHI - 110016

Item Rate Tender & Contract for Composite Work

Tender for the work of: Renovation and up-gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi.

Sub-Head:- Civil and Electrical Works (P/F E.I. work).

To be submitted by as per tender notice to

(i) To be opened in presence of bidders who may be present at as per tender notice in the office of D.R. (Store)

Issued to

Signature of officer issuing the documents

Designation.

Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents, and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for **Seventy-Five** (75) days from last date of submission of bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors,

I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

	I.I.T.D – 7/8 e-TENDERING	I.I.T.D
--	---------------------------	---------

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated	ł٠
Daice	1.

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

I.I.T.D

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is
accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New
Delhi - 16 for a sum of
(Rupees).
The letters referred to below shall form part of this contract agreement: -
(a)
(4)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi Signature
Dated:
Daica.
Designation

PROFORMA OF SCHEDULES I.I.T.D

SCHEDULES (A to F)

(For Civil Maintenance/ Renovation work)

SCHEDULE 'A'

Schedule of quantities as attached.

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue	
1	2	3	4	5	
	NIL				

SCHEDULE 'C'

Tools and plants to be hired to the contractor.

S.No.	Description	Hire charges per day	Place of Issue			
1	2	3	4			
	NIL					

SCHEDULE 'D'

Extra schedule for specific requirement/document for the work, if any.

Nil.

SCHEDULE 'E'

Reference to General **Conditions** GCC for Maintenance work 2023 for CPWD of:

contract

works along with correction on slips/ amendments issued up to last date of

submission of bid.

Renovation and up-gradation of Drawing Name of Work

Branch office MZ-131 in Academic area at

IIT Delhi.

Sub-Head:- Civil and Electrical Works (P/F

E.I. work).

Clause 12

Estimated cost of work: Rs. 30,51,330/-

Earnest Money: Rs. 61,027/-

Performance Guarantee 5% of tendered Value

2.5 % of tendered value Security deposit

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

Executive Engineer [CD-I] 1. Officer inviting tender

2. Maximum percentage for quantity of items of work to be executed beyond which rates

are to be determined in accordance with

Clauses 12.2 & 12.5

Definitions:

: Executive Engineer [CD-I] 2(i) Engineer-in-Charge

Executive Engineer 2(ii) Accepting Authority

2(iii) Percentage on cost of materials and 15%

Labour to cover all overheads and

profits:

DSR-2023 for Civil work + Electrical Standard Schedule of Rates: 2(iv)

> works on DSR-2022 and GST factor 1.0633 with up-to-date correction slip on

date of submission of bid & Market Rate.

2(v) Department Works department at I.I.T Delhi.

2(vi) Standard IITD Form & CPWD GCC for Maintenance work 2023, modified & corrected up to last date of submission of bid.

C ----NIL I--- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C) J.E.(E) Clause 1

(i) Time allowed for submission of : 15 days

Performance Guarantee from the date of issue of letter of

acceptance

(ii) Maximum allowable : 05 days

extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above,

Clause 2

Authority for fixing compensation under : Institute Engineer

Delay:

Clause 5

Number of days from the date of issue : 10 days or earlier as per direction of

of letter of acceptance for reckoning date of start: Engineer-in-charge

MILE STONE CHART

Sl. No.	Description of mile stone (financial terms)	Period for completion from date of start in days/months	Withheld amount for non- achievement of mile stone.
1	Nil		
2	Nil		
3	Nil		
4	Nil		

Allowed for execution of work : **04 Months**

Authority to decide:

(i)

Extension of Time : SE/IE

(ii) Rescheduling of mile stones : Executive Engineer

(iii) Shifting of Date of start in case of

Delay in handing over of site : Executive Engineer

Clause (6) : Applicable (Computerized MB)

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment: Minimum Rs.8.00 Lakhs

Clause -7A : As per Institute Policy

No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

Clause 10A

List of testing equipment to be provided by : **Not Applicable**

the contractor at site lab

Clause 10B : Not Applicable

Clause 10C

Component of labour expressed as percent of value of work:. 25% for civil work & 15% for Electrical work

Clause 10CA : Not Applicable

S. No.	Material Covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA* (July 2023)
1.	Cement		
2.	Cement	Not Applic	able
3.	Reinforcement bars		
4.	Structural steel		

Clause 10CC

Clause 10 CC to be applicable in contracts period with stipulated of completion exceeding the period shown in next column

Not Applicable

Clause 11

Specifications to be followed for execution of work

CPWD specifications 2019 Vol I and Vol II for Civil Work with correction slips & manufacturers Specifications upto the last date of bid submission/uploading tender.

Detailed nomenclature of items & specifications for market rate items as per Engineer-in-charge

Clause 12

Type of work Maintenance work

including works of upgradation, renovation, aesthetic, special repair, addition/alteration

12.2 & 12.5 Deviation limit beyond 100% :

which clauses

12.2 & 12.5 shall apply for building work

12.5 (I) Deviation Limit beyond which clauses 100%

> 12.2 & 12.5 shall applicable for foundation work (Except items mentioned in earthwork subhead of DSR

and related items)

Deviation Limit for Items in earth work 12.5 (II) 100%

subhead of DSR and related items

Clause 16

Institute Engineer Competent Authority for deciding reduced rates

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site

As per requirement

Clause 25

Constitution of Dispute Redressal Committee (DRC)				
Chairman				
Member	NIL			
Member				

Note: The above constitution of Dispute Redressal Committee is subject to change, for which necessary notification shall be issued by the competent authority of the department, if required.

Clause 32

Requirement of Technical Staff(s) & Recovery Rate

Cost of Work (Rs. In	Requirement of Sta	aff	Minimum Experience	Designation	Rate at which recovery shall be made from
Crore)	Qualification Number (Years)		the Contractor in the event of not fulfilling provision of clause 32		
More than 15 lakh to 1.5 Cr.	Graduate Engineer Or Diploma Engineer	1 of major component	2 or 5 respectively	Project Manager cum planning/quality/ Site/ billing Engineer	Rs. 15,000/- per month per person

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineer.

Clause 38

i)	Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates 2023 with up to date correction printed by C.P.W.D.				
ii)	Variations permissible on theoretical quantities				
a)	Cement:				
	For works with estimated cost put to tender not more	3% plus/minus. (Three			
	than Rs.5 lakh.	percent)			
	For works with estimated cost put to tender more than	2% plus/minus. (Two			
	Rs.5 lakh percent)				
b)	Bitumen all works.	2.5% plus & only & nil on			
		minus side			
c)	Steel Reinforcement and structural steel sections for	2% plus/minus (Two			
	each diameter, section and category	percent)			
d)	All other materials				
e)	Schedule for determining theoretical consumption of Brick v 2023	work on the basis of DSR			

47

SPECIAL CONDITIONS

- 1.0 Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2.0 No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3.0 The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4.0 The work shall be carried out as per CPWD specifications for civil and electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7.0 Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-in-charge shall only be used at work.
- 8.0 The sample of material required in the work brought at site shall be submitted prior Technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- 9.0 The sample of material required for Testing shall be provided at free of cost by the contractor. All other expenditure to be incurred for taking sample, conveyance, packing and testing charges etc. shall be borne by the contractor.
- 10.0 The contractor shall submit a detailed program of work within **03 days** of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- 11.0 The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 12.0 No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13.0 Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour & material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/instructions and nothing shall be payable on this account.
- 14.0 The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 15.0 The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.
- 16.0 The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 17.0 Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.

C ---- NIL I --- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C) J.E.(E)

- 18.0 Income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 19.0 1% labour cess or as applicable will be deducted from the bills of contractor.
- 20.0 Water charges @1% and Electricity charges @ 0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- 21.0 Agency has to take proper safety major during the execution of work.
- 22.0 GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2023 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- 23.0 ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work.
- 24.0 The contractor shall submit the programmer of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- 25.0 Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- 26.0 GST shall be considered as inclusive in quoted rate of agency.

FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

This	=		this	=		two	thousand
betwee	en		nereinafter calle				part) and the
			lled the Govt.			r une one p	art) und und
dated.	made	between talia, unde	the Guarantor of the critical control of the critical	of the one pa	rt and	Govt. of t	called the Contract) the other part, whereby es in the said contract
remain		for Five y	rears to be rec	-			the said structure will he maintenance period
shall rother of the Er from t failing Guara	replace at his redefect being for agineer-in- Charles date of issuing which the wantor's cost and	isk and co ound he sh arge and s ing notice ork shall d risk and	ost such member hall render the lishall commence from the Engin be got done b	ers as may be building wat e the works eer-in-Chargy the Deparase the decis	e dam erproc of suc se calli tment ion of	aged by work at his cook rectificating upon how some in the Engire	ets and for that matter rater and in case of any est to the satisfaction of tion within seven days im to rectify the defects other contractor at the neer-in-charge as to the
Guara otherw perfor damag	intor will inder wise which may rmance and ob	nnify pring be incursely servance incurred by	cipal and his s red by him by n of this supplen by the Govern	uccessors agreason of any	ainst a / defai ment.	all loss, da ult on the _l As to the	ches hereunder then the image, cost, expense or part of the Guarantor in amount of loss and/or ineer-in-charge will be
In wit	tness whereof	of these	presents have	been execut	ed by	the Oblig	gor
	written.	For and o	on behalf of the	BOG IIT D	elhi oı	n the day,	month and year first
	ED, SEALED nce of- 1.	and delive	ered by OBLIG	OR in			
SIGN: 1. 2.	ED for and on	behalf of	BOG IIT Delhi	by		in t	he presence of-
	be filled by Co	ntractor/l	EE(CD-I)				

C ---- NIL I --- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C)

J.E.(E)

LIST OF APPROVED MAKES FOR CIVIL & ELECTRICAL WORKS

A:- Civil Items

S. No.	Description	Approved Makes
1	EWC seat covers	HINDWARE/ PARRYWARE/ CERA/
1		KEROVIT
2	C.P brass fittings/ Accessories	JAQUAR/ MARC/ KOHLAR /KEROVIT
3	PVC Seat Cover	PRAYAG/ POLYTUF/SHAKTI/ PEARL
4	PVC Fittings/ Accessories	PRAYAG/ PRIMA/SHAKTI/ PEARL
5	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/J.K/ BIRLA/ULTRA TECH/
3		VIKRAM
6	Cement(White)	J.K/ BIRLA
	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED
7		BY MINISTRY OF STEEL/ SECONDARY
'		MANUFACTURERS HAVING VALID BIS
		LICENSE (to be as per latest BIS provisions)
	Structural Steel	PRIMARY MANUFACTURERS APPROVED
8		BY MINISTRY OF STEEL/ SECONDARY
		MANUFACTURERS HAVING VALID BIS
0	G. 11 G. 1 G. 1	LICENSE (to be as per latest BIS provisions)
9	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM
10	Bricks	COMMERCIALLY AVAILABLE OR
	Aluminium Sections	REQUIRED STRENGTH HINDALCO/ JINDAL/ MAHAVIR
11		
12	Flush doors	CENTURY/ MERINO/ DURO BOARD/
	Taminata	GREEN AM/DURO/ARCHID/MEDINO/
13	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/ CENTURY
14	Glass	SAINT GOBAIN/ MODI FLOAT/ ASAHI
	Glass	FLOAT
	Ceramic Glazed tiles/ Border tiles	1ST QUALITY KAJARIA/ NITCO/ JOHNSON/
15	Ceramic Glazed thes/ Border thes	ORIENT/ SOMANY
16	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY
	Interlocking Precast paver blocks/ Kerb	HINDUSTAN TILES/ SWASTIK/ DALAL
17	Stone	III (DOSTIII TILLE) SWIISTIII DILLIL
18	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASJ/ SUPREME
19	Stainless Steel Nuts/ Bolts/ Screws	KUNDAN/ PUJA/ ATUL/ GKW
20	Paint/ primer/ oil bound distemper/	1ST QUALITY PAINTS OF ASIAN/ BERGER/
20	Acrylic paint/ plastic paint	NEROLAC/ SHALIMAR /DULUX
21	Water Proof Cement Paint/ Exterior Paint	1ST QUALITY PAINTS OF ASIAN PAINTS/
21		BERGER/ NEROLAC/ SHALIMAR /DULUX
22	Sanitaryware (Vitreous China) (European	HINDWARE/PARRYWARE/CERA/
	Seats, Urinals, Wash Basins, etc.)	KEROVIT
23	G.I Pipes	TATA / JINDAL(HISSAR)/ BHUSHAN/ APL
		APPOLO
24	G.I Fittings	UNIK/ ZOLOTO/ AM
25	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)
26	Commercial Board/ PLY	MERINO/ DURO/ GREEN/ CENTURY/ KIT
		(SWASTIK)
27	CI Pipes/ Fittings	RIF/ NECO/ BENGAL IRON WORKS/ BC/
		SKF
28	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/
	Floor Coning	KAPILANSH
29	Floor Spring	DORMA/ GODREJ/ HAFELE/ GEZE/ OZONE
30	Door Closer	SANDHU/ HARDWIN/DORMA/ GODREJ/
		HAFELE/ GEZE/ OZONE

31	Mirror	ATUL/ MOIGUARD / SAINT GOBAIN/ AASHI
32	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN/DECK DÉCOR
33	False Ceiling	ARMSTRONG/ SAINT GOBAIN/ META WORTH
34	Water proofing compound	SIKA/ FOSROC/ PIDILITE/ ASIAN/BASF/CICO
35	Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
36	Adhesive	FEVICOL/ VAMICOL/ DUNLOP/ VAM ORGANIC / kajariya
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLENDURA/ CICO
38	Wall Putty	BIRLA /JK/ SARA
39	Epoxy Grout	BALLENDURA / KERAKOLL/ FERROUSCRETE
40	PVC Water storage tank (ISI marked)	SINTEX/ UNI PLAST/ POLYWELL
41	PVC insulated Water storage tank Heavy Duty 4/5 layer	SINTEX/ UNIPLAST/ POLYWELL/ EURO
42	Brass Ball Valve/ Gate Valve/ Float Valve / Butterfly valve	ZOLOTO/ AM/ LEADER/ SANT
43	Aluminium Door fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic paint	CBM/ CMS/ S.N. INDUSTRIES
46	Plaster of Paris Putty	ADHASHREE/ SHREE RAM/ J.K/ BIRLA
47	RCC Pipe	LAKSHMI/ SOOD & SOOD/ JAIN &Co./ DIWAN SPUN PIPES
48	PVC Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	KAKTUS/ ZEP/ E- PACK/ LLOYED
50	WPC Board and MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self- Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN/ POLYGAL/TUFLITE
54	ACP Panel	ALSTRONG/ALUCOBOND/EUROBOND/ ALUDECOR
55	Acoustic Wooden/Fabric Paneling	ARMSTRONG / ANUTONE/ CREDENCE / TOPAKUSTIC
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR/ 3M/ DARK EYE/ EVERY DENNISON
58	Laminate Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation (Mineral / rock wool)	UP TIWAGA LTD / ROCKWOOL IND./ F.G.P.
61	Fire Door	NAVAIR/ SHAKTI/ RADIANT/SIGNUM/PROMAT
62	Flush door Shutters of various thickness	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
63	Open cell false ceiling	ARMSTRONG/CREDENCE/HUNTER DOUGLAS
64	Calcium silicate false ceiling	AEROLITE, RAMCO, HILUX, USG BORAL
65	Gypsum Board	GYPROC BY SAINT GOBAIN, USG BORAL, ARMSTRONG
66	Fibre Cement Board	EVEREST/ USG BORAL / VISAKA
67	CPVC Pipe Fitting & Solvent	SUPREME/ ASTRAL/ ASHIRWAD / PRINCE /

C ---- NIL I --- NIL O--- NIL EE (CD-I)

GRC Wall Tile / Jali UNISTONE/ GREEN/ ACTION TESSA CENTURY/ GREEN/ ACTION TESSA GRC Wall Tile / Jali UNISTONE/ GREEN / MERINO/TRESI FUNDERMAX HILTI/ MUNGO/CANON/ FISCHER/ WUERTH FOSROC/SIKA/BASF/PIDILITE FOSROC	ROC AR /
G9	ROC AR /
70 Friction Stay Hinges EARL- BIHARI/ EBCO/HETTICH 71 M.S Pipes JINDAL/ APPOLO/ SWASTIK / TATA SURYA 72 Gypsum Plaster FERROUS CRETE (FERRO-500)/ GYF (ELTE-100)/ KERAKOL (K-100) 73 GRC Wall Tile / Jali UNISTONE/ DALAL/ SWASTIK ALW ULTRA 74 HDMR Board CENTURY/ GREEN/ ACTION TESSA 75 High Pressure Laminate(HPL) CENTURY/ GREEN / MERINO/TRESI FUNDERMAX 76 Anchor Fastener(Mechanical/ Chemical) HILTI/ MUNGO/CANON/ FISCHER/ WUERTH 77 Cupboard Lock PLAZA/ GODREJ/ HETTICH/ HAFLE 78 Rust remover / Rust converting primer / paint 79 polymer based zinc rich primer FOSROC/SIKA/BASF/PIDILITE 80 anticorrosive paint FOSROC/SIKA/BASF/PIDILITE 81 Concrete penetrating HI-TECH Corrosion inhibitor 82 Thixotropic Epoxy repair mortar FOSROC/SIKA/BASF/PIDILITE 83 Latex / SBR Polymer Compound FOSROC/SIKA/BASF/PIDILITE 84 Low viscous epoxy resin grout FOSROC/SIKA/BASF/PIDILITE 85 Epoxy resin for Concrete bond coat FOSROC/SIKA/BASF/PIDILITE 86 Pre-batched non-shrink polymer modified mortar 87 Pre-batched Pre Mixed Non- metallic composite fiber wrapping system 89 Pre-batched Pre Mixed Non- metallic composite fiber wrapping system 89 Epoxy for rebar/shear anchor FOSROC/SIKA/BASF/HILTI 70 Friction Stay Hingle ALRAL JURY	ROC AR /
71 M.S Pipes Gypsum Plaster Gypsum Plaster GRC Wall Tile / Jali 72 GRC Wall Tile / Jali THIGH Pressure Laminate (HPL) THIGH Pressure Laminate (HPL) TO Cupboard Lock Rust remover / Rust converting primer / paint TO polymer based zinc rich primer TO polymer based zinc rich primer TO concrete penetrating HI-TECH Corrosion inhibitor TO concrete pond coat FOSROC/SIKA/BASF/PIDILITE TO concrete penetrating HI-TECH Corrosion inhibitor TO concrete penetrating HI-TECH Corrosion inhibitor TO concrete pond coat FOSROC/SIKA/BASF/PIDILITE TO correct penetrating HI-TECH Corrosion inhibitor TO concrete bond coat FOSROC/SIKA/BASF/PIDILITE TO CONCRETE (FERRO-500) / CENTURY/ GREEN / ACTION TESSA THICH / MUNGO/CANON / FISCHER / WUERTH TO CONCRETE (MERINO/TRESI / EULIVA / BASF/PIDILITE TO SROC/SIKA/BASF/PIDILITE TO Concrete bond coat FOSROC/SIKA/BASF/PIDILITE TO CONCRETE (MERINO/TRESI / EULIVA / BECOCK / EULIVA / EULIVA / PECOCK / EULIVA / EULIVA / PECOCK / EULIVA	ROC AR /
SURYA FERROUS CRETE (FERRO-500)/ GYR (ELITE-100)/ KERAKOL (K-100) To grow GRC Wall Tile / Jali UNISTONE/ DALAL/ SWASTIK ALW ULTRA To will be a composite fiber wrapping system FOSROC/SIKA/BASF/PIDILITE To grow	ROC AR /
SURYA FERROUS CRETE (FERRO-500)/ GYE (ELITE-100)/ KERAKOL (K-100) 73 GRC Wall Tile / Jali UNISTONE/ DALAL/ SWASTIK ALW ULTRA 74 HDMR Board CENTURY/ GREEN/ ACTION TESSA 75 High Pressure Laminate(HPL) CENTURY/ GREEN/ MERINO/TRESS FUNDERMAX 76 Anchor Fastener(Mechanical/ Chemical) HILTI/ MUNGO/CANON/ FISCHER/ WUERTH 77 Cupboard Lock PLAZA/ GODREJ/ HETTICH/ HAFLE 78 Rust remover / Rust converting primer FOSROC/SIKA/BASF/PIDILITE 79 polymer based zinc rich primer FOSROC/SIKA/BASF/PIDILITE 80 anticorrosive paint FOSROC/SIKA/BASF/PIDILITE 81 Concrete penetrating HI-TECH Corrosion inhibitor 82 Thixotropic Epoxy repair mortar FOSROC/SIKA/BASF/PIDILITE 83 Latex / SBR Polymer Compound FOSROC/SIKA/BASF/PIDILITE 84 Low viscous epoxy resin grout FOSROC/SIKA/BASF/PIDILITE 85 Epoxy resin for Concrete bond coat FOSROC/SIKA/BASF/PIDILITE 86 Pre-batched non-shrink polymer modified mortar 87 Pre-batched Pre Mixed Non- Shrink Micro Concrete 88 Pre-batched Pre Mixed Non- metallic composite fiber wrapping system 89 Epoxy for rebar/shear anchor FOSROC/SIKA/BASF/HILTI 90 Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK NUTRA	AR/
GRC Wall Tile / Jali GRC Wall Tile / Jali UNISTONE/ DALAL/ SWASTIK ALW ULTRA THDMR Board CENTURY/ GREEN / ACTION TESSA CENTURY/ GREEN / MERINO/TRESI FUNDERMAX HILT / MUNGO/CANON / FISCHER / WUERTH Cupboard Lock Rust remover / Rust converting primer / Paint Polymer based zinc rich primer PosROC/SIKA/BASF/PIDILITE Concrete penetrating HI-TECH Corrosion inhibitor Thixotropic Epoxy repair mortar Thixotropic Epoxy repair mortar SEPOXY resin for Concrete bond coat FOSROC/SIKA/BASF/PIDILITE Pre-batched Pre Mixed Non- Shrink Micro Concrete Pre-batched Pre Mixed Non- metallic composite fiber wrapping system PosROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE	AR/
GRC Wall Tile / Jali GRC Wall Tile / Jali UNISTONE / DALAL / SWASTIK ALW ULTRA THICH RESIDENT ACTION TESSA CENTURY / GREEN / ACTION TESSA CENTURY / GREEN / MERINO / TREST FUNDERMAX High Pressure Laminate (HPL) CENTURY / GREEN / MERINO / TREST FUNDERMAX Anchor Fastener (Mechanical / Chemical) HILTI / MUNGO / CANON / FISCHER / WUERTH Cupboard Lock Rust remover / Rust converting primer / paint Polymer based zinc rich primer Onerete penetrating HI-TECH Corrosion inhibitor Concrete penetrating HI-TECH Corrosion inhibitor Thixotropic Epoxy repair mortar Thixotropic Epoxy repair mortar Tosro / Sika / Bas / Pidlitte Tosro / Sika / Ba	
Thisotropic Epoxy repair mortar Samurate	
This toropic Epoxy repair mortar Sepoxy resin for Concrete bond coat Pre-batched non-shrink polymer modified mortar Pre-batched Pre Mixed Non-shrink modular kitchen basket and accessories (High Pressure Laminate(HPL) CENTURY/ GREEN/ ACTION TESSA CENTURY/ GREEN / MERINO/TRESI FUNDERMAX HILTI/ MUNGO/CANON/ FISCHER/ WUERTH HILTI/ MUNGO/CANON/ FISCHER/ WUERTH FOROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF	'A/
High Pressure Laminate(HPL) CENTURY/GREEN / MERINO/TREST FUNDERMAX	'A/
FUNDERMAX Anchor Fastener(Mechanical/ Chemical) Anchor Fastener(Mechanical/ Chemical) HILTI/ MUNGO/CANON/ FISCHER/ WUERTH Cupboard Lock Rust remover / Rust converting primer / paint polymer based zinc rich primer Concrete penetrating HI-TECH Corrosion inhibitor Concrete penetrating HI-TECH Corrosion inhibitor Thixotropic Epoxy repair mortar Atatex / SBR Polymer Compound Low viscous epoxy resin grout FOSROC/SIKA/BASF/PIDILITE Atatex / SBR Polymer Compound FOSROC/SIKA/BASF/PIDILITE SEPOxy resin for Concrete bond coat Pre-batched non-shrink polymer modified mortar Pre-batched Pre Mixed Non- Shrink Micro Concrete Pre-batched Pre Mixed Non- metallic composite fiber wrapping system Prosroc/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	A/
Anchor Fastener (Mechanical/ Chemical) Anchor Fastener (Mechanical/ Chemical) To Uupboard Lock Rust remover / Rust converting primer /paint Polymer based zinc rich primer Som Concrete penetrating HI-TECH Corrosion inhibitor Thixotropic Epoxy repair mortar Latex / SBR Polymer Compound Som Posroc/sika/Basf/Pidilite Low viscous epoxy resin grout Som Posroc/sika/Basf/Pidilite Som Posroc/sika/Basf/Pidilite Fosroc/sika/Basf/Pidilite Fosroc/si	
WUERTH 77	
Rust remover / Rust converting primer /paint FOSROC/SIKA/BASF/PIDILITE /paint FOSROC/SIKA/BASF/PIDILITE /paint FOSROC/SIKA/BASF/PIDILITE /posroc/sika/basf/PIDILITE /posroc/sika/basf/P	
Polymer based zinc rich primer FOSROC/SIKA/BASF/PIDILITE	7
Polymer based zinc rich primer FOSROC/SIKA/BASF/PIDILITE	
80 anticorrosive paint FOSROC/SIKA/BASF/PIDILITE 81 Concrete penetrating HI-TECH Corrosion inhibitor 82 Thixotropic Epoxy repair mortar FOSROC/SIKA/BASF/PIDILITE 83 Latex / SBR Polymer Compound FOSROC/SIKA/BASF/PIDILITE 84 Low viscous epoxy resin grout FOSROC/SIKA/BASF/PIDILITE 85 Epoxy resin for Concrete bond coat FOSROC/SIKA/BASF/PIDILITE 86 Pre-batched non-shrink polymer modified mortar 87 Pre-batched Pre Mixed Non- Shrink Micro Concrete 88 Pre-batched Pre Mixed Non- metallic composite fiber wrapping system 89 Epoxy for rebar/shear anchor FOSROC/SIKA/BASF/HILTI 90 Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	
Concrete penetrating HI-TECH Corrosion inhibitor 82 Thixotropic Epoxy repair mortar FOSROC/SIKA/BASF/PIDILITE 83 Latex / SBR Polymer Compound FOSROC/SIKA/BASF/PIDILITE 84 Low viscous epoxy resin grout FOSROC/SIKA/BASF/PIDILITE 85 Epoxy resin for Concrete bond coat FOSROC/SIKA/BASF/PIDILITE 86 Pre-batched non-shrink polymer modified mortar 87 Pre-batched Pre Mixed Non- Shrink Micro Concrete 88 Pre-batched Pre Mixed Non- metallic composite fiber wrapping system 89 Epoxy for rebar/shear anchor FOSROC/SIKA/BASF/HILTI 90 Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	
Inhibitor	
S2	
Latex / SBR Polymer Compound FOSROC/SIKA/BASF/PIDILITE 84	
B4	
85 Epoxy resin for Concrete bond coat 86 Pre-batched non-shrink polymer modified mortar 87 Pre-batched Pre Mixed Non- Shrink Micro Concrete 88 Pre-batched Pre Mixed Non- metallic composite fiber wrapping system 89 Epoxy for rebar/shear anchor Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	
Pre-batched non-shrink polymer modified mortar FOSROC/SIKA/BASF/PIDILITE 87	
mortar Pre-batched Pre Mixed Non- Shrink Micro Concrete Pre-batched Pre Mixed Non- metallic composite fiber wrapping system Pre-batched Pre Mixed Non- metallic proposite fiber wrapping system Epoxy for rebar/shear anchor Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	
Pre-batched Pre Mixed Non- Shrink FOSROC/SIKA/BASF/PIDILITE	
Micro Concrete	
composite fiber wrapping system Epoxy for rebar/shear anchor FOSROC/SIKA/BASF/HILTI Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK HETTICH/ RITCH/ RITCH/ PLUM / PECOCK HETTICH/ RITCH/ RI	
89 Epoxy for rebar/shear anchor FOSROC/SIKA/BASF/HILTI Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	
Modular kitchen basket and accessories (HETTICH/ KITCH/ PLUM / PECOCK	
On 1	
SS-304 Grade)	
M 1 1 /G .: WILLIAM OF THE ANALOG THE	
91 Manhole cover /Grating KK MANHOLE / DALAL / SWASTIK HINDUSTAN	1
92 laminate wooden flooring VISTA / ARMSTRONG / ACTION TEST	SA
93 Engineered wood Flooring PERGO / JUNKERS / BOEN / SQUAR	
SS Pine (304 grade) FOR WATER HNDAL / TATA / ALEA PRESS / VIEW	
94 SUPLY SUPLY	
95 Epoxy flooring FOSROC / SIKA / BASF	
FÜRNITURE	
Work Station GODREJ INTERIO/ HAWORTH / STE	
96 CASE/ WIPRO/ FEATHERLITE/ HERN	1AN
MLLER Executive Table / other table CODDELINTEDIO / HAWODTH / STE	DI .
Executive Table/ other table GODREJ INTERIO/ HAWORTH / STE CASE/ WIPRO/ FEATHERLITE/ HERM	
CASE/ WIPRO/ FEATHERLITE/ HERI	IMIN
Chair / Audi Chair GODREJ INTERIO/ HAWORTH / STE	
98 CASE/ WIPRO/ FEATHERLITE/ HERM	<u>चा</u>
MLLER	
99 Lab Furniture's KEWANEE / WALDNER / GODREJ/ V	
FEATHERLITE	MAN

100	Hostel beds and cots	ZUARI / EVOK / GODREJ / WIPRO / FEATHERLITE
101	Hospital beds	HUNTLEY / STRIKER /GODREJ /WIPRO /FEATHERLITE
	ITEMS FOR CLEAN ROOM / BSL / SRTERLIZATION / SPECIAL LAB FURNITURE	//LATHERLITE
102	Clean room Wall, Ceiling panel, coving	IClean/ Nicomac/ Clestra/ Channel Systems
103	Clean room Garment cabinet, shoe rack	IClean/ Kleainzaids/ Channel Systems
104	Cleanroom Doors, Return air riser	IClean/ Nicomac/ Clestra/ Channel Systems
105	Pass box, Air Shower	IClean/ Kleainzaids / Channel Systems
106	Utility Gas piping valves and Fittings	Shavo Technologies / Excel Gas/ GDS
	(for clean room)	STARLING / Broen / Ratnamani
107	Utility Gas Pipe SS 304 Seamless (for clean room)	Excel Gas / Scoda / Venus / Dockweller
108	SS 316 L Electo polished tubing	Dockweller / Valex / Sandvik / Ratnamani
109	Chilled water pump	Grundfos/ KBL / Beacon / Wilo
110	Insulation for pipe and valves	Armaflex/ K Flex/ A flex/ Supreme
111	Auto Air vent, Y strainer	Anergy / Zoloto / Lehry
112	3 way modulating valve, Flow switch	Siemens / Honeywell
113	Humidistat, Thermostat, DP Sensor	Siemens / Honeywell
114	Magnehalic gauge	Dwyer / Sensocon / Micro precision
115	Temperature Pressure gauge	H Guru / Wika / Febig
116	Pre Insulated Ducting	RR Engineers / Asawa / Paul
117	Thermal Insulation for GI ducting	Supreme/K. Flex/A Flex/Armaflex
118	HEPA Filters, HEPA terminal, BIBO unit	AAF/Camfil/ Thermadyne / Mechmaark
119	Building Management System	Honeybell / Siemens / Johnson
120	Biometric Access System	Siemens / Vantage / ExcelLex
121	Door Interlock	Honeywell/Vantage / Drishti / Ozone
122	Thyristor Heater	KEPL/Intercool/ Rapid Cool
123	Compressed Dry Air (Oil free type)	Atlas Copco / Chicago Pneumatics Ingersol Rand / Elgi
124	Antivibration mounting	Resistoflex/ Gerb / polybond
125	Variable Frequency Drive	ABB / Danfos / Fuji
126	Lab Casework	Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab guard
127	Fume Hoods	Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab guard
128	Utility Valves	Broen/Water Saver/FAR
129	VAV Controls	TEL
130	Spot Extractor	Fumex/ Alsident
131	Exaust blower	Colasit / Plastifier/ Seat
132	Acid storage	Kewaunee/ Justrite/Asecos
133	Solvent storage (FM)	Kewaunee/ Justrite/Asecos
134	Chemical storages	Kewaunee/GD-Waldner/Godrej/Citizen
135	Document Storages	Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab guard
136	Bio safety cabinet	Kewaunee/ Klenzaids/ Esco / Fisher
137	Laminar air flow	Kewaunee/ Klenzaids/ Esco / Fisher
138	Laboratory chairs (SS)	Kewaunee/GD-Waldner/Godrej/Citizen
139	Lab Stools (SS)	Kewaunee/Godrej/Citizen/Filtotech/Universal

B:- E & M Items

S. No.	Description	Approved Makes
01	MCB(10KA)/ Isolators & MCB DB with End Box.	Legrand /Havells/ Siemens/ L&T / ABB/ Schneider/ C&S.
02	МССВ	Legrand /Havells/ Siemens/ L&T / ABB/ Schneider/ C&S.
03	MCCB BOX	Legrand /Havells/ Siemens/ L&T / ABB/ Schneider/ C&S.
04	Modular type switch/ socket, TV socket, Fan Regulator.	Havells Crabtree / L&T/ ABB/ Wipro North West/ Legrand(Arteor/ Myrius)/ Schneider (Zencelo).
05	Steel conduit pipe and Accessories (ISI)	BEC/ AKG/ NIC / Steel Krafts
04	PVC conduit pipe and Accessories(ISI)	BEC/ AKG/ NIC
05	Junction Boxes/ MS Boxes	Havells Crabtree / Anchor / North West / Legrand
06	Bushes	PVC/ Nylon
07	FRLS PVC insulated copper conductor cable	Polycab / Finolex / Havells/ KEI/ Universal
08	LED Light Fixture	Philips/ Trilux/ Bajaj/ Wipro/Crompton/ Havells.
09	Ceiling Fans (BLDC) & Wall Fan	Havells/ Atomberg/ Bajaj/ Crompton/USHA.
10	Exhaust Fan/ Fresh Air Fan	Havells/ Bajaj/ Crompton/USHA.
11	Industrial type socket	Legrand /Havells/ Siemens/ L&T / ABB/ Schneider/ C&S.
12	DLP U-PVC channel & accessories	Schneider / Legrand
13	Modular Plate & Cover Plate	Havells Crabtree / L&T/ ABB/ Wipro North West/
		Legrand(Arteor/ Myrius)/ Schneider (Zencelo).
14	Distribution Board	Legrand /Havells/ Siemens/ L&T / ABB/ Schneider/ C&S.
15	XLPE Alumium/ Copper conductor Armoured cable	Havells/ Gloster/ Polycab/ Finolex/ RR kabel/ KEI/
		Universal/ Rallison
16	Multifunction Meter	L&T/ AE/ Schneider/ Rishabh/ HPL
17	Ammeter	L&T/ AE/ Universal/ Rishabh/ Meco/ Kaycee/ Enercom
18	Voltmeter	L&T/ AE/ Universal/ Rishabh/ Meco/ Kaycee/ Enercom
19	Frequency Meter	Digitron/ AE/ Rishabh/ Meco/ Keltron.
20	CT's	L&T/AE/ KAPPA/ Pragati/ Marshal/ L&T
21	Selector Switches	L&T/AE/ KAPPA/ Pragati/ Marshal/ L&T
22	Contractors	L&T/ Seimens/ GE power/ Crompton/ Havells/ Legrand
23	Push button & Pilor lamps	BCH/ L&T/ Seimens/ Vaishno
24	LED indicating Lights	L&T/ Siemens/ Kaycee/ Crompton/ Vaishno
25	GI Pipe	Jindal Steel/ Jindal Hisar/ Sail/ Tata
26 27	DW HDPE Pipe	Reliance/ Duraline/ Hasti
	Cat 6 LAN Cable	Legrand/ Molex/ Amp
28	Air conditioners	Mitsubishi/ O general/ Hitachi/ Daikin/ Blue Star/ Carrier/ LG/ Lloyds/ Panasonic/ Voltas
29	Access Control System	Bosch/ Honeywell/ HID/ Nextwatch
30	Intruder Alarm Systerm	Ademco/ bosch/ DSC/ Honeywell
31	Cable raceway floor/ wall mounted & Accessories(MS/G.I)	Legrand/ AKG/ BEC/ ESSAR/ Honeywell/ Godrej.
32	Sandwitch Bus trunking/ Rising Main	C&S/ L&T/ Schneider/ ABB.
33	Telephone wire	Delton/Finolex/ Havells/ Skytone
34	Occupancy Sensor	Wipro/ Schneider/ Honeywell/ Seimens/ Bosch
35	Gooseneck Microphone	Televic/ Beyerdynamic/ Bosch/ Bose/ Sennheiser
36	Amplifier	Crown/ Extrom/ Crestron
37	24 Port Switch	Cisco/ Netgear/ Hp/ Juniper
38	8 Port LIU	Legrand/ AMP/ Molex
39	16 Port Gigabit POE Switch	Netgear/ Juniper/ Cisco
40	HDMI/ USB Cable	AMX/ Crestron/ Manhatten
41	AV Speaker	JBL/ Bosch/ Bose/ Sony
42	CCTV Camera	Pelco/ Bosch/ Honeywell
43	DVR (Digital Video Recorder)	Bosch/ Honeywell/ Pelco
44	Fire Suppression System	Minimax/ Ceasefire/ Ansul
45	Fire Panel	Notifier/ Johnson Control/ Fike/ Cooper/ Bosch/ Honeywell
46	PA System	Notifier/ Johnson Control/ Fike/ Cooper/ Bosch/
+0	111 0 1 5 6 6 11	Honeywell

47	Addressable Heat/ Smoke detector/ Hooter/ RI/	Notifier/ Johnson Control/ Fike/ Cooper/ Bosch/
	Pullstation/	Honeywell
48	Conventional Heat/ Smoke detector/ Hooter/ RI/	System Sensor/ Cooper/ GST/ Ravel/ Fike/ Essar/
	Pullstation/	Honeywell/ Bosch/ Bosch
49	Cable joint Kit	Raychem/ M-Seal/ Densons/ 3M

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: -

nvelope followin		provided as single PDF file)	
Sl. No.	Documents	Content	File
			Types
1.	Technical Bid	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	.PDF
2.	-	Enlistment order of contractor.	.PDF
3.	-	Certificate of work experience.	.PDF
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
5.		Affidavit as per Notice Inviting Tender Condition 1.2.2 page 20 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	.PDF
6.	=	Acceptance to execute INTÉGRITY PACT.	.PDF
8.		"the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI and EPF Registration.	PDF
9.	-	FORM "F" (Duly filled with all required details	.PDF
10		In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	PDF
11		Annexure-I (duly filled & signed by the bidders)	PDF
12		Annexure-II (duly filled & signed by the bidders)	PDF
13		Annexure-III (duly filled & signed by the bidders)	PDF
14	_	Any other documents specified in NIT	PDF
nvelope	- 2		
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

All above documents shall be as per Tender Notice.

 $C ---- NIL \qquad I --- NIL \qquad O --- NIL \qquad EE (CD-I) \qquad \qquad E.E.(ED-I) \qquad \qquad AE (C) \qquad \qquad J.E.(E)$

PART 'C'

SCHEDULE OF QUANTITY

Name of work:- Renovation and up-gradation of Drawing Branch office MZ-131 in Academic area at IIT Delhi.

Sub-Head:- Civil and Electrical Works (P/F E.I. work)..

S.No	Description	Unit	Qty.	Rate Rs. (Inclusive of GST)	Amount Rs.
A	CIVIL WORK				
1	Earth Work				
1.1	Supplying chemical emulsion in sealed containers including delivery as specified.				
1.1.1	Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	Litre	10		
1.2	Treatment of existing masonry using chemical emulsion @ one litre per hole at 300 mm interval including drilling holes at 45 degree and plugging them with cement mortar 1:2 (1 cement : 2 coarse sand) to the full depth of the hole :				
1.2.1	With Chlorpyriphos/Lindane E.C. 20% with 1% concentration	Metre	76		
2	Cement Concrete (Cast in Situ)				
2.1	Providing and laying cement concrete in retaining walls, return walls, walls (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor etc., up to floor five level, excluding the cost of centering, shuttering and finishing.				
2.1.1	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	Cum	0.8		
3	Reinforced Cement Concrete				
3.1	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse Sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources).	Cum	0.5		

	Centering and shuttering including			
3.2	strutting, propping etc. and removal			
	of form for			
3.2.1	Shelves (Cast in situ)	Sqm.	5	
	Steel reinforcement for R.C.C. work			
3.3	including straightening, cutting, bending, placing in position and			
	binding all complete above plinth level.			
3.3.1	Thermo-Mechanically Treated bars of	V.a	20	
3.3.1	grade Fe-500D or more.	Kg.	20	
4	Masonry Work			
	Brick work with common burnt clay			
4.1	F.P.S. (non modular) bricks of class designation 7.5 in superstructure above			
4.1	plinth level up to floor V level in all			
	shapes and sizes in :			
4.1.1	Cement mortar 1:6 (1 cement : 6 coarse	Cum	0.5	
	sand)	Cum	0.5	
	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of			
4.2	class designation 7.5 in superstructure			
	above plinth level up to floor V level.			
4.2.1	Cement mortar 1:4 (1 cement :4 coarse	Cum	10	
	sand)		-	
5	Cladding work Providing and fixing 18 mm thick gang			
	saw cut, mirror polished, premoulded			
	and prepolished, machine cut for			
	kitchen platforms, vanity counters,			
	window sills, facias and similar			
	locations of required size, approved shade, colour and texture laid over 20			
5.1	mm thick base cement mortar 1:4 (1			
	cement : 4 coarse sand), joints treated			
	with white cement, mixed with			
	matching pigment, epoxy touch ups,			
	including rubbing, curing, moulding and polishing of edges to give high			
	gloss finish etc. complete at all levels.			
	Granite stone slab of all colour and			
5.1.1	texture except black, Cherry/ Ruby red			
5 1 1	Area of alah urta 0.50 ac	Carr		
5.1.1	Area of slab upto 0.50 sqm Providing edge moulding to 18 mm	Sqm	5	
	thick marble stone counters, Vanities			
5.0	etc., including machine polishing to			
5.2	edge to give high gloss finish etc.			
	complete as per design approved by			
501	Engineer-in-Charge. Granite work	Materia	12	
5.2.1	Extra for fixing marble /granite stone,	Metre	13	
	over and above corresponding basic			
	item, in facia and drops of width upto			
5.3	150 mm with epoxy resin based	Metre	8	
	adhesive, including cleaning etc.			
	complete.			
		l		I.

5.4	Providing and fixing expansion hold fasteners on C.C. /R.C.C./Brick masonry surface backing including drilling necessary holes and the cost of bolt etc complete.			
5.4.1	Wedge expansion type			
5.4.1.1	Fastener with threaded dia 6 mm	Each	50	
5.4.1.2	Fastener with threaded dia 10 mm	Each	50	
6	Wood and PVC Work	20011		
	Providing and fixing aluminium			
6.1	extruded section body tubular type universal hydraulic door closer (having brand logo with ISi, IS: 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	Each	1	
6.2	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.			
6.2.1	Size 50 mm	Each	20	
6.3	Providing and fixing chromium plated brass 50 mm cupboard or wardrobe knobs with nuts complete.	Each	10	
6.4	Providing and fixing chromium plated brass handles with necessary screws etc. complete:			
6.4.1	75 mm	Each	20	
6.5	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete			
6.5.1	Twin rubber stopper	Each	1	
6.6	Providing and fixing wooden moulded corner beading of triangular shape to the junction of panelling etc. with iron screws, plugs and priming coat on unexposed surface etc. complete 2nd class teak wood.			
6.6.1	50x50 mm (base and height)	Metre	20	
6.7	Providing and fixing 2nd class teak wood lipping/ moulded beading or taj beading of size 18X5 mm fixed with wooden adhesive of approved quality and screws/nails on the edges of the Pre-laminated particle board as per direction of Engineer-in-charge.	Metre	20	
6.8	Providing and fixing magnetic catcher of approved quality in cupboard /			

	ward robe shutters, including fixing			
6.8.1	with necessary screws etc. complete. Double strip (horizontal type)	Each	20	
6.9	Providing and fixing powder coated telescopic drawer channels 300 mm long with necessary screws etc. complete as per directions of Engineer-in-charge.	One Set	4	
6.10	Providing and fixing sliding arrangement in racks/ cupboards/ cabinets shutter by with stainless steel rollers to run inside C or E aluminium channel section (The payment of C or E channel shall be made separately)	Each	10	
6.11	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS: 2046 Type S, including cost of adhesive of approved quality.			
6.11.1	1.5 mm thick	Sqm	20	
6.11.2	1.0 mm thick	Sqm	10	
6.12	Providing and fixing frame work for partitions/ wall lining etc. made of 50x50x1.6 mm hollow MS tube, placed along the walls, ceiling and floor in a grid pattern with spacing @ 600 mm centre to centre both ways (vertically & horizontally) or at required spacing near opening, with necessary welding at junctions and fixing the frame to wall/ ceiling/ floors with steel dash fasteners of 8 mm dia, 75 mm long bolt, including making provision for opening for doors, windows, electrical conduits, switch boards etc., including providing with two coats of approved steel primer etc. complete, all as per direction of Engineer-in-charge.	Kg.	100	
6.13	Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete.			
6.13.1	75 mm	Each	20	
6.14	Providing and fixing cupboard shutter with 19mm thick one side decorative and other side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand including 2mm thick PVC edge banding tape with hot glue by edge bending machine etc. with auto closing spring loaded hinges (hydraulic type) etc. complete as per direction of Engineer- in-charge. (Payment of	Sqm	20	
NII. I	- NIL O NIL EE (CD-I)	EE.	ED-D	

AE (C)

	providing and fixing auto closing			
	hinges shall be paid separately)			
6.15	Providing and fixing 19mm thick both side balancing lamination factory pressed BWP grade marine ply as per IS 710 of approved brand boxes, shelves, racks, almirah, cupboard and drawer etc. including necessary nails, screws etc. complete as per direction of Engineer-in-charge.	Sqm	10	
6.16	Providing and fixing stainless steel fancy handle of approved make fixed with SS screws etc. complete as per direction of Engineer-in-charge			
6.16.1	200 mm	Each	6	
6.17	Providing and fixing stainless steel soft closing spring hinges at 0 degree hinges (hydraulic type) of approved make/brand to cupboard shutters with full threaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge.	Each	20	
6.18	Providing and fixing stainless steel soft closing heavy type telescopic drawer channels of approved make 500 mm long with screws etc. complete as per directions of Engineer- in-charge.	One Set	12	
6.19	Providing and fixing 2mm thick 16 to 19mm wide PVC edge binding tape of approved quality for cupboard/wardrobe shutters including necessary synthetic resin hot pressed to edges on binding machine etc. complete as per directions of Engineer- in-charge.	Metre	80	
7	Flooring			
7.1	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.			
7.1.1	Size of Tile 600x600 mm	Sqm	71	
7.2	Deduct for not using 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand) bedding in laying of floor tiles and jointing with grey cement slurry @ 3.3 kg/ sqm.	Sqm	-74	

	T =			T	Т
	Fixing glazed/ Ceramic/ Vitrified floor				
	tiles with cement based high polymer				
7.3	modified quick-set tile adhesive (Water	Sqm	74		
	based) conforming to IS: 15477, in	_			
	average 3mm thickness.				
	Providing and laying Vitrified tiles in				
	different sizes (thickness to be				
	specified by manufacturer), with water				
	-				
	absorption less than 0.08 % and				
	conforming to I.S. 15622, of approved				
	make, in all colours & shade, in				
7.4	skirting, riser of steps, over 12 mm				
	thick bed of cement mortar 1:3				
	(1cement: 3 coarse sand), jointing with				
	grey cement slurry @ 3.3 kg/sqm				
	including grouting the joint with white				
	cement & matching pigments etc.				
	complete.				
7.4.1	Size of Tile 600x600 mm	Sqm	3		
8		Sqiii	3		
0	Roofing Providing and fixing tiled false ceiling				
	-				
	of specified materials of size 595x595				
	mm in true horizontal level, suspended				
	on inter locking metal grid of hot				
	dipped galvanized steel sections (
	galvanized @ 120 grams/ sqm, both				
	side inclusive) consisting of main "T"				
	runner with suitably spaced joints to get				
	required length and of size 24x38 mm				
	made from 0.30 mm thick (minimum)				
	sheet, spaced at 1200 mm center to				
	center and cross "T" of size 24x25 mm				
	made of 0.30 mm thick (minimum)				
	sheet, 1200 mm long spaced between				
	main "T" at 600 mm center to center to				
	form a grid of 1200x600 mm and				
	secondary cross "T" of length 600 mm				
	and size 24x25 mm made of 0.30 mm				
	thick (minimum) sheet to be				
8.1	interlocked at middle of the 1200x600				
	mm panel to form grids of 600x600 mm				
	and wall angle of size 24x24x0.3 mm				
	and laying false ceiling tiles of				
	approved texture in the grid including,				
	required cutting/making, opening for				
	services like diffusers, grills, light				
	fittings, fixtures, smoke detectors etc.				
	Main "T" runners to be suspended from				
	ceiling using GI slotted cleats of size 27				
	x 37 x 25 x 1.6 mm fixed to ceiling with				
	12.5 mm dia and 50 mm long dash				
	fasteners, 4 mm GI adjustable rods with				
	galvanised butterfly level clips of size				
	85 x 30 x 0.8 mm spaced at 1200 mm				
	center to center along main T, bottom				
				i e	Ť
	exposed width of 24 mm of all T-				

	heights as per specifications, drawings				
	and as directed by Engineer-in-charge.				
	GI Metal Ceiling Lay in perforated				
8.1.1	Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and	Sqm	49		
	perforation, and backed with a black				
-	Glass fiber acoustical fleece.				
9	Finishing				
9.1	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
	Two or more coats on new work over				
9.1.1	an under coat of suitable shade with	Cam	30		
9.1.1	ordinary paint of approved brand and	Sqm	30		
	manufacture				
	Providing and applying white cement				
	based putty of average thickness 1 mm,				
9.2	of approved brand and manufacturer, over the plastered wall surface to	Sqm	170		
	prepare the surface even and smooth				
	complete.				
	Distempering with 1st quality acrylic				
	distemper (ready mixed) having VOC				
9.3	content less than 50 gms/litre, of				
	approved manufacturer, of required shade and colour complete, as per				
	manufacturer's specification.				
	New work (two or more coats) over and				
9.3.1	including water thinnable priming coat	Sqm	170		
9.5.1	with cement primer having VOC	Sqiii	170		
	content less than 50 gms/litre.				
9.4	Painting with synthetic enamel paint of approved brand and manufacture to				
). 1	give an even shade.				
9.4.1	Two or more coats on new work	Sqm	30		
9.5	French spirit polishing:	1			
	Two or more coats on new works	C	1.7		
9.5.1	including a coat of wood filler	Sqm	15		
	Removing white or colour wash by				
9.6	scrapping and sand papering and preparing the surface smooth including	Sam	170		
7.0	necessary repairs to scratches etc.	Sqm	170		
	complete.				
	Painting (one or more coats) on rain				
	water, soil waste and vent pipes and				
9.7	fittings with black anticorrosive				
	bitumastic paint of approved brand and manufacture on old work :				
	manufacture off old work:	<u> </u>	<u> </u>	1	_1

9.7.1	150 mm diameter pipes.	Metre	3	
10	Repairs to Building			
10.1	Repairs to plaster of thickness 12 mm to 20 mm in patches of area2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.			
10.1.1	With cement mortar 1:4 (1 cement : 4 fine sand)	Sqm	30	
10.2	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty:			
10.2.1	Float glass panes of nominal thickness 5 mm (weight not less than 12.5kg/sqm)	Sqm	6	
10.3	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge.	Sqm	74	
11	Dismantling and Demolishing			
11.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.			
11.1.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	Cum	0.5	
11.2	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.			
11.2.1	In cement mortar	Cum	0.5	
11.3	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.	Kg.	357	
11.4	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.			
11.4.1	For thickness of tiles 10 mm to 25 mm	Sqm	74	
11.5	Dismantling wooden boardings in lining of walls and partitions, excluding supporting members but including stacking within 50 metres lead:			
11.5.1	Thickness above 10 mm up to 25 mm	Sqm	20	

	D: 41 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1
11.6	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	Sqm	5	
11.7	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge.	Sqm	74	
11.8	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	Cum	6	
12	Water Supply			
12.1	Cutting holes up to 30x30 cm in walls including making good the same:			
12.1.1	With common burnt clay F.P.S. (non modular) bricks	Each	2	
13	Aluminium Work			
13.1	Providing and fixing aluminium work for doors, windows, ventilator sand partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners			
13.1.1	to be paid for separately): For fixed portion			
13.1.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg.	300	
13.2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket		ED-D	

	required (Fittings shall be paid for separately)			
13.2.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	Kg.	100	
13.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):			
13.3.1	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	Sqm	10	
13.4	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.			
13.4.1	Upto 5mm depth and 5 mm width	Mtr.	50	
13.5	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	Each	2	
13.6	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in- charge			
13.6.1	Powder coated minimum thickness 50 micron aluminium	Each	2	
14	New Technologies and Materials			
14.1	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid board one side white color and other side of board laminted with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive for cup boards, work stations and bathroom/kitchen cabinet etc. of required sizes comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850			

	T =		1		
14.1.1	N/mm2 and resistance to spread of flame of Class A category with property of being termite/ borer proof, water/moisture proof and fire retardant and fixing with stainless steel piano hinges/soft close clip on concealed hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel piano hinges/soft close clip on concealed hinges and necessary S.S screws shall be paid separately) 18 mm thick Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid plain white color board for backing of cup boards and bathroom/kitchen cabinets etc. of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 50 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel screws	Sqm	60		
	etc. all as per direction of Engineer-In- Charge. (Note: stainless steel screws				
14.2.1	shall be paid separately) 6 mm thick	Sqm	30		
1	Providing and fixing C or E aluminium	~ 4111			
14.3	channel (Heavy duty) for sliding arrangement in book rack/ cupboard/ cabinet shutter with including necessary screw, nail etc. complete as per direction of Engineer in charge.	Metre	12		
15	Providing and fixing Vertical blinds with anodized /powder coated aluminium channel weight, chord, hangers and chain etc. The width of louvers (fabric) shall be 100 mm of good quality & approval brand & manufacturer complete as per direction of Engineer-in-charge.	Sqm	9		
В	GENERAL FURNITURE WORK				
1	High Back Main Chair				
1.1	SEAT ASSEMBLY: The seat is made up of 1.5 ± 0.1 cm thick hot - pressed plywood upholstered with fabric and	Each	6		
NIL I	- NIL O NIL EE (CD-I)	EE/	ED-I)	AE (C)	IE(E)

				1	
	moulded polyurethane foam.				
	SEAT SIZE: 51.8cm (W) x 49.7cm				
	(D).				
	BACK ASSEMBLY: The Back is				
	injection moulded in glass filled Nylon				
	which is upholstered with Mesh fabric.				
	_				
	The back consist of adjustable Lumbar				
	support made of injection moulded				
	Polypropylene having an adjustment of				
	± 0.1 cm.				
	BACK SIZE: 47.9 cm (W) x 66.9 cm				
	(H).				
	HIGH RESILIENCE (HR)				
	POLYURETHANE FOAM: The HR				
	polyurethane seat foam is moulded				
	with density 45+/-2 kg/m³ and hardness				
	16 ± 2 kgf as per IS:7888 for				
	25% compression.				
	ARMRESTS (ADJUSTABLE): The				
	height adjustable armrest is made of				
	Polypropylene and can be adjusted to				
	6.0±0.1cm height. It also has swivel				
	and To and Fro adjustment with				
	moulded PU arm top.				
	ACTIVE BIO-SYNCHRO				
	MECHANISM: The adjustable tilting				
	mechanism is designed with the				
	following features: 360° revolving type				
	Front-pivot for tilt with feet resting on				
	ground & continuous lumber support				
	ensuring more comfort. Tilt tension				
	adjustment can be operated in seating				
	position.5 position Tilt limiter giving				
	option of variable tilt angle to the chair.				
	Seat / back tilting ratio of 1:2. The				
	mechanism housing is made up of				
	-				
	HPDC Aluminium & black powder				
	coated (DFT 40 to 60 micron).				
	HEADREST: The Headrest sub-				
	assembly is made up of injection				
	moulded glass filled Polypropylene				
	which is upholstered with moulded HR				
	polyurethane foam and fabric. It has an				
	adjustment of 3.0 \pm 0.1cm & it is				
	assembled over GRETA 2.0 Full back				
	chair. The complete headrest assembly				
	is retro fit to the main chair and				
	Complete all as per the direction of				
	Engineer in Charge.				
2	Mid Back Chair				
	SEAT ASSEMBLY: The seat is made				
	up of 1.5 ± 0.1 cm thick hot - pressed				
	plywood upholstered with fabric and				
	moulded polyurethane foam.				
2.1	SEAT SIZE: 51.8cm (W) x 49.7cm	Each	12		
۷.1		Lacii	12		
	(D).				
	BACK ASSEMBLY: The Back is				
	injection moulded in glass filled Nylon				
	which is upholstered with Mesh fabric.			<u> </u>	
NIL I	NIL O NIL EE (CD-I)	E.E.	(ED-I)	AE (C)	J.E.(E)
				(-/	

	The back consist of adjustable Lumbar			
	support made of injection moulded			
	Polypropylene having an adjustment of			
	5.0 ±0.1 cm. BACK SIZE: 47.9 cm (W)			
	x 66.9 cm (H).			
	` /			
	HIGH RESILIENCE (HR)			
	POLYURETHANE FOAM: The HR			
	polyurethane seat foam is moulded			
	with density 45+/-2 kg/m ³ and hardness			
	16 ± 2 kgf as per IS:7888 for			
	25% compression.			
	<u> </u>			
	ARMRESTS (ADJUSTABLE) :The			
	height adjustable armrest is made of			
	Polypropylene and can be adjusted to			
	6.0±0.1cm height. It also has swivel			
	and To and Fro adjustment with			
	moulded PU arm top.			
	ACTIVE BIO-SYNCHRO			
	MECHANISM: The adjustable tilting			
	mechanism is designed with the			
	following features: 360° revolving type			
	Front-pivot for tilt with feet resting on			
	ground & continuous lumber support			
	ensuring more comfort. Tilt tension			
	adjustment can be operated in seating			
	position.5 position Tilt limiter giving			
	option of variable tilt angle to the chair.			
	Seat / back tilting ratio of 1:2. The			
	mechanism housing is made up of			
	HPDC Aluminium & black powder			
	_			
	micron).Complete all as per the			
	direction of Engineer in Charge.			
3	VISITOR CHAIR			
	The seat and Back are made up of			
	injection moulded high impact strength			
	Poly Propylene polymer compound			
	with indoor grade UV resistance.			
	Seat size shall be 52.5cm x 53.2cm.			
	Back size shall be 51.6cm x 40.5cm.			
	The tubular welded frame is made of			
	dia. 2.22cm x 0.12cm and 3.5cm x			
	1.5cm x 0.12cm stainless steel 202			
	grade tube.	l _		
3.1	The rubes are buff polished to give	Each	6	
	shiny finish. The shoes and Armrest are			
	made of high impact strength Poly			
	Propylene polymer compound with			
	indoor grade UV resistance and pressed			
	and press fitted with tubular frame. The			
	overall dimensions of the chair shall be			
	52.4cm x 55.8cm x 84.5cm. The			
	seating height shall be 45.0cm.			
	Complete all as per the direction of			
	Engineer in Charge.			
4	Office Almirah			

4.1	Supplying and placing in position Almirah. The overall size shall be 1950x(H) x 1200(W) x 450(D). Aesthetically appealing completely knock - down contruction.1 main unit is of 900mm(W).Legs fitted with screw type leveller. Shelving - It is a 12 bend panel made of 0.7mm thick CRCA (D-Grade IS -513). Each shelf has maximum load of 55kg. Wooden Doors - 2 door (LH - RH) for 900(w). Made of 18mm thick prelaminated twin board of E1 -P2 Grade and approved shade confirming to IS- 12823:1990. Soft Closing Hinge. Handle - Aesthetically appealing handle made of aluminium. Lipping - Lipping 2 mm thick on all the edges. Locking - Cam lock with 3 way locking provision. Zinc Alloy die cast housing. Almirah comes with Glass Door. Complete all as per the direction of Engineer in Charge.	Each	6	
5	Optimizer 1 bay Push & Pull			
5.1	Compactor-Overall size 2047H x 1200W x 800D. Designed for long life and easy part replacement. Uses one common aisle space that optimizes available space. PU drive wheel for firm grip and hassle-free mobility. Channel stoppers prevent derailment. Label holders with neat transparent acrylic sheets facilitate easy identification. Locking stiffeners for centralised locking ensures safety of documents. Rotating locks with easy to identify lock/unlock positions ensures safety. Shims provided below the rails for right levelling. Complete all as per the direction of Engineer-in-charge.	Each	1	
6	Office Table			
6.1	Supplying and placing in position Table of the following specifications. Table size shall be 1500 Width mm x 750 Depth mm x 740 Height mm . Table top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick backing laminate (bdl) . Flat edge Duly sealed with 2 mm thick PVC beading. The modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick decorative laminate (DL) on both sides. Edge Sealed with 2 mm thick PVC beading. ERU LHS size shall be	Each	6	

	1050 Width x 450 Depth x 705 Height. The top shall be 25 mm thick plain particle board (PPB) Clad with 0.6 mm thick post formed laminate and 1 mm thick Backing Laminate (BDL).Flat Edge duly sealed with 2 mm thick PVC beading. The Modesty shall be 18 mm thick plain particle board (PPB) Clad with 1.0 mm thick Decorative Laminate (DL) on both sides. Edge sealed with 2 mm thick PVC Beading. Drawers have a soft closing & anti slam mechanism. Handles are provided for ease of opening Complete all as per the direction of Engineer in Charge.			
	Credit of Dismantled Material			
7	Old Iron/ Scarp material	Kg.	300	
	*	Ng.	300	
С	ELECTRICAL WORK			
1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.			
11	Group C	Point	52	
2	Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc .as required.	Point	2	
3	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	Metre	150	
4	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	Metre	75	
5	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.			
NIL I	- NIL O NIL EE (CD-I)	D.D.	(ED-I)	

5.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	Metre	130	
6	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.			
6.1	3 x 1.5 sq. mm	Metre	50	
6.2	3 x 2.5 sq. mm	Metre	50	
6.3	3 x 4 sq. mm	Metre	50	
7	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/recessed steel/ PVC conduit as required.			
7.1	2 Pair	Metre	120	
8	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required.			
8.1	20 mm	Metre	60	
9	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.			
9.1	25 mm	Metre	60	
10	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.			
10.1	5/6 A switch	Each	35	
10.2	2 way 5/6 A switch	Each	4	
10.3	15/16 A switch	Each	44	
10.4	3 pin 5/6 A socket outlet	Each	35	
10.5	6 pin 15/16 A socket outlet	Each	44	
10.6	Telephone socket outlet	Each	8	
11	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	Each	8	
12	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	Each	10	
13	Supplying and fixing following size/modules, GI box alongwith modular			

	base & cover plate for modular			
12.1	switches in recess etc. as required.	Г 1	1.5	
13.1	1 or 2 Module (75mmX75mm)	Each	15	
13.2	3 Module (100mmX75mm)	Each	15	
13.3	6 Module (200mmX75mm)	Each	12	
13.4	12 Module (200mmX150nnm)	Each	10	
14	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/wooden block including connections etc. as required.	Each	10	
15	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/recessed Steel/PVC conduit as required.			
15.1	1 run of cable	Metre	150	
16	Supplying & fixing suitable size GI box wih modular plate and cover in front on surface or in recess including providing and fixing 25 A modular socket outlet and 25 A modular SP MCB, "C" curve including connections, painting etc. as required.	Each	6	
17	Providing and fixing following rating and breaking capacity and pole MCCB with thermomagnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as required.			
17.1	100 A, 16 KA,TPMCCB	Each	1	
18	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)			
18.1	8 way, Double door	Each	1	
19	Supplying and fixing of following ways surface/ recess mounting, vertical type, 415 V, TPN MOB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 A tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCBs (but without MCBs and incomer) as required. (Note: Vertical type MOB TPDB is normally used where 3 phase outlets are required.)			
19.1	8 way (4 + 24), Double door	Each	1	
20	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for			

existing MOB DB complete with connections, testing and commissioning etc. as required. 20.1 Single pole Supplying and fixing 20 A. 240 V. SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A °C' curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with channed metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, vertical and CCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure arrangement and watering pipe etc. with cover plate having locking arrangement and watering pipe etc. with carrowl/ coke and salt as required. Supplying and laying 6 SWG GI. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI with GI strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with GI with GI strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with GI, nut, bolt, spring, washer etc. as required. Supplying and laying 25 mm X 5 mm GI strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with GI, nut, bolt, spring, washer etc. as required. Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submania wiring/ cable as required. Supplying and aluminium lugs for for following size of PVC insultated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, eciling fan with Brush Less Direct Curren (BLOC) Motors		inductive load of following poles in the			
connections, testing and commissioning etc. as required. 20.1 Single pole Supplying and fixing 20 A. 240 V. SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A "C" curve. SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/recess, complete with testing and commissioning etc. as required. Earthing with G1. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masourny enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ cole and salt as required. Supplying and laying 6 SWG G1. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with G1 thimble etc. as required. Supplying and laying 25 mm X 5 mm G.1 strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G1. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G1. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia G1. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnania wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27 Polyoling size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, celling fan with Brush Br		0.1			
Single pole Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required.					
Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A "C" curve, SP, MCB. In sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dis including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 5 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X.5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with GI with 2 sets of G.I. unt bolt & spring washer vec as required. Metre 10 Supplying and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnania wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE star rated, ceiling fan with Brush Beach		commissioning etc. as required.			
Industrial type socket outlet, with 2 pole and earth, metal enclosed plug to alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut both, spring, washer etc. as required. Metre 10 both, spring, washer etc. as required, dointing shall be done by overlapping and with 2 sets of G.I. nut both & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. Supply, Installation, Testing and Commissioning of 1200 mm sweep, BES star rated, ceiling fan with Brush Beach	20.1	Single pole	Each	32	
pole and earth, metal enclosed plug top alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple does not not surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 meter long, 40 mm dia including accessories, and providing masonry enclosure long, 40 mm dia including accessories, and providing masonry enclosure at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 5 SWG GI. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of GI. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. Supplying and making cnd termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27 Supply. Installation, Testing and Commissioning of 1200 mm sweep, BEE star rated, celling fan with Brush Beach					
alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface' recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and saft as required. Supplying and laying 5 SWG GI. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with GI. nut, bolt, spring, washer etc. as required. Supplying and laying 25 mx X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnanian wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27 Supplying Installation, Testing and Commissioning of 1200 mm sweep, BEE Star rated, ceiling fan with Brush Beach					
in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple of and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. Supplying and fixing 6 SWG dia GI. wire on surface or in recess for loop washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BES star rated, ceiling fan with Brush Beach					
recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical and commission board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnanian wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27. Jaly 2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8	21		г 1	-	
socket out let and complete with connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X.5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with GI. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop and termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27. Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush BEE 5 star rated, ceiling fan with Brush	21		Eacn	0	
connections, testing and commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. Supplying and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submanin wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
commissioning etc. as required. Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with GL earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X.5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with G.I. nut, bott, spring, washer etc. as required. Supplying and laying 25 mm X.5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bott, spring, washer etc, as required. Glointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI, wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush		•			
CLoose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical McB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnanian wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.					
pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnanin wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Each 2 Each 3 Each 4 Each 5 Each 5 Each 8		Supplying and fixing Cable End Box			
MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnania wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush BEE 5 star rated, ceiling fan with Brush BEE 5 star rated, ceiling fan with Brush		•			
surface/ recess, complete with testing and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with G.I. nut, bolt, spring, washer etc. as required. Metre 10 Providing and fixing 6 SWG dia GI. wire are unired. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush BEE 5 star rated, ceiling fan with Brush	22	-	Each	1	
and commissioning etc. as required. Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ termination with G.I. nut, bolt, spring, washer etc. as required. Metre 10 Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Brush Bate 5 star rated, ceiling fan with Brush Brush Bate 5 star rated, ceiling fan with Brush Brush Bate 5 star rated, ceiling fan with Brush Brus				_	
Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush base compression glate and policy in the supply in the s					
long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
arrangement and watering pipe etc. with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
with charcoal/ coke and salt as required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush	23		Each	2	
required. Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush					
Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush					
at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush					
conductor earth electrode, including connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush					
connection/ termination with GI thimble etc. as required. Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush	24		Metre	50	
Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush			1,10010		
G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush		thimble etc. as required.			
strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush					
connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8		1			
bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush		<u> </u>			
(Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8	25		Metre	10	
and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush		1			
washer spaced at 50mm) Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush		1 0			
26 earthing along with existing surface/ recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 28 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush		Providing and fixing 6 SWG dia GI.			
recessed conduit/ subnnain wiring/ cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8				400	
cable as required. Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8	26		Metre	100	
Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush 8					
following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8		_			
27.1 31/2X 35 sq. mm (32mm) Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8	27	following size of PVC insulated and			
required. 27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8	21				
27.1 31/2X 35 sq. mm (32mm) Each 2 Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Supply, Installation, Testing and Each 8		requirea.			
Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8	27.1	31/2X 35 sq. mm (32mm)	Each	2	
Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Each 8					
BEE 5 star rated, ceiling fan with Brush Each 8	20		Eask	o	
Less Direct Current (BLOC) Motor,	20	BEE 5 star rated, ceiling fan with Brush	Eacn	Ō	
		Less Direct Current (BLOC) Motor,			

			T T		
	class of insulation: B, 3 nos. blades, 30				
	cm long down rod, 2 nos. canopies,				
	shackle kit, safety rope, copper				
	winding, Power Factor not less than				
	0.9, Service Value (CM/M/W)				
	minimum 6.00, Air delivery minimum				
	210 Cum/Min, 350 RPM (tolerance as				
	per IS: 374-2019), THD less than 10%,				
	remote or electronic regulator unit for				
	speed control and all remaining				
	accessories including safety pin, nut				
	bolts, washers, temperature rise=75				
	degree C (max.), insulation resistance				
	more than 2 mega ohm, suitable for 230				
	V, 50 Hz, single phase AC Supply,				
	earthing etc. complete as required.				
29	LED Light Fixtures				
	Supplying and installation of Recess/				
	Surface mounting LED luminaire				
	equipped with CRCA powder coating				
29.1	housing, anti glare polycarbonate				
	diffuser with energy efficient electronic				
	driver with following features:-				
	Suitable for operating voltage and	Eash	20		
	frequency: 130-300 Va.c, 50 Hz.;	Each	20		
	wattage not more than 36 Watts;Output				
	lumens not less than 3300 lm; CCT				
	6000K; Dimension in mm (595X595);				
	Nominal surge protection 2.5				
	kV;Power factor not less than 0.9;				
	Minimum IP protection 20				
	Supplying and installation of				
	Recess/Surface mounting round LED				
	luminaire equipped with die-cast				
	aluminium / CRCA housing, anti glare				
	polycarbonate diffuser with energy				
	efficient electronic driver with				
	following features:-Suitable for				
29.2	operating voltage and frequency: 130-	Each	15		
	300 Va.c, 50 Hz.; wattage not more				
	than 12 Watts; Output lumens not less				
	•				
	than 650 lm; CCT 6000K; Nominal				
	surge protection 2.5 kV;Power factor				
	not less than 0.9; Minimum IP protection 54				
	•				
29.3	Supplying and installation of Surface				
	mounting LED Industrial Batten light				
	with following features:- Suitable for	171			
	operating voltage and frequency: 130-	Each	6		
	300 Va.c, 50 Hz.; wattage 40 Watts;				
	Length 1200mm; Nominal surge				
	protection 2.5 kV; IP 66. THD<10 %;				
20	Providing and fixing DLP plastic				
30	trunking of size 105 mm x 50 mm on				
	surface as reqd.[Make Legrand]				
30.1	PVC trunking without cover of size 105	Metre	30		
	x 50 mm size	1.2000	20		
30.2	PVC trunking full cover of size 85 mm	Metre	30		
	size				
NIL I	· NIL O NIL EE (CD-I)	E.E.	(ED-I)	AE (C)	J.E.(E)

C ---- NIL I --- NIL O--- NIL EE (CD-I) E.E.(ED-I) AE (C) J.E.(E)

30.3	PVC trunking Left or right End cap	Each	5	
30.4	PVC trunking Internal angle adjustable from 80°-100°	Each	3	
30.5	PVC trunking External angle adjustable from 60°-120	Each	3	
30.6	6/8 Modules clip on frame with finishing plate for 85 mm cover	Each	6	
30.7	Modular 16A/20 amps switch on the existing modular plate & switch box / channel including connection	Each	12	
30.8	Modular 6/16 amps multi socket on the existing moudular plate & switch box including connection.	Each	12	
31	Supplying, installation DLP minitrunking 32mm x 20mm with independent cover etc. complete as reqd.[Make Legrand]			
31.1	PVC mini trunking with independent cover of size 32mm x 20mm size.	Metre	20	
31.2	PVC mini trunking End cap left or right.	Metre	4	
31.3	PVC mini trunking Internal/ External angle from 60°-120°	Each	4	
31.4	PVC mini trunking Flat angle from 85°-95°	Each	4	
32	Dismantling/ Disconnecting old damages services.			
32.1	Dismantling, disconnecting old damaged unserviceable fl fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with bracket etc. as reqd.	Each	10	
32.2	Dismantling of switch / socket /regulator etc. with wooden board as reqd.	Each	10	
33	Supplying and laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade in the existing RCC/HUME/METAL pipe as required. [conforming to I.S-1554/1/8].			
33.1	3½ X 35 sq. mm	Metre	5	
34	supplying and laying and Fixing of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade on wall surface as required. Upto 35 sq. mm (clamped with 1 mm thick saddle) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm [conforming to I.S-1554/1/8].			
34.1	3½ X 35 sq. mm	Metre	30	
35	Fans.			
35.1	Supplying and fixing of 450mm Wall mount fan complete with all accessories for use on 220/240 volts 50 HZ, single phase A/C Supply including connection with 1.5 sq. mm FRLS PVC	Each	5	
	Connection with 1.5 sq. min FRLS PVC			

insulated, copper conductor single/ multi core cable etc as reqd Supplying and fixing of 250 mm size fresh air fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the	
Supplying and fixing of 250 mm size fresh air fan complete with suitable size louvers with all accessories suitable for	
fresh air fan complete with suitable size louvers with all accessories suitable for use on 230 V 50 Hz supply in the	
existing opening, including making good the damage, connection, testing and commissioning etc. as required.as required	
Supplying and fixing fan hook incuding making the arrangement in slab structure to hanging the fan hook including fabrication, welding, painting etc. complete as reqd.	
Supply and installation of SS enclosure duly powder Coated paint for housing incomming MCCB 4P, of appropiate size with incomming and outgoing opening, suitable to accommodate upto 70sqmm, 3.5 core aluminium armoured cable, with louvers for heat dissipation and mounting hole for easy wall mounting. (matter: AC / Normal / Emergency Power) etc. as required	
Total Rs.	

Special Conditions:

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- 2. The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus and nothing shall be paid extra on this account.
- 4. Site shall be available as per directions of Engineer in Charge.
- 5. Quoted rates of participating agencies shall be inclusive of GST.