

Indian Institute of Technology Delhi
Department of Management Studies
Hauz Khas, IIT Delhi-110016

Notice Inviting Quotations

SUB: Stackable Chairs and Tables for the Exhibition Hall

Date: 23/08/2012

Due Date: 07/09/2012 at 5:00 PM

Seal quotation is invited by the Department of Management Studies, IIT Delhi, Hauz Khas, New Delhi for supply of stackable Chairs and Tables from the authorized agent/dealer. Description of chairs and table are given below:

S. No.	Descriptions	Quantity
1	Stackable Wooden study table of size 24"x24"x30" with 18mm rubber wood top having chamfered edges and base made of 25x25mm sq pipe with foldable legs, without drawers and box duly powder coated up to 40-45 microns.	80
2	Rubust stackable chair for general / classroom use. With soft Polyurethane armrest, pipe frame, epoxy, powder coated and with 40mm latex rubber in seat & 25 mm in back of luxurious comfort.	80

Terms & Conditions:

1. Technical & Commercial bids must be submitted *seperately* in 2 *sealed envelopes, super-subscribed with "Technical Bid" or "Commercial Bid"* and then both bids should be put together in on envelope superscripted "**Bid for Stackable Chairs and Tables**" addressed to:

Dr. Mahim Sagar
Department of Management Studies
Indian Institute of Technology Delhi
4th Floor, Vishwakarma Bhawan
Saheed Jeet Singh Marg,
New Delhi-110016

2. Quotations received after the due date & time will be rejected. No relaxation will be allowed.
3. Applicable TAX/VAT to be mentioned clearly.
4. Non-mentioning of VAT/TAX will amount to inclusive of all taxes.

5. Quotation validity should be clearly mentioned in the quotations.
6. Delivery period must be mentioned.
7. Payment after satisfactory delivery of furniture.
8. Payment will be made as per Institute rules.
9. Printed brochure should be provided (if available)
10. The Institute reserves the right to accept or reject any or all the quotations without assigning any reason thereof.
11. The items mentioned in Sr. No. 1 & 2 should be as per the descriptions.
12. Other terms and conditions (if any), should be specified.