

Department of Electrical Engineering Indian Institute of Technology, Delhi Hauz Khas, New Delhi 110016

NIQ no. IITD/EE/RP03074/IEC/5855

Due Date: 05.05.2017, 5 PM

Notice inviting quotations for low noise voltage pre-amplifier

Sealed/online/e-mail quotations are invited for low noise voltage pre-amplifier. The required specifications are given below.

Required Specifications for low noise voltage pre-amplifier

- 1. < 10 nV/ \sqrt{Hz} input noise.
- 2. > 1 MHz bandwidth.
- 3. Variable gain.
- 4. AC or DC coupled.
- 5. Differential and single-ended inputs.
- 6. Line or battery operation.
- 7. Configurable Signal filters (low-pass and high-pass) 6 dB/oct rolloff filters.
- 8. Computer interface: RS-232, with > 9000 baud rate (at receiver).

Dr. M. Sarkar (Chairman, purchase committee)

Terms and Conditions

1. The quote should reach the following address on or before 05.05.2017, 5 PM.

Dr. M. Sarkar Electrical Engineering Department Block II, Room 333 IIT Delhi, Hauz Khas New Delhi, 110016

- 2. Please quote prices for FOB New Delhi, inclusive of all taxes and duties.
- 3. Quote should be in Indian Rupees for agents of Indian manufacturers, or in foreign currency, for agents of foreign manufacturers, and needs to be valid for at least three months.
- 4. Please specify all of your terms and conditions clearly, including delivery period.
- 5. Mode of payment for purchases in foreign currency are through irrevocable letter of credit, or through wire transfer on delivery. Only bank charges within India are payable by IIT Delhi, all bank charges outside India are the responsibility of the seller. For purchases in INR, payment is on delivery.
- 6. The Institute reserves the right to accept or reject any or all quotations without assigning any reasons thereof.

Dr. M. Sarkar (Chairman, purchase committee)