Notice Inviting Quotation (E-Procurement mode) कोटेशन को आमंत्रित करने की सूचना (इ-प्रोक्योर्मेंट मोड)

INDIAN INSTITUTE OF TECHNOLOGY DELHI भारतीय प्रौद्योगिकी संस्थान दिल्ली HAUZ KHAS, NEW DELHI-110016 हौज ख़ास, नई दिल्ली -110016

Dated/ दिनांक : 20/07/2017

Open Tender Notice No. / खुला प्रस्ताव निविदा सूचना नंबर: IITD/BCHE(SP-1117)/2017

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

इंडियन इंस्टीट्यूट ऑफ टेक्नोलॉजी दिल्ली निम्नलिखित मदों की खरीद की प्रक्रिया में है।

Details of the item आइटम का विवरण	Online gas chromatograph for measurement of hydrogen engine exhaust
Earnest Money Deposit to be submitted बयाना जमा करने के लिए जमा राशि	Rs. 20000/ रुपये
Warranty वारंटी अवधि	3 Years/3 साल
Performance security	10% of FOB value
निष्पादन सुरक्षा	एफओबी मूल्य का 10%

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

निविदा दस्तावेज केन्द्रीय सार्वजनिक खरीद पोर्टल http://eprocure.gov.in/eprocure/app से डाउनलोड हो सकते हैं ई-प्रोक्योरमेंट में पंजीकृत नहीं होने वाले इच्छुक बोलीदाताओं को वेबसाइट http://eprocure.gov.in/eprocure/app के माध्यम से भाग लेने से पहले पंजीकरण करना चाहिए। पोर्टल नामांकन मुफ्त है बोलीदाताओं को सलाह दी जाती है कि 'ऑनलाइन बोली के लिए निर्देश' पर दिए गए निर्देशों के माध्यम से जाने की सलाह दी जाए।

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

निविदाकर्ता वेबसाइट पर निविदा दस्तावेज का उपयोग कर सकते हैं (एनआईसी साइट में खोज के लिए, कृपया निविदा खोज विकल्प और 'आईआईटी' टाइप करें। उसके बाद, सभी आईआईटी दिल्ली निविदाओं को देखने के लिए "गो" बटन पर क्लिक करें) उपयुक्त निविदा का चयन करें और उन्हें सभी प्रासंगिक सूचनाओं से भरें और वेबसाइट पर http://eprocure.gov.in/eprocure/app पर पूरा निविदा दस्तावेज ऑनलाइन जमा करें। अगले पृष्ठ में दिए गए कार्यक्रम के अन्सार

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the E-procurement portal).

कोई मैन्युअल बोली स्वीकार नहीं की जाएगी। सभी कोटेशन (तकनीकी और वित्तीय दोनों को ई-प्रोक्योरमेंट पोर्टल में जमा करना चाहिए)

SCHEDULE

	HEDULE
Name of Organization	Indian Institute of Technology Delhi
Tender Type (Open/Limited/EOI/Auction/Single)	Open
Tender Category (Services/Goods/works)	Goods
Type/Form of Contract (Work/Supply/ Auction/ Service/ Buy/ Empanelment/ Sell)	Others
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Equipment
Source of Fund (Institute/Project)	Project Code RP03367G
Is Multi Currency Allowed	YES
Date of Issue/Publishing	20/07/2017 (16:00 Hrs)
Document Download/Sale Start Date	20/07/2017 (16:00 Hrs)
Document Download/Sale End Date	10/08/2017 (15:00 Hrs)
Date for Pre-Bid Conference	NA
Venue of Pre-Bid Conference	
Last Date and Time for Uploading of Bids	10/08/2017 (15:00 Hrs)
Date and Time of Opening of Technical Bids	11/08/2017 (15:00 Hrs)
Tender Fee EMD	Tender Fee: Nil EMD Rs. 20,000 (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)
No. of Covers (1/2/3/4)	02
Bid Validity days (180/120/90/60/30)	90 days (From last date of opening of tender)
Address for Communication	Block 1, Room 315, Department of Chemical Engineering, Indian Institute of Technology Delhi, Hauz Khas, New Delhi - 110016, India
Contact No.	011-2659 1456
Email Address	dbhatia@chemical.iitd.ac.in

Chairman Purchase Committee (Buyer Member)

Instructions for Online Bid Submission/ ऑनलाइन बोली (बिड) के लिए निर्देश:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

व्यय विभाग के निर्देशों के अनुसार, यह निविदा दस्तावेज केंद्रीय सार्वजनिक प्रापण पोर्टल (यूआरएल: http://eprocure.gov.in/eprocure/app) पर प्रकाशित किया गया है। बोलीदाताओं को मान्य डिजिटल हस्ताक्षर प्रमाण पत्र का उपयोग करते हुए सीपीपी पोर्टल पर इलेक्ट्रॉनिक रूप से अपनी बोलियों की सॉफ्ट प्रतियां जमा करना आवश्यक है। सीपीपी पोर्टल पर पंजीकरण करने के लिए निविदाकर्ताओं की सहायता करने के लिए नीचे दिए गए निर्देशों का मतलब है, सीपीपी पोर्टल पर आवश्यकताओं के अनुसार अपनी बोलियां तैयार करें और अपनी बोलियां ऑनलाइन जमा करें।

More information useful for submitting online bids on the CPP Portal may be obtained at: अधिक जानकारी सीपीपी पोर्टल पर ऑनलाइन बोलियां जमा करने के लिए उपयोगी हो सकती है: http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
 - बोलीदाताओं को "नामांकन के लिए यहां क्लिक करें" लिंक पर क्लिक करके सेंट्रल पब्लिक प्रोक्युरमेंट पोर्टल (यूआरएल: http://eprocure.gov.in/eprocure/app) के ई-प्रोक्योरमेंट मॉड्यूल पर भर्ती करना आवश्यक है। सीपीपी पोर्टल पर नामांकन नि: शुल्क है
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
 - नामांकन प्रक्रिया के भाग के रूप में, बोलीदाताओं को अपने खाते के लिए एक अद्वितीय उपयोगकर्ता नाम चुनना होगा और एक पासवर्ड प्रदान करना होगा।
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
 - बोलीदाताओं को सलाह दी जाती है कि पंजीकरण प्रक्रिया के भाग के रूप में अपना वैध ईमेल पता और मोबाइल नंबर पंजीकृत करें। इन का उपयोग सीपीपी पोर्टल से किसी भी संचार के लिए किया जाएगा।
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
 - नामांकन पर, बोलीदाताओं को सीसीए इंडिया द्वारा मान्यता प्राप्त किसी प्रमाणन प्राधिकरण द्वारा जारी किए गए अपने मान्य डिजिटल हस्ताक्षर प्रमाण पत्र (कक्षा द्वितीय या कक्षा III प्रमाण पत्र के साथ महत्वपूर्ण उपयोग पर हस्ताक्षर करने) की आवश्यकता होगी (जैसे सिफी / टीसीएस / एनकोड / ई-मुद्रा आदि) , उनके प्रोफाइल के साथ
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.

केवल एक मान्य डीएससी एक बोलीदाता द्वारा पंजीकृत होना चाहिए। कृपया ध्यान दें कि निविदाकर्ता यह सुनिश्चित करने के लिए ज़िम्मेदार हैं कि वे अपने डीएससी को दूसरों को उधार नहीं देते हैं जिससे दुरुपयोग हो सकता है।

6) Bidder then logs in to the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

बोलीदाता फिर अपने यूजर आईडी / पासवर्ड और डीएससी / ईटीकेन के पासवर्ड को दर्ज करके सुरक्षित लॉग-इन के माध्यम से साइट पर लॉग ऑन करता है।

SEARCHING FOR TENDER DOCUMENTS/ निविदा दस्तावेजों के लिए खोजना

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
 - सीपीपी पोर्टल में निर्मित विभिन्न खोज विकल्प हैं, ताकि बोलीदाताओं को कई मापदंडों से सक्रिय निविदाएं खोज सकें। इन मापदंडों में निविदा आईडी, संगठन का नाम, स्थान, तिथि, मूल्य आदि शामिल हो सकते हैं। निविदाओं के लिए उन्नत खोज का एक विकल्प भी है, जिसमें बोलीदाता कई नामों को जोड़ सकते हैं जैसे संगठन का नाम, अनुबंध का स्थान, स्थान, सीपीपी पोर्टल पर प्रकाशित निविदा की खोज के लिए तारीख, अन्य कीवर्ड आदि।
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
 - बोलीदाताओं ने एक बार निविदाएं चुनी हैं जिसमें वे रुचि रखते हैं, उसका वे आवश्यक दस्तावेज / निविदा कार्यक्रम डाउनलोड कर सकते हैं। ये निविदाएं 'मेरी निविदाओं' फ़ोल्डर में ले जाई जा सकती हैं। इससे सीपीपी पोर्टल को बोलीदाताओं को एसएमएस / ई-मेल के माध्यम से सूचित किया जा सकता है, यदि निविदा दस्तावेज में कोई शुद्धि जारी कि गई है।
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.
 - बोलीदाता को प्रत्येक निविदा को निर्दिष्ट अद्वितीय निविदा आईडी का नोट बनाना चाहिए, अगर वे हेल्पडेस्क से कोई स्पष्टीकरण / सहायता प्राप्त करना चाहते हैं।

PREPARATION OF BIDS / बोली (बिड) की तैयारी

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
 - बोलीदाता को अपनी बोलियां जमा करने से पहले निविदा दस्तावेज पर प्रकाशित किसी भी शुद्धि को ध्यान में रखना चाहिए।
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
 - कृपया बोली के भाग के रूप में जमा किए जाने वाले दस्तावेजों को समझने के लिए निविदा विज्ञापन और निविदा दस्तावेज ध्यान से देखें। कृपया उन अंकों की संख्या पर ध्यान दें जिन में बोली दस्तावेज जमा करना है, दस्तावेजों की संख्या -जिसमें प्रत्येक दस्तावेज के नाम और सामग्री शामिल हैं, जिन्हें प्रस्तुत करने की आवश्यकता है। इनमें से कोई भी विचलन बोली को अस्वीकार कर सकता है।
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.

बोलीदाता, अग्रिम में, निविदा दस्तावेज / अनुसूची में बताए अनुसार प्रस्तुत करने के लिए बोली दस्तावेज तैयार करना चाहिए और आम तौर पर, वे पीडीएफ / एक्सएलएस / आरएआर / डीडब्ल्यूएफ स्वरूपों में हो सकते हैं। बोली दस्तावेजों को 100 डीपीआई के साथ काले और सफेद विकल्प स्कैन किया जा सकता है।

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

मानक दस्तावेजों के एक ही सेट को अपलोड करने के लिए आवश्यक समय और प्रयास से बचने के लिए जो प्रत्येक बोली के भाग के रूप में जमा करने के लिए आवश्यक हैं, ऐसे मानक दस्तावेज अपलोड करने का प्रावधान (जैसे पैन कार्ड कॉपी, वार्षिक रिपोर्ट, लेखा परीक्षक प्रमाण पत्र आदि)) बोलीदाताओं को प्रदान किया गया है। ऐसे दस्तावेजों को अपलोड करने के लिए बोलीकर्ता उनके लिए उपलब्ध "मेरा स्पेस" क्षेत्र का उपयोग कर सकते हैं। बोली जमा करते समय ये दस्तावेज़ सीधे "मेरा स्पेस" क्षेत्र से जमा किए जा सकते हैं, और उन्हें बार-बार अपलोड करने की ज़रूरत नहीं है इससे बोली जमा प्रक्रिया के लिए आवश्यक समय में कमी आएगी।

SUBMISSION OF BIDS/ बोली (बिड) का जमा करना

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
 - बोलीदाता को बोली प्रस्तुति के लिए अच्छी तरह से साइट पर लॉग इन करना चाहिए ताकि वह समय पर बोली अपलोड कर सके या फिर बोली प्रस्तुत करने के समय से पहले। अन्य मुद्दों के कारण किसी भी देरी के लिए बोलीदाता जिम्मेदार होगा।
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
 - बोलीदाता को निविदा दस्तावेज में दर्शाए अनुसार एक-एक करके आवश्यक बोली दस्तावेजों को डिजिटल हस्ताक्षर और अपलोड करना होगा।
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
 - बोलीदाता को निविदा शुल्क / ईएमडी को भुगतान के लिए "ऑन लाइन" के रूप में भुगतान विकल्प चुनना होगा और उपकरण का विवरण दर्ज करना होगा। जब भी, ईएमडी / निविदा शुल्क की मांग की जाती है, बोलीदाताओं को टेंडर शुल्क और ईएमडी अलग-अलग आरटीजीएस के माध्यम से ऑन लाइन पर भुगतान करने की आवश्यकता होती है (अनुसूची, पेज नं .2 देखें)।
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

एक मानक BoQ प्रारूप को सभी बोलीदाताओं द्वारा भरने के लिए निविदा दस्तावेज प्रदान किया गया है। बोलीदाताओं को इस बात का ध्यान रखना चाहिए कि उन्हें आवश्यक प्रारूप में अपनी वित्तीय बोली जमा करनी चाहिए और कोई अन्य प्रारूप स्वीकार्य नहीं है। बोलीकर्ताओं को BoQ फाइल को डाउनलोड करने, इसे खोलने और अपने संबंधित वित्तीय उद्धरण और अन्य विवरण (जैसे बोलीदाता का नाम) के साथ सफेद रंगीन (असुरक्षित) कोशिकाओं को पूरा करना आवश्यक है। कोई भी अन्य कक्ष नहीं बदला जाना चाहिए। एक बार विवरण पूरा हो जाने पर, बोलीदाता को इसे सहेजना होगा और इसे ऑनलाइन जमा करना होगा, बिना फ़ाइल नाम बदलना। यदि BOQ फ़ाइल को बोलीदाता द्वारा संशोधित किया गया है, तो बोली को खारिज कर दिया जाएगा।

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

क्छ मामलों में वित्तीय बोलियां पीडीएफ प्रारूप में भी जमा की जा सकती हैं (BOQ के बदले)

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
 - सर्वर का समय (जो बोलीदाताओं के डैशबोर्ड पर प्रदर्शित होता है) बोलीदाताओं द्वारा बोलियों को खोलने के लिए समय सीमा को संदर्भित करने के लिए मानक समय के रूप में माना जाएगा। बोलीदाताओं को खोलना आदि। बोलीदाताओं को बोली प्रस्तुत करने के दौरान इस समय का पालन करना चाहिए।
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
 - बोलीदाताओं द्वारा प्रस्तुत सभी दस्तावेज पीकेआई एन्क्रिप्शन तकनीकों का उपयोग करके एन्क्रिप्ट किया जाएगा जिससे डेटा की गोपनीयता सुनिश्चित हो सके। दर्ज किए गए डेटा को अनिधकृत व्यक्तियों द्वारा बोली खोलने के समय तक नहीं देखा जा सकता है। बोलियों की गोपनीयता को सुरक्षित सॉकेट लेयर 128 बिट एन्क्रिप्शन तकनीक का उपयोग कर रखा जाता है। संवेदनशील क्षेत्रों का डेटा संग्रहण एन्क्रिप्शन किया जाता है।
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
 - अपलोड किए गए निविदा दस्तावेज केवल अधिकृत बोलीदाता द्वारा निविदा खोलने के बाद ही पठनीय हो सकते हैं।
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
 - बोलियों के सफल और समय पर जमा होने पर, पोर्टल एक सफल बोली प्रस्तुत करने का संदेश देगा और एक बोली सारांश बोली संख्या के साथ प्रदर्शित किया जाएगा। और अन्य सभी प्रासंगिक विवरणों के साथ बोली प्रस्तुत करने की तारीख और समय।
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.
 - कृपया अनुपालन पत्रक की एक पीडीएफ फाइल में सभी प्रासंगिक दस्तावेजों के स्कैन किए गए पीडीएफ़ को जोड़ दें।

ASSISTANCE TO BIDDERS / बोलीदाताओं को सहायता

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
 - निविदा दस्तावेज से संबंधित कोई भी प्रश्न और इसमें निहित नियमों और शर्तों को निविदा आमंत्रण प्राधिकरण को निविदा के लिए या निविदा में वर्णित प्रासंगिक संपर्क व्यक्ति से संबोधित किया जाना चाहिए।
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.
 - ऑनलाइन बोली प्रस्तुत करने या सामान्य में सीपीपी पोर्टल से संबंधित प्रश्नों की प्रक्रिया से संबंधित कोई भी प्रश्न 24x7 सीपीपी पोर्टल हैल्पडेस्क पर निर्देशित किया जा सकता है। हेल्पडेस्क के लिए संपर्क संख्या $1800\ 233\ 7315$ है

General Instructions to the Bidders / बोलीदाताओं के लिए सामान्य निर्देश

- 1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.

 ि निविदाएं पोर्टल http://eprocure.gov.in/eprocure/app के माध्यम से ऑनलाइन प्राप्त होंगी तकनीकी बोलियों में, बोलीदाताओं को सभी दस्तावेजों को। पीडीएफ प्रारूप में अपलोड करना होगा।
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the which authorized certifying agencies, details of are available in the web https://eprocure.gov.in/eprocure/app under the link "Information about DSC". कंपनी के नाम में स्मार्ट कार्ड / ई-टोकन के रूप में मान्य क्लास ॥ / ॥ डिजिटल हस्ताक्षर प्रमाण पत्र (डीएससी) के पंजीकरण के लिए एक शर्त है और https://eprocure.gov.in/eprocure/ के माध्यम से बोली प्रस्तृत करने की गतिविधियों में भाग ले सकते है। डिजिटल हस्ताक्षर प्रमाण पत्र अधिकृत प्रमाणित एजेंसियों से प्राप्त की जा सकती है, जिनमें से जानकारी "डीएससी के बारे में सूचना" लिंक के तहत वेब साइट https://eprocure.gov.in/eprocure/app पर उपलब्ध है।
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

 ि विदाकर्ता को सलाह दी जाती है कि वे निविदाकार को निर्देश दिए गए हों ताकि ई-प्रोक्योरमेंट के लिए सेंट्रल पब्लिक प्रोकॉर्ममेंट पोर्टल के जिए https://eprocure.gov.in/eprocure/app पर ऑनलाइन निविदाएं जमा कर सकें।

Department of Chemical Engineering Indian Institute of Technology Hauz Khas, New Delhi-110 016

NOTICE INVITING QUOTATIONS

Dated: 20/07/2017

Subject: Purchase of an online gas chromatograph for measurement of hydrogen engine exhaust

Invitation for Tender Offers

Indian Institute of Technology Delhi invites online Bids (Technical bid and Commercial bid) from eligible and experienced OEM (Original Equipment Manufacturer) OR OEM Authorized Dealer for **supply, installation & integration of an online gas chromatograph for measurement of hydrogen engine exhaust** with 3 years on-site comprehensive warranty from the date of receipt of the material as per terms & conditions specified in the tender document, which is available on CPP Portal http://eprocure.gov.in/eprocure/app

TECHNICAL SPECIFICATION:

Gases to	The gaseous mixture to be analyzed is the exhaust coming out of a hydrogen engine with the		
measured	following composition:		
	H ₂ : 50 - 1000 ppm		
	O ₂ : 5-15%		
	N ₂ : 65-80%		
	H ₂ O vapor : 10-25%		
	Temperature: 100 °C – 400 °C		
	Gases to be measured: H ₂ , N ₂ and O ₂		
Analyzer basic	• Automatic gas sampling valve with a minimum of 6 ports along with a sample loop with a volume of 1 cc		
feature	Back flushing valve for venting water vapor		
	Column switching valve for bypassing a particular column (such as molecular sieve)		
	System to be fully tested and calibrated at the factory		
Columns	Hayesep column of suitable dimensions		
	Molecular sieve / Porapak column of suitable dimensions		
Gas Flow	 Fully automated with EPC/AFC/PPC control for carrier/detector zone gases 		
control	Pressure / flow modes: Constant Pressure / Constant Flow and constant linear velocity		
	 Carrier gas program rates 0-100 psi 		
GC Oven	• Volume >= 10 L		
	 Operating temperature Ambient + 10 °C to 400 °C 		
	Temperature and time functions should be micro-processor controlled		
	Temperature set point resolution must be 1 °C or lower		
	• Number of temperature ramps >=3		
	• Maximum temperature ramp rate >= 45 °C/min		

	Temperature variation coefficient should be 0.01 °C per 1 °C or better	
	• Cool down time from 250 °C to 50 °C <=6 minutes	
Detector	Thermal conductivity detector with the following features:	
	• Operating temperature: 100 °C to 350 °C	
	• Linear dynamic range - 10 ⁵ or better	
Software	Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting.	
	Control of gas flow to be handled by software with no manual control	
	• Data sampling interval and reporting <=20 ms	
Power Supply	• 220 VAC ±10%, 47 to 53 Hz.	
Accessories	 Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches 	
	Computer with operating system Windows 7 or later versions	
Upgradation	Should be upgradable so that additional detector can be put and dual injection should be possible	
Certification	Manufacturer should have ISO9001:2008 certification or latest	

List of optional items

Accessories	• 5 kVA online UPS with minimum 30 minutes backup	
	• H ₂ , N ₂ and zero air gas cylinders with double stage regulators, gas purification panels, and	
	tubing	

Specific terms and conditions

 A statement of compliance of quoted product with respect to the desired specifications mentioned above should be included as a part of the technical bid. The product specification data sheets/brochures must be enclosed in support of the compliance statement. Deviations in technical specifications, if any, should be clearly stated. The technical bids submitted without detailed technical specification/data sheets/brochures and compliance statement will be rejected.

A complete set of tender documents* may be Download by prospective bidder free of cost from the website http://eprocure.gov.in/eprocure/app. Bidder has to make payment of requisite fees (i.e. Tender fees (if any) and EMD) online through RTGS/NEFT only.

Terms & Conditions Details

Sl. No.	Specification	
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after the	
	due date and time will not be considered. No manual bids will be considered.	
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and	
	financial bid. The technical bid should consist of all technical details along with commercial terms	
	and conditions. Financial bid should indicate item wise price for the items mentioned in the	
	technical bid in the given format i.e Financial Bids to be submitted in PDF format.	
	The Technical bid and the financial bid should be submitted Online.	
3.	EMD (if applicable): The tenderer should submit an EMD amount through RTGS/NEFT. The	
	Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted.	
	The EMD will be refunded without any interest to the unsuccessful bidders after the award of	
	contract. Refer to Schedule (at page 1 of this document) for its actual place of submission.	
4.	Refund of EMD : The EMD will be returned to unsuccessful Tenderer only after the Tenders are	
	finalized. In case of successful Tenderer, it will be retained till the successful and complete	
	installation of the equipment.	
5.	Opening of the tender : The online bid will be opened by a committee duly constituted for this	
	purpose. Online bids (complete in all respect) received along with EMD (if any) will be opened as	
	mentioned at "Annexure: Schedule" in presence of bidders representative if available. Only one	
	representative will be allowed to participate in the tender opening. Bid received without EMD (if	
	present) will be rejected straight way. The technical bid will be opened online first and it will be	
	examined by a technical committee (as per specification and requirement). The financial offer/bid	
	will be opened only for the offer/bid which technically meets all requirements as per the	
	specification, and will be opened in the presence of the vendor's representatives subsequently for	
	further evaluation. The bidders if interested may participate on the tender opening Date and Time.	
	The bidder should produce authorization letter from their company to participate in the tender	
	opening.	
6.	Acceptance/ Rejection of bids: The Committee reserves the right to reject any or all offers without	
	assigning any reason.	
7.	Pre-qualification criteria:	
	(i) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original	
	equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.	
	(ii) An undertaking from the OEM is required stating that they would facilitate the bidder on a	
	regular basis with technology/product updates and extend support for the warranty as well. (Ref.	
	Annexure-II)	
	(iii) OEM should be internationally reputed Branded Company.	
	(iv) Non-compliance of tender terms, non-submission of required documents, lack of clarity of the specifications, contradiction between bidder specification and supporting documents etc. may lead to	
	rejection of the bid.	
	(v) In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself can	
	bid but both cannot bid simultaneously for the same item/product in the same tender.	
	(vi) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid on	
	behalf of another Principal/OEM in the same tender for the same item/product.	
8.	Performance Security: The supplier shall require to submit the performance security in the form of	
0.	irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount which is stated at	
	page #1 of the tender document within 21 days from the date of receipt of the purchase order/LC and	
	should be kept valid for a period of 60 days beyond the date of completion of warranty period.	
9.	Force Majeure: The Supplier shall not be liable for forfeiture of its performance security, liquidated	
<i>)</i> .	damages or termination for default, if and to the extent that, it's delay in performance or other failure	
	to perform its obligations under the Contract is the result of an event of Force Majeure.	
	to perform to configurous under the Confidence is the result of all event of 1 orec intajeure.	

For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event. 10. Risk Purchase Clause: In event of failure of supply of the item/equipment within the stipulated delivery schedule, the purchaser has all the right to purchase the item/equipment from the other source on the total risk of the supplier under risk purchase clause. 11. **Packing Instructions**: Each package will be marked on three sides with proper paint/indelible ink, the following: i. Item Nomenclature ii. Order/Contract No. iii. Country of Origin of Goods iv. Supplier's Name and Address v. Consignee details vi. Packing list reference number 12. **Delivery and Documents:** Delivery of the goods should be made within a maximum of 08 to 16 weeks from the date of placement of purchase order and the opening of LC. Within 24 hours of shipment, the supplier shall notify the purchaser and the insurance company by cable/telex/fax/e mail the full details of the shipment including contract number, railway receipt number/ AAP etc. and date, description of goods, quantity, name of the consignee, invoice etc. The supplier shall mail the following documents to the purchaser with a copy to the insurance company: 4 Copies of the Supplier invoice showing contract number, goods' description, quantity 2. unit price, total amount; 3. Insurance Certificate if applicable; 4. Manufacturer's/Supplier's warranty certificate; 5. Inspection Certificate issued by the nominated inspection agency, if any 6. Supplier's factory inspection report; and 7. Certificate of Origin (if possible by the beneficiary); 8. Two copies of the packing list identifying the contents of each package. The above documents should be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses. 13. **Delayed delivery:** If the delivery is not made within the due date for any reason, the Committee will have the right to impose penalty 1% per week and the maximum deduction is 10% of the contract value / price. 14. **Prices**: The price should be quoted in net per unit (after breakup) and must include all packing and delivery charges. The offer/bid should be exclusive of taxes and duties, which will be paid by the purchaser as applicable. However the percentage of taxes & duties shall be clearly indicated. The price should be quoted without custom duty and excise duty, since IIT Delhi is exempted from payment of Excise Duty and is eligible for concessional rate of custom duty. Necessary certificate will be issued on demand. In case of imports, the price should be quoted on FOB/FCA origin Airport Basis only. Under

special circumstances (eg. perishable chemicals), when the item is imported on CIF/CIP, please indicate CIF/CIP charges separately upto IIT Delhi indicating the mode of shipment. IIT Delhi will

make necessary arrangements for the clearance of imported goods at the Airport/Seaport. Hence the price should not include the above charges. At any circumstances, it is the responsibility of the foreign supplier to handover the material to our forwarder at the origin airport after completing all the inland clearing. No Ex- Works consignment will be entertained.

"In case of **CIF/CIP** shipments, kindly provide the shipment information at least 2 days in advance before landing the shipment along with the documents i.e. invoice, packing list, forwarder Name, address, contact No. in India to save penalty/demurrage charges (imposed by Indian Customs). Otherwise these charges will be recovered from the supplier/Indian Agent."

15. **Notices:** For the purpose of all notices, the following shall be the address of the Purchaser and Supplier.

Purchaser: Dr. Divesh Bhatia,

Department of Chemical Engineering, Indian Institute of Technology Hauz Khas, New Delhi - 110016.

Supplier: (To be filled in by the supplier)

(All supplier's should submit its supplies information as per Annexure-II).

16. **Progress of Supply**: Wherever applicable, supplier shall regularly intimate progress of supply, in writing, to the Purchaser as under:

- 1. Quantity offered for inspection and date;
- 2. Quantity accepted/rejected by inspecting agency and date;
- 3. Quantity dispatched/delivered to consignees and date;
- 4. Quantity where incidental services have been satisfactorily completed with date;
- 5. Quantity where rectification/repair/replacement effected/completed on receipt of any communication from consignee/Purchaser with date;
- 6. Date of completion of entire Contract including incidental services, if any; and
- 7. Date of receipt of entire payments under the Contract (In case of stage-wise inspection, details required may also be specified).
- 17. **Inspection and Tests:** Inspection and tests prior to shipment of Goods and at final acceptance are as follows:
 - After the goods are manufactured and assembled, inspection and testing of the goods shall be carried out at the supplier's plant by the supplier, prior to shipment to check whether the goods are in conformity with the technical specifications attached to the purchase order. Manufacturer's test certificate with data sheet shall be issued to this effect and submitted along with the delivery documents. The purchaser shall be present at the supplier's premises during such inspection and testing if need is felt. The location where the inspection is required to be conducted should be clearly indicated. The supplier shall inform the purchaser about the site preparation, if any, needed for installation of the goods at the purchaser's site at the time of submission of order acceptance.
 - The acceptance test will be conducted by the Purchaser, their consultant or other such person nominated by the Purchaser at its option after the equipment is installed at purchaser's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There shall not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the equipment is expected to occur. The Supplier shall maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Purchaser, the successful completion of the test specified.
 - In the event of the ordered item failing to pass the acceptance test, a period not exceeding one weeks will be given to rectify the defects and clear the acceptance test, failing which the Purchaser

	magazing the might to get the equipment replaced by the Cymplicy et no eytus east to the Dyncheson	
	reserve the right to get the equipment replaced by the Supplier at no extra cost to the Purchaser.	
	• Successful conduct and conclusion of the acceptance test for the installed goods and equipment	
10	shall also be the responsibility and at the cost of the Supplier.	
18.	Resolution of Disputes : The dispute resolution mechanism to be applied pursuant shall be as follows:	
	• In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to any	
	matter arising out of or connected with this agreement, such disputes or difference shall be settled in	
	accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under and any	
	statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The	
	dispute shall be referred to the Director, Indian Institute of Technology (IIT) Delhi and if he is unable	
	or unwilling to act, to the sole arbitration of some other person appointed by him willing to act as	
	such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and binding on all	
	parties to this order.	
	• In the case of a dispute between the purchaser and a Foreign Supplier, the dispute shall be settled by	
	arbitration in accordance with provision of sub-clause (a) above. But if this is not acceptable to the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United	
	Nations Commission on International Trade Law) Arbitration Rules.	
	• The venue of the arbitration shall be the place from where the order is issued.	
19.	Applicable Law: The place of jurisdiction would be New Delhi (Delhi) INDIA.	
20.	Right to Use Defective Goods	
20.	If after delivery, acceptance and installation and within the guarantee and warranty period, the	
	operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue	
	to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or	
	complete replacement is made without interfering with the Purchaser's operation.	
21.	Supplier Integrity	
	The Supplier is responsible for and obliged to conduct all contracted activities in accordance with the	
	Contract using state of the art methods and economic principles and exercising all means available to	
	achieve the performance specified in the contract.	
22.	Training	
	The Supplier is required to provide training to the designated Purchaser's technical and end user	
	personnel to enable them to effectively operate the total equipment.	
23.	Installation & Demonstration	
	The supplier is required to done the installation and demonstration of the equipment within one month	
	of the arrival of materials at the IITD site of installation, otherwise the penalty clause will be the same	
	as per the supply of materials.	
	In case of any mishappening/damage to equipment and supplies during the carriage of supplies from	
	the origin of equipment to the installation site, the supplier has to replace it with new	
	equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance	
	company as per his convenience. IITD will not be liable to any type of losses in any form.	
24.	Insurance: For delivery of goods at the purchaser's premises, the insurance shall be obtained by the	
	supplier in an amount equal to 110% of the value of the goods from "warehouse to warehouse" (final	
	destinations) on "All Risks" basis including War Risks and Strikes. The insurance shall be valid for a	
	period of not less than 3 months after installation and commissioning. In case of orders placed on	
	FOB/FCA basis, the purchaser shall arrange Insurance. If orders placed on CIF/CIP basis, the	
	insurance should be up to IIT Delhi.	
25.	Incidental services: The incidental services also include:	
	• Furnishing of 01 set of detailed operations & maintenance manual.	
	• Arranging the shifting/moving of the item to their location of final installation within IITD	
	premises at the cost of Supplier through their Indian representatives.	
26.	Warranty:	

- (i) Warranty period shall be (as stated at page #2 of this tender) from date of installation of Goods at the IITD site of installation. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site.
- (ii) The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall immediately within in 02 days arrange to repair or replace the defective goods or parts thereof free of cost at the ultimate destination. The Supplier shall take over the replaced parts/goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 02 days. If the supplier having been notified fails to remedy the defects within 02 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract.
- (iii) The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned. The comprehensive warranty will commence from the date of the satisfactory installation/commissioning of the equipment against the defect of any manufacturing, workmanship and poor quality of the components.
- (iv) After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive Maintenance Contract (CMC) up to next two years should be started. The AMC/CMC charges will not be included in computing the total cost of the equipment.

27. Governing Language

The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language.

28. **Applicable Law**

The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction.

29. **Notices**

- Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, telex, FAX or e mail and confirmed in writing to the other party's address.
- A notice shall be effective when delivered or on the notice's effective date, whichever is later.

30. Taxes

Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, VAT in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order.

31. **Duties**

IIT Delhi is exempted from paying custom duty under notification No.51/96 (partially or full) and necessary "Custom Duty Exemption Certificate" can be issued after providing following information and Custom Duty Exemption Certificate will be issued to the shipment in the name of the Institute, (no certificate will be issued to third party): The procured product should be used for teaching, scientific and research work only.

- a) Shipping details i.e. Master Airway Bill No. and House Airway No. (if exists)
- b) Forwarder details i.e. Name, Contact No., etc.

IIT Delhi is exempted from paying Excise Duty and necessary Excise Duty Exemption Certificate will be provided for which following information are required.

38.	Spare Parts	
	offer his advice and render assistance to the Institute in the preparation of the site and other pre- installation requirements.	
	The supplier shall visit the Institute and see the site where the equipment is to be installed and may	
	for the equipment, which the Institute should arrange before the arrival of the equipment to ensure its timely installation and smooth operation thereafter.	
	must provide complete details regarding space and all the other infrastructural requirements needed	
31.	for the installation of equipment, immediately after the receipt of the purchase order. The supplier	
37.	Site Preparation: The supplier shall inform to the Institute about the site preparation, if any, needed	
	availability and names of Application Specialist and Service Engineers in the nearest regional office. (Ref. to Annexure-III)	
36.	Application Specialist: The Tenderer should mention in the Techno-Commercial bid the	
2.5	purposes of taking over until such manuals and drawing have been supplied to the Purchaser.	
	(iii) Unless and otherwise agreed, the goods equipment shall not be considered to be completed for the	
	contract.	
	(ii) The Manuals shall be in the ruling language (English) in such form and numbers as stated in the	
	operation and maintenance manuals. These shall be in such details as will enable the Purchaser to operate, maintain, adjust and repair all parts of the works as stated in the specifications.	
	(i) Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply	
35.	Manuals and Drawings	
	Annexure-III)	
J 1.	educational establishments where the items enquired have been supplied must be provided. (Ref.	
34.	User list: Brochure detailing technical specifications and performance, list of industrial and	
	(iv) All the bank charges within India will be borne by the Institute and outside India will be borne by the Supplier.	
	negotiation of LC documents, subject to DGS&D registration for restricted items.	
	commissioning of the goods at the destination at the exchange rate prevailing on the date of	
	(iii) Indian Agency commission (IAC), if any shall be paid after satisfactory installation &	
	performance bank guarantee as specified in Clause 9 of tender terms and conditions.	
	good condition and to the entire satisfaction of the Purchaser and on production of unconditional	
	(ii) For Indigenous supplies, 100% payment shall be made by the Purchaser against delivery, inspection, successful installation, commissioning and acceptance of the equipment at IITD in	
	performance bank guarantee as specified in Clause 8 of tender terms and conditions.	
	days from the date of the satisfactory installation and subject to the production of unconditional	
	of the equipment at the INST site of installation in faultless working condition for period of 60	
	documents and 20% of the LC amount shall be released after the installation and demonstration	
	applicable on the date of establishment. For Imports, LC will be opened for 100% FOB/CIF value. 80% of the LC amount shall be released on presentation of complete and clear shipping	
	performance security. The letter of credit (LC) will be established on the exchange rates as	
	Credit (LC) will be established in favour of foreign Supplier after the submission of	
	Against Documents (CAD)/Against delivery/after satisfactory installation by T.T. Letter of	
33.	(i) For imported items Payment will be made through irrevocable Letter of Credit (LC) Cash	
33.	Payment:	
	case of Nil commission. The tenderer should indicate the percentage of agency commission to be paid to the Indian agent.	
	foreign currency under any circumstances. The details should be explicitly shown in Tender even in	
	receipt of the equipment and after satisfactory installation. Agency Commission will not be paid in	
32.	Agency Commission: Agency commission if any will be paid to the Indian agent in Rupees on	
	d) Proforma-Invoice Copy.	
	b) Quotation with details of Basic Price, Rate, Tax & Amount on which ED is applicablec) Supply Order Copy	
	b) Quatation with dataile of Davis Data Toron American 1: 1 ED: 1: 11	

The Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier: ii. Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and iii. In the event of termination of production of the spare parts: iv. Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and v. Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and specifications of the spare parts, if requested. Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components shall be supplied as promptly as possible but in any case within six months of placement of order. **Defective Equipment**: If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 45 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, IIT Delhi may consider "Banning" the supplier. **Termination for Default** The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part: i. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order, or within any extension thereof granted by the Purchaser; or ii If the Supplier fails to perform any other obligation(s) under the Contract. iii If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract. For the purpose of this Clause: "Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution. "Fraudulent practice" means a misrepresentation of facts in order to influence a ii. procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;"

39.

40.

- In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.
- 41. **Shifting**: After 1-2 years once our new Academic Block will be ready, the supplier has to shift and reinstall the instrument free of cost (if required).
- Downtime: During the warranty period not more than 5% downtime will be permissible. For every day exceeding permissible downtime, penalty of 1/365 of the 5% FOB value will be imposed. Downtime will be counted from the date and time of the filing of complaint with in the business hours.

43.	Training of Personnel: The supplier shall be required to undertake to provide the technical training	
	to the personnel involved in the use of the equipment at the Institute premises, immediately after completing the installation of the equipment for a minimum period of one week at the supplier's	
	cost.	
44.	Disputes and Jurisdiction : Any legal disputes arising out of any breach of contract pertaining to	
	this tender shall be settled in the court of competent jurisdiction located within New Delhi.	
45.	Compliancy certificate: This certificate must be provided indicating conformity to the technical	
	specifications. (Annexure-I)	

COMPLIANCE SHEET

TECHNICAL SPECIFICATION

Item	Technical specification as per NIQ	Specification of the quoted model AS PER TECHNICAL BROCHURE. NOTE THAT WRITING A YES/NO WITHOUT GIVING THE EXACT SPECIFICATION CAN LEAD TO REJECTION	Compliance (Y/N)
Gases to measured	The gaseous mixture to be analyzed is the exhaust coming out of a hydrogen engine with the following composition: H ₂ : 50 - 1000 ppm O ₂ : 5-15% N ₂ : 65-80% H ₂ O vapor : 10-25% Temperature: 100 °C - 400 °C Gases to be measured: H ₂ , N ₂ and O ₂		
Analyzer basic feature	Automatic gas sampling valve with a minimum of 6 ports along with a sample loop with a volume of 1 cc		
	Back flushing valve for venting water vapor Column switching valve for bypassing a particular column (such as molecular sieve) System to be fully tested and calibrated at the factory		
Columns	Hayesep column of suitable dimensions Molecular sieve / Porapak column of suitable dimensions		
Gas Flow control	Fully automated with EPC/AFC/PPC control for carrier/detector zone gases Pressure / flow modes: Constant Pressure / Constant Flow and constant linear velocity Carrier gas program rates 0-100 psi		
GC Oven	Volume >= 10 L Operating temperature Ambient + 10 °C to 400 °C		

Temperature set point resolution must be 1 °C or lower		Temperature and time functions should	
Temperature set point resolution must be 1 °C or lower Number of temperature ramps >= 3 Maximum temperature ramp rate >= 45 °C/min Temperature variation coefficient should be 0.01 °C per 1 °C or better Cool down time from 250 °C to 50 °C <=6 minutes Thermal conductivity detector with the operating temperature 100 °C to 350 °C Linear dynamic range - 10 ⁵ or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		_	
1 °C or lower Number of temperature ramps >=3			
Number of temperature ramps >=3 Maximum temperature ramp rate >= 45 °C/min Temperature variation coefficient should be 0.01 °C per 1 °C or better Cool down time from 250 °C to 50 °C <=6 minutes Detector Thermal conductivity detector with the operating temperature 100 °C to 350 °C Linear dynamic range - 105 or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
Maximum temperature ramp rate >= 45 °C/min Temperature variation coefficient should be 0.01 °C per 1 °C or better Cool down time from 250 °C to 50 °C <=6 minutes Detector Thermal conductivity detector with the operating temperature 100 °C to 350 °C Linear dynamic range - 10 ⁵ or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
Power Supply 220 VAC ±10%, 47 to 53 Hz. Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system windows 7 or later versions Upgradation Soflware Power Supply Computer with operating system windows 7 or later versions Upgradation Solibatire valuar at 100 °C to 350 °C combuter valuation to the table to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Certification Manufacturer should have ISO9001:2008 Manufacturer should have ISO9001:2008 Computer wind operating to 50 °C to 50 °C combuter with the operation with the operation of the test of the combustion of the combustio		Number of temperature ramps >=3	
Power Supply 220 VAC ±10%, 47 to 53 Hz. Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system windows 7 or later versions Upgradation Soflware Power Supply Computer with operating system windows 7 or later versions Upgradation Solibatire valuar at 100 °C to 350 °C combuter valuation to the table to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Certification Manufacturer should have ISO9001:2008 Manufacturer should have ISO9001:2008 Computer wind operating to 50 °C to 50 °C combuter with the operation with the operation of the test of the combustion of the combustio		Maximum temperature ramp rate >= 45	
be 0.01 °C per 1 °C or better Cool down time from 250 °C to 50 °C <=6 minutes Thermal conductivity detector with the operating temperature 100 °C to 350 °C Linear dynamic range - 105 or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Licensed software with capability of instrument control detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		°C/min	
be 0.01 °C per 1 °C or better Cool down time from 250 °C to 50 °C <=6 minutes Thermal conductivity detector with the operating temperature 100 °C to 350 °C Linear dynamic range - 105 or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Licensed software with capability of instrument control detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		Temperature variation coefficient should	
Control of gas flow to be handled by software with no manual control Deverors Deverors Software Deverors Deverors Deverors Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <= 20 ms Deverors Deverors Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <= 20 ms Deverors Deverors		be 0.01 °C per 1 °C or better	
Detector Thermal conductivity detector with the operating temperature 100 °C to 350 °C Linear dynamic range - 10 ⁵ or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		Cool down time from 250 °C to 50 °C	
operating temperature 100 °C to 350 °C Linear dynamic range - 10 ⁵ or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		<=6 minutes	
operating temperature 100 °C to 350 °C Linear dynamic range - 10 ⁵ or better Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	Detector	Thermal conductivity detector with the	
Linear dynamic range - 10 ⁵ or better Linear dynamic range - 10 ⁵ or better Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		· · · · · · · · · · · · · · · · · · ·	
Software Licensed software with capability of instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		Linear dynamic range - 10° or better	
instrument control and features of calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
calibration, blank correction, data import, export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	Software	Licensed software with capability of	
export, handling and reporting. Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		instrument control and features of	
Control of gas flow to be handled by software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		calibration, blank correction, data import,	
software with no manual control Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		export, handling and reporting.	
Data sampling interval and reporting <=20 ms Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		Control of gas flow to be handled by	
Certification Capable		software with no manual control	
Power Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		Data sampling interval and reporting	
Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008		<=20 ms	
Supply Accessories Installation kit including but not limited to leak detection fluid, swage-type fittings, copper tubing, syringes, screw-drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	Power	220 VAC ±10%, 47 to 53 Hz.	
to leak detection fluid, swage-type fittings, copper tubing, syringes, screw- drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	Supply	,	
to leak detection fluid, swage-type fittings, copper tubing, syringes, screw- drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	A	To stall stick like to the first back and first to d	
fittings, copper tubing, syringes, screw- drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	Accessories	_	
drivers and wrenches Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
Computer with operating system Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
Windows 7 or later versions Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
Upgradation Should be upgradable so that additional detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008			
detector can be put and dual injection should be possible Certification Manufacturer should have ISO9001:2008	**		
should be possible Certification Manufacturer should have ISO9001:2008	Upgradation		
Certification Manufacturer should have ISO9001:2008			
		_	
certification or latest	Certification		
		certification or latest	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Name:	
Designation:	
Organization Name:	
Contact No. :	

Seal of the Company

<< Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and data furnished by our
organization with regard to this tender specificati	on are true and complete to the best of our knowledge. I have gone ons in details and agree to comply with the requirements and intent
further certified that our organization meets all the	athorized (Copy attached) by the OEM to participate in Tender. We e conditions of eligibility criteria laid down in this tender document. basis with technology / product updates and extend support for the
warranty.	value (comission) / product aparties und citatia support for une
Γhe prices quoted in the financial bids are subsidir	zed due to academic discount given to IIT Delhi.
We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1 Phone	
2 Fax	
3 E-mail	
4 Contact Person Name	
5 Mobile Number	
6 TIN Number	
7 PAN Number	
(In case of on-line payment of Tender Fees)	
8 UTR No. (For Tender Fee)	
(In case of on-line payment of EMD)	
9 UTR No. (For EMD)	
10 Kindly provide bank details of the bidder in the following format: a) Name of the Bank	
b) Account Number	
c) Kindly attach scanned copy of one Cheque book page to enable us to return the EMD to unsuccessful bidder	
	(Signature of the Tandoner)
	(Signature of the Tenderer)
	Name:

List of Govt. Organization/Deptt.

List of Government Organizations for wh		rk during last three
years (must be supported with work order Name of the organization	Name of Contact Person	Contact No.
Name of application specialist / Service E	Engineer who have the technical compet	tency to handle and
support the quoted product during the war	rranty period.	
Name of the organization	Name of Contact Person	Contact No.
		Signature of Bidder
	Name:	
	Designation:	
	Organization Name:	

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Envelope – 1 (Following documents to be provided as single PDF file)							
Sl. No.	Sl. No. Document Content						
1.	Technical	Compliance Sheet as per Annexure - I	.PDF				
2.	Bid	Organization Declaration Sheet as per Annexure - II	.PDF				
3.		List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF				
4.		Technical supporting documents in support of all claims made at Annexure-I (Annexure-IV)	.PDF				
	Envelope – 2						
Sl. No.	Document	Content					
1.	Financial Bid	Price bid should be submitted in PDF format.	.PDF				

<Department/Centre Name> Indian Institute of Technology Delhi Hauz Khas, New Delhi-110016

Date: XX/XX/XXXX

Subject: Purchase of an online gas chromatograph for measurement of hydrogen engine exhaust (Following format is used for imported items)

S.	Currency	Description and Specification of	Qty.	Unit	Agency	Discount	Ex-works	Packing +	FOB/FCA	Insurance	CIF Price
No.		the Item	in	Price	Commission		price	Handling	Airport	+ Freight	(f+g)
			Units		(If		(d=a+b-c)	+ DOC +	Price	(g)	
				(a)	applicable)	(c)		Inland	(f=d+e)		
					(b)			Freight +			
								FCA			
								Charges			
								(e)			
1		Online gas chromatograph									
		for measurement of	01								
		hydrogen engine exhaust	01								
		(As per specification given									
		in the tender document)									

Note: At any circumstances, it is the responsibility of the foreign supplier to hand over the material to our forwarder at the origin airport after completing all the inland clearing. No Ex-works consignment will be entertained.

For indigenous items please quote as per following format.

S.	Description and Specification of the	<u>. </u>	Unit Price in	Excise Duty %	GST%	Total Price in Rs.
No.	Item	-	Rs.			
1.	Online gas chromatograph for measurement of hydrogen engine exhaust (As per specification given in the tender document)	01				
2.						

Note: The above financial template should be strictly followed. Any deviation from the above template (in terms of description and specification of the item) may lead to cancellation of the tender.