

INDIAN INSTITUTE OF TECHNOLOGY DELHI <u>HAUZ KHAS, NEW DELHI – 110016</u> <u>NOTICE INVITING E-TENDER</u> <u>IITD/WORKS (SP-926)/2017</u>

Executive Engineer [Electrical], Indian Institute of Technology Delhi, HauzKhas, New Delhi – 100016 [Phone No. 011-26591742] on behalf of Board of Governors invites online Item Rate Tender from Firms / Contractors Registered in appropriate class And category with CPWD, MES, BSNL and Railways dealing with Electrical installation work for the following work:

1	Name of Work	:	Providing E.I and fans in various type of residences in east
			campus at IIT Delhi.
2	NIT No.	:	8954/107/EW/IITD/2016-17
3	Estimated cost	:	Rs. 19,92,040.00
4	Earnest Money	:	Rs. 39,841.00
5	Period of completion	:	12 Months
6	Last date & time of bid submission	:	21-03-2017upto 03:00 PM
7	Performance Bank Guarantee	:	5% of the tendered amount

The bid forms and other details may be downloaded from Central Public Procurement Portal <u>http://eprocure.gov.in/eprocure/app</u>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <u>http://eprocure.gov.in/eprocure/app</u>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Bidders can access Quotation / tender documents on the website (For searching in the NIC site, kindly go to Quotation Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi Quotations). Select the appropriate Quotation / tender and fill them with all relevant information and submit the completed Quotation / tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All bids (both Technical and Financial should be submitted in the E-procurement portal).

Executive Engineer [E], For & on Behalf of BOG, IIT Delhi

<u>CH. Head</u> PLN - 05 Work code (W02894)

C.....Nil I.....Nil O.....Nil

D'Man / J.F.

A.E.E / A.E.



Copy to: -

- 1. Institute Engineer
- 2. D.A. (Works Accounts) for opening of tenders in the office of D.R. [SPS]
- 3. A.E.E. (E) Plg.
- 4. A.E (E) Renovation.
- 5. D.R. (A/Cs)
- 6. D.R. [SPS]
- 7. Notice Boards.
- 8. Office Copy
- 9. Web site Administrator, IITD

C.....Nil I.....Nil O.....Nil



INDEX

SR. NO.	DESCRIPTION	PA	GE
		From	То
1	SCHEDULE	4	4
2	INSTRUCTION FOR ONLINE BID SUBMISSION	5	7
3	INFORMATION & INSTRUCTION TO BIDDERS	8	10
4	IITD 6	11	14
5	INTEGRITY PACT	15	21
6	IITD – 7 / 8	22	23
7	PROFORMA OF SCHEDULE	24	27
8	DECLARATION [ANNEXURE – I]	28	28
9	SUBMITTALS TO BE MADE BY THE CONTRACTOR DURING THE EXECUTION OF WORK[ANNEXURE – II]	29	29
10	COMMERCIAL & ADDITIONAL CONDITIONS	30	34
11	SPECIAL TERMS & CONDITIONS	35	35
12	SPECIAL CONDITIONS	36	37
13	ACCEPTED MAKE OF MATERIALS	38	38
14	BID SUBMISSION CHECK LIST	39	39
15	IITD 2010 CORRECTION SLIPS	40	46
16	SCHEDULE OF QUANTITY	47	52



SCHEDULE

1	Name of Organisation	:	Indian Institute of Technology Delhi
2	Tender / Quotation Type [open / limited / EOI / auction / single]	:	Open
3	Tender / Quotation Category [services / goods / works]	:	Goods & Works
4	Type / Form of Contract [work / supply / auction / service / buy / empanelment / sell]	:	Work & Supply
5	Product Category [civil works / electrical works / fleet management / computer systems]	:	Electrical Works
6	Is Multi Currency Allowed?	:	No
7	Date of issue / publishing /start	:	07-03-2017, 3:00 PM
8	Document download start date	:	07-03-2017, 3:00 PM
9	Document download end date	:	21-03-2017, 3:00 PM
8	Last date & time of uploading of bids	:	21-03-2017upto 03:00 PM
9	Date & time of opening of Technical Bids	:	22-03-2017at 03:00 PM
10	Tender fee	:	Nil.
11	EMD	:	Rs. 39,841.00 [For EMD] (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, HauzKhas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-I)
12	No. of covers [1/2/3/4]	:	02
13	Address for communication	:	Executive Engineer [Electrical], Works Organization, HauzKhas, IIT Delhi, New Delhi – 110016
14	Contact No.	:	011-2659 1742, 1461
15	E-mail address	:	a26263@admin.iitd.ac.in; a26335@admin.iitd.ac.in

C.....Nil I.....Nil O.....Nil



INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this Quotation / tender document has been published on the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / e-Token.

SEARCHING FOR QUOTATION / TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active Quotations / Tender by several parameters. These parameters could include Quotation ID, organization name, location, date, value, etc. There is also an option of advanced search for Quotations, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a Quotation published on the CPP Portal.
- 2) Once the bidders have selected the Quotations they are interested in, they may download the required documents / Quotation schedules. These Quotations can be moved to the respective

C.....Nil I.....Nil O.....Nil



'My Quotations' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the Quotation document.

3) The bidder should make a note of the unique Quotation ID assigned to each Quotation / Tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the Quotation document before submitting their bids.
- 2) Please go through the Quotation / Tender advertisement and the Quotation / Tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the Quotation document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the Quotation document.
- 3) Bidder has to select the payment option as "offline" to pay the Quotation fee / EMD as applicable and enter details of the instrument.
- 4) A standard BoQ format has been provided with the Quotation document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).



- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded Quotation documents become readable only after the Quotation opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1) Any queries relating to the Quotation document and the terms and conditions contained therein should be addressed to the Quotation Inviting Authority for a Quotation or the relevant contact person indicated in the Quotation.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

GENERAL INSTRUCTIONS TO THE BIDDERS

- 1) The Quotations will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".

Bidders are advised to follow the instructions provided in the 'Instructions to the Bidder for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app

C.....Nil I.....Nil O.....Nil



INFORMATION AND INSTRUCTIONS TO BIDDERS FOR E-TENDERING

Executive Engineer [Electrical], Indian Institute of Technology Delhi, HauzKhas, New Delhi – 100016 [Phone No. 011-26591742] on behalf of Board of Governors invites online Item Rate Tender from Firms / Contractors Registered in appropriate class And category with CPWD, MES, BSNL and Railways dealing with Electrical installation work for the following work:

SI. No.	N.I.T. No.	Name of work & Location	Estimated cost put to bid	Earnest Money	Period of completion	Last date & time of submission of bid (online mode)	Time & date of opening of Technical Bid	Time & date of opening of Financial Bid
[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
1	8954/107/EW/IITD/2016-17	Providing E.I and fans in various type of residences in east campus at IIT Delhi.	Rs. 19,92,040.00	Rs. 39,841.00	12 Months	21-03-2017upto 03:00 PM	22-03-2017at 03:00 PM	To be intimated after assessing technical bid.

1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized / Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to submit the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as null and void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.

C.....Nil I.....Nil O.....Nil



- 2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) Firms/Contractors should have satisfactorily completed one similar work of value not less than Rs.15,93,632.00 or two similar works each of value not less than Rs.11,95,224.00 or three similar works each of value not less than Rs.7,96,816.00 during last 7 years ending previous day of last date of submission of bids.
 - ii) Earnest Money of Rs.39,841.00to be deposited on-line as indicated in Schedule

3. Similar work meansproviding and fixing electrical installation works.

- 4. The intending bidder must read the terms and conditions [both commercial & Additional] & IITD 6 carefully which will be the part of the Contract. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 5. Information and Instructions for bidders posted on website shall form part of bid document.
- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website e-procure.gov.in.
- 7. But the bid can only be submitted after depositing requisite tender fee and EMD as specified in the schedule.
- 8. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only within a week physically in the office of e-tendering authority.
- **9.** Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited requisite tender fee and EMD and other documents scanned and uploaded are found in order.
- **10.** Completion certificates are required to be got issued by an officer not below the rank of Executive Engineer of similar works completed by the Firm. The work experience certificates submitted by the bidders shall clearly indicate that:
 - a. The similar work executed shall be as '3' above
 - b. The completed cost of the work
 - c. Actual date of completion of the work
- **11.** Attested copy of registration certificates to be submitted. Registration of firms/ Contractors must be valid on the day of submission of Tenders or extended date of submission of Tenders whichever is later.
- 12. Work means only work under Government/ Public Sector Undertaking / Central Autonomous bodies.
- **13.** The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
- 14. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid, each bidder should sign integrity pact at respective

C.....Nil I.....Nil O.....Nil



places and submit the bid. If duly signed integrity pact is not submitted by bidder, such bid shall not be considered.

- **15.** Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.
- **16.** When bids are invited in two / three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
- **17.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.

18. The bid submitted shall become invalid if:

- a. The bidder is found ineligible.
- b. The bidder does not upload all the documents (including service tax registration / VAT registration / Sales Tax registration) as stipulated in the bid document including the undertaking / declaration.
- c. EMD not deposited as specified
- **19.** The firm shall be registered with EPFO & ESIC

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Annexure I duly filled in and got signed
- 2. Enlistment order of contractor.
- 3. Attested certificate of work experience as desired
- 4. Certificate of Registration for Sales Tax / VAT and acknowledgement of up to date filed return
- 5. Affidavit as per Notice Inviting Tender Condition [IITD-6] 1.2.2 [To be submitted on stamp paper]
- 6. Acceptance to execute INTEGRITY PACT [see integrity pact]
- 7. IITD 7 / 8 duly signed (At page 22–23)
- 8. EPF & ESI Registration proof with up to date challan.
- 9. Any other document as specified in the NIT
- 10. Valid Electrical License.

Executive Engineer [Electrical] For & on Behalf of BOG, IIT Delhi



<u>IITD – 6</u>

INDIAN INSTITUTE OF TECHNOLOGY DELHI NOTICE INVITING E-TENDER

- 1.0 Executive Engineer [Electrical], Indian Institute of Technology Delhi, HauzKhas, New Delhi 100016 [Phone No. 011-26591742] on behalf of Board of Governors invites online Item Rate Tender from Firms / Contractors Registered in appropriate class And category with CPWD, MES, BSNL and Railways dealing with Electrical installation work for the following work: of Providing E.I and fans in various type of residences in east campus at IIT Delhi.
 - 1.1 The work is estimated to cost **Rs.19,92,040.00.** This estimate, however, is given merely as a rough guide
 - 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than **Rs.15,93,632.00**or two similar works each of value not less than **Rs.11,95,224.00** or three similar works each of value not less than **Rs.7,96,816.00**in last 7 years ending previous day of last date of submission of bids.

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-

"I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / we shall be debarred for bidding in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)"

2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IIT Delhi Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.

3. The time allowed for carrying out the work will be **12 Months**from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with

C.....Nil I.....Nil O.....Nil

Page 12 of 52

the phasing, if any, indicated in the bid documents.

- 4. The site for the work is available.
- **5.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site **e-procure.gov.in**.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- **9.** Earnest Money as specified to be paid through RTGS / NEFT.
 - IIT Delhi Bank details are as under:

Name of the Bank A/C	: IITD Revenue Account				
SBI A/C No	: 10773572622				
Name of the Bank	: State Bank of India, IIT Delhi,				
	: HauzKhas, New Delhi-110016				
IFSC Code	: SBIN0001077				
MICR Code	: 110002156				
Swift No	: SBININBB547				
(This is mandatory that UTR Number is provided in the on-line quotation/bid. Kindly refer to the					

UTR Column of the Declaration Sheet at Annexure-II)

Interested contractors who wish to participate in the bid has also to make following payments within the period of bid submission:

- (i) Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission.
- **10.** The bid submitted shall become invalid, if:
 - a) The bidder is found ineligible.
 - b) The bidder does not upload all the documents (including VAT registration/ Sales Tax registration/Technical bid) as stipulated in the bid document.
 - c) EMD not deposited as specified
- 11. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5%** (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank / Banker' cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

C.....Nil I.....Nil O.....Nil



- 12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation theymay require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- **13**. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 14. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- **15.** The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 16. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 17. No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract liable to be cancelled, if, either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 18. The bid for the works shall remain open for acceptance for a period of **ninety [90] daysfrom the date of opening of financial bids**, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.

C.....Nil I.....Nil O.....Nil



- **19.** This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
- a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid andthe rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b) Standard IITD Form -7/8 or other Standard IITD Form as applicable.
- **20.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as to be submitted physically in IIT Delhi, if so desired by the accepting authority, then the bid submitted shall become invalid and the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the bidding process of the work.

C.....Nil I.....Nil O.....Nil



INTEGRITY PACT

То

·····,

<u>Sub:</u>NIT No.8954/107/EW/IITD/2016-17 for the work of Providing E.I and fans in various type of residences in east campus at IIT Delhi.

Dear Sir,

It is here by declared that IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the Integrity Agreement, which is an integral part of the tender/bid documents, failing which the tender/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IITD.

Yours faithfully,

Executive Engineer

C.....Nil I.....Nil O.....Nil

INII



[TO BE SUBMITTED DULY SIGNED BY THE BIDDER ALONGWITH BID DOCUMENTS]

То

Executive Engineer (Elect.), IIT Delhi, Hauz Khas, New Delhi – 110016

<u>Subject:</u> Submission of Bid for the work of **Providing E.I and fans in various type of residences in** east campus at IIT Delhi.

Dear Sir,

I / We acknowledge that IITD. is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I / We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I / We will stand disqualified from the tendering process. I / We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I / We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IITD. I / We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I / We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, IITD shall have unqualified, absolute and unfettered right to disqualify the tenderer /bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully,

(Duly authorized signatory of the Bidder)

C.....Nil I.....Nil O.....Nil



[To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of IITD]

INTEGRITY AGREEMENT

BETWEEN

The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 16 represented through **Executive Engineer** (Elect.), IIT Delhi

...., (Hereinafter referred as the '**Principal/Owner**',

(Address of Division)

'**Principal/Owner**', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

(Name and Address of the Individual/firm/Company)
Through

(Details of duly authorized signatory)

to as the "**Bidder/Contractor**" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal / Owner has floated the Tender (NIT No. **8954/107/EW/IITD/2016-17**) (hereinafter referred to as "**Tender/Bid**") and intends to award, under laid down organizational procedure, contract for "**Providing E.I and fans in various type of residences in east campus at IIT Delhi.**"(Name of work) hereinafter referred to as the "**Contract**".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

C.....Nil I.....Nil O.....Nil



Article 1: Commitment of the Principal / Owner

1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:

No employee of the Principal / Owner, personally or through any of his / her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for selfor third person, any material or immaterial benefit which the person is not legally entitled to.

- (a) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
- (b) The Principal/Owner shall Endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.
- 3) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s) / Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or coercion or collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

C.....Nil I.....Nil O.....Nil



- c) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PoC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal / Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s) / Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s) / Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent onbehalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practices means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal /Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

C.....Nil I.....Nil O.....Nil



- 2) Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- **3) Criminal Liability**: If the Principal/Owner obtains knowledge of conduct a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal / Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

4) Article 4: Previous Transgression

- The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6: Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 6 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority of IITD.

C.....Nil I.....Nil O.....Nil



Article 7: Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by Board Resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8: LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal / Owner)

(For and on behalf of Bidder / Contractor)

WITNESSES:

1.

(Signature, name and address)

Place:

C.....Nil I.....Nil O.....Nil



Dated:

<u>IITD - 7/8</u> INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016

Percentage Rate Tender / Item Rate Tender & Contract for Works

Tender for the work of **"Providing E.I and fans in various type of residences in east campus at IIT Delhi."**

(A) (I) To be submitted online by 21-03-2017upto 03:00 PM

(II) To be opened technical bid on 22-03-2017at 03:00 PM online

e-TENDER

I / We have read and examined the Notice Inviting Tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I / We hereby tender for the execution of the work specified for the Board of Governors, IIT Delhi within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (**strike out as the case may be**) and not to make any modification in its terms and conditions.

A sum of **Rs. 39,841.00** is hereby deposited in IIT Delhi Revenue Account No. 10773572622as earnest money. If I / We fail to furnish the prescribed performance guarantee within prescribed period I / We agree that the said The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / We fail to commence the work as specified, I / We agree that The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise they said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid I / We shall be debarred for participation in the re-tendering process of the work.

I / We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of

C.....Nil I.....Nil O.....Nil



Department, then I / We shall be debarred for tendering in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I / We hereby declare that I / We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I / We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 110016 for a sum of (Rupees.....).

The letters referred to below shall form part of this contract agreement:-

(a)

(b)

(c)

For & on behalf of Board of Governors, IIT Delhi

Signature



Dated:

Designation

PROFORMA OF SCHEDULES

[Operative Schedules to be supplied separately to each intending tenderer]

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

S.No.	Description of it	em Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
•	Nil			+

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
•	Ni l		

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.

Nil -----

C.....Nil I.....Nil O.....Nil



SCHEDULE 'E'

Reference to General Conditions of contract [GCC]

1	Name of work	:	Providing E.I and fans in various type of residences in east campus at IIT Delhi.
2	Estimated cost of work	:	Rs. 19,92,040.00
3	Earnest Money	:	Rs. 39,841.00
4	Performance Guarantee	:	5 percent of tendered value
5	Security Deposit	:	5 percent of tendered value

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS

: Officer inviting tender

	m percentage for quantity of items of work to be executed beyond tes are to be determined in accordance with Clauses 12.2&12.3	:	See below
Definitio			
2[v]	Engineer – in - charge	:	Executive Engineer [Elect]
2[vi]	Accepting Authority	:	Executive Engineer [Elect]
2[x]	Percentage on cost of materials and labour to	:	15 percent
	Cover all overheads and profits		
2[xi]	Standard schedule of rates		DSR 2014 + Market Rate
2[xii]	Department		E & W, IIT Delhi
9[ii]	Standard IITD Contract Form	:	General Conditions of Contract
			2010,IITD Form 7/8-2010 modified
			& Corrected up to date of
			submission of tender

Clau	use 1:		
[i]	Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	:	15 days
[ii]	Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above	:	1 to 15 days
Claus	e 2:	1	
Autho	brity for fixing compensation under clause 2	:	Institute Engineer
Claus	e 2 A:		
Wheth	ner Clause 2A shall be applicable	:	No
Claus	e 5:		
	er of days from the date of issue of letter of award for ning date of start	:	10 [ten] days

C.....Nil I.....Nil



Milestone(s)as per table given below:-

Sl. No.	Description of Milestone (Financial)	Time allowed in days (from date of start)	Amount to be with-held in case of non- achievement of mile stone
	N O T A	PPLICABLE	

Time allowed for execution of work	:	12 Months
Authority to decide:		
Extension of time	:	Executive Engineer [Engineer-in-charge]
Rescheduling of mile stones	:	Executive Engineer
Clause Applicable 6 or 6A:	:	Clause 6A
Clause 7:	-	
Gross work to be done together with net payment /	:	Not Applicable
adjustmentof advances for material collected, if any, since the		
last suchpayment for being eligible to interim payment		
Clause 10 A:		
List of testing equipment to be provided by the contractor at	:	As desired by the Engineer-in-charge relating to
site lab		the work
Clause 10B(ii):		
Whether Clause 10 B (ii) shall be applicable	:	No
Clause 10C:		
Component of labour expressed as percent of value of work	:	10 percent

Clause 10CA:

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Materials covered under
1			
2			و و و و و و و
3			
4			

* Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approval of NIT.

C.....Nil I.....Nil O.....Nil



Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated	:	18 months
period of completion exceeding the period shown in next		
column		
Schedule of component of other Materials, Labour, POL etc. for		
price escalation		
Component of civil (except materials covered under clause	:	Nil.
10CA)/ Electrical construction Materials expressed as percent		
of total value of work		
Component of Labour expressed as percent of total value of	:	Y : 10 percent
work		
Component of P.O.L. expressed as percent of total value of	:	Not Applicable
work		
Clause 11		
Succifications to be followed for an exting of more		CDUUD C 1 1 1 C 1 C EL 1 1

work Part-I (Internal) Part-II (External), Part-
IV (Substation), with upto date modifications

Clause 12		
Type of work	:	Maintenance works including works of
		upgradation, aesthetic, special repair, addition/
		alteration
Clause 12.2. & 12.3		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply	:	30 percent
for building work		
Clause 12.5		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply	:	100 percent
for foundation work		-
Clause 16		

Clause 16

Competent Authority for deciding reduced rates : Institute Engineer

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:

1	2	3		
4	5	6		
7	8	9		

Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S.	Minimum	Discipline	Designation	Minimum	Number	Rate at which recovery shall b	
No.	Qualification of		(Principal	Experience		made from	the contractor in the
	Technical		Technical/	(Years)		event of not fulfilling provision	
	Representative		Technical			of clause 36(i)	
	_		Representative)				
						Figures	Words
	Graduate Engineer		Principal Technical	02 years			Rupees
	Or	Electrical	Representative	-	01	Rs 15000/-	Fifteen thousand only
	Diploma Holder			05 years			

Assistant Engineers retired from Government services that are holding diploma will be treated at par with Graduate Engineers

C.....Nil I.....Nil O.....Nil



<< Organization Letter Head >> DECLARATION

I / We, _______ hereby declare that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I / we have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

1	Name & Address of the bidder	:	
2	Phone	:	
3	E-mail	:	
4	Contact person name	:	
5	Mobile number	:	
6	TIN number	:	
7	PAN number	:	
8	UTR no. with date [for payment of EMD]	:	
	BANK DETAILS		
9	Bank name	:	
10	Branch address	:	
11	Branch telephone no.	:	
12	MICR Code of the bank	:	
13	IFSC code	:	
14	Bank Account no.	:	
15	Type of account	:	

We further declare that our organization has not been blacklisted / delisted or put to any holiday by any Institutional agency / Govt. Department / Public Sector Undertaking in the last three years.

[Signature of the bidder]

Name:

D'Man /J.E.



Seal of the bidder

<u>APPENDIX – II</u>

SUBMITTALS TO BE MADE BY THE CONTRACTOR DURING THE EXECUTION OF WORK

- 1. Daily Progress report stating number of men employed under each trading, Equipment at site etc.
- 2. Weekly/ fortnightly progressing report showing progress against programme.
- 3. Programme of work for the forthcoming week.

4.	Labour and Equipment Deployed at site Requirement vs. actual deployed		-	Programmed fortnightly
5.	Updated approved monthly PERT CHART along with monthly progress chart		-	Weekly.
6.	Construction materials by Contractor Status and mobilization programme	:	-	Fortnightly.
7.	Progress Photographs		-	Fortnightly.

8. Value of work anticipated to be done in the forth-coming including value of any materials and equipment of large value - monthly

C.....Nil I.....Nil O.....Nil



COMMERCIAL AND ADDITIONAL CONDITIONS

1 General

1.1 This specification covers manufacture, testing as may be necessary before dispatch, delivery at site, all preparatory work, assembly and installation, final testing, commissioning, as per the CPWD General Specification for Electrical work Part-I, II & IV for the following works.

Name of work & location: Providing E.I and fans in various type of residences in east campus at IIT Delhi.

1.2 The work shall be executed as per CPWD General Specifications for Electrical works as amended up to date and as per directions of Engineer-in-charge. These additional specifications and conditions are to be read in the Additional specifications and conditions shall apply. However, nothing extra shall be paid on account of these as the same are to be read along with schedule of quantities for the work.

2 COMMERCIAL CONDITIONS

2.1 Type of contract

The work to be awarded by this tender shall be treated as indivisible works contract.

- 2.2 Submission of Tender:-Bidder shall submit the cost of tender documents, if any, e-tendering processing fee and earnest money, other documents, price bid in prescribed manner as indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- **2.3** The tenderers are advised not to deviate from the technical specifications / items, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- 2.4 The department reserves the right to reject any or all the price bids and call for fresh price tenders as the case may be without assigning any reason.

2.0 Validity

Tenders shall be valid for acceptance for a period of 90 days from the date of opening of price bid.

4.0 Completion period

The completion period indicated in the tender documents is for the entire work of planning, designing, supplying, installation, testing, commissioning and handing over of the entire job to the satisfaction of the Engineer-in-charge.

5.0 SAFETY CODES AND LABOUR REGULATIONS

(i) In respect of all labour employed directly or indirectly on the work for the performance of the contractor's part of work, the contractor at his own expense, will arrange for the safety provisions as per the statutory provisions, B.I.S. recommendations, factory act, workman's compensation act, CPWD code and instructions issued from time to time. Failure to provide such safety requirements would make the tenderer liable for **penalty as specified in applicable clause.** In addition the Engineer-In-Charge shall be at liberty to make arrangements and provide facilities as aforesaid and recover the cost from the contractor.

C.....Nil I.....Nil O.....Nil



(ii) The contractor shall provide necessary barriers, warning signals and other safety measures while laying pipelines, cables etc. or wherever necessary so as to avoid accident. He shall also indemnify IITD against claims for compensation arising out of negligence in this respect. Contractor shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause. The department shall not be responsible for any accident occurred or damage incurred or claims arising there from during the execution of work. The contractor shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the contractor due to the above provisions thereof.

6.0 Payment Terms

6.1 Unless otherwise specified, in the additional conditions of the contract, the payment shall be made as per the relevant clauses of form PWD 7/8 forming a part of the tender documents.

7.0 Security Deposit

Security deposit shall be deducted from each running bill and the final bill to be the extent of 10 percent of the gross amount payable. However the maximum amount of security deposit will be 5 percent of the tendered value. The earnest money deposited shall be adjusted against this security deposit. The security deposit shall be released on the expiry of guarantee period stipulated in the contract. Bank guarantee will not be accepted as security deposit.

8 **Performance Guarantee**

The successful tenderer shall submit an irrevocable performance guarantee of 5% of the tendered amount in addition to other deposits mentioned elsewhere in the contract in the contract for his proper performance of the contract agreement within 12 Months. Of issued of letter of acceptance of tender. This guarantee shall be in the form of Demand draft/ Pay order or irrevocable bank guarantee bond of any scheduled bank or the State Bank of India in the specified format or in the form of Government security, fixed deposit pledged in favour of Executive Engineer or as specified in the letter of acceptance of tender. **The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond**. This bank guarantee shall be kept valid till the recoding of completion certificate for the work by the competent authority.

9. Rates

- 9.1 The rates quoted by the tenderer, shall be firm and inclusive of all taxes (i/c works contract taxes), duties & levies, octroi etc. and all charges for packing forwarding, insurance, freight and delivery, installation, testing, commissioning etc. at site i/c temporary construction of storage, risk, overhead charges, general liabilities / obligations and clearance from concerned authority.
- 9.2 Octroi duty shall not be paid separately but octroi exemption certificate can be furnished by the department on demand. However the department is not liable to re-imburse the octroi duty in case exemption certificates are not honored by the concerned authorities.

10. COMPLETION PERIOD

The completion period of **12** Months indicated in the tender documents is for the entire work of planning, designing, installation, testing, commissioning and handing over of the entire system to the satisfaction of the Engineer - in - charge.

C.....Nil I.....Nil O.....Nil



11. COMPLETENESS OF TENDER

All sundry equipment, fittings, unit, assemblies, accessories, hardware items, foundation bolts, termination lugs for electrical connections, cable glands, junction boxes and all other items which are useful and necessary for efficient assembly and installation of equipment and components of thework shall be deemed to have been included in the tender irrespective of the fact whether such items are specifically mentioned in the tender documents or not.

12. STORAGE AND CUSTODY OF MATERIALS

The existing Sub Station LT Panel room may be used for storage of materials and equipments. No separate storage accommodation shall be provided by the department. Watch and ward of the stores and their safe custody shall be the responsibility of the contractor till the final taking over the installation by the department.

13. CARE OF THE BUILDING

Care shall be taken by the contractor while handling and installing the various equipments and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

14. WORKS TO BE DONE BY THE TENDERER

Following works shall be done by the contractor and therefore, their cost shall be deemed to be included in their tendered cost-whether specifically indicated in the schedule of work or not:-

- i) Sealing of all floor slab/wall openings with PCC if, provided by the Department or contractor for pipes and cables, from fire safety point of view, after laying of the same.
- ii) Sealing of all wall openings left for duct crossing with brick machinery with plaster.
- iii) Painting of all exposed metal surface of equipments and components with appropriate colour.
- iv) Making opening in the walls/floors/slabs or modification in the existing openings wherever provided for carrying pipe line, ducts etc.
- v) Providing wooden/metallic frames for fixing grills/ diffusers.
- vi) Making good all damages caused to the structure during installation and restoring the same to their original finish.

Any other minor building work required for the successful execution of the system and its operation.

16. Power supply, water supply and Draining

It is clarified that electricity will be provided from the existing connection near building and necessary arrangement for tapping and termination of supply will be done by the contractor. The charges for electricity may be recovered from the running account bill of the contractor as per the bill raised by IIT Delhi authorities.



17. Data manual and Drawings to be furnished by the tenderers:

17.1 With Tender: The tenderer shall furnish along with the tender, detailed technical literature, pamphlets and performance data for appraisal and evaluation of the offer.

17.2 After Award of work

The successful tenderer would be required to submit the drawings as per para 1.18.2 within 3 days of award of work for approval before commencement of installation.

18.0 Data Manual and Drawings to be furnished by the Tenderers:

18.1 After Award of work the contractor shall prepare & submit three sets of following drawings and get them approved from the Engineer-in-charge before the start of the work. The approval of drawingshowever does not absolve the contractor not to supply the equipments/ materials as per agreement, if there is any contradiction between the approved drawings and agreement.

Any other drawings relevant to the work

18.2 **Completion Drawings**

18.2.1 Three sets of the following laminated drawings shall be submitted by the contractor while handing over the complete site to the Department. In addition one set will be given on compact disc.

19. Extent of Work

- 19.1 The work shall comprise of entire labour including supervision and all materials necessary to make a complete installation and such tests and adjustments and commissioning as may be required by the department. The term complete installation shall not only mean major items of the plant and equipments covered by specifications but all incidental sundry components necessary for complete execution and satisfactory performance of installation with all layout charts whether or not those have been mentioned in details in the tender document in connection with this contract.
- 19.2 Minor building works necessary for installation of making of opening in floors or in walls and restoring to their original condition, finish and necessary grouting etc. as reqd.
- 19.4 Any item required for completion of the project but left inadvertently shall be executed with-in the quoted rate.
- 19.5 Contractor has to create PCC platform outside the building for fabrication and assembling of duct etc. as no fabrication will be allowed inside the building to avoid the damages and hindrance to other works
- 19.7 Contractor has to construct his own temporary store outside the building till the plant room is not ready and make watch and ward arrangement of the store. The location of the store shall be get approved from Engineer-in-charge.
- 19.8 Contractor has to provide technical assistance as and when required for approval of drawings etc.
- **20 Inspection and testing:** Initial inspection at works and final inspection and testing at site shall be carried out as per chapter 17 of CPWD General Specification for HVAC works 2004 as amended to date may be read along with 17(22) of technical specifications.

C.....Nil I.....Nil O.....Nil



21 Validity

Tenders shall be valid for acceptance for a period of 90 days from the date of opening of price bid.

- 22 Compliance with Regulations and Indian Standards, Indemnity & Insurance.
- 22.1 All works shall be carried out in accordance with relevant regulation, both statutory and those specified by the Indian Standards as detailed in Para 1.21& 1.22 of CPWD General Specifications for Electrical Work 2005 amended upto date.

23 Mobilization Advance:

23.1 No mobilization advance will be given.

24. Insurance and Storage:

All consignments are to be duly insured up to the destination from warehouse to warehouse at the cost of the contractor. The insurance covers shall be valid till the equipment is handed over duly installed, tested and commissioned.

25. Verification of correctness of Equipment at Destination:

The contractor shall have to produce all the relevant records to certify that the genuine equipment from the manufacturers has been supplied and erected.

26. CLEAN UP WORKS AT SITE

During erection the contractor shall at all times keep the working and storage areas free from waste or rubbish. On completion of erection he shall remove all temporary structures, debris and leave the premises clean to the full satisfaction of the department.

27. RATES

Rates for each of the items of Schedule of Quantity shall be firm and consolidated for the equipment delivered, installed, commissioned and tested at site including all taxes and levies. Prices shall remain firm and free from variation due to rise and fall in the cost of material equipments. Labour or any other reason whatsoever due to changes in statutory rules and regulations so far as admissible under the conditions of the contract.

28. TERMS OF PAYMENT

The terms of payments shall be as indicated in General Conditions of Contract.

29. PAINTING WORK

The painting should be carried out as required and as per the instruction of the department. The procedure and the standard colour codes are as follows:

- 1) Cleaning the surface
- 2) Apply a primer coat of red oxide
- 3) Applying two coats of enamel paint of APPROVED colour code after applying cement primer for plastered surface.

C.....Nil I.....Nil O.....Nil



SPECIAL TERMS & CONDITIONS

- 1. The Work has to be completed within the stipulated time.
- 2. In case of delay beyond the control of the contractor due to unforeseen circumstances or force majeure reasons, EOT shall be considered.
- 3. In case it is noticed that the firm is intentionally delaying the work for one reason or the other, the firm could be debarred for future works i/c forfeiture of the EMD.
- 4. In case of any extra item, the contractor shall seek prior permission in writing from the Engineerin-charge and submit analysis of rates.
- 5. The quantities are tentative and could be increased or decreased.
- 6. The material shall be got approved from the Engineer-in-charge before utilization. Inferior/substandard material shall have to be removed from the site immediately. In case the contractor fails to remove the inferior / substandard material the Board reserves the right to dispose it off.
- 7. In case of slow progress/intentional delay by the contractor the work can be withdrawn/rescinded in whole or part thereof and executed at the risk & cost of the defaulting contractor.
- 8. In case of any dispute, the arbitrator shall be appointed by the Director, IIT Delhi and his decision shall be Final as well as binding on both the parties.
- 9. Hindrance register shall be maintained by JE (E) at site.
- 10. Instructions given in Site Order Book would be followed immediately by the contractor.



SPECIAL CONDITIONS

- 1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by the contractor which will have to be signed as token of acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3. The contractors are advised to get acquainted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4. The work shall be carried out as per CPWD specifications 2013 (Internal and External) volume I & II with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, Sales Tax & stacking of material required at places etc.
- 6. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- 7. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 8. Articles manufactured by the reputed firms and approved by Engineer-in-Charge shall only be used. Only articles classified as "**First quality**" by the manufacturer shall be used unless otherwise specified.
- 9. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work.
- 10. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the Contractor and shall be reimbursed in case the test results are satisfactory. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- 11. The contractor shall submit a detailed programme of work within 7 days of the date of award of work. The Engineer in- Charge can modify the programme and the contractors have to work accordingly.
- 12. Water and Electricity connections for carrying out the job will be given to the contractor.
- 13. The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 14. No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 15. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. No labour camp/ huts shall be allowed in IIT Campus.

C.....Nil I.....Nil O.....Nil



The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement

- 16. Godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- 17. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 18. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD.
- 19. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipments left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 20. Contractor has to quote against the item of schedule of credit of dismantle material. The contractor cannot quote either minus rate or zero rate for these items. **The minimum total amount to be quoted for these items is Rs. 1,34,100.00.** Thistotal quoted amount against these items will beconsidered in calculating lowest agency. However, actual recovery in bills will be made as per actual quantity of dismantle material received and rate quoted by agency.
- 21. Work Contract Tax @ 4% and income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 22. 1% labourcess will be deducted from the bills of contractor.
- 23. For item of water proofing Guarantee Bond shall be submitted by contractor as per format provided by IIT Delhi.
- 24. Biometric attendance of workers shell be maintain of workers site as decided by Engineer incharge.



ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS

	ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS					
S.No.	Name of items.	Approved Make.				
1.	FRLS PVC insulated copper wire (All size)	Skytone / Polycab / Finolex / Havells (ISI Marked)				
2.	Steel conduit	BEC / AKG / NICI.S.I Marked.				
3.	PVC conduit	BEC / AKG / NIC I.S.I. Marked.				
4.	Batten Holder /ceiling rose /call bell & ordinary Switch, socket/regulator (socket type)	Anchor / Antex / M. KAY I.S.I. Marked.				
5.	Modular type 5A switch, socket & 15A Switch, socket and 2 module electronic fanregulator (stepped type)	Crabtree (Emerald) / M.K (Logic) / Anchor (woods) / North West				
6.	Modular plate & cover	Crabtree (Emerald) / M.K (Logic) / Anchor (woods) / North West				
7.	Distribution board /MCB.	Legrand / Schneider / L & T/ Hager.				
8.	MCCB's / S.F.U. switches	Legrand / Schneider / L & T/ Hager.				
9.	Industrial type socket	Schneider / Siemens / GE / ABB / Legrand				
10.	Ceiling fans (All size).	Usha Striker / Havells / Crompton Greaves.				
11.	Exhaust fans (All size).	Crompton Greaves / GE / Almonard / Usha				
12.	L.T armored cable.	Havells / Grandlay/ ICL/ NICCO I.S.I. Marked.				
13.	Energy meters.	Havells / Benitex / Jaipur.				
14.	Ammeter & Voltmeter.	AE /HPL /Enercon (Conserve).				
16.	G.I. pipes.	JINDAL /TATA (I.S.I. Marked).				
17.	LED Fittings.	Havells / Philips / Wipro / Crompton Greaves				
18.	G.I. Box	Anchor / Legrand.				
19.	MCB (10 KA) & MCB DB	Legrand (DX MCB,s) / Schneider / Siemens / ABB				
20.	Junction Boxes	Cast iron with threaded sockets				
21.	Bushes	PVC / Nylon				

<u>N.B.</u>: For any item not covered in the above list, the contractor shall require to get the samples approved from the Engineer-in-charge before the supply is made.



BID SUBMISSION

ONLINE BID SUBMISSION:

The Online bids (Complete in all respect) must be uploaded online in **two** envelops as explained below.

	(Following	Envelope – 1 documents to be provided as single PDF file)	
Sl. No.	File Types		
1.	Technical Bid	Organization Declaration Sheet as per Annexure - I	PDF.
2.		Attested Certificate of work experience	PDF.
3.		Certificate of registration for sales tax / VAT and acknowledgement of up to date filed return	PDF.
4.		Affidavit as per NIT condition 1.2.2 on stamp paper	PDF.
5.		Enlistment order of contractor.	PDF.
6.		Acceptance to execute integrity pact	PDF.
7.		IITD 7/8 duly signed by the bidder	PDF.
8.		EPFO & ESIC Registration proof with up to date challan	
9.		Any other document as specified in the NIT	PDF.
10.	10. Valid Electrical License.		PDF.
		Envelope – 2	
Sl. No.			
1.	.XLS		



IITD - 2010 CORRECTION SLIPS

In General condition of contract for IIT Delhi works department 2010 -

Reference	Existing	Modified			
Clause	Before any installment of advance is	Before any installment of advance is			
10B	released, the contractor shall execute a Bank Guarantee Bond from Scheduled Bank for	released, the contractor shall execute a Bank Guarantee Bond from Scheduled			
(ii) ,	the amount of advance &valid for the	Bank for the amount equal to 110% of			
	contract period. This shall be kept renewed	the amount of advance and valid for the			
Para-2	from time to time to cover the balance	contract period. This (Bank Guarantee			
	amount and likely period of complete	from Scheduled Bank for the amount			
	recovery, together with interest.	equal to 110% of the balance amount of			
		advance) shall be kept renewed from time			
		to time to cover the balance amount and			
		likely period of complete recovery.			
Clause 3	If the contractor shall obtain a contract with	If the contractor had secured the contract			
< ···>	Government as a result of wrong tendering or	with Government as a result of wrong			
(vii)	other non-bonafide methods of competitive	tendering or other non-bonafide methods			
	tendering.	of competitive tendering or commits			
		breach of Integrity Agreement.			

Reference	Existing Provision	Modified Provision
Page 5, IITD 2010	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, a tenderer shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender	 Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, contractor shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. The tender submitted shall be treated as invalid if :- 1. The contractor does not quote percentage above/below on the total amount of tender or any section/sub head of the tender. 2. The percentage above/below is not quoted in figures & words both on the total amount of tender or any section/sub head of the tender.

C.....Nil I.....Nil O.....Nil



 shall have the name and number of the works to which they refer, written on the envelopes. different in figures & words on the total amount of tender or any section/sub head of the tender: Tenders, which bread of the tender: Tenders, which works on which any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall include more than ane and number of the works to which they refer, written on the works to which they refer, written on the convolopes. New Para B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below plow on estimated cost of render including all sub section/sub heads should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractors refuses to submit section for submits and the inder body of each researce and 50% of earnest money shall be forefitted. If the revised percentage above/below for submits each of the sing for the sin		C C
to which they refer, written on the envelopes. different in figures & words on the total amount of tender: renders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub section/sub heads shuld not be higher than the percentage quoted above/below on tendered at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as "thdrawal of his tender before acceptance and 50% of carnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, E(St) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors to sea have quoted equal amount of the it enders.	shall have the name and number of the works	3. The percentage quoted above/below is
amount of tender or any section/sub head of the tender: Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as with/drawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (alas DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors thes have quoted equal amount of their tenders.	to which they refer, written on the envelopes.	
of the tender: Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted at the time of submission of tender: the lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submission of tender: the lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submitsion of tender anount of two in core contractors is noney shall be forfeited. If the revised lower of low in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (alls DDH in case Horticulture work of lost in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (alls DDH in case Horticulture work is also included in the tender, EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal anount of their tenders.		amount of tender or any section/sub head
alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit scaled revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub section/sub heads sa the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub heads should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of carnest money shall be foreided. If the revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of carnest money shall be foreided. If the revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of carnest money shall be foreided. If the revised offer, the news tender is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(p) or-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		-
form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads should not be higher than the percentage quoted at the time of submission of tender. The lowest tendered shall be decided on the basis of revised offers. In case any of such contractor refuses to submistice offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfieted. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(is) (also DDH in case Horticulture work is also included in the tendery, EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		alteration in the work specified in the said
allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub section/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfieted. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(9) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		-
 contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub section/sub heads as the case may be, but the revised percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offers. In case any of such contractor refuses to submit revised offer. If the revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender for sagain found to be capital be decided by draw of lots in the presence of SE of the circle, EE(9) or EE(HQ) of the circle & the lowest tender, among such contractors shall be decided in the tendery, EE(P) or EE(HQ) of the circle & the lowest tenders. 		
 including 'conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised tendered amount of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offers. In case any of such contractor refuses to submit revised tendered amount of two more contractors received in revised offers. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender is again found to be equal , the lowest tender is again found to be incharge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender). EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders. 		
summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub heads should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offers, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(H) or EE(HQ) of the circle at the lowest contractors those have quoted equal amount of their tenders.		
 include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub section/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub heads so of revised offers. In case any of such contractor refuses to submit revised offers. In case any of such contractor refuses to submit revised endered amount of two more contractors received in revised offer is again found to be thefore is again found to the qual , the lowest tender is again found to the qual , the lowest tender as a for case tractors, sub all be decided by draw of lots in the presence of SE of the circle, EE(P) or EE(.
who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but sections/sub heads as the case may be, but sections/sub heads so the case may be, but sections/sub heads so the case may be, but sections/sub heads not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle equal amount of their tenders.		
shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
shall have the name and number of the works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		shall submit separate tender for each. Tender
 works to which they refer, written on the envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer defined. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of SE of the circle, EE(s) in-charge of the circle & the lowest contractors those have quoted equal amount of their tenders. 		
envelopes. New Para 4B is added as below: 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/sub heads as the case may be, but the revised percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
 4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offers. In case any of such contractor refuses to submit revised field. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest tenders. 		÷
 (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section / sub mission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be foreited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders. 		New Para 4B is added as below:
 basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors hose have quoted equal amount of their tenders. 		4B: In case the lowest tendered amount
or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		(estimated cost + amount worked on the
contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		basis of percentage above/ below) of two
revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors toose have quoted equal amount of their tenders.		or more contractors is same, such lowest
mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		contractors will be asked to submit sealed
estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		revised offer in the form of letter
sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		mentioning percentage above/below on
the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		estimated cost of tender including all sub
above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		sections/sub heads as the case may be, but
sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		the revised percentage quoted
 than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders. 		
submission of tender. The lowest tender shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		_
shall be decided on the basis of revised offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
offers. In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		•
acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		U
SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
& minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		· ·
Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.		
the lowest contractors those have quoted equal amount of their tenders.		
equal amount of their tenders.		
In case all the lowest contractors those		
		In case all the lowest contractors those



		have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each contractor. Contractor(s), whose earnest money is forfeited because of non-submission of revised offer, shall not be allowed to participate in the re-tendering process of the work.
Reference	Existing Provision	Modified Provision
10A (page 6-7)	In case of Percentage Rate Tenders only percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. However if the contractor has worked out the amount of the tender and if any discrepancy is found in the percentage quoted in words and figures, the percentage which corresponds with the amount worked out by the contractor shall, unless otherwise proved, be taken as correct. If the amount of the tender is not worked out by the contractor or it does not correspond with the percentage written either in figures or in words, then the percentage quoted by the contractor in words shall be taken as correct. Where the percentage quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the percentage quoted by the contractor will, unless otherwise proved, be taken as correct and not the amount.	In case of Percentage Rate Tenders only percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. (Remaining part deleted)
Reference	Existing Provisions	Modified Provisions
Deviations/ Variations Extent and Pricing	CLAUSE 12 The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and	CLAUSE 12 The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and

C.....Nil I.....Nil O.....Nil



	instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer- in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.	instructions that may appear to him to necessary or advisable during the progress the work, and (ii) to omit a part of the work in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instruction given to him writing signed by the Engine in-Charge and such alterations, omission additions or substitutions shall form part the contract as if originally provided there and any altered, additional or substitut work which the contractor may be direct to do in the manner specified above as p of the works, shall be carried out by the contractor on the same conditions in respects including price on which he agree to do the main works except as hereaft provided. The completion cost of any agreement for Maintenance works including works upgradation, aesthetic, special repat addition/ alteration shall not exceed 1. times of Tendered amount.	
Deviations,	12.2	12.2	
Extra Items, Pricing	In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 90 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.	A. For Project and original works: In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 90 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.	

C.....Nil I.....Nil



		 B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plush cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.
Deviation, Substituted Items, Pricing	In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.	A. For Project and original works: In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.
	(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).	(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).
	(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)	 (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted). For Maintenance including works of

C.....Nil I.....Nil



- and		
		 upgradation, aesthetic, special repair, addition/ alteration: In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plush cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.
Deviation, Deviated Quantities, Pricing	In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.	 A. For Project and original works: In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined. B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.

C....Nil



and a state of the		
	12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in- Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.	 12.3 A. For Project and original works: The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of fifteen days having regard to the market rates. B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the said period of items for the the work excess of the limits laid down in Schedule F, and the
Schedule F	Clause 12	Clause 12
	No provision.	Type of work ***
		*** To be filled by NIT approving authority either Project and original work or Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration.



<u>Name of work</u>: Providing E.I and fans in various type of residences in east campus at IIT Delhi.

SCHEDULE OF QUANTITY

S. No.	Description of items.	Qty.	Unit.	Rates	Amount.
1	Wiring for light point/C.fan point/ exhaust fan point/ call bell point with 1.5sq.mm FRLS PVC insulated copper conductor single/multi core cable in surface/ recessed steel conduit, with modular switch, modular plate, suitable GI box &earthing the point with 1.5sq.mm. FR PVC insulated copper conductor single core etc as reqd.				
(a)	Group A	100.0	Each		
(b)	Group B	100.0	Each		
(c)	Group C	100.0	Each		
2	Wiring for twin control light point with 1.5sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit, 2 way modular switch, modular plate, suitable GI box &earthing the point with 1.5sq.mm. FRLS PVC insulated copper conductor single core etc as reqd.	50.0	Each		
3	Wiring for light/ power plug with 2X4 sq.mmFRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 1 No 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as reqd.	500.0	Metre		
4	Wiring for light/ power plug with 4X4 sq.mm	2 0 0 1 0			
	FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 2 Nos 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop	200.0	Mater		
~	earthng as reqd.	300.0	Metre		
5	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class steel conduit as required				
(a)	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	100.0	Metre		
(b)	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	500.0	Metre		
(c)	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	400.0	Metre		

C.....Nil I.....Nil O.....Nil



(d)	2 X 10 sq. mm + 1 X 10 sq. mm earth wire	200.0	Metre	
		300.0	Metre	
(e)	4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire	100.0	Metre	
(f) 6	4 X 6 sq. mm + 2 X 6 sq. mm earth wire	100.0	Wiette	
0	Rewiring for light point/fan point/ exhaust fan point/ call bell point with 1.5sq.mm FRLS PVC			
	1 1			
	insulated copper conductor single core cable and 1.5sq.mm. FRLS PVC insulated copper			
	1.5sq.mm. FRLS PVC insulated copper conductor single core Cable as earth wire in			
	existing surface/ recessed steel conduit including			
	dismantling as required.			
	disinanting as required.			
(a)	Group A	100.0	Each	
(b)	Group B	100.0	Each	
(c)	Group C	100.0	Each	
7	Rewiring for twin control light point with			
	1.5sq.mm FRLS PVC insulated copper			
	conductor single core cable and 1.5sq.mm FRLS			
	PVC insulated copper conductor single core			
	cable as earth wire in existing surface/ recessed			
	steel conduit including dismantling as required.			
		50.0	Each	
8	Supplying and drawing following sizes of FRLS			
	PVC insulated copper conductor, single core			
	cable in existing surface/ recessed steel/ PVC			
	conduit as required			
(a)	3 X 1.5 sq. mm	100.0	Metre	
(b)	3 X 2.5 sq. mm	200.0	Metre	
(c)	6 X 2.5 sq. mm	100.0	Metre	
(d)	3 X 4 sq. mm	100.0	Metre	
(e)	6 X 4 sq. mm	100.0	Metre	
(f)	3 X 6 sq. mm	100.0	Metre	
9	Supplying and drawing following pair 0.5 mm			
	dia FRLS PVC insulated annealed copper			
	conductor, unarmoured telephone cable in the			
	existing surface / recessed steel / PVC conduit as			
	required.			
(a)	2 Pair	500.0	Metre	
10	Supplying and fixing of following sizes of steel	200.0		
	conduit along with accessories in surface/recess			
	including painting in case of surface conduit or			
	cutting the wall and making good the same in			
	case of recessed conduit as required.			
	1			
(a)	20 mm	100.0	Metre	
(b)	25 mm	50.0	Metre	

C.....Nil I.....Nil O.....Nil



11	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.			
(a)	20 mm	300.0	Metre	
(b)	25 mm	100.0	Metre	
12	Supplying and fixing metal box of following sizes (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc. as required.			
(a)	200 mm X 150 mm X 60 mm deep	50.0	Each	
(b)	200 mm X 250 mm X 60 mm deep	50.0	Each	
13	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.			
(a)	5/6 amps switch	50.0	Each	
(b)	2 way 5/6 amps switch	50.0	Each	
(c)	15/16 Amp switch	50.0	Each	
(d)	3 pin 5/6 amp socket outlet	50.0	Each	
(e)	6 pin 15/16 amp socket outlet	50.0	Each	
(f)	Telephone socket outlet	100.0	Each	
(g)	TV antenna socket outlet	50.0	Each	
(h)	Bell Push	50.0	Each	
14	Supplying and fixing stepped type 2 module electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	200.0	Each	
15	Supplying and fixing modular blanking plate on			
	the existing modular plate & switch box			
	excluding modular plate as required.	100.0	Each	
16	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.			
(a)	1 or 2 Module (75mmX75mm)	50.0	Each	
(b)	3 Module (100mmX75mm)	50.0	Each	
(c)	4 Module (125mmX75mm)	20.0	Each	
(d)	6 Module (200mmX75mm)	50.0	Each	
(e)	8 Module (125mmX125mm)	50.0	Each	
(f)	12 Module (200mmX150mm)	50.0	Each	

C.....Nil I.....Nil O.....Nil



17 Supplying & fixing suitable size GI box with modular plate & cover in front on surface or in recess, including providing & fixing 3 pin5/6 amps modular socket outlet & 5/6 amps modular socket outlet & 5/6 amps modular socket outlet & 5/6 amps modular socket outlet and 15/16 amps modular socket					
modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 a % 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required. 200.0 19 Supplying and fixing 3pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc. as required. 200.0 Each 20 Supplying and fixing brass batten/ angle holder including connection etc. as required. 20.0 Each 21 Erection of wall bracket/ ceiling fitting of all sizes and shapes containing upto two GLS lamps per fitting, complete with. 200.0 Each 22 Supplying and fixing bell/ buzzer suitable for single phase, 23 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conductor, single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wing the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each		modular plate & cover in front on surface or in recess, including providing & fixing 3 pin5/6 amps modular socket outlet & 5/6 amps modular switch, connection etc. as reqd.	100.0	Each	
19 Supplying and fixing 3pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc. as required. 20.0 Each 20 Supplying and fixing brass batten/ angle holder including connection etc. as required. 100.0 Each 21 Erection of wall bracket/ ceiling fitting of all sizes and shapes containing upto two GLS lamps per fitting, complete with. 200.0 Each 22 Supplying and fixing ball/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0 Each	18	modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as	200.0	Fach	
the existing junction box/ wooden block including connection etc. as required. 20.0 Each 20 Supplying and fixing brass batten/ angle holder including connection etc. as required. 100.0 Each 21 Erection of wall bracket/ ceiling fitting of all sizes and shapes containing upto two GLS lamps per fitting, complete with. 200.0 Each 22 Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc. directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 25 Installation of fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 26 Providing and fixing Heavy Duty MS fan hook for ceiling fan, includin	10	Supplying and fiving 2nin 5 and sailing rose on	200.0	Lacii	
20 Supplying and fixing brass batten/ angle holder including connection etc. as required. 100.0 Each 21 Erection of wall bracket/ ceiling fitting of all sizes and shapes containing upto two GLS lamps per fitting, complete with. 200.0 Each 22 Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 25 Installation of fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0 Each	19	the existing junction box/ wooden block	20.0	Eash	
including connection etc. as required.100.0Each21Erection of wall bracket/ ceiling fitting of all sizes and shapes containing upto two GLS lamps per fitting, complete with.200.0Each22Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required.200.0Each23Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required.200.0Each24Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.50.0Each26Providing and fixing theavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each	20		20.0	Each	
21 Erection of wall bracket/ ceiling fitting of all sizes and shapes containing upto two GLS lamps per fitting, complete with. 200.0 Each 22 Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 26 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0 Each	20		100.0	Fach	
sizes and shapes containing upto two GLS lamps per fitting, complete with. 200.0 Each 22 Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 50.0 Each 26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0 Each	21		100.0	Lach	
per fitting, complete with. 200.0 Each 22 Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each	21	0 0			
22 Supplying and fixing bell/ buzzer suitable for single phase, 230 volts, complete as required. 200.0 Each 23 Installation,testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each 26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0 Each			200.0	Fach	
single phase, 230 volts, complete as required. 200.0 Each 23 Installation, testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter, single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each	22		200.0	Lacii	
23 Installation, testing and commissioning of prewired fluorescent fitting / compact fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter, single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each	22		200.0	Fach	
prewiredfluorescentfitting/compact fluorescentfitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required.200.0Each24Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each	22		200.0	Lach	
fluorescent fitting of all types complete with all accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each	23				
accessories and tube etc.directely on ceiling / wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter,single core cable and earthing etc. as required. 200.0 Each 24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each					
wall including connection with 1.5 sq.mm FRLS PVC insulated copper conducter, single core cable and earthing etc. as required.200.0Each24Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each					
PVC insulated copper conducter, single core cable and earthing etc. as required.200.0Each24Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each					
cable and earthing etc. as required.200.0Each24Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each					
24Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each					
24 Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each 26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0 Each		cable and earthing etc. as required.	200.0	Fach	
ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each	24	Installation testing and commissioning of	200.0	Lacii	
standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each	24				
FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required. 200.0 Each 25 Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. 200.0 Each (a) Upto 450 mm sweep 50.0 Each 26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC & 50.0					
core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each					
phenolic laminated sheet cover on the fan box etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.200.0Each(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &50.0Each					
etc. as required.200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required					
200.0Each25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required		-			
25Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.a(a)Upto 450 mm sweep50.026Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &a		ete. us required.	200.0	Each	
opening, including making good the damage, connection, testing, commissioning etc. as required.Image: Commission of the damage, commission of the dam	25	Installation of exhaust fan in the existing			
connection, testing, commissioning etc. as required.as commissioning etc. as commissioning etc. as etc. as commissioning etc. as<		-			
required.Image: constraint of the second					
(a)Upto 450 mm sweep50.0Each26Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &					
26 Providing and fixing Heavy Duty M.S fan hook for ceiling fan, including digging in RCC &	(a)		50.0	Each	
for ceiling fan, including digging in RCC &		· · ·			
		making god the same complete as required.	50.0	Each	



27	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar din bar, interconnections, powder painted including earthing etc. as required.(But without MCB/RCCB/Isolator)			
(a)	2 + 6 way/ 8 way, Double door	30.0	Each	
(b)	2 + 8 way/ 10 way, Double door	30.0	Each	
(c)	2 + 12 way/ 14 way, Double door	30.0	Each	
28	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.			
(a)	Single pole	780.0	Each	
29	Supplying and fixing following rating, double pole, 240 volts, MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required.			
(a)	40 amps	60.0	Each	
(b) 30	63 amps Supplying and fixing DP sheet steel enclosure on surface / recess along with 25/32 amps 240 volts "C" curve DP MCB complete with connection,testing and commissioning etc. as required.	30.0	Each	
31	Supplying and fixing 20 amps, 240 volts, SPN industrial type,socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	50.0	Each	
	kl	100.0	Each	
	Total (A) = Rs.			



	(B) Credit of dismantled material				
S. No.	Description of items.	Qty.	Unit.	Rates	Amount.
1	Dismentaled old M.S.boxes with				
	backelitesheetof different sizes	500	Kg	20	
2	Dismentaled of old 1x 40 Watt Fittings	100	Nos.	50	
3	Dismentaled of old wall bracket Fittings	100	Nos.	50	
4	Dismentaled of old 1200mm / 1400mm Ceiling Fans	200	Nos.	250	
5	Dismentaled of old Aluminium / copper wires	500	Kg	100	
6	Dismentaled of old SPN/TPN MCB,s	90	Nos.	50	
7	Dismentaled of old 5 Amp switches	500	Nos.	2	
8	Dismentaled of old 5 amps sockets	200	Nos.	3	
9	Dismentaled of old 15 amps switches	500	Nos.	5	
10	Dismentaled of old 15 amps sockets	500	Nos.	7	
11	Dismentaled of old fan regulators	200	Nos.	10	
	Total (B) = Rs.				
	Net tender cost A (-) B = Rs.				
	Contingencies @+B141:F142 5%				
	TOTAL				
	SAY				