### **Notice Inviting Quotation (E-Procurement mode)**

# INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Dated: 06/09/2016

# Open Tender Notice No. IITD/BPHY(SP-541)/2016

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	Dry rough vacuum pump
Earnest Money Deposit to be submitted	Rs. NIL
Warranty	1 Year warranty + 1 year AMC
Performance security	5% of FOB value

Tender Documents may be downloaded from Central Public Procurement Portal <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> as per the schedule given in the next page.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the E-procurement portal).

## **Schedule**

	<u>Scneaule</u>
Name of Organization	Indian Institute of Technology Delhi
Tender Type (Open/Limited/EOI/Auction/Single)	OPEN
Tender Category (Services/Goods/works)	GOODS
Type/Form of Contract (Work/Supply/ Auction/ Service/ Buy/ Empanelment/ Sell)	SUPPLY
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Others
Source of Fund (Institute/Project)	Budget CodePLN06/ Project Code
Is Multi Currency Allowed	YES
Date of Issue/Publishing	06/09/2016(13:00 Hrs)
Document Download/Sale Start Date	06/09/2016(13:00 Hrs)
Document Download/Sale End Date	27/09/2016(16:00 Hrs)
Date for Pre-Bid Conference	N/A
Venue of Pre-Bid Conference	N/A
Last Date and Time for Uploading of Bids	27/09/2016(16:00 Hrs)
Date and Time of Opening of Technical Bids	29/09/2016(15:00 Hrs)
Tender Fee  EMD	RsNIL/- (For Tender Fee) RsNIL/-(For EMD) (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)
No. of Covers (1/2/3/4)	02
Bid Validity days (180/120/90/60/30)	180 days (From last date of opening of tender)
Address for Communication	Dr. Rajendra S. Dhaka, Department of Physics, IIT Delhi
Contact No.	91-11-26591439
Fax No.	91-11-26581114
Email Address	rsdhaka@physics.iitd.ac.in

Chairman Purchase Committee (Buyer Member)

#### **Instructions for Online Bid Submission:**

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

#### **REGISTRATION**

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

#### **SEARCHING FOR TENDER DOCUMENTS**

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of

- each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

#### **SUBMISSION OF BIDS**

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

#### **ASSISTANCE TO BIDDERS**

- 1) Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

#### **General Instructions to the Bidders**

- 1) The tenders will be received online through portal <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app . Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

#### Department of Physics Indian Institute of Technology Hauz Khas, New Delhi-110 016

#### **NOTICE INVITING QUOTATIONS**

Dated: 06/09/2016

Subject: Purchase of a Dry rough vacuum pump (1 no.)

#### **Invitation for Tender Offers**

Indian Institute of Technology Delhi invites online Bids (Technical bid and Commercial bid) from eligible and experienced OEM (Original Equipment Manufacturer) OR OEM Authorized Dealer for **supply, a Dry rough vacuum pump (1 no.)** with (warranty period as stated at page #1 of this tender) **on site comprehensive warranty from the date of installation of the material** as per terms & conditions specified in the tender document, which is available on CPP Portal http://eprocure.gov.in/eprocure/app

#### **TECHNICAL SPECIFICATIONS:**

Sl. No.	Technical Specifications of a Dry rough vacuum pump	
	Parameters	<b>Desired specifications</b>
1	Pumping speed	$\geq$ 12.5 m <sup>3</sup> /hr @ 50 Hz
2	Ultimate Vacuum at the intake	$\leq$ 3 x 10 <sup>-2</sup> mbar
3	Maximum Inlet pressure	≥ 1000 mbar
4	Air Ballast	Should have an manual air ballast to take care
		of moisture without affecting pumping speed
5	Vacuum Connection	DN 25 ISO-KF
6	Exhaust Port	DN 16 ISO-KF
7	Cooling	Air Cooling
8	Leak Rate	5 x 10 <sup>-7</sup> mbar l/sec for helium
9	Supply	230 V AC, 50 Hz
10	Vacuum Isolation Valve (for dry pump)	Solenoid operated 230 VAC (internal or external)
11	Water vapor capacity	≥ 75 g/h
12	Ambient temperature	≤45°C
13	Normal operating speed	≥1450 @ 50 Hz
14	Noise level	~50 dB

15	Certification/documents along with quotation to assure safety and/or safe operation of the instrument	Required
16	Other mandatory items	<ol> <li>Original product catalogue <u>AND</u> URL link of item quoted should be provided with technical bid highlighting all the above parameters</li> <li>List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India</li> <li>Operating and service manual must be provided</li> </ol>

Sl.	List of optional items
No.	
1.	Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm
	Centering ring DN 25 ISO-KF SS, with O-ring
	Clamping ring DN 25 ISO-KF Aluminum for elastomer seal
	Centering ring DN 16 ISO-KF SS, with O-ring
	Clamping ring DN 16 ISO-KF Aluminum for elastomer seal
	Adapter DN 16 ISO-KF to DN 25 ISO-KF

A complete set of tender documents\* may be Download by prospective bidder free of cost from the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. Bidder has to make payment of requisite fees (i.e. Tender fees (if any) and EMD) online through RTGS/NEFT only.

# **Terms & Conditions Details**

Sl. No.	Specification
1.	<b>Due date</b> : The tender has to be submitted on-line before the due date. The offers received after the
	due date and time will not be considered. No manual bids will be considered.
2.	<b>Preparation of Bids</b> : The offer/bid should be submitted in two bid systems (i.e.) Technical bid
	and financial bid. The technical bid should consist of all technical details along with commercial
	terms and conditions. Financial bid should indicate item wise price for the items mentioned in the
	technical bid in the given PDF format.
	The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): The tenderer should submit an EMD amount through RTGS/NEFT. The
	Technical Bid without EMD would be considered as UNRESPONSIVE and will not be accepted.
	The EMD will be refunded without any interest to the unsuccessful bidders after the award of
	contract. Refer to Schedule (at page 2 of this document) for its actual place of submission.
4.	<b>Refund of EMD</b> : The EMD will be returned to unsuccessful Tenderer only after the Tenders are
	finalized. In case of successful Tenderer, it will be retained till the successful and complete
	installation of the equipment.
5.	<b>Opening of the tender</b> : The online bid will be opened by a committee duly constituted for this
	purpose. Online bids (complete in all respect) received along with EMD (if any) will be opened as
	mentioned at "Annexure: Schedule" in presence of bidders representative if available. Only one
	representative will be allowed to participate in the tender opening. Bid received without EMD (if
	present) will be rejected straight way. The technical bid will be opened online first and it will be
	examined by a technical committee (as per specification and requirement). The financial offer/bid
	will be opened only for the offer/bid which technically meets all requirements as per the
	specification, and will be opened in the presence of the vendor's representatives subsequently for
	further evaluation. The bidders if interested may participate on the tender opening Date and Time.
	The bidder should produce authorization letter from their company to participate in the tender
	opening.
6.	Acceptance/ Rejection of bids: The Committee reserves the right to reject any or all offers
	without assigning any reason.
	Bids not providing full technical specifications will be rejected.
7.	Pre-qualification criteria:
	(i) Bidders should be the manufacturer / authorized dealer. Letter of Authorization from original
	equipment manufacturer (OEM) on the same and specific to the tender should be enclosed.
	(ii) An undertaking from the OEM is required stating that they would facilitate the bidder on a
	regular basis with technology/product updates and extend support for the warranty as well. (Ref.
	Annexure-II)
	(iii) OEM should be internationally reputed Branded Company.
	(iv) Non-compliance of tender terms, non-submission of required documents, lack of clarity of the
	specifications, contradiction between bidder specification and supporting documents etc. may lead
	to rejection of the bid.
	(v) In the tender, either the Indian agent on behalf of the Principal/OEM or Principal/OEM itself
	can bid but both cannot bid simultaneously for the same item/product in the same tender.
	(vi) If an agent submits bid on behalf of the Principal/OEM, the same agent shall not submit a bid
0	on behalf of another Principal/OEM in the same tender for the same item/product.
8.	<b>Performance Security</b> : The supplier shall require to submit the performance security in the form
	of irrevocable bank guarantee issued by any Indian Nationalized Bank for an amount which is
	stated at page #2 of the tender document within 21 days from the date of receipt of the purchase
	order/LC and should be kept valid for a period of 60 days beyond the date of completion of
	warranty period.
9.	Force Majeure: The Supplier shall not be liable for forfeiture of its performance security,

other failure to perform its obligations under the Contract is the result of an event of Force N	/lajeure.
<ul> <li>For purposes of this Clause, "Force Majeure" means an event beyond the control Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such may include, but are not limited to, acts of the Purchaser either in its sovereign or co capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and embargoes.</li> </ul>	ol of the ch events ntractual
• If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser is of such conditions and the cause thereof. Unless otherwise directed by the Purchaser writing, the Supplier shall continue to perform its obligations under the Contract as reasonably practical, and shall seek all reasonable alternative means for perform prevented by the Force Majeure event.	chaser in far as is
10. <b>Risk Purchase Clause</b> : In event of failure of supply of the item/equipment within the s delivery schedule, the purchaser has all the right to purchase the item/equipment from source on the total risk of the supplier under risk purchase clause.	-
11. <b>Packing Instructions</b> : Each package will be marked on three sides with proper paint/inde	lible ink,
the following:	
i. Item Nomenclature	
ii. Order/Contract No.	
iii. Country of Origin of Goods iv. Supplier's Name and Address	
v. Consignee details	
vi. Packing list reference number	
12. <b>Delivery and Documents:</b>	
Delivery of the goods should be made within a maximum of 08 to 16 weeks from the	date of
placement of purchase order and the opening of LC. Within 24 hours of shipment, the supp	
notify the purchaser and the insurance company by cable/telex/fax/e mail the full detail	
shipment including contract number, railway receipt number/ AAP etc. and date, descr	
goods, quantity, name of the consignee, invoice etc. The supplier shall mail the following do	cuments
to the purchaser with a copy to the insurance company:	
1. 4 Copies of the Supplier invoice showing contract number, goods' description, quantity	,
2. unit price, total amount;	
3. Insurance Certificate if applicable;	
4. Manufacturer's/Supplier's warranty certificate;	
5. Inspection Certificate issued by the nominated inspection agency, if any	
6. Supplier's factory inspection report; and	
<ul><li>7. Certificate of Origin (if possible by the beneficiary);</li><li>8. Two copies of the packing list identifying the contents of each package.</li></ul>	
<ul><li>8. Two copies of the packing list identifying the contents of each package.</li><li>9. The above documents should be received by the Purchaser before arrival of the Good</li></ul>	(avcent
where the Goods have been delivered directly to the Consignee with all documents) as	` •
received, the Supplier will be responsible for any consequent expenses.	id, ii iiot
13. <b>Delayed delivery:</b> If the delivery is not made within the due date for any reason, the Co	mmittee
will have the right to impose penalty 1% per week and the maximum deduction is 10°	
contract value / price.	
14. <b>Prices</b> : The price should be quoted in net per unit (after breakup) and must include all	packing
and delivery charges. The offer/bid should be exclusive of taxes and duties, which will be	paid by
the purchaser as applicable. However the percentage of taxes & duties shall be clearly ind	
The price should be quoted without custom duty and excise duty, since IIT Delhi is e	-
from payment of Excise Duty and is eligible for concessional rate of custom duty. N	ecessary
certificate will be issued on demand.	
In case of imports, the price should be quoted on FOB Basis only. Under	special

15.	circumstances (eg. perishable chemicals), when the item is imported on CIF/CIP, please indicate CIF/CIP charges separately upto IIT Delhi indicating the mode of shipment. IIT Delhi will make necessary arrangements for the clearance of imported goods at the Airport/Seaport. Hence the price should not include the above charges.  Notices: For the purpose of all notices, the following shall be the address of the Purchaser and Supplier.  Purchaser: Dr Rajendra S. Dhaka,  Department of Physics,  Indian Institute of Technology  Hauz Khas, New Delhi - 110016.  Supplier: (To be filled in by the supplier)  (All supplier's should submit its supplies information as per Annexure-II).
16.	Progress of Supply: Wherever applicable, supplier shall regularly intimate progress of supply, in writing, to the Purchaser as under:  1. Quantity offered for inspection and date;  2. Quantity accepted/rejected by inspecting agency and date;  3. Quantity dispatched/delivered to consignees and date;  4. Quantity where incidental services have been satisfactorily completed with date;  5. Quantity where rectification/repair/replacement effected/completed on receipt of any communication from consignee/Purchaser with date;  6. Date of completion of entire Contract including incidental services, if any; and  7. Date of receipt of entire payments under the Contract (In case of stage-wise inspection, details
17.	required may also be specified).  Inspection and Tests: Inspection and tests prior to shipment of Goods and at final acceptance are as
	<ul> <li>After the goods are manufactured and assembled, inspection and testing of the goods shall be carried out at the supplier's plant by the supplier, prior to shipment to check whether the goods are in conformity with the technical specifications attached to the purchase order. Manufacturer's test certificate with data sheet shall be issued to this effect and submitted along with the delivery documents. The purchaser shall be present at the supplier's premises during such inspection and testing if need is felt. The location where the inspection is required to be conducted should be clearly indicated. The supplier shall inform the purchaser about the site preparation, if any, needed for installation of the goods at the purchaser's site at the time of submission of order acceptance.</li> <li>The acceptance test will be conducted by the Purchaser, their consultant or other such person nominated by the Purchaser at its option after the equipment is installed at purchaser's site in the presence of supplier's representatives. The acceptance will involve trouble free operation and ascertaining conformity with the ordered specifications and quality. There shall not be any additional charges for carrying out acceptance test. No malfunction, partial or complete failure of any part of the equipment is expected to occur. The Supplier shall maintain necessary log in respect of the result of the test to establish to the entire satisfaction of the Purchaser, the successful completion of the test specified.</li> <li>In the event of the ordered item failing to pass the acceptance test, a period not exceeding one weeks will be given to rectify the defects and clear the acceptance test, failing which the Purchaser reserve the right to get the equipment replaced by the Supplier at no extra cost to the Purchaser.</li> <li>Successful conduct and conclusion of the acceptance test for the installed goods and equipment</li> </ul>

20.	(i) Warranty period shall be (as stated at page #2 of this tender) from date of installation of Goods
26.	premises at the cost of Supplier through their Indian representatives.  Warranty:
	• Arranging the shifting/moving of the item to their location of final installation within IITD
	• Furnishing of 01 set of detailed operations & maintenance manual.
25.	Incidental services: The incidental services also include:
	CIF/CIP basis, the insurance should be up to IIT Delhi.
	placed on FOB/FCA basis, the purchaser shall arrange Insurance. If orders placed on
	(final destinations) on "All Risks" basis including War Risks and Strikes. The insurance shall be valid for a period of not less than 3 months after installation and commissioning. <b>In case of orders</b>
	supplier in an amount equal to 110% of the value of the goods from "warehouse"
24.	<b>Insurance:</b> For delivery of goods at the purchaser's premises, the insurance shall be obtained by the
	company as per his convenience. IITD will not be liable to any type of losses in any form.
	from the origin of equipment to the installation site, the supplier has to replace it with new equipment/supplies immediately at his own risk. Supplier will settle his claim with the insurance
	In case of any mishappening/damage to equipment and supplies during the carriage of supplies
	the same as per the supply of materials.
	month of the arrival of materials at the IITD site of installation, otherwise the penalty clause will be
23.	Installation & Demonstration  The supplier is required to done the installation and demonstration of the equipment within one
22	personnel to enable them to effectively operate the total equipment.
	The Supplier is required to provide training to the designated Purchaser's technical and end user
22.	Training
	available to achieve the performance specified in the contract.
	the Contract using state of the art methods and economic principles and exercising all means
۷1.	The Supplier is responsible for and obliged to conduct all contracted activities in accordance with
21.	by partial or complete replacement is made without interfering with the Purchaser's operation.  Supplier Integrity
	continue to operate or use such goods until rectifications of defects, errors or omissions by repair or
	operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to
	If after delivery, acceptance and installation and within the guarantee and warranty period, the
20.	Right to Use Defective Goods
19.	Applicable Law: The place of jurisdiction would be New Delhi (Delhi) INDIA.
	• The venue of the arbitration shall be the place from where the order is issued.
	the supplier then the dispute shall be settled in accordance with provisions of UNCITRAL (United Nations Commission on International Trade Law) Arbitration Rules.
	by arbitration in accordance with provision of sub-clause (a) above. But if this is not acceptable to
	• In the case of a dispute between the purchaser and a Foreign Supplier, the dispute shall be settled
	binding on all parties to this order.
	act as such Arbitrator. The award of the arbitrator so appointed shall be final, conclusive and
	unable or unwilling to act, to the sole arbitration of some other person appointed by him willing to
	and any statutory modifications or re-enactments thereof shall apply to the arbitration proceedings. The dispute shall be referred to the Director, Indian Institute of Technology (IIT) Delhi and if he is
	settled in accordance with the Indian Arbitration & Conciliation Act, 1996, the rules there under
	any matter arising out of or connected with this agreement, such disputes or difference shall be
	• In case of Dispute or difference arising between the Purchaser and a domestic supplier relating to
10.	follows:
18.	<b>Resolution of Disputes</b> : The dispute resolution mechanism to be applied pursuant shall be as
	shall also be the responsibility and at the cost of the Supplier.

at the IITD site of installation. The Supplier shall, in addition, comply with the performance and/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests. The warranty should be comprehensive on site. (ii) The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall immediately within in 02 days arrange to repair or replace the defective goods or parts thereof free of cost at the ultimate The Supplier shall take over the replaced parts/goods at the time of their destination. replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter. The period for correction of defects in the warranty period is 02 days. If the supplier having been notified fails to remedy the defects within 02 days, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expenses and without prejudice to any other rights, which the purchaser may have against the supplier under the contract. (iii) The warranty period should be clearly mentioned. The maintenance charges (AMC) under different schemes after the expiry of the warranty should also be mentioned. The warranty will commence from the date of the comprehensive installation/commissioning of the equipment against the defect of any manufacturing, workmanship and poor quality of the components. (iv) After the warranty period is over, Annual Maintenance Contract (AMC)/Comprehensive Maintenance Contract (CMC) up to next two years should be started. The AMC/CMC charges will not be included in computing the total cost of the equipment. 27. **Governing Language** The contract shall be written in English language. English language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract, which are exchanged by the parties, shall be written in the same language. 28. **Applicable Law** The Contract shall be interpreted in accordance with the laws of the Union of India and all disputes shall be subject to place of jurisdiction. 29. **Notices** • Any notice given by one party to the other pursuant to this contract/order shall be sent to the other party in writing or by cable, telex, FAX or e mail and confirmed in writing to the other party's address. A notice shall be effective when delivered or on the notice's effective date, whichever is 30. **Taxes** Suppliers shall be entirely responsible for all taxes, duties, license fees, octroi, road permits, etc., incurred until delivery of the contracted Goods to the Purchaser. However, VAT in respect of the transaction between the Purchaser and the Supplier shall be payable extra, if so stipulated in the order. 31. **Duties** IIT Delhi is exempted from paying custom duty under notification No.51/96 (partially or full) and necessary "Custom Duty Exemption Certificate" can be issued after providing following information and Custom Duty Exemption Certificate will be issued to the shipment in the name of the Institute, no certificate will be issued to third party:

b) Forwarder details i.e. Name, Contact No., etc.

a) Shipping details i.e. Master Airway Bill No. and House Airway No. (if exists)

	IIT Delhi is exempted from paying Excise Duty and necessary Excise Duty Exemption Certificate
	will be provided for which following information are required.  b) Overetion with details of Pasia Price Pate Tay & Amount on which ED is applicable.
	<ul><li>b) Quotation with details of Basic Price, Rate, Tax &amp; Amount on which ED is applicable</li><li>c) Supply Order Copy</li></ul>
	d) Proforma-Invoice Copy.
32.	Agency Commission: Agency commission if any will be paid to the Indian agent in Rupees on
32.	receipt of the equipment and after satisfactory installation. Agency Commission will not be paid
	in foreign currency under any circumstances. The details should be explicitly shown in Tender
	even in case of Nil commission. The tenderer should indicate the percentage of agency
	commission to be paid to the Indian agent.
33.	Payment:
	(i) For imported items Payment will be made through irrevocable Letter of Credit (LC). Letter
	of Credit (LC) will be established in favour of foreign Supplier after the submission of
	performance security. The letter of credit (LC) will be established on the exchange rates as
	applicable on the date of establishment. For Imports, LC will be opened for 100% FOB/CIF
	value. 80% of the LC amount shall be released on presentation of complete and clear shipping
	documents and 20% of the LC amount shall be released after the installation and
	demonstration of the equipment at the INST site of installation in faultless working condition
	for period of 60 days from the date of the satisfactory installation and subject to the production of unconditional performance bank guarantee as specified in Clause 8 of tender
	terms and conditions.
	(ii) For Indigenous supplies, 100% payment shall be made by the Purchaser against delivery,
	inspection, successful installation, commissioning and acceptance of the equipment at IITD in
	good condition and to the entire satisfaction of the Purchaser and on production of
	unconditional performance bank guarantee as specified in Clause 9 of tender terms and
	conditions.
	(iii) Indian Agency commission (IAC), if any shall be paid after satisfactory installation &
	commissioning of the goods at the destination at the exchange rate prevailing on the date of
	negotiation of LC documents, subject to DGS&D registration for restricted items.
	(iv) All the bank charges within India will be borne by the Institute and outside India will be
	borne by the Supplier.
34.	User list: Brochure detailing technical specifications and performance, list of industrial and
	educational establishments where the items enquired have been supplied must be provided. (Ref.
25	Annexure-III)
35.	Manuals and Drawings  (i) Pefers the goods and equipment are taken over by the Durcheser, the Supplier shall supply
	(i) Before the goods and equipment are taken over by the Purchaser, the Supplier shall supply operation and maintenance manuals. These shall be in such details as will enable the Purchaser
	to operate, maintain, adjust and repair all parts of the works as stated in the specifications.
	(ii) The Manuals shall be in the ruling language (English) in such form and numbers as stated in
	the contract.
	(iii) Unless and otherwise agreed, the goods equipment shall not be considered to be completed for
	the purposes of taking over until such manuals and drawing have been supplied to the
	Purchaser.
36.	Application Specialist: The Tenderer should mention in the Techno-Commercial bid the
	availability and names of Application Specialist and Service Engineers in the nearest regional
	office. (Ref. to Annexure-III)
37.	Site Preparation: The supplier shall inform to the Institute about the site preparation, if any,
	needed for the installation of equipment, immediately after the receipt of the purchase order. The
	supplier must provide complete details regarding space and all the other infrastructural
	requirements needed for the equipment, which the Institute should arrange before the arrival of the
	equipment to ensure its timely installation and smooth operation thereafter.

	The supplier shall visit the Institute and see the site where the equipment is to be installed and
	may offer his advice and render assistance to the Institute in the preparation of the site and other
	pre-installation requirements.
38.	Spare Parts
30.	The Supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:  ii. Such spare parts as the Purchaser may elect to purchase from the Supplier, providing that this election shall not relieve the Supplier of any warranty obligations under the Contract; and iii. In the event of termination of production of the spare parts:  iv. Advance notification to the Purchaser of the pending termination, in sufficient time to permit the Purchaser to procure needed requirements; and  v. Following such termination, furnishing at no cost to the Purchaser, the blueprints, drawings and
	specifications of the spare parts, if requested.  Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spares for the Goods, such as gaskets, plugs, washers, belts etc. Other spare parts and components shall be supplied as promptly as possible but in any case within six months of placement of order.
39.	<b>Defective Equipment</b> : If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, un-merchantable or not in accordance with the description/specification or otherwise faulty, the committee will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made. All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 45 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges. In case supplier fails to replace above item as per above terms & conditions, IIT Delhi may consider "Banning" the supplier.
40.	Termination for Default  The Purchaser may, without prejudice to any other remedy for breach of contract, by written notice of default sent to the Supplier, terminate the Contract in whole or part:  i. If the Supplier fails to deliver any or all of the Goods within the period(s) specified in the order, or within any extension thereof granted by the Purchaser; or  ii If the Supplier fails to perform any other obligation(s) under the Contract.  iii If the Supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.
	<ul> <li>For the purpose of this Clause: <ol> <li>"Corrupt practice" means the offering, giving, receiving or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.</li> <li>"Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition;"</li> </ol> </li> </ul>
	• In the event the Purchaser terminates the Contract in whole or in part, the Purchaser may procure, upon such terms and in such manner, as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.
41.	Shifting: After 1-2 years once our new Academic Block will be ready, the supplier has to shift
11.	and rainstall the instrument free of cost (if required)

and reinstall the instrument free of cost (if required).

42.	<b>Downtime:</b> During the warranty period not more than 5% downtime will be permissible. For
	every day exceeding permissible downtime, penalty of 1/365 of the 5% FOB value will be
	imposed. Downtime will be counted from the date and time of the filing of complaint with in the
	business hours.
43.	Training of Personnel: The supplier shall be required to undertake to provide the technical
	training to the personnel involved in the use of the equipment at the Institute premises,
	immediately after completing the installation of the equipment for a minimum period of one week
	at the supplier's cost.
44.	<b>Disputes and Jurisdiction</b> : Any legal disputes arising out of any breach of contract pertaining to
	this tender shall be settled in the court of competent jurisdiction located within New Delhi.
45.	<b>Compliancy certificate</b> : This certificate must be provided indicating conformity to the technical
	specifications. (Annexure-I)
46.	"In case of CIF/CIP shipments, kindly provide the shipment information at least 2 days in advance
	before landing the shipment along with the documents i.e. invoice, packing list, forwarder Name,
	address, contact No. in India to save demurrage charges (imposed by Indian Customs) .
	Otherwise these charges will be recovered from the supplier/Indian Agent."

#### COMPLIANCE SHEET

#### TECHNICAL SPECIFICATION

Parameters   Desired specifications   Y/N	Sl. No.	Technical Specifications						
2. Ultimate Vacuum at the intake 3. Maximum Inlet pressure 3. Maximum Inlet pressure 4. Air Ballast 5 Noould have an manual air ballast to take care 6 of moisture without affecting pumping speed 7. Cooling 7. Cooling 8. Leak Rate 7. Cooling 8. Leak Rate 7. Supply 8. Supply 9. Supply 1230 V AC. 50 Hz 10. Vacuum Isolation Valve (for dry pump) 11. Water vapor capacity 12. Ambient temperature 13. Normal operating speed 14. Noise level 15. Certification/documents along with quotation to assure safe operation of the instrument 16. Other mandatory items 17. Corrugate hose DN 25 ISO-KF SS, eith O-ring 18. List of optional items 18. No. 19. List of optional items 19. Corrugate hose DN 25 ISO-KF SS, with O-ring elastomer seal 19. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 20. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 20. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 20. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 21. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 22. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 33. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal 44. Centering ring DN 16 ISO-KF SS, with O-ring elastomer seal 45. Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal		Parameters		Y/N				
Axir Ballast   Should have an manual air ballast to take care	1.	Pumping speed						
Air Ballast	2.	Ultimate Vacuum at the intake	$\leq 3 \times 10^{-2} \mathrm{mbar}$					
4. Air Ballast    Should have an manual air ballast to take care of moisture without affecting pumping speed	3.	Maximum Inlet pressure	≥ 1000 mbar					
5. Vacuum Connection  6. Exhaust Port  7. Cooling  8. Leak Rate  9. Supply  10. Vacuum Isolation Valve (for dry pump)  11. Water vapor capacity  12. Ambient temperature  13. Normal operating speed  14. Noise level  15. Certification/documents along with quotation to assure safe operation of the instrument  16. Other mandatory items  1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India  3. Operating and service manual  1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  2. Centering ring DN 25 ISO-KF SS, with O-ring elastomer seal  4. Centering ring DN 16 ISO-KF SS, with O-ring elastomer seal  9. No. Island Toole (Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal)	4.		Should have an manual air ballast to take care					
5. Vacuum Connection  6. Exhaust Port  7. Cooling  8. Leak Rate  9. Supply  10. Vacuum Isolation Valve (for dry pump)  11. Water vapor capacity  12. Ambient temperature  13. Normal operating speed  14. Noise level  15. Certification/documents along with quotation to assure safe operation of the instrument  16. Other mandatory items  1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India  3. Operating and service manual  1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  2. Centering ring DN 25 ISO-KF SS, with O-ring elastomer seal  4. Centering ring DN 16 ISO-KF SS, with O-ring elastomer seal  9. No. Island Toole (Clamping ring DN 16 ISO-KF SS, with O-ring elastomer seal)								
6. Exhaust Port 7. Cooling Air Cooling 8. Leak Rate 5x 10 <sup>7</sup> mbar Usec for helium 9. Supply 230 V AC, 50 Hz 10. Vacuum Isolation Valve (for dry pump) Solenoid operated 230 VAC (internal or external) 11. Water vapor capacity ≥75 g/h 12. Ambient temperature ≤45°C 13. Normal operating speed ≥1450 @ 50 Hz 14 Noise level			of moisture without affecting pumping speed					
7. Cooling 8. Leak Rate 9. Supply 10. Vacuum Isolation Valve (for dry pump) 11. Water vapor capacity 12. Ambient temperature 13. Normal operating speed 14. Noise level 15. Certification/documents along with quotation to assure safe operation of the instrument 16 Other mandatory items 1 Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters 2 List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India 3. Operating and service manual  1 Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm 2 Centering ring DN 25 ISO-KF SS, with O-ring 3 Clamping ring DN 25 ISO-KF SS, with O-ring optional 4 Centering ring DN 16 ISO-KF SS, with O-ring clastomer seal 5 Clamping ring DN 16 ISO-KF Aluminum for clastomer seal								
8. Leak Rate 5 x 10 <sup>-9</sup> mbar Usec for helium 9. Supply 230 V AC, 50 Hz 10. Vacuum Isolation Valve (for dry pump) Solenoid operated 230 VAC (internal or external) 11. Water vapor capacity ≥75 g/h 12. Ambient temperature ≤45°C 13. Normal operating speed ≥1450 Ø, 50 Hz 14 Noise level ~50 dB Required 15 Certification/documents along with quotation to assure safe operation of the instrument 16 Other mandatory items 1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters 2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India 3. Operating and service manual 1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm optional clastomer seal optional optional optional optional optional clastomer seal optional opti								
9. Supply 10. Vacuum Isolation Valve (for dry pump) Solenoid operated 230 VAC (internal or external)  11. Water vapor capacity ≥ 75 g/h 245 °C 13. Normal operating speed Noise level Certification/documents along with quotation to assure safe operation of the instrument  Other mandatory items  1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters 2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India 3. Operating and service manual  SI. No. List of optional items Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  Control of the instrument optional Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  Centering ring DN 16 ISO-KF SS, with O-ring optional Clamping ring DN 16 ISO-KF Aluminum for elastomer seal								
10. Vacuum Isolation Valve (for dry pump)  11. Water vapor capacity  12. Ambient temperature  13. Normal operating speed  14. Noise level  15. Certification/documents along with quotation to assure safe operation of the instrument  16. Other mandatory items  17. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  18. No. List of optional items  19. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  20. Centering ring DN 25 ISO-KF SS, with O-ring of clastomer seal  21. Centering ring DN 16 ISO-KF SS, with O-ring optional  22. Centering ring DN 16 ISO-KF SS, with O-ring optional  23. Clamping ring DN 16 ISO-KF Aluminum for elastomer seal								
11. Water vapor capacity 12. Ambient temperature 13. Normal operating speed 14. Noise level 15. Certification/documents along with quotation to assure safe operation of the instrument 16. Other mandatory items 16. Other mandatory items 17. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters 18. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India 18. No. List of optional items 18. No. List of optional items 19. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm 20. Centering ring DN 25 ISO-KF SS, with O-ring elastomer seal 21. Centering ring DN 16 ISO-KF SS, with O-ring optional 22. Centering ring DN 16 ISO-KF SS, with O-ring optional 33. Clamping ring DN 16 ISO-KF SS, with O-ring optional 44. Centering ring DN 16 ISO-KF Aluminum for elastomer seal 45. Clamping ring DN 16 ISO-KF Aluminum for elastomer seal			·					
12. Ambient temperature       ≤45°C         13. Normal operating speed       ≥1450 @ 50 Hz         14 Noise level       ~50 dB         15 Certification/documents along with quotation to assure safe operation of the instrument       Required         16 Other mandatory items       1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters         2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India         3. Operating and service manual         SI. No. List of optional items       optional         1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm       optional         2 Centering ring DN 25 ISO-KF SS, with O-ring elastomer seal       optional         4 Centering ring DN 16 ISO-KF SS, with O-ring elastomer seal       optional         5 Clamping ring DN 16 ISO-KF Aluminum for elastomer seal       optional	10.	Vacuum Isolation Valve (for dry pump)	Solenoid operated 230 VAC (internal or external)					
13. Normal operating speed		Water vapor capacity	≥ 75 g/h					
Noise level	12.	Ambient temperature	≤45°C					
Certification/documents along with quotation to assure safe operation of the instrument   Cother mandatory items   1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters   2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India   3. Operating and service manual	13.	Normal operating speed	≥1450 @ 50 Hz					
to assure safe operation of the instrument  Other mandatory items  1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India  3. Operating and service manual  SI. No. List of optional items  1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  2. Centering ring DN 25 ISO-KF SS, with O-ring optional  3. Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  4. Centering ring DN 16 ISO-KF SS, with O-ring optional  5. Clamping ring DN 16 ISO-KF Aluminum for elastomer seal	14	Noise level	~50 dB					
to assure safe operation of the instrument  Other mandatory items  I. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India  3. Operating and service manual  SI. No. List of optional items  1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  2. Centering ring DN 25 ISO-KF SS, with O-ring optional  3. Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  4. Centering ring DN 16 ISO-KF SS, with O-ring optional  5. Clamping ring DN 16 ISO-KF Aluminum for elastomer seal	15	Certification/documents along with quotation	Required					
1. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India  3. Operating and service manual  SI. No. List of optional items  1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  2. Centering ring DN 25 ISO-KF SS, with O-ring  3. Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  4. Centering ring DN 16 ISO-KF SS, with O-ring  5. Clamping ring DN 16 ISO-KF Aluminum for elastomer seal  9. Original product catalogue AND URL link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India  3. Operating and service manual  9. optional								
1. Corrugate hose DN 25 ISO-KF SS, flexible, length ~1000 mm  2 Centering ring DN 25 ISO-KF SS, with O-ring optional  3 Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  4 Centering ring DN 16 ISO-KF SS, with O-ring optional  5 Clamping ring DN 16 ISO-KF Aluminum for elastomer seal			link of item quoted should be provided with technical bid highlighting all the above parameters  2. List of customers (at least five), including their contact details, having similar system installed by the vendor in last three years in India					
length ~1000 mm  Centering ring DN 25 ISO-KF SS, with O-ring optional Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  Centering ring DN 16 ISO-KF SS, with O-ring optional Clamping ring DN 16 ISO-KF Aluminum for elastomer seal  Clamping ring DN 16 ISO-KF Aluminum for elastomer seal			. 1	+				
Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  Centering ring DN 16 ISO-KF SS, with O-ring optional  Clamping ring DN 16 ISO-KF Aluminum for elastomer seal  Optional  elastomer seal	1.	, ,	optional					
Clamping ring DN 25 ISO-KF Aluminum for elastomer seal  Centering ring DN 16 ISO-KF SS, with O-ring optional  Clamping ring DN 16 ISO-KF Aluminum for elastomer seal  optional	2	Centering ring DN 25 ISO-KF SS, with O-ring	optional					
4 Centering ring DN 16 ISO-KF SS, with O-ring optional 5 Clamping ring DN 16 ISO-KF Aluminum for elastomer seal optional	3	Clamping ring DN 25 ISO-KF Aluminum for	optional					
5 Clamping ring DN 16 ISO-KF Aluminum for elastomer seal	4		ontional					
elastomer seal		<u> </u>	-					
	3		ориона					
,p	6		optional					

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No. :	

# << Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and data furnished by
	ification are true and complete to the best of our knowledge. I have stipulations in details and agree to comply with the requirements
We further certified that our organization mee	authorized (Copy attached) by the OEM to participate in Tendersts all the conditions of eligibility criteria laid down in this tender port on regular basis with technology / product updates and extended
The prices quoted in the financial bids are subsi	dized due to academic discount given to IIT Delhi.
We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/Public Sector Undertaking in the last three years.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1 Phone	
2 Fax	
3 E-mail	
4 Contact Person Name	
5 Mobile Number	
6 TIN Number	
7 PAN Number	
(In case of on-line payment of Tender Fees)	
8 UTR No. (For Tender Fee) (In case of on-line payment of EMD)	
9 UTR No. (For EMD)	
	(Signature of the Tenderer)
	Name:
	Seal of the Company
	Annexure-III

# List of Govt. Organization/Deptt.

List of Government Organizations for wl years (must be supported with work order		ork during last three
Name of the organization	Name of Contact Person	Contact No.
Name of application specialist / Service I support the quoted product during the wa		tency to handle and
Name of the organization	Name of Contact Person	Contact No.
		Signature of Bidde
	Name:	·
	Organization Name:	
	<b>Contact No.:</b>	

# **Bid Submission**

# **Online Bid Submission:**

The Online bids (complete in all respect) must be uploaded online in Two Envelops as explained below:-

Sl. No.	Documents	Content	File Types				
1.	Technical Bid	Compliance Sheet as per Annexure - I	.PDF				
2.		Organization Declaration Sheet as per Annexure - II	.PDF				
3.		List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF				
4.		Technical supporting documents in support of all claims made at Annexure-I (Annexure-IV)	.PDF				
	Envelope – 2						
Sl. No.	TYPES	Content					
1.	Financial Bid	Price bid should be submitted in PDF format.	.PDF				

# <Department/Centre Name> Indian Institute of Technology Delhi Hauz Khas, New Delhi-110016

**Date: XX/XX/XXXX** 

**Subject: Purchase of <Item>** 

S. No.	Currency	Description of Item &	Qty.	Unit	Agency	Discount	Ex-works	Packing +	FOB	Insurance	CIF Price
		Specification	in	Price	Commission		price	Handling	Price	+ Frieght	(f+g)
			Units				(d=a+b-c)	+ DOC +	(f=d+e)	(g)	
				(a)	(b)	(c)		Inland			
								Frieght			
								(e)			
1											

For indigenous items please quote as per following format.

S. No.	Description of Item &	Qty. in Units	Unit Price in	Excise Duty %	CST/VAT%	Octroi%	Total Price in
	Specification		Rs.				Rs.
1.							
2.							