INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Index of Tender documents

Sr. No.	DETAILS	PAGE NO.
1.	Index	1-1
2.	Details & Online Instruction	2-2
3.	Tender Notice	3-6
4.	Form "F"	7-7
5.	Terms & condition including IIT Form 6-7/8	8-43
6.	Make List	44-45
7.	Additional conditions and Special term & Condition	46-47
8.	Corrections slips	48-53
9.	Bid Submission	54-54
10.	Schedule of Quantities	55-70

This Tender documents contains pages One to Seventy only

NIT Amounting to Rs. 74,34,207/- (Rs. Seventy Four Lakhs Thirty Four Thousands Two Hundred Seven Rupees Only) approved.

Institute Engineer

C----NIL I----NIL O-----NIL AEE(C) E.E (P)

Notice Inviting E-Tender (E-Procurement mode)

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEWDELHI-110016

Dated:- 09/04/2019

Open Tender Notice No. /IITD/ WORKS(SP-2279)/2019

IndianInstituteofTechnologyDelhiisintheprocessofpurchasingfollowingitem(s)/ services as per details as given as under.

Details of the item	Name of work:- Renovation & modification in V-LT1 for CRF lab in academic area at IIT Delhi.
Earnest Money Deposit submitted	R s. 1,48,700/-
Warranty / Maintenance Period	1 Year
Performance Security	5% of Tender Amount

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app

Aspiring Bidders who have not enrolled/registered in e-procurement should enroll/register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tender can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in thee-procurement portal).

NOTICE INVITING E-TENDERS

Executive Engineer (P) Indian Institute of Technology, Hauz Khas, New Delhi-16. (Phone No. 011-26591762) on behalf of Board of Governors invites online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways composite works of the following work:

/IITD/EE(P)/2019-2020 1. NIT No

2. Name of Work Renovation & modification in V-LT1 for CRF lab in academic area at IIT

Delhi.

Rs. 74,34,207/-3. Estimated cost

Rs. 1,48,700/-4. Earnest Money

04 Months 6. Last time& date of submission of bid: 25/04/2019 up to 3:00 pm (on line)

The bid forms and other details can be obtained from the website www.iitd.ac.in or e-procure.gov.in free of cost. For more clarification you may visit on above website.

> Executive Engineer (P), For & on Behalf of BOG, IIT Delhi

Ch. Head: PLN-05/EW

5. Period of completion:

Work code-WO3249

Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (Elect.) for information.
- 3. D.A. (Works Accounts)
- 4.
- D.R. (A/Cs) for opening of uploaded documents at 3:30 AM on 26/04/2019 in the office of D.R. Store 5.
- 6. Notice Boards.
- 7. Office Copy
- Web site Administrator, I.I.T.D. 8.

INDIAN INSTITUTE OF TECHNOLOGY: DELHI HAUZ KHAS: NEW DELHI – 110016

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (P), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26591762) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with

CPWD, MES, BSNL, and Railways for composite works of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for completi on
1	/IITD/EE(P)/2019-2020.	Name of work: Renovation & Modification in V-LT1 for CRF lab in academic area at IIT Delhi.	74,34,207/-	1,48,700/-	1000/-	04 Months

Last date and time of submission of financial & Technical bid :- 25/04/2019 up

25/04/2019 upto 3:00 pm (on line)

Date and time of opening of Technical bid

26/04/2019 upto 3:30 pm (office of D.R Store)

Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.
- 2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) Firms/Contractors must have completed satisfactorily one similar work of value not less than Rs. 59,47,400/- or Two similar works each of value not less than Rs. 44,60,600/- or there similar works each of value not less than Rs 29,73,700/- during last 7 years ending on date 31-03-2019.
 - ii) **Earnest money of Rs. 1,48,700/-** in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of **Registrar, I.I.T. Delhi**. For MSME/ MSEs Units registered with the Government of India exemption shall be applicable as per Govt. of India guidelines.
- 3. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 4. Information and Instructions for bidders posted on website shall form part of bid document.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from websitehttp://eprocure.gov.in/eprocure/app.in free of cost.
- **6.** Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- 7. Work means only work under Government/ Public Sector Under taking / Autonomous bodies.
- **8.** Similar work means pertaining to works of maintenance of buildings/ Renovation/ Addition Alteration/ Rehabilitation/ New construction of buildings (Civil Works).

- 9. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of submission of financial bid.
- 10. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- 11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- 12. The intending bidder must have valid class-III digital signature to submit the bid.
- **13.** On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- **14.** Contractor can upload documents in the form of JPG format and PDF format.
- 15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- **16.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- 17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words, amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures is to be taken as correct.
- 18. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favour of Registrar IIT Delhito be deposited with http://eprocure.gov.in/eprocure/app / NEFT facility.
- **19.** The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders:

 "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- 23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.
- 24. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 5.
 - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
 - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
- 25. Bid validity shall be 90 days from opening of financial bid.
- 26. Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
- Enlistment order of contractor.
- 3. Attested certificate of work experience.

- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit as per Notice Inviting Tender Condition 1.3 page 19 of NIT.
- Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'SI. No. 20' above on firm's letter head.

"the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"

- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. Tender Fee of Rs. 1000/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid

Executive Engineer (P), For & on Behalf of BOG, IIT Delhi HauzKhas.New Delhi-110016.

Ch. Head:PLN-05/EW

Work code-W03249

Copy to: -

- 1. Executive Engineer (P) for information.
- 2. D.A. (Works Accounts)
- 3. AEE (C)
- 4. D.R. (A/Cs) for opening of tenders on 26/04/2019 at 3:30 PM in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D
- 8. NIT :- Publicity on Website on Institute as well as on CPP portal http://eprocure.gov.in may be ensured as per instruction issued.
- 9. E-tendering Web. http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in

FORM "F"

STRUCTURE & ORGANISATION

- 1. Name & Address of the bidder
- 2. Telephone no./ Telex no./ Fax no.
- 3. Legal status of the bidder (attach copies of original document defining the legal status)
 - a. An Individual
 - b. A proprietary firm
 - c. A firm in partnership
 - d. A limited company or Corporation
- 4. Particulars of registration with various Government Bodies (attach attested photocopy)

9. Has the bidder, or any constituent partner in case of partnership firm,

ever been convicted by the court of law? If so, give details.....!

10. Past work experience in IIT Delhi will be considered in deciding the Technical bid......

Signature of Bidder(S)

Notice Inviting Tender

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI-110016 Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 1,48,700/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the procurement portal).

<u>Schedule</u>

Name of Organization	Indian Institute of Technology Delhi
Tender Type (Open/Limited/EOI/Auction/Single)	Open
Tender Category (Services/Goods/works)	Works
Type/Form of Contract (Work/Supply/ Auction/Service/Buy/Empanelment/ Sell)	Works
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Civil
Source of Fund (Institute/Project)	Budget Code PLN –05/EW
Is Multi Currency Allowed	No
Date of Issue/Publishing	09/04/2019 (12:00 Hrs.)
Document Download/Sale Start Date	09/04/2019 (12:00 Hrs.)
Document Download/Sale End Date	25/04/2019 (15:00 Hrs.)
Date for Pre-Bid Conference	Nil
Venue of Pre-Bid Conference	
Last Date and Time for Uploading of Bids	25/04/2019 (15:00 Hrs.)
Date and Time of Opening of Technical Bids	26/04/2019 (15:00 Hrs.)
Tender Fee	Rs. 1000/-
EMD	Rs. 1,48,700/- (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : Registrar IIT Delhi SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, HauzKhas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II) or as per NIT/ Tender notice
No. of Covers (1/2/3/4)	02
Bid Validity days (180/120/90/60/30)	90 days (From last date of opening of bids)
Address for Communication	EE(P), Work Section Room no. MZ-136, Main Building, IIT D.
Contact No.	011-26591762
Fax No.	Nil
Email Address	a26790@admin.iitd.ac.in

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

 Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app . Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app.

Terms & Conditions Details

S.No.	Specification
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after
	the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid
	and financial bid. The technical bid should consist of all technical details along with commercial
	terms and conditions. Financial bid should indicate item wise price for the items mentioned in the
	technical bid in the given format i.e BOQ_XXXX.
	OR
	Financial Bids to be submitted in Excel.
	The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
J.	Livib (ii applicable). As per ivit
4.	Refund of EMD :- As per NIT
'-	Returns of Elvis 1 7/6 per 1411
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8
]	
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject
	any or all offers without assigning any reason.
	Book of the state
7.	Pre-qualification criteria: - Mentioned in Tender notice
	Deufeumenes Consultry Montioned in Tondon notice
8.	Performance Security:-Mentioned in Tender notice
	Force Majoure . As not HTD force 0
9.	Force Majeure :- As per IITD form 8
10.	Risk & Cost Clause : As per IITD form 8
10.	Nisk & Cost Clause . As per III D form 8
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8
11.	Delivery and Documents. As per render Notice & NIT & 1170 1011110
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8
12.	Delayed delivery. As per render Notice & NT & ITD forms
13.	Prices: As per Tender Notice & NIT & IITD form 8
15.	Thes. As per render Notice & NIT & III D Ioilli 0
14.	Progress of Work :As per Tender Notice & NIT & IITD form 8
14.	Trogress of Work .As per render Notice & NT & ITD form o
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8
15.	Inspection and rests. As per render Notice & NIT & ITD Tornio
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8
10.	necolation of piopates. As per remact reduce & terr & trip totting
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8
17.	Applicable Edw. As per reliaci reduce & first & irib form o
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8
19.	Training: As per Tender Notice & NIT & IITD form 8
13.	Training . As per relider Notice & NIT & IIID IOIIII o
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8
20.	mistaliation & Demonstration . As per Tender Notice & NIT & ITTD TOTAL 6
21.	Incidental services: As per Tender Notice & NIT & IITD form 8
۷1.	micidental services. As per relider Notice & NIT & IIID 101111 6

22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8
23.	Governing Language : As per Tender Notice & NIT & IITD form 8
24.	Applicable Law : As per Tender Notice & NIT & IITD form 8
25.	Notices : As per Tender Notice & NIT & IITD form 8
26.	Taxes : As per Tender Notice & NIT & IITD form 8
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8

ANNEXURE-I

COMPLIANCE SHEET

TECHNICAL SPECIFICATION

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Firm registration	
2	GST Registration	
3	GST Return	
4	ESI & EPF	
5	Experience Certificate	
6	Undertaking	
7	Affidavit	
8	INTEGRITY PACT	
9	Annexure 1	
10	Annexure 2	
11	Annexure 3	
12	EMD	
13	Tender Fee	
14	FORM "F" (Duly filled with all required details)	
15	BOQ	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No. :	

ANNEXURE-II

<< Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and data furnished by
•	cation are true and complete to the best of our knowledge. I have oulations in details and agree to comply with the requirements and
This is certified that our organization has been reg	istered as per Tender Notice & NIT & IITD form 8Tender.We
further certified that our organization meets all the	e conditions of eligibility criteria laid down in this tender
document.	
We, further specifically certify that our	NAME & ADDRESS OF
organization has not been Black Listed/De	THE Vendor/ Manufacturer / Agent
Listed or put to any Holiday by any Institutional	· ·
Agency/ Govt. Department/ Public Sector	
Undertaking in the last three years.	
1 Phone	
1 Thomas	
2 Fax	
3 E-mail	
4 Contact Person Name	
5 Mobile Number	As per Tender Notice & NIT
	As per Tenuer Nouce & MI
6 TIN Number	
7 PAN Number	
(In case of on-line payment of Tender Fees)	
8UTR No. (For Tender Fee)	
(In case of on-line payment of EMD)	
QUITP No. (For EMD)	
9 UTR No. (For EMD)	
	(Signature of the Tenderer)

Name:

Seal of the Company

List of Govt. Organization/Deptt.

Name of the organization	Name of Contact Person	Contact No.
As per T	Cender Notice & NI	T
	Name:	Signature of Bidd
	Designation:	
	Organization Name:	
	Contact No. :	

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

SI. No.	Documents	Content	File Types	
1.		Compliance Sheet as per Annexure – I	.PDF	
2.		Organization Declaration Sheet as per Annexure – II	.PDF	
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF	
4.		Technical supporting documents in support of all claims made at Annexure-I (Annexure-IV)	.PDF	
	Bid Document – 2			
Sl. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in Excel format.	.EXCEL	

IITD-6 FOR e-TENDERING ANDTERM&CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged in the field of civil construction work in appropriate category for the *work As per tender notice*.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost as per tender notice. This estimate, however, is given merely as a rough guide.
- **1.2** Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be as per tender notice from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 4. The site for the work is available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site http://eprocure.gov.in/eprocure/app or iitd.ac.in or e-procure.govfree of cost.
- After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not reenter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e-tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of Executive Engineer (P), IIT Delhi, Hauz Khas, New Delhi

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

(i) http://eprocure.gov.in/eprocure/app.

- 10. The bid submitted shall become invalid if:
- (i) The bidders are found not eligible.
- (ii) The bidders do not upload all the documents (including GST registration/ other documents as per Tender Notice) as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.

(iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.

- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- **15.** Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **16.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- 19. The tender for the works shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form 8 or other Standard IITD Form as mentioned.
- 21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (P)
IIT Delhi, HauzKhas,
New Delhi - 110016

Notice Inviting Tender



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI

(Works Department)

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL and Railway** dealing with building and roads for the work of **Renovation & Modification in V-LT1 for CRF lab in academic area at IIT Delhi.**

The enlistment of the contractors should be valid on the last date of submission of tenders.

In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

- 1.1 The work is estimated to cost **as per Tender Notice.** This estimate, however, is given merely as a rough guide.
 - 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of receipt of application for tender.



- 1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)
- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be as per Tender Notice from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- **4.** The site for the work is available.

OR

The site for the work shall be made available in parts as specified below:-

- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.
- After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- **8.** If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents (GSTIN Registration) as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- 9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5%** (**Five Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed

I.I.T.D – 6 FOR e-TENDERING

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

- 10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **12.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **13.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 16. The bid for the works shall remain open for acceptance for a period of **ninety** (90) **days** from the date of opening of financial bids, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the rebidding process of the work.
- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.

18.In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in there-bidding process of the work.

INTEGRATY PACT e-TENDERING	I.I.T.D
	'
,	

Subject:- NIT No. /IITD/EE(P)/2019-2020 for the work of Renovation & modification in V-LT1 for CRF lab in academic area at IIT Delhi.

Dear Sir,

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (P)

Acceptance to execute integrity pact

I.I.T.D

(To be signed by bidder and upload the scanned copy)

To, **Executive Engineer (P),** IIT Delhi, Hauz Khas, New Delhi – 110016.

Subject:- Submission of Bid for the of Renovation & modification in V-LT1 for CRF lab in academic area at IIT Delhi.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

parcel of the Tender/Bid documents and Contract between the parties.

I.I.T.D

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of 20
BETWEEN
The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 represented through Executive Engineer (P) IIT Delhi, (Hereinafter referred as the
(Address of Division)
' Principal/Owner ', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND
(Name and Address of the Individual/firm/Company)
through (Hereinafter referred to as the
(Details of duly authorized signatory) "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
Preamble
WHEREAS the Principal / Owner has floated the Tender (NIT No
(Name of work) hereinafter referred to as the "Contract".
AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations,

economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and

INTEGRATY PACT e-TENDERING I.I.T.D

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

I.I.T.D

- a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
- b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.

I.I.T.D

5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit**: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

I.I.T.D

- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

I.I.T.D

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first

(For and on behalf of Principal/Owner)

(For and on behalf of Bidder/Contractor)

WITNESSES:

1. (signature, name and address)

2. (signature, name and address)

above mentioned in the presence of following witnesses:

Dated:

I.I.T.D - 7/8 e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

Percentage Rate Tender/Item Rate Tender & Contract for Works

Tender for the work of: Name of work:- Renovation & modification in V-LT1 for CRF lab in academic area at IIT Delhi.

(i) To be submitted by as per tender notice to
(ii) To be opened in presence of bidders who may be present at as per tender notice
in the office of D.R. (Store)
Issued to
Signature of officer issuing the documents
Designation
Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

Bid validity shall be considered Ninety days from opening of financial bid.

I.I.T.D - 7/8 e-TENDERING

I.I.T.D

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhias earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:	
	Signature of Contractor
Witness:	D . 14.11
Address:	Postal Address
Occupation:	

I.I.T.D - 7/8 e-TENDERING

I.I.T.D

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me
for an on behalf of The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 for a sum of
(Rupees).
The letters referred to below shall form part of this contract agreement:-
(a)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi
Signature
Dated: Designation

I.I.T.D

PROFORMA OF SCHEDULES

(Separate Performa for Civil, Elect.& Hort. Works in case of Composite Tenders) (Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the Contractor	Place of issue
1			4	
	Nil			_
	- 1			

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
1			
	N il		

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.



I.I.T.D

SCHEDULE 'E'

Reference to General Conditions of contract.

Name of work:- Renovation & modification in V-LT1 for CRF lab in academic area at IIT Delhi.

Estimated cost of work : Rs. 74,34,207/-

(i) Earnest Money : **Rs. 1,48,700/-**

(ii) Performance Guarantee : 5% of tendered value

(iii) Security Deposit : 5% of tendered value

SCHEDULE 'F'

GENERAL RULES& DIRECTIONS: Officer inviting tender IITD/ Form - 7/8-2010

Maximum percentage for quantity of items of work

to be executed beyond which rates are to be

determined in accordance with Clauses 12.2 & 12.3: See below

Definitions:

2(v) Engineer-in-Charge Executive Engineer

2(viii) Accepting Authority Institute Engineer

2(x) Percentage on cost of materials and

Labour to cover all overheads and profits: 15%

2(xi) Standard Schedule of Rates – DSR 2016 with 12.75% cost index and Market Rate

2(xii) Department – Works department at I.I.T Delhi

9(ii) Standard I.I.T.D Contract Form GCC 2010, I.I.T.D Form 7/8-2010 modified & Corrected up to date of submission of tender.

Clause 1

(i) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance

15 days

(iii) Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above

1 to 15 days

I.I.T.D

Clause	2

Authority for fixing compensation under clause 2

Institute Engineer

Clause 2A

Whether Clause 2A shall be applicable

No

Clause 5

Number of days from the date of issue of letter of award for reckoning date of start

10 (Ten) days

Mile stone(s) as per table given below:-

Sl.	Description of Milestone	Time allowed in days	Amount to be with-held in case
No.	(Financial)	(from date of start)	of non-achievement of mile stone
			In the event of not achieving the
1	1/8 th (of the whole work)	1/4 th (of the whole work)	necessary progress as assessed
2	3/8 th (of the whole work)	1/2 th (of the whole work)	from the running payment, 1% of
3	3/4 th (of the whole work)	3/4 th (of the whole work)	the Tender value of work will be
4	Full	Full	withheld for failure of each
			milestone.

Time allowed for execution of work

As per tender notice.

Authority to decide:

(i) Extension of time **Institute Engineer.**

Clause 6, 6A

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment

Rs. 15.00 Lakhs

Clause 10A

Lis	t of	testing	; equip	ment	to be	provi	ded l	by th	e cor	itracto	or at	site	lab	١.

Whether Clause 10 B (ii) shall be applicable

No

Clause 10C

Component of labour expressed as percent of value of work = 25%

Clause 10CA

S.N.	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Materials covered under
1		
2		
3		
4		

^{*} Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approved of NIT.

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

18 months

Schedule of component of other Materials, Labour, POL etc. for price escalation.

Component of civil (except materials covered under clause 10CA) /Electrical construction Materials

expressed as percent of total value of work. -

Xm%

Component of Labour -

expressed as percent of total value of work.

Y..... %

Component of P.O.L. -

expressed as percent of total value of work.

Z..... %

Clause 11

Specifications to be followed for execution of work

CPWD specifications 2009 Vol-1&2 with upto date correction slips & manufacturers

PROFORMA OF SCHEDULES

I.I.T.D

Clause 12

Type of work -Maintenance works including works of up-gradation, aesthetic, special repair, addition/alteration.

12.2. & 12.3 Deviation Limit beyond which clauses

12.2 & 12.3 shall apply for building work 30%

Clause 16

Competent Authority for

deciding reduced rates.

Institute Engineer

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:-

1.	 2	3.	
4.	 5	6	
_	5	J	
7	0	_	

Clause 25

Constitution of Dispute Redressal	Competent Authority to appoint
Committee (DRC)	DRC
DRC shall constitute one Chairman a	Director in light Institute of Technolog
two members — — — — —	Delhi

Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S.	Minimum	Discipline	Designation	Minimum	Number	Rate at which	recovery shall
No.	Qualification of		(Principal	Experience		be made from t	he contractor in
	Technical		Technical/	(Years)		the event of	not fulfilling
	Representative		Technical			provision of cla	use 36(i)
			Representative)				
						Figures	Words
	Graduate Engineer or Diploma Engineer	Civil	Project Planning/ Site / billing Engineer	2 5	1	Rs.15,000.00 per month.	Rupees Fifteen Thousand only per month

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

I.I.T.D

Clause 42

- (i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates **2016** printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities:
 - (a) Cement

For works with estimated cost put to tender not more than Rs. 5 lakh. For works with estimated cost put to

3% plus/minus.

tender more than Rs.5 lakh.

2% plus/minus.

(b) Bitumen All Works

2.5% plus only & nil on minus side.

- (c) Steel Reinforcement and structural steel sections for each diameter, section and category 2% plus/minus
- (d) All other materials.

Nil

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S. No.	Description of Item		ds at which recovery shall be the Contractor
		Excess beyond permissible variation	Less use beyond permissible variation
1.	Cement		
2.	Steel Reinforcement		
3.	Structural Sections	As per CPWD	Specification 2009
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed Price		

BANK GUARANTEE BOND

I.I.T.D

Form of Earnest Money Deposit Bank Guarantee Bond

	WHEREAS, contractor(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of (name of work) (hereinafter called "the Tender")
	KNOW ALL PEOPLE by these presents that we
	(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs
	SEALED with the Common Seal of the said Bank thisday of
(1)	If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
(2)	If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
(a)	fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;
(b)	OR fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
(c)	OR fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,
	OR
(d)	fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.
	We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.
	This Guarantee will remain in force up to and including the date*
	DATE
	SIGNATURE OF THE BANK
	WITNESSSEAL (SIGNATURE, NAME AND ADDRESS)
	*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

LIST OF APPROVED MAKES FOR CIVIL & Electrical works

A-Civil Items

	vil Items	
S. No.	Description	Approved Makes
1.	Cement (Grey) OPC/ PPC	ACC / Ultratech/ J.K. / BIRLA/ J.P./ Vikram
2.	Cement (White)	J.K. / BIRLA
3.	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDAR
		MANUFACTURERS HAVING VALID BIS
		LICENSE (to be as per latest BIS provisions)
4.	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDAR
		MANUFACTURERS HAVING VALID BIS
		LICENSE (to be as per latest BIS provisions)
5.	Stainless steel (Grade 304)	Jindal / SAIL / Salem
6.	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH
7.	Aluminum Sections	HINDALCO / JINDAL / MAHAVIR
8.	Flush doors	CENTURY / MERINO / DURO BOARD / GREEN
9.	Laminates	GREENLAM / DURO / MERINO /DECOLAM / CENTURY
10.	Glass / Mirror	SAINT GOBAIN / MODI FLOAT / ASAHI FLOAT
11.	Ceramic Glazed tiles/Border tiles	1 ST QUALITY KAJARIA / NITCO / JOHNSON / ORIENT / SOMANY
12.	Vitrified Tiles	NAVEEN / SOMANY / JOHNSON / KAJARIA
13.	Interlocking Precast pavers blocks / Kerb Stone	HINDUSTAN TILES / NIMCO PREFAB / K.K. MANHOLES / DALAL / SWASTIK
		ALWAR
14.	Stainless Steel Hinges	JOLLY / GARG /AMIT / ASI SUPREME
15.	Stainless Steel Nuts Bolts / Screws	KUNDAN / PUJA / ATUL / GKW
16.	Paint / primer / oil bound distemper Acrylic paint	1st QUALITY PAINTS OF ASIAN / BERGER / NEROLAC / AKZONOBAL INDIA (ICI
10.	zame, primer, on count distemper recryite paint	SHALIMAR
17.	Water Proof. Cement Paint	SNOWCEM / ASIAN PAINTS / BERGER / NEROLAC/ AKZONOBAL INDIA (ICI)/
		SHALIMAR
18.	Sanitary ware (Vitreous China) (European Seats, Urinal	
10.	Wash Basins, etc.)	THE WIND FINAL WIND COLUMN
19.	Seat Covers	HINDWARE / PARRYWARE / CERA
20.	C.P. brass Fittings / Accessories	JAQUAR / MARC / CERA / KOHLAR
21.	G.I. Pipes	TATA / JINDAL (HISSAR)
22.	G.I. Fittings	UNIK / ZOLOTO
23.	Stainless Steel Sink	NEELKANTH / JAINA / KINGSTON (COBRA) / NIRALI
24.	Commercial Board / PLY	MERINO / DURO /GREEN / CENTURY / ARCHID
25.	CI Pipes / Fittings & Manhole covers	RIF / NECO / BENGAL IRON WORKS / BC / SKF
26.	CI Pipes "Class LA"	NICO / KESORAM / ELECTRO STEEL / KAPILANSH
27.	Floor Spring	DOORKING / EVERITE
28.	Door Closer	EVERITE / SANDHU/ Hardwin or as approved Equivalent
29.	Bison Board	BISON / E BOARD
30.	Vertical Blinds	VISTA / MAC
31.		Armstrong/ Saint Gobain/ Metaworth
32.	False Ceiling Water proofing compound	CICO / FOSROC / PIDILITE / Sika
33.		CICO / PIDILITE / SIKa CICO / PIDILITE / FOSROC /Sika
34.	Polymer Compound Particle Board	NOVA PAN / BHUTAN BOARD/ Eco Board
35.	Rust Remover / Anticorrosive	FOSROC / CICO / PIDILITE/SIKKA or BASF
35. 36.	Adhesive	
	Tile Adhesive	FEVICOL / VAMICOL DIDILITE / DAI ENDLIDA / FEDDOLISCHETE / Silva
37. 38.		PIDILITE / BALENDURA / FERROUSCRETE / Sika
	Wall Putty CPG Postitions	BIRLA / JK / FERROUSCRETE/ Sika
39	GRG Partitions	Gypsum India or as approved equivalent
40	Insulation	U.P. Twiga Ltd or as approved equivalent
41.	Epoxy Grout	Ballendura / Kerakoll / Ferrouscrete/ Sika
42.	PVC Water storage tank (ISI marked)	Sintex / UniPlast / Polywell
43.	PVC insulated Water storage tank Heavy duty 4/5 layer	Sintex / UniPlast / Polywell / Euro
44.	Brass Ball Valve/ Gate Valve / Float Valve	Zoloto / Leader / SANT
45.	Aluminium Door fittings	Classic or ISI
46.	Brass Bib / Stop cock	Sant / Leader or ISI
	-	
47.	Thermoplastic paint	CBM, CMS, S.N. Industries and any other approved by Engineer-in-charge.
48.	Plaster of paris putty	Sakarni, Adhar Shree, Shree Ram, J.K., Ashirwad
49.	Glow Stud, Solar Power Stud	Road Star / 3M / Dark Eye /Every Dennison
	Sion Stad, Botal I onel Stad	Tions June 1 Dune 1 Jo / 1 Total Dominson
50.	Sandwich roof panel	JSW, Bhushan, D-Meta
	•	

	B- Electrical Item	
51	LED Luminaire	Philips/ Panasonic/ Wipro/ Havells/ OSRAM/ Surya/ Halonix
52	Conduit	ISI Marked
53	Power Cables	Havells / Granday/ Polycab/ RR Kabel With I.S.I. Marked.
54	Copper Wires	Finolex/ Havells/ Universal/ Polycab with I.S.I. Marked.
55	MCB	Havells/ L&T/ Siemens/ Schneider/ Legrand
56	DB	Havells/ L&T/ Siemens/ Schneider/ Legrand
57	Switch Socket	Anchor Roma/ Crab Tree/ FM/ North West with ISI marked
58	Ceiling Fans	Usha/ Havells/ Crompton/ Orient (BEE 5 Star rated with ISI marked)
59	Fan Regulator	Anchor Roma/ Crab Tree/ GM with ISI marked
60	Industrial Plug Sockets	Havells / Standard/ BCH / L&T
61	Fresh Air/ Exhaust Fans	Havells/ Usha/Bajaj/ Crompton
62	MCCB	L&T/ Havells / Standard / ABB / Schneider
63	PVC (DMC) Trunking with all accessories	Hager/ Legrand / GM
64	SFU	L&T/ Havells / Standard/ HPL
65	VRF/ VRV AC Unit	Daikin/ Blue Star / Voltas / Hitachi / LG / Mitsubishi / O-General / Toshiba/ Carrier.
66	CPVC Pipe	Supreme/ Sudhakar / Fonolex / Plaza / ALG with ISI marked
67	Control Cable	Havells/ Gloster/ KEC/ NICCO/ INCAB/ Universal/ Finolex/ RR Kabel/ V- Guard/ KEI with ISI marked.

INDIAN INSTITUTE OF TECHNOLOGY: NEW DELHI HAUZ KHAS: NEW DELHI ADDITIONAL CONDITIONS

- 1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3. The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4. The work shall be carried out as per CPWD specifications for civil & electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement. Scaffolding, Jhula, ladders etc. to carryout works at all heights/Lifts shall be arranged by the contractor at his own cost. Nothing extra shall be paid on these accounts.
- 6. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7. Articles manufactured by the reputed firms and approved by Engineer-in-Charge shall only be used. Only articles classified as "First quality" by the manufacturer shall be used unless otherwise specified.
- 8. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work.
- 9. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the IITD if satisfactory report and if test results are unsatisfactory than testing charges shall be deducted from bills of contractor. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- 10. The contractor shall submit a detailed program of work within 7 days of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- 11. The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 12. No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- 14. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 15. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.
- 16. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 17. Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
- 18. Income tax and other taxes as applicable shall be deducted from the bills of contractor.

- 19. 1% labour cess or as applicable will be deducted from the bills of contractor.
- 20. Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- 21. Agency has to take proper safety major during the execution of work.
- 22. GCC for 7/8 shall form part of NIT and the bidder shall go through GCC before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- 23. ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work. .
- 24. The contractor shall submit the programmer of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- 25. GST Registration.
- 26. Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.

IITD -2010 CORRECTION SLIPS

In general condition of contract for IIT Delhi works department 2010

	Existing	Modified
Reference	Existing Provision	Modified Provision
Clause 3 (vii)	If the contractor shall obtain a contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering.	If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
Reference	Existing Provision	Modified Provision
Deviations	CLAUSE 12	CLAUSE 12
/variation extent and pricing	The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the	The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to
	main works except as hereafter provided.	do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided. The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.5 times of Tendered amount.
Deviations /,Extra items, pricing	12.2 In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.	12.2 A. For Project and original works: In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with

the rates so determined. B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plush cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate. Deviations,

Deviations, Substituted items, pricing

In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.

- (a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).
- (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)

A. For Project and original works:

In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.

- (a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).
- (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)
- B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:

In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plush cost index (at the time of tender) plus/minus percentage above below quoted contract amount.

Payment of Extra items in case of

Deviations, Deviated Quantities, pricing

In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.

A. For Project and original works:

In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F. the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

- B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:
- In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.

12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

- 12.3 A. For Project and original works: The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.
- B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:

In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

14. The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / ninety days from the date of opening of financial bid in case Tenders are invited on 2/3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money

as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.

11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.

CPWD-6

14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / Ninety days from the date of opening of Technical bid in case Tenders are invited on 2 envelope system / 120 days from the date of opening of Technical bids bids in case tenders are invited for specialized works on 3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.

11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance quarantee.

The Contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board and Programme Chart (Time and Progress) Within the period specified in schedule in Schedule F.

No Provision	No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, Whatever applicable are submitted by the contractor to the Engineer-in-Charge.
The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work.	license under the Contract Labour (R&A) Act, 1970 and the Contract
(i)Time allowed for submission of performance Guarantee from the date of issue of letter of acceptancedays.	(i)Time allowed for submission of performance Guarantee, Programme Chart (Time and Progress) and applicable labour licenses, registration with EPFO, 'ESIC and BOCW Wefare Board or proof of applying thereof from the date of issue of letter of acceptancedays.
No Provision	Whether Clause 7A Shall be Applicable Yes

15. Sales-tax/VAT (expect service tax), purchase tax, turnover tax any other tax applicable in respect of this contract shall be payable by the contractor and Government will not entertain any claim whatsoever in respect of service tax same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the engineer-incharge after satisfying that it has been actually and genuinely paid by the contractor.

15. GST or any other tax applicable in respect of input procured by the contractor for this contract shall be payble by the Contractor and Government will not entertain any claim whatsoever in respect of the same, However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including, extension if any.

CLAUSE 37

(i) Sales Tax. Vat (except Service Tax), Building and other Construction Workers Cess or any other tax or Cess in respect of this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect. However, in respect of service tax. same shall be paid the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-i-charge after satisfying that it has been actually and genuinely paid by the contractor.

CLAUSE-37

(i) GST, Building and other construction workers welfare Cess or any other tax, Levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect except as provided under clause 38.

CLAUSE-38

(i) All tendered rates, shall be inclusive of all taxes and levies (except Service Tax) payable under respective statutes. However, if any further tax or levy or cess is imposed by the statute. after the last stipulated date for the receipt of tender including extensions if any and the contractor thereupon necessarily and properly pays such taxes/levies/cess, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.

CLAUSE-38

(i) All tendered rates shall be inclusive of any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e, increase or decrease shall be made for any variation in the rate of GST, **Building and Other Construction Workers** Welfare Cess or any tax, levy or cess applicable on inputs. However, effect of variation in rates of GST or Building and Other Construction workers welfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on either side, increase or decrease. Provided for Building and other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/levies/cess. Provided further that such adjustment including GST shall not be made in the extended period of contract for which the contractor alone in responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Sl. No.	Documents	Content	File Types					
1.	Technical Bid	Scanned copy /Online Payment of EMD	.PDF					
2.		Enlistment order of contractor.	.PDF					
3.		Attested certificate of work experience.	.PDF					
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF					
5.		Affidavit as per Notice Inviting Tender condition 1.3 of page 19 of NIT to be submitted on stamp paper.						
6.		Acceptance to execute INTEGRITY PACT.	.PDF					
7.		Undertaking as per tender notice on firm's letter head if the scan copy of EMD uploaded.	.PDF					
8.		ESI and EPF Registration.	PDF					
9.		FORM "F" (Duly filled with all required details	.PDF					
10.		Proof of tender fees	.PDF					
11		Any other documents specified in NIT	PDF					
	Envelope – 2							
Sl. No.	TYPES	Content						
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls					

All above documents shall be as per Tender Notice.

SCHEDULE OF QUANTITY

Name of work:- Renovation & Modification in V-LT1 for CRF lab in academic area at IIT Delhi. Sub Head :- Civil Work

Sr. No.	Description	Qty.	Unit	Rate	Amount
	CONCRETE WORK				
1	Providing and laying in position cement concrete of				
	specified grade excluding the cost of centering and				
	shuttering - All work up to plinth level:				
1.1	1:5:10 (1 cement : 5 coarse sand (zone-III): 10 graded	15.5	Cum.		
	stone aggregate 40 mm nominal size).				
	REINFORCED CEMENT CONCRETE				
2	Reinforced cement concrete work in beams, suspended	0.1	Cum.		
	floors, roofs having slope up to 15° landings, balconies,				
	shelves, chajjas, lintels, bands, plain window sills,				
	staircases and spiral stair cases above plinth level up to				
	floor five level, excluding the cost of centering,				
	shuttering, finishing and reinforcement, with 1:1.5:3 (1				
	cement: 1.5 coarse sand (zone-III): 3 graded stone				
	aggregate 20 mm nominal size).				
3	Centering and shuttering including strutting, propping				
	etc. and removal of form for all heights:				
3.1	Shelves (Cast in situ)	2	Sqm.		
4	Steel reinforcement for R.C.C. work including		7-1		
•	straightening, cutting, bending, placing in position and				
	binding all complete above plinth level.				
4.1	Thermo-Mechanically Treated bars of grade Fe-500 D	85	Kg.		
1.1	or more.	0.5	115.		
	BRICK WORK				
5	Half brick masonry with common burnt clay F.P.S.				
3	(non modular) bricks of class designation 7.5 in				
	foundations and plinth in :				
5.1	Cement mortar 1:3 (1 cement : 3 coarse sand)	2	Sqm.		
3.1	MARBLE WORK		bqiii.		
6	Providing and fixing 18 mm thick gang saw cut, mirror				
U	polished, premoulded and prepolished, machine cut for				
	kitchen platforms, vanity counters, window sills, facias				
	and similar locations of required size, approved shade,				
	colour and texture laid over 20 mm thick base cement				
	mortar 1:4 (1 cement : 4 coarse sand), joints treated				
	with white cement, mixed with matching pigment,				
	epoxy touch ups, including rubbing, curing, moulding				
	and polishing to edges to give high gloss finish etc.				
	complete at all levels.				
6.1	Granite of any colour and shade				
6.1.1	Area of slab upto 0.50 sqm	2	Sqm.		
7	Providing edge moulding to 18 mm thick marble stone	<u> </u>	Sqiii.		
/	counters, Vanities etc., including machine polishing to				
	edge to give high gloss finish etc. complete as per				
	design approved by Engineer-in-Charge.				
7 1	Granite work	1	NAto		
7.1		4	Mtr.		
8	Extra for fixing marble /granite stone, over and above	4	Mtr.		
	corresponding basic item, in facia and drops of width				

	unto 150 mm with anomy main board adhasing			
	upto 150 mm with epoxy resin based adhesive,			
	including cleaning etc. complete.		- I	
9	Extra for providing opening of required size & shape	2	Each	
	for wash basin/kitchen sink in kitchen platform, vanity			
	counter and similar location in marble/ Granite/ stone			
	work, including necessary holes for pillar taps etc.			
	including moulding, rubbing and polishing of cut edges			
	etc. complete.			
10	Providing and laying Polished Granite stone flooring in			
	required design and patterns, in linear as well as			
	curvilinear portions of the building, all complete as per			
	the architectural drawings, with 18 mm thick stone slab			
	over 20 mm (average) thick base of cement mortar 1:4			
	(1 cement : 4 coarse sand), laid and jointed with cement			
	slurry and pointing with white cement slurry admixed			
	with pigment of matching shade, including rubbing,			
	curing and polishing etc. all complete as specified and			
	as directed by the Engineer-in-Charge.			
10.1	Polished Granite stone slab jet Black, Cherry Red, Elite	330	Sqm.	
	Brown, Cat Eye or equivalent.		•	
	WOOD AND P.V.C. WORK			
11	Providing and fixing aluminium extruded section body	20	Each	
	tubular type universal hydraulic door closer (having	-		
	brand logo with IS: 3564, embossed on the body, door			
	weight upto 36 kg to 80 kg and door width from 701			
	mm to 1000 mm), with double speed adjustment with			
	necessary accessories and screws etc. complete.			
12	Providing and fixing aluminium sliding door bolts, ISI			
12	marked anodised (anodic coating not less than grade			
	AC 10 as per IS: 1868), transparent or dyed to required			
	colour or shade, with nuts and screws etc. complete:			
12.1	300x16 mm	20	Each	
13	Providing and fixing aluminium tower bolts, ISI	20	Lacii	
13	marked, anodised (anodic coating not less than grade			
	AC 10 as per IS: 1868) transparent or dyed to required			
	colour or shade, with necessary screws etc. complete:			
13.1	200x10 mm	26	Each	
		20	Eacii	
14	Providing and fixing aluminium handles, ISI marked,			
	anodised (anodic coating not less than grade AC 10 as			
	per IS: 1868) transparent or dyed to required colour or			
1 / 1	shade, with necessary screws etc. complete.	40	T71	
14.1	125 mm	40	Each	
15	Providing and fixing aluminium hanging floor door			
	stopper, ISI marked, anodised (anodic coating not less			
	than grade AC 10 as per IS : 1868) transparent or dyed			
	to required colour and shade, with necessary screws etc.			
4	complete.	• • • • • • • • • • • • • • • • • • • •	.	
15.1	Twin rubber stopper	20	Each	
16	Providing and fixing bright finished brass 100 mm	13	Each	
	mortice latch and lock, ISI marked, with six levers and			
	a pair of anodised (anodic coating not less than grade			
	AC 10 as per IS: 1868) aluminium lever handles of			
	approved quality with necessary screws etc. complete.			
	STEEL WORK			
17	Steel work in built up tubular (round, square or			
	rectangular hollow tubes etc.) trusses etc., including			

	cutting, hoisting, fixing in position and applying a			
	priming coat of approved steel primer, including			
	welding and bolted with special shaped washers etc.			
17.1	complete.	200	***	
17.1	Electric resistance or induction butt welded tubes	200	Kg.	
	ROOFING			
18	Providing and fixing tiled false ceiling of specified			
	materials of size 595x595 mm in true horizontal level,			
	suspended on inter locking metal grid of hot dipped			
	galvanized steel sections (galvanized @ 120 grams/			
	sqm, both side inclusive) consisting of main "T" runner			
	with suitably spaced joints to get required length and of			
	size 24x38 mm made from 0.30 mm thick (minimum)			
	sheet, spaced at 1200 mm center to center and cross "T"			
	of size 24x25 mm made of 0.30 mm thick (minimum)			
	sheet, 1200 mm long spaced between main "T" at 600			
	mm center to center to form a grid of 1200x600 mm and			
	secondary cross "T" of length 600 mm and size 24x25			
	mm made of 0.30 mm thick (minimum) sheet to be			
	interlocked at middle of the 1200x600 mm panel to			
	form grids of 600x600 mm and wall angle of size			
	24x24x0.3 mm and laying false ceiling tiles of			
	approved texture in the grid including, required			
	cutting/making, opening for services like diffusers,			
	grills, light fittings, fixtures, smoke detectors etc. Main			
	"T" runners to be suspended from ceiling using GI			
	slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to			
	ceiling with 12.5 mm dia and 50 mm long dash			
	fasteners, 4 mm GI adjustable rods with galvanised			
	butterfly level clips of size 85 x 30 x 0.8 mm spaced at			
	1200 mm center to center along main T, bottom			
	exposed width of 24 mm of all T-sections shall be pre-			
	painted with polyester paint, all complete for all heights			
	as per specifications, drawings and as directed by			
	Engineer-in-charge.			
18.1	GI Metal Ceiling Lay in perforated Tegular edge global	321	Sqm.	
10.1	white color tiles of size 595x595 mm and 0.5 mm thick	321	oqiii.	
	with 8 mm drop; made of GI sheet having galvanizing			
	of 100 gms/sqm (both sides inclusive) and 20%			
	perforation area with 1.8 mm dia holes and having NRC			
	(Noise Reduction Coefficient) of 0.5, electro statically			
	polyester powder coated of thickness 60 microns			
	(minimum), including factory painted after bending and			
	perforation, and backed with a black Glass fiber			
	acoustical fleece.			
19	Providing and fixing thermal insulation with Resin	270	Sqm.	
1)	Bonded rock wool conforming to IS: 8183, having	210	oqiii.	
	density 48 kg/m3, 50 mm thick, wrapped in 200 G			
	Virgin Polythene Bags fixed to wall with screws, rawel			
	plug & washers and held and in position by criss			
	cossing GI wire etc. complete as per directions of			
	Engineer-in-Charge.			
	FINISHING			
20				
20	12 mm cement plaster of mix:	2	C ~ · · ·	
20.1	1:4 (1 cement: 4 coarse sand)	3	Sqm.	
21	20 mm cement plaster 1:2 (1 cement : 2 stone dust).	10	Sqm.	

22	Finishing walls with Acrylic Smooth exterior paint of			
22.1	required shade:	400	C	
22.1	New work (Two or more coat applied @ 1.67 ltr/10 sqm	400	Sqm.	
	over and including priming coat of exterior primer			
22	applied @ 2.20 kg/10 sqm)			
23	Wall painting with acrylic emulsion paint of approved			
	brand and manufacture to give an even shade:	220	~	
23.1	Two or more coats on new work	220	Sqm.	
24	Providing and applying white cement based putty of	640	Sqm.	
	average thickness 1 mm, of approved brand and			
	manufacturer, over the plastered wall surface to prepare			
	the surface even and smooth complete.			
	REPAIRS TO BUILDINGS			
25	system in the scaffolding for working platform etc. and	369	Sqm.	
	maintaining it in a serviceable condition for the			
	required duration as approved and removing it there			
	after .The scaffolding system shall be stiffened with			
	bracings, runners, connection with the building etc			
	wherever required for inspection of work at required			
	locations with essential safety features for the workmen			
	etc. complete as per directions and approval of			
	Engineerin-charge			
	.The elevational area of the scaffolding shall be			
	measured			
	for payment purpose .The payment will be made once			
	irrespective of duration of scaffolding.			
	Note: - This item to be used for maintenance work			
	judicially,			
	necessary deduction for scaffolding in the existing item			
	to be done.			
	DISMANTLING & DEMOLISHING			
26	Demolishing cement concrete manually/ by mechanical			
20	means including disposal of material within 50 metres			
	lead as per direction of Engineer - in – charge.			
26.1		11	Cum	
26.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent	11	Cum.	
27	design mix)			
27	Dismantling wooden boardings in lining of walls and			
	partitions, excluding supporting members but including			
27.1	stacking within 50 metres lead :	10	Come	
27.1	Up to 10 mm thick	19	Sqm.	
28	Dismantling cement asbestos or other hard board	565	Sqm.	
	ceiling or partition walls including stacking of			
	serviceable materials and disposal of unserviceable materials within 50 metres lead.			
20		35	Cum	
29	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by	33	Cum.	
	•			
	mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as			
	approved by Engineer-in-charge, beyond 50 m initial			
	lead, for all leads including all lifts involved.			
20	SANITARY INSTALLATIONS	1	D. 1	
30	Providing and fixing wash basin with C.I. brackets, 15	1	Each	
	mm dia CP Brass single hole basin mixer of approved			
	quality and make, including painting of fittings and brackets, cutting and making good the walls wherever			
1				

	required:- (a) White Vitreous China Wash basin size			
	_			
	550x400 mm with a 15 mm CP Brass single hole basin			
21	mixer	1	Б 1	
31	Providing and fixing white vitreous china pedestal for	1	Each	
	wash basin completely recessed at the back for the			
	reception of pipes and fittings			
32	Providing and fixing white vitreous china laboratory			
	sink with C.I. brackets, C.P. brass chain with rubber			
	plug, 40 mm C.P brass waste and 40mm C.P. brass trap			
	with necessary C.P. brass unions complete, including			
	painting of fittings and brackets, cutting and making			
	good the wall wherever required :			
32.1	Size 600x450x200 mm	2	Each	
33	Providing and fixing P.V.C. waste pipe for sink or wash			
	basin including P.V.C. waste fittings complete.			
33.1	Flexible pipe			
33.1.1	32 mm dia	2	Each	
34			Lacii	
34	Providing and fixing bend of required degree with			
	access door, insertion rubber washer 3 mm thick, bolts			
24.1	and nuts complete.			
34.1	75 mm dia		- 1	
34.1.1	Sand cast iron S&S as per IS - 1729	2	Each	
35	Providing and fixing soil, waste and vent pipes:			
35.1	75 mm diameter :			
35.1.1	Sand cast iron S&S pipe as per IS: 1729	2	Each	
36	Providing and fixing trap of self cleansing design with			
	screwed down or hinged grating with or without vent			
	arm complete, including cost of cutting and making			
	good the walls and floors :			
36.1	100 mm inlet and 75 mm outlet			
36.1.1	Sand cast iron S&S as per IS - 3989	1	Each	
	WATER SUPPLY			
37	Providing and fixing G.I. pipes complete with G.I.			
37	fittings and clamps, i/c cutting and making good the			
	walls etc.			
37.1	15 mm dia nominal bore	10	Mtr.	
37.2	20 mm dia nominal bore	30	Mtr.	
38	Painting G.I. pipes and fittings with synthetic enamel			
	white paint with two coats over a ready mixed priming			
	coat, both of approved quality for new work:			
38.1	20 mm nominal outer dia Pipes	30	Mtr.	
39	Providing and fixing plasticised PVC connection pipe			
	with brass unions.			
39.1	45 cm length			
39.1.1	15 mm nominal bore	1	Each	
40	Providing and fixing G.I. Union in existing G.I. pipe			
	line, cutting and threading the pipe and making long			
	screws, including excavation, refilling the earth or			
	cutting of wall and making good the same complete			
	wherever required :			
40.1	20 mm nominal bore	4	Each	
41	Providing and placing on terrace (at all floor levels)		Lucii	
71	polyethylene water storage tank, IS: 12701 marked,			
	with cover and suitable locking arrangement and			
	with cover and suitable locking arrangement and			

			1		ı
	making necessary holes for inlet, outlet and overflow				
	pipes but without fittings and the base support for tank				
41.1	Circular tank	1000	Per ltr.		
42	Providing and fixing C.P. brass long nose bib cock of				
	approved quality conforming to IS standards and				
	weighing not less than 810 gms.				
42.1	15 mm nominal bore	1	Each		
	DRAINAGE				
43	Providing, laying and jointing glazed stoneware pipes				
	class SP-1 with stiff mixture of cement mortar in the				
	proportion of 1:1 (1 cement : 1 fine sand) including				
	testing of joints etc. complete:				
43.1	100 mm diameter	10	Mtr.		
44	Providing and laying cement concrete 1:5:10 (1 cement				
	: 5 coarse sand : 10 graded stone aggregate 40 mm				
	nominal size) all-round S.W. pipes including bed				
	concrete as per standard design:				
44.1	100 mm diameter S.W. pipe	10	Mtr.		
45	Providing and fixing square-mouth S.W. gully trap	-		-	
	class SP-1 complete with C.I. grating brick masonry				
	chamber with water tight C.I. cover with frame of 300				
	x300 mm size (inside) the weight of cover to be not less				
	than 4.50 kg and frame to be not less than 2.70 kg as				
	per standard design:				
45.1	100x100 mm size P type				
45.1.1	With common burnt clay F.P.S. (non modular) bricks	1	Each		
	of class designation 7.5				
46	Constructing brick masonry manhole in cement mortar				
	1:4 (1 cement : 4 coarse sand) with R.C.C. top slab				
	with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded				
	stone aggregate 20 mm nominal size), foundation				
	concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded				
	stone aggregate 40 mm nominal size), inside plastering				
	12 mm thick with cement mortar 1:3 (1 cement : 3				
	coarse sand) finished with floating coat of neat cement				
	and making channels in cement concrete 1:2:4 (1				
	cement : 2 coarse sand : 4 graded stone aggregate 20				
	mm nominal size) finished with a floating coat of neat				
	cement complete as per standard design:				
46.1	Inside size 90x80 cm and 45 cm deep including C.I.				
	cover with frame (light duty) 455x610 mm internal				
	dimensions, total weight of cover and frame to be not				
	less than 38 kg (weight of cover 23 kg and weight of				
	frame 15 kg):				
46.1.1	With common burnt clay F.P.S. (non modular) bricks	1	Each		
	of class designation 7.5				
	ALUMINIUM WORK				
47	Providing and fixing aluminium work for doors,				
	windows, ventilators and partitions with extruded built				
	up standard tubular sections/ appropriate Z sections and				
	other sections of approved make conforming to IS: 733				
	and IS: 1285, fixing with dash fasteners of required dia				
	and size, including necessary filling up the gaps at				
	junctions, i.e. at top, bottom and sides with required				
	EPDM rubber/ neoprene gasket etc. Aluminium				
	sections shall be smooth, rust free, straight, mitred and				

	· · · · · · · · · · · · · · · · · · ·			
	jointed mechanically wherever required including cleat			
	angle, Aluminium snap beading for glazing / paneling,			
	C.P. brass / stainless steel screws, all complete as per			
	architectural drawings and the directions of Engineer-			
	in-charge. (Glazing, paneling and dash fasteners to be			
45.1	paid for separately):			
47.1	For fixed portion	1070	**	
47.1.1	Powder coated aluminum (minimum thickness of	1870	Kg.	
48	powder coating 50 micron). For shutters of doors, windows & ventilators including			
40	providing and fixing hinges/ pivots and making			
	provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket			
	required (Fittings shall be paid for separately)			
48.1	Powder coated aluminum (minimum thickness of	282	Κα	
40.1	powder coating 50 micron).	202	Kg.	
49	Providing and fixing 12 mm thick prelaminated particle			
	board flat pressed three layer or graded wood particle			
	board conforming to IS: 12823 Grade 1 Type II, in			
	panelling fixed in aluminum doors, windows shutters			
	and partition frames with C.P. brass / stainless steel			
	screws etc. complete as per architectural drawings and			
	directions of Engineer-in-charge.			
49.1	Pre-laminated particle board with decorative	4.5	Sqm.	
	lamination on both sides		1	
50	Providing and fixing glazing in aluminium door,			
	window, ventilator shutters and partitions etc. with			
	EPDM rubber/ neoprene gasket etc. complete as per the			
	architectural drawings and the directions of engineer-			
	in-charge. (Cost of aluminium snap beading shall be			
	paid in basic item):			
50.1	With float/frosted glass panes of 5.50 mm thickness.	157	Sqm.	
51	Filling the gap in between aluminium frame & adjacent			
	RCC/ Brick/ Stone work by providing weather silicon			
	sealant over backer rod of approved quality as per			
	architectural drawings and direction of Engineer-in-			
71.1	charge complete.	200	3.6	
51.1	Upto 5mm depth and 5 mm width	300	Mtr.	
52	Providing and fixing double glazed hermetically sealed	14	Sqm.	
	glazing in aluminium windows, ventilators and			
	partition etc. with 6 mm thick clear float glass both side,			
	having 12 mm air gap, including providing EPDM			
	gasket, perforated aluminium spacers, desiccants, sealant (Both primary and secondary sealant) etc. as per			
	specifications, drawings and direction of Engineer-in-			
	charge complete.			
53	Providing and fixing 100mm brass locks (best make of	13	Each	
33	approved quality) for aluminium doors including	1.5	Lacii	
	necessary cutting and making good etc. complete.			
54	Designing, fabricating, testing, installing and fixing in			
	position Curtain Wall with Aluminium Composite			
	Panel Cladding, with open grooves for linear as well as			
	curvilinear portions of the building, for all heights and			
	all levels etc. including:			
54.1	(a) Structural analysis & design and preparation of shop			
	drawings for pressure equalisation or rain screen			

				1	1
	principle as required, proper drainage of water to make it watertight including checking of all the structural and				
	functional design.				
54.1.1	(b) Providing, fabricating and supplying and fixing				
34.1.1	panels of aluminium composite panel cladding in pan				
	shape in metalic colour of approved shades made out of				
	4mm thick aluminium composite panel material				
	consisting of 3mm thick FR grade mineral core				
	sandwiched between two Aluminium sheets (each				
	0.5mm thick). The aluminium composite panel				
	cladding sheet shall be coil coated, with Kynar 500				
	based PVDF / Lumiflon based fluoropolymer resin				
	coating of approved colour and shade on face # 1 and				
	polymer (Service) coating on face # 2 as specified using				
	stainless steel screws, nuts, bolts, washers, cleats,				
	weather silicone sealant, backer rods etc.				
54.1.1.1	The fastening brackets of Aluminium alloy 6005 T5 /	235	Sqm.		
	MS with Hot Dip Galvanised with serrations and				
	serrated washers to arrest the wind load movement,				
	fasteners, SS 316 Pins and anchor bolts of approved				
	make in SS 316, Nylon separators to prevent bi-metallic				
	contacts all complete required to perform as per				
	specification and drawing The item includes cost of all				
	material & labour component, the cost of all mock ups				
	at site, cost of all samples of the individual components				
	for testing in an approved laboratory, field tests on the				
	assembled working curtain wall with aluminium				
	composite panel cladding, cleaning and protection of				
	the curtain wall with aluminium composite panel				
	cladding till the handing over of the building for occupation. Base frame work for ACP cladding is				
	payable under the relevant aluminium item.s The				
	Contractor shall provide curtain wall with aluminium				
	composite panel cladding, having all the performance				
	characteristics all complete, as per the Architectural				
	drawings, as per item description, as specified, as per				
	the approved shop drawings and as directed by the				
	Engineer-in-Charge. However, for the purpose of				
	payment, only the actual area on the external face of the				
	curtain wall with Aluminum Composite Panel Cladding				
	(including width of groove) shall be measured in sqm.				
	up to two decimal places."				
	Non Schedule Item (B)				
55	Providing and fixing 10 mm thick non - asbestos	470	Sqm.		
	multipurpose cement board reinforced with cellulose				
	fiber manufactured through autoclaving process (high				
	pressure steam cured) as per IS:14862 of Everest				
	industries Ltd or equivalent make, over the exidting				
	MS frame work (to be paid in basis items) with 25 mm				
	counter sunk ribbed hard screws @200m center to				
	center.				
5.0	Electrical Items				
56	Wiring for light point/ fan point/ exhaust fan point/ call				
	bell point with 1.5 sq.mm FRLS PVC insulated copper				
	conductor single core cable in surface / recessed steel				
	conduit, with modular switch, modular plate, suitable				

	CI to and and in the mint with 1.5 and EDIC			1
	GI box and earthing the point with 1.5 sq.mm FRLS			
	PVC insulated copper conductor single core cable etc.			
	as required.			
56.1	Group C	100	point	
57	Wiring for light/ power plug with 2X4 sq. mm FRLS	400	Mtr.	
37		400	IVIU.	
	PVC insulated copper conductor single core cable in			
	surface/ recessed steel conduit alongwith 1 No. 4 sq.			
	mm FRLS PVC insulated copper conductor single core			
	cable for loop earthing as required.			
58	Wiring for light/ power plug with 4X4 sq. mm FRLS	400	Mtr.	
	PVC insulated copper conductor single core cable in			
	surface/ recessed steel conduit alongwith 2 Nos. 4 sq.			
	mm FRLS PVC insulated copper conductor single core			
	cable for loop earthing as required.			
59	Wiring for circuit/ submain wiring alongwith earth wire			
	with the following sizes of FRLS PVC insulated copper			
	conductor, single core cable in surface/ recessed steel			
	conduit as required.			
59.1	2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire	200	Mtr.	
				+
59.2	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	300	Mtr.	
59.3	4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire	100	Mtr.	
59.4	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	100	Mtr.	
60	Supplying and drawing following sizes of FRLS PVC			
	insulated copper conductor, single core cable in the			
	existing surface/ recessed steel/ PVC conduit as			
	required.			
60.1	3 x 2.5 sq. mm	200	Mtr.	
60.2	3 x 4 sq. mm	400	Mtr.	
60.3	6 x 4 sq. mm	100	Mtr.	
61	Supplying and fixing following modular switch/ socket			
	on the existing modular plate & switch box including			
	connections butexcluding modular plate etc. as			
	required.			
61.1	15/16 A switch	80	Each	
61.2	6 pin 15/16 A socket outlet	80	Each	
62	Supplying and fixing following size/ modules, GI /			
	PVC box alongwith modular base & cover plate for			
	modular switches in recess etc. as required.			
62.1	6 Module (200 mmX75 mm)	10	Each	
62.2	12 Module (200mmX150mm)	15	Each	
63	Supplying and installation of Recess mounting LED	50	Each	
		50	Lacii	
	luminaire equipped with CRCA powder coating			
	housing, anti glare polycarbonate diffuser with energy			
	efficient electronic driver with following features:-			
	Suitable for operating voltage and frequency: 130-300			
	Va.c, 50 Hz.; wattage not more than 30 Watts;Output			
	lumens not less than 3300 lm; CCT not less than			
	6500K; Dimension in mm (595X595); Nominal surge			
	protection 2.5 kV;Power factor not less than 0.9;			
	Minimum IP protection 20;			
64		10	Nos.	1
04	Supplying and installation of Surface mounting square	10	INOS.	
	LED luminaire equipped with die-cast aluminium /			
	CRCA housing, anti glare polycarbonate diffuser with			
	energy efficient electronic driver with following			
	features:-Suitable for operating voltage and frequency:			
	130-300 Va.c, 50 Hz.; wattage not more than 15			
			l	L

				ı
	Watts;Output lumens not less than 1050 lm; CCT not			
	less than 6000K; Nominal surge protection 2.5			
	kV;Power factor not less than 0.9; Minimum IP			
	protection 20;			
65	Supplying and fixing of 5 star rated, 1200mm sweep	25	Nos.	
	ceiling fan complete with all accessories for use on	25	1105.	
	220/240 volts 50 HZ, single phase A/C Supply			
	including wiring the down rods of standard length (upto			
	30cm) with 1.5 sq. mm FRLS PVC insulated, copper			
	conductor single/ multi core cable etc as reqd.			
66	Supplying and fixing two module stepped type	25	Each	
	electronic fan regulator on the existing modular plate			
	switch box including connections but excluding			
	modular plate etc. as required.			
67	Supplying and fixing modular blanking plate on the	20	Each	
	existing modular plate & switch box excluding modular			
	plate as required.			
68	Providing and fixing M.S. fan hook for ceiling fan,	25	Nos.	
	including digging in RCC & making god the same			
	complete as required			
69	Supplying and fixing following way, single pole and			
0)	neutral, sheet steel, MCB distribution board, 240 V, on			
	surface/ recess, complete with tinned copper bus bar,			
	neutral bus bar, earth bar, din bar, interconnections,			
	powder painted including earthing etc. as required. (But			
<i>c</i> 0.1	without MCB/RCCB/Isolator)	1	T- 1	
69.1	12 way, Double door	4	Each	
70	Supplying and fixing of following ways surface/ recess			
	mounting, vertical type, 415 V, TPN MCB distribution			
	board of sheet steel,dust protected, duly powder			
	painted, inclusive of 200 A, tinned copper bus bar,			
	common neutral link, earth bar, din bar for mounting			
	MCBs (but without MCBs and MCCB incomer) as			
	required. (Note: Vertical type MCB TPDB is normally			
	used where 3 phase outlets are required.)			
71.1	8 way (4+24), Double door	3	Each	
71.2	12 way (4+36), Double door	3	Each	
72	Supplying and fixing 125 amps, 18 KA, TP MCCB in	6	Nos.	
	the existing TPN Distribution board/ panel board			
	including testing & commissioning etc. complete as			
	required.			
73	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10			
	kA, "C" curve, miniature circuit breaker suitable for			
	inductive load of following poles in the existing MCB			
	DB complete with connections, testing and			
	commissioning etc. as required.			
73.1	Single pole	200	Each	
73.2	Triple Pole	20	Each	
74	Supplying and fixing following rating, double pole, 240	~		
	V, isolator in the existing MCB DB complete with			
	connections, testing and commissioning etc. as			
	required.			
	For 14 way, Double door SPN MCBDB			
74.1	63 A	4	Each	
/4.1	UJ A	4	Lacii	<u> </u>

	Turning to the state of the sta			
75	Supplying and fixing Cable End Box (Loose Wire Box)	4	Each	
	suitable forfollowing single pole and neutral, sheet			
	steel, MCB distribution board, 240 Volts, on surface/			
	recess, complete with testing and commissioning etc. as			
	required. For 14 way, Double door SPN MCBDB			
76	Supplying and fixing Cable End Box (Loose Wire Box)	6	Each	
, 0	suitable for following triple pole and neutral, sheet	Ü	2	
	steel, MCB distribution board, 415 Volts, on surface/			
	recess, complete with testing and commissioning etc.as			
	required. For 8 way, Double door TPN MCBDB			
77		10	Eagle	
77	Supplying and fixing 20 A, 240 V, SPN Industrial type	10	Each	
	socket outlet, with 2 pole and earth, metal enclosed plug			
	top alongwith 20 A, "C" curve, SP, MCB, in sheet steel			
	enclosure, on surface or in recess, with chained metal			
	cover for the socket out let and complete with			
	onnections, testing and commissioning etc. as required.			
78	Supplying and fixing 20 A, 415 V, TPN Industrial type	10	Each	
	socket outlet, with 4 pole and earth, metal enclosed plug			
	top alongwith 20 A, "C" curve, TPMCB, in sheet steel			
	enclosure, on surface or in recess, with chained metal			
	cover for the socket out let and complete with			
	connections, testing and commissioning etc. as			
	required.			
79	Supplying and fixing DP sheet steel enclosure on	10	Each	
	surface/ recess along with 25/32 A 240 V "C" curve DP			
	MCB complete with connections, testing and			
	commissioning etc. as required.			
80	Supplying and fixing TP sheet steel enclosure on	10	Each	
	surface/ recess along with 16/25/32 A 415 V "C" curve	10	Lacii	
	TP MCB complete with connections, testing and			
	commissioning etc. as required.			
81	Supplying and fixing call bell/ buzzer suitable for	10	Each	
01	11 0	10	Eacii	
92	single phase, 230 V, complete as required.	150	East	
82	Supplying and fixing extra down rod of 10 cm length	150	Each	
	G.I. pipe, 15 mm dia, heavy gauge including painting			
	etc. as required. (Note: More than 5 cm length shall be			
	rounded to the nearest 10 cm and 5 cm or less shall be			
	ignored)			
83	Supplying and fixing of 250mm sweep Fresh Air fan	5	Each	
	complete with suitable size louvers and PVC housing			
	with all accessories suitable for use on 230 V, 50 Hz			
	supply in the existing opening, including making good			
	the damage, connection, testing and commissioning			
	etc. as required.			
84	Supplying and fixing of 450 mm size exhaust fan	5	Each	
	complete with suitable size louvers with all accessories			
	suitable for use on 230 V, 50 Hz supply in the existing			
	opening, including making good the damage,			
	connection, testing and commissioning etc. as			
	required.as required			
85	Providing and fixing FRPVC trunkig without cover of	110	Mtr.	
	(105 mm X 50 mm) Size on existing wall etc. as	110	1.101.	
	required.			
86	Providing and fixing following accessories on the			
30	existing FRPVC trunking etc. as required.			
86.1	FRPVC trunking cover of size(105 mm X 50 mm)	110	Nos.	
00.1	TAT VC HUHKING COVEL OF SIZE(103 HIHI A 30 HIHI)	110	1105.	

86.2	End caps	20	Nos.	
86.3	6/8 Modules Arteor frame	50	Nos.	
86.4	Flat angle	15	Nos.	
86.5	Internal angle	15	Nos.	
86.6	External angle	15	Nos.	
87	Modular 16A/20 amps switch on the existing modular	100	Nos.	
	plate & switch box / channel including connection.	100	1,05,	
88	Modular 6/16 amps multi socket on the existing	100	Nos.	
	moudular plate & switch box including connection.			
89	Body joint	15	Nos.	
90	Cover joint	15	Nos.	
91	Supply and making end Termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.			
91.1	2 X 6 sq. mm (19mm)	10	Each	
91.2	4 X 25 sq. mm (28mm)	10	Each	
91.3	3½ X 185 sq. mm (57mm)	4	Each	
92	Supplying and Laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade conforming to I.S-1554/1/88			
92.1	2 X 6 sq. mm	100	Mtr.	
92.2	4 X 25 sq. mm	300	Mtr.	
92.3	3½ X 185 sq. mm	320	Mtr.	
93	Excavation for cable trenches in soft soil, depth upto 1.2 m including dressing of sides lift upto 1.5 m, including getting out the excavated soil, refilling with sand and or good soil after laying of cable/ pipe etc in layers of 20 cm, ramming, watering and disposal of surplus excavated soil as directed, within a lead of 50 metres.	90	Mtr.	
94	Excavation of the cable trenches in hard rock not exceeding 1.5 metres in width, and lift upto 1.5 metres, including getting out the excavated soil and disposal of excavated soil as directed within a lead of 50 metres.	40	Mtr.	
95	Providing and fixing 8 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/recessed conduit/ submain wiring/ cable as required.	1440	Mtr.	
96	Supplying and installing following size of perforated painted with powder coating M.S. cable trays with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required.	20		
96.1	100 mm width X 50 mm depth X 1.6 mm thickness	20	Mtr.	
97.1	Supplying and installing following size of perforated painted with powder coating M.S. cable trays bends with perforation not more than 17.5%,, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required. 100 mm width X 50 mm depth X 1.6 mm thickness	8	Each	
97.1	100 min widin A 30 min deput A 1.0 min unckness	٥	Lach	

98	Supplying and installing following size of perforated			
	painted with powder coating M.S. cable trays Tee with			
	perforation not more than 17.5%, joined with			
	connectors, suspended from the ceiling with M.S.			
	suspenders including bolts & nuts, painting suspenders			
	etc as required.			
98.1	100 mm width X 50 mm depth X 1.6 mm thickness	6	Each	
99	Supplying and fixing of 125 AMP TPN switch fuse unit	1	Each	
	suitable for operation on 415 V, 50 Hz AC supply of 23			
	A category conforming to IS 60947-3 complete with			
	DIN type HRC fuses of 125A rating etc. complete as			
	required.			
99.1	Supplying and fixing of 250 AMP TPN switch fuse unit	1	Each	
	suitable for operation on 415 V, 50 Hz AC supply of 23			
	A category conforming to IS 60947-3 complete with			
	DIN type HRC fuses of 250A rating etc. complete as			
100	required.	20	Men	
100	Supplying and Fixing of PVC insulated and PVC sheathed un-armoured copper conductor cable of 1.1	20	Mtr.	
	KV grade of 25 Sq. mm size including making end			
	Termination with brass compression gland and			
	aluminium Lugs etc. as required			
101	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia	2	Each	
101	including accessories, and providing masonry	_	Lucii	
	enclosure with cover plate having locking arrangement			
	and watering pipe etc. with charcoal/ coke and salt as			
	required.			
102	Supplying, Making, Testing & Commissioning of	2	Each	
	advance maintenance free Chemical Gel Earthing of			
	single pipe technology (Copper) of 3 mtr. Long 50 mm			
	dia filled with highly conducting metallic compound			
	with the permanent sealings at the both ends with the			
	lead terminal 32X10mm at the top along with 50 kgs of			
	chemical gel for resistance lowering grounding			
	minerals. The CHEMRODE shall be duly tested for a			
102	minimum short circuit current 30 kA rms.	2	F1.	
103	Supplying & installation of heavy duty polyplastic	2	Each	
	weather proof earth pit/ chamber with cover of auto locking facility with the following dimensions: 254mm			
	dia(top),330 mm dia (bottom), 260 mm height.			
104	Providing and fixing 25 mm X 5 mm G.I. strip in 40	20	Mtr.	
104	mm dia G.I. pipe from earth electrode including	20	17111.	
	connection with G.I. nut, bolt, spring, washer			
	excavation and re-filling etc. as required.			
105	Providing and fixing 25 mm X 5 mm G.I. strip on	20	Mtr.	
	surface or in recess for connections etc. as required.	-		
106	Providing and fixing 25 mm X 5 mm copper strip on	20	Mtr.	
	surface or in recess for connections etc. as required.			
107	Providing and fixing earth bus of 50 mm X 5 mm	1	Mtr.	
	copper strip on surface for connections etc. as required.			
108	Supplying and laying 6 SWG G.I. wire at 0.50 metre	150	Mtr.	
	below ground level for conductor earth electrode,			
	including connection/ termination with GI thimble etc.			
	as required.			
109	Providing and laying earth connection from earth	20	Mtr.	
	electrode with 6 SWG dia G.I. Wire in 15 mm dia G.I.			

	pipe from earth electrode including connection with				
110	G.I. thimble excavation and re-filling as required.	1	Maa		
110	Fabrication, supply, installation testing &	1	Nos.		
	commissioning of indoor type compartmentalized				
	panel board made out of 2mm thick CRCA sheet having				
	separate cable and bus bar alley double door				
	arrangement with two leaf door on front side and single				
	door with double leaf on rear side with locking				
	arrangement, having 400 amp TPN Aluminium bus bar				
	with base frame made out of 50x50x6mm thick angle				
	iron having 300 mm legs duly erection in ground with				
	connection and interconnection with copper conductor				
	PVC insulated cables/ insulated copper conductor strip				
	of appropriate size and terminals blocks (on outgoing)				
	including suppying and fixing following switch gears				
	& accessories there in powder coating labelling earning				
	etc. complete as required				
	1. Having minimum size = 800mm x 1400mm x				
	300mm deep.				
	(a) 250 amps, 4P, 36KA, 50HZ, 415V, AC MCCB = 1				
	No				
	(b) 125 Amps 3 Pole, 25KA 415V, 50HZ MCCB = 3				
	Nos				
	(c) Earthing studs 2 Nos				
	(d) Danger plate – 02 Nos				
	(e) Multimeter - 01 Nos.				
	(e) RYB indicating lamp				
	Sub Head 02:- Air Conditioning (Repairing)				
111	Testing, checking, repairing and through servicing of	3	Job.		
111	8 TR Air Conditioning unit including leak testing,	3	300.		
	pipeline testing, test run with checking all accessories				
	for use on 220/240 volts 50 HZ, single phase A/C				
	Supply including connections and painting the existing				
	MS structure etc. as required.				
112	Supplying and charging of refrigerant suitable for	33	Va		
112		33	Kg.		
112	existing 8 TR AC units etc as required.	105	N/4		
113	Supplying and laying of ISI marked CPVC pipe of 1	105	Mtr.		
	inch dia for draining of sweated water from AC				
	evaporator unit including providing tee, joints, elbows				
111	wherever necessary etc. complete as required.	~ ~	3.5		
114	Supplying, installation and commissioning of	55	Mtr.		
	following size of [7/8 inch + 1/2 inch] refrigerant pipe				
	wrapped with foam/ polyurethene/ nitrile insulation				
	with proper saddling on wall, tray including cutting,				
	brazing, etc. as required.				
	Sub Head 03:- Automatic Fire Alarming System				
115	Supplying, installation, testing & commissioning of	1	Each		
	heat detector operating at 54°C/57°C with rate of rise				
	cum fixed temperature (dual thermistor) type with				
	mounting base complete with all connection etc. as				
	required.				
116	Supplying, installation, testing & commissioning of	40	Each		
	smoke detector with builtin LED and mounting base				
	complete with all connections etc. as required.				
117	Supplying, installation, testing & commissioning of	8	Each		
	manual call boxes of MS construction in surface/recess				
				l	l

	with stainless steel chain & hammer assembly complete with glass and push button etc. as required.			
118	Supplying, installation, testing & commissioning response indicator on surface/recess MS box having two LEDs metallic cover complete with all connections etc. as required.	6	Each	
119	Supplying, installation, testing & commissioning fire alarm sounder with facility to make announcement, mounted in M.S. box (16 SWG) with hinged cover plate & suitable for operation with amplifier i/c line matching transformer etc. complete as required.	5	Each	
120	Supplying, installation, testing & commissioning of main control and indicating panel made out of 16 SWG MS sheet to accommodate the following items duly powder coated in approved colour with louvers for ventilation, locking arrangement, audio and visual indication for fire alarm monitoring system including connections, interconnections etc complete as required 6 zone panel for fire alarm system. Annoucement control desk suitable for selection of different zones selectively and ON ALL CALL switch with visual indication etc., complete as required-1. Mains ON/OFF switch, fuse indication lamps, DC and AC voltmeters & ammeters terminal blocks etc. complete as required-1 set. Battery charger trickle cum boost to take complete load of fire alarm, 12 volt,30 AH each sealed maintenance free batteries with 48 hrs power backup-1 set.	1	Each	
121	Supplying & laying of 2x1.5 sqmm fire alarm armoured cable, 600/1000V rated with annealed copper conductor having XLPE insulation, steel wire armouring & FRLS outer sheath complete as required.	400	Mtr.	
	TOTAL			

Special Conditions: -

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- 2. The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- 4. Site shall be made available as and when available.
- 5. The rates for different items of work shall apply for all Heights/ Lifts& Depths (Internal or External) /Leads and nothing extra shall be paid on these accounts.
- 6. Scaffolding, Jhula, ladders etc. to carryout works at all heights/Lifts shall be arranged by the contractor at his own cost. Nothing extra shall be paid on these accounts.
- 7. First quality materials to be used as per approved makes as per NIT.
- 8. Site shall be available in parts or phases as per directions of Engineer in Charge and nothing extra on this account shall be paid to the Contractor.

9. Quoted rates of participating agencies shall be inclusive of GST.