



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016

NAME OF WORK	:	A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi.
ESTIMATED	:	Rs.15,05,415.00
COST		
EMD	:	Rs.30,108.00
N.I.T. No.	:	9070/28/EW/IITD/2017-18
Date of Opening	:	29-06-2017

C....Nil I....Nil O....Nil



Name of work: A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi.

NIT for the above work has been prepared with the following:

1	Amount of NIT	:	Rs.15,05,415.00
2	Earnest money	:	Rs.30,108.00
3	Completion time	:	06 Months
4	Last date of submission (on line)	:	28-06-2017 upto 03:00 PM
5	Date of opening	:	29-06-2017 at 15:00 PM
6	Form of NIT	:	IITD – 8
7	Schedule applicable	:	Market Rate / DSR 2014
8	Material stipulated	:	As per Schedule of Work
9	Chargeable head	:	NPN – 10
10	Estimate no.	:	IITD/DB/9070
11	Work code no.	:	W02932
12	NIT No.	:	9070/28/EW/IITD/2017-18
13	Type of work	:	Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration

Certified that this NIT contains 1 to 54 pages.

NIT amounting to Rs.15,05,415.00 is approved.

C....Nil I....Nil O....Nil



D/Man AEE [P] E.E. [E]

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI – 110016

NOTICE INVITING E-TENDER IITD/WORKS(SP- 1073)/2017

Executive Engineer (E,) Indian Institute of Technology Delhi, Hauz Khas, New Delhi-16.(Phone No. 011-26591460) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways dealing with Electrical installation work for the following work:

1	Name of Work	:	A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi.
2	NIT No.	:	9070/28/EW/IITD/2017-18
3	Estimated cost	:	Rs.15,05,415.00
4	Earnest Money	:	Rs.30,108.00
5	Period of completion	:	06 Months
6	Last date & time of bid submission	:	28-06-2017 upto 03:00 PM
7	Performance Bank Guarantee	:	5% of the tendered amount

The bid forms and other details may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Bidders can access Quotation / tender documents on the website (For searching in the NIC site, kindly go to Quotation Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi Quotations). Select the appropriate Quotation / tender and fill them with all relevant information and submit the completed Quotation / tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All bids (both Technical and Financial should be submitted in the E-procurement portal).

Executive Engineer [E], For & on Behalf of BOG, IIT Delhi

CNil	I Nil	O Nil
O	1 111	O 1 VIII



Ch. Head: NPN - 10 Work code- W02932

Copy to: -

- 1. Institute Engineer
- 2. D.A. (Works Accounts) for opening of tenders in the office of D.R. [SPS]
- 3. A.E.E. (E) Plg.
- 4. D.R. (A/Cs)
- 5. D.R. [SPS]
- 6. Notice Boards.
- 7. Office Copy
- 8. Web site Administrator, IITD



INDEX

SR. NO.	DESCRIPTION PAGE		
		From	То
1	SCHEDULE	6	6
2	INSTRUCTION FOR ONLINE BID SUBMISSION	7	9
3	INFORMATION & INSTRUCTION TO BIDDERS	10	12
4	IITD 6	13	15
5	INTEGRITY PACT	16	22
6	IITD – 7 / 8	23	24
7	PROFORMA OF SCHEDULE	25	29
8	DECLARATION [ANNEXURE – I]	30	30
9	COMMERCIAL & ADDITIONAL CONDITIONS	31	34
10	SPECIAL TERMS & CONDITIONS	35	36
11	IITD 2010 CORRECTION SLIPS	37	43
12	TECHNICAL SPECIFICATIONS	44	44
13	ACCEPTED MAKE OF MATERIALS	45	45
14	BID SUBMISSION CHECK LIST	46	46
15	SCHEDULE OF QUANTITY	47	54

C....Nil I....Nil O....Nil



SCHEDULE

1	Name of Organisation	:	Indian Institute of Technology Delhi
2	Tender / Quotation Type [open / limited / EOI / auction / single]	:	Open
3	Tender / Quotation Category [services / goods / works]	:	Goods & Works
4	Type / Form of Contract [work / supply / auction / service / buy / empanelment / sell]	:	Work & Supply
5	Product Category [civil works / electrical works / fleet management / computer systems]	:	Electrical Works
6	Is Multi Currency Allowed?	:	No
7	Date of issue / publishing /start	:	20 -06-2017, 3:00 PM
8	Document download start date	:	20-06-2017, 3:00 PM
9	Document download end date	:	28 -06-2017, 3:00 PM
8	Last date & time of uploading of bids	:	28-06-2017 upto 03:00 PM
9	Date & time of opening of Technical Bids	:	29-06-2017 at 15:00 PM
10	Tender fee	:	NIL
11	EMD	:	Rs.30,108.00 [For EMD] (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi- 110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)
12	No. of covers [1/2/3/4]	:	02
13	Address for communication	:	Assistant Engineer [Electrical], Works Organisation, Hauz Khas, IIT Delhi, New Delhi – 110016
14	Contact No.	:	011- 2659 1460
15	E-mail address	:	a26338@admin.iitd.ac.in; a26335@admin.iitd.ac.in

C....Nil I....Nil O....Nil



INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this Quotation / tender document has been published on the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / e-Token.

SEARCHING FOR QUOTATION / TENDER DOCUMENTS

- There are various search options built in the CPP Portal, to facilitate bidders to search active Quotations / Tender by several parameters. These parameters could include Quotation ID, organization name, location, date, value, etc. There is also an option of advanced search for Quotations, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a Quotation published on the CPP Portal.
- 2) Once the bidders have selected the Quotations they are interested in, they may download the required documents / Quotation schedules. These Quotations can be moved to the respective 'My Quotations' folder.

C.....Nil I..... Nil O..... Nil

D'Man /J.E. A.E.E / A.E. E.E.
D'Man /J.E. A.E.E / A.E. E.E.



- This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the Quotation document.
- 3) The bidder should make a note of the unique Quotation ID assigned to each Quotation / Tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- Bidder should take into account any corrigendum published on the Quotation document before submitting their bids.
- 2) Please go through the Quotation / Tender advertisement and the Quotation / Tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the Quotation document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the Quotation document.
- 3) Bidder has to select the payment option as "offline" to pay the Quotation fee / EMD as applicable and enter details of the instrument.
- 4) A standard BoQ format has been provided with the Quotation document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

I..... Nil

C....Nil

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

O..... Nil

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of

D'Man /J.E. A.E. / A.E. E.E. D'Man /J.E. A.E. / A.E. / A.E. E.E.



- bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded Quotation documents become readable only after the Quotation opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- Any queries relating to the Quotation document and the terms and conditions contained therein should be addressed to the Quotation Inviting Authority for a Quotation or the relevant contact person indicated in the Quotation.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

GENERAL INSTRUCTIONS TO THE BIDDERS

- 1) The Quotations will be received online through portal http://eprocure.gov.in/eprocure/app. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".

Bidders are advised to follow the instructions provided in the 'Instructions to the Bidder for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app

C....Nil I....Nil O....Nil



INFORMATION AND INSTRUCTIONS TO BIDDERS FOR E-TENDERING

Executive Engineer (E,) Indian Institute of Technology Delhi, Hauz Khas, New Delhi-16.(Phone No. 011-26591460) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways dealing with Electrical installation work for the following work:

SI. No.	N.I.T. No.	Name of work & Location	Estimated cost put to bid	Earnest Money	Period of completion	Last date & time of submission of bid (online mode)	Time & date of opening of Technical Bid	Time & date of opening of Financial Bid
[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]

C....Nil I....Nil O....Nil



To be intimated after assessing Technical To be intimated after assessing Technical To be intimated after assessing Technical To be intimated after assessing Technical
--

- 1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized / Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to submit the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as null and void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.
- 2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i] Firms/Contractors should have satisfactorily completed one similar work of value not less than Rs.12,04,300.00 or two similar works each of value not less than Rs.9,03,300.00 or three similar works each of value not less than Rs.6,02,166.00 during last 7 years ending previous day of last date of submission of bids.
 - ii) Earnest Money of Rs.30,108.00 to be deposited on-line as indicated in Schedule
- 3. Similar work means providing and fixing electrical installation work.
- 4. The intending bidder must read the terms and conditions [both commercial & Additional] & IITD 6 carefully which will be the part of the Contract. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 5. Information and Instructions for bidders posted on website shall form part of bid document.
- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website e-procure.gov.in.
- 7. But the bid can only be submitted after depositing requisite EMD as specified in the schedule.
- 8. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only within a week physically in the office of e-tendering authority.

CNil	I Nil	O Nil		
D'Man /J.E.			A.E.E / A.E.	E.E.
D'Man /J.E.			A.E.E / A.E.	E.E.



- **9.** Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited requisite EMD and other documents scanned and uploaded are found in order.
- **10.** Completion certificates are required to be got issued by an officer not below the rank of Executive Engineer of similar works completed by the Firm. The work experience certificates submitted by the bidders shall clearly indicate that:
 - a. The similar work executed shall be as '3' above
 - b. The completed cost of the work
 - c. Actual date of completion of the work
- **11.** Attested copy of registration certificates to be submitted. Registration of firms/ Contractors must be valid on the day of submission of Tenders or extended date of submission of Tenders whichever is later.
- 12. Work means only work under Government/ Public Sector Undertaking / Central Autonomous bodies.
- 13. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
- 14. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid, each bidder should sign integrity pact at respective places and submit the bid. If duly signed integrity pact is not submitted by bidder, such bid shall not be considered.
- **15.** Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.
- **16.** When bids are invited in two / three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
- 17. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- 18. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible.
 - b. The bidder does not upload all the documents (including service tax registration / VAT registration / Sales Tax registration) as stipulated in the bid document including the undertaking / declaration.
 - c. EMD not deposited as specified
- 19. The firm shall be registered with EPFO & ESIC

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Annexure I duly filled in and got signed
- 2. Attested certificate of work experience as desired
- 3. Certificate of Registration for Sales Tax / VAT and acknowledgement of up to date filed return
- 4. Affidavit as per Notice Inviting Tender Condition [IITD-6] 1.2.2 [To be submitted on stamp paper]

CNil	I Nil	O Nil		
D'Man /J.E.			A.E.E / A.E.	E.E.
D'Man /J F			AFF/AF	FF



5. Acceptance to execute INTEGRITY PACT [see integrity pact]

6.	IITD 7 / 8 du	uly signed	d at page 21.			
7.	EPF & ESI I	Registrati	ion proof with upto date challa	n.		
8.	Enlistment of	order of C	Contractor.			
9.	Any other de	ocument	as specified in the NIT			
10.	Valid Electri	cal Licen	se			
					Executive Engineer [Electrical] or & on Behalf of BOG, IIT Delh	
				E OF TECHNOLOGINVITING E-TENDER		<u> </u>
1.0	Firms/ Railwa academ	Contracys dealing ic area in	ctors Registered in approp ng with Electrical installat	oriate class and category wi on work for the following v	uz Khas, New Delhi – 110016 fror th CPWD, MES, BSNL, and vork:-A.R & M.O E.I. and fans i and fixing E.I. for minor additio	d n
	1.1	guide	The authority competent to discipline will consolidate NI with all matters relating to the	approve NIT for the combined is for calling the bids. He will also invitation of bids.	wever, is given merely as a roug cost and belonging to the major nominate Division which will dead cost put to tender, should clearly	or al
С	Nil	I Nil	O Nil			
	Man /J.E. Man /J.E.			A.E.E / A.E. A.E.E / A.E.	E.E. E.E.	



indicate the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than **Rs.6,02,166.00** or two similar work each of value not less than **Rs.9,03,300.00** or one similar work of value not less than **Rs.12,04,300.00** in last 7 years ending previous day of last date of submission of bids.

- 1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-
 - "I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / We shall be debarred for bidding in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)"
- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IIT Delhi Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **15 Days** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- **4.** The site for the work is available.
- The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site e-procure.gov.in.
- **6.** After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- **8.** If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- **9.** Earnest Money as specified to be paid through RTGS / NEFT.

IIT Delhi Bank details are as under:

Name of the Bank A/C : IITD Revenue Account

SBI A/C No. : 10773572622

C....Nil I....Nil O....Nil





Name of the Bank : State Bank of India, IIT Delhi,

Hauz Khas, New Delhi-110016

 IFSC Code
 : SBIN0001077

 MICR Code
 : 110002156

 Swift No.
 : SBININBB547

(This is mandatory that UTR Number is provided in the on-line quotation/bid. Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)

Interested contractors who wish to participate in the bid has also to make following payments within the period of bid submission:

- (i) Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission.
- 7.. The bid submitted shall become invalid, if:
 - a) The bidder is found ineligible.
 - b) The bidder does not upload all the documents (including VAT registration/ Sales Tax registration/Technical bid) as stipulated in the bid document.
 - c) EMD not deposited as specified
- 11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank / Banker' cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 13. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **14**. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- 15. The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 16. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between

C....Nil I....Nil O....Nil



the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.

- 17. No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract liable to be cancelled, if, either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 18. The bid for the works shall remain open for acceptance for a period of **ninety [90]** days from the date of **opening of financial bids**, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
- 19. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as applicable.
- 20. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as to be submitted physically in IIT Delhi, if so desired by the accepting authority, then the bid submitted shall become invalid and the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the bidding process of the work.

INTEGRITY PACT

То				
		,		
		,		
			ne work of "A.R & M.O E.I. and fans in g and fixing E.I. for minor addition al Delhi."	
Dear Sir,				
CNil	I Nil	O Nil		
D'Man /J.E. D'Man /J.E.			A.E.E / A.E. A.E.E / A.E.	E.E. E.E.





It is here by declared that IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the Integrity Agreement, which is an integral part of the tender/bid documents, failing which the tender/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IITD.

Yours faithfully,

Executive Engineer

C....Nil I....Nil O....Nil



ITO BE SUBMITTED DULY SIGNED BY THE BIDDER ALONGWITH BID DOCUMENTS

Executive Engineer (Elect.), IIT Delhi, Hauz Khas, New Delhi – 110016

Subject: Submission of Bid for the work of "A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi."

Dear Sir,

I / We acknowledge that IITD. Is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I / We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I / We will stand disqualified from the tendering process. I / We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I / We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IITD. I / We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I / We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, IITD shall have unqualified, absolute and unfettered right to disqualify the tenderer /bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully,

(Duly authorized signatory of the Bidder)

C....Nil I....Nil O....Nil

E.E.



D'Man /J.E.

[To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of IITD]

INTEGRITY AGREEMENT

	Integrity Agreement is made at	. on this		day of	f
	BETWEEN				
The Boa Delhi	ord of Governors, IIT Delhi, Hauz Khas, New Delhi – 16 r				•
· 'Princip	al/Owner', (Address of Division) al/Owner', which expression shall unless repugnant to the d assigns)	·	`		
	AND				
to as the	(Name and Address of the Individual/fire for referred (Details of duly authorized signatory) a "Bidder/Contractor" and which expression shall unless for sand permitted assigns)				
<u>Preamb</u>	<u>le</u>				
"Tender academ	AS the Principal / Owner has floated the Tender (NIT No. /Bid") and intends to award, under laid down organizations ic area i/c street light arrangement at IIT Delhi. Sub-lem in academic area at IIT Delhi." (Name of work) hereina	al procedure, contraction	ct for " <u>Á.R & N</u> nd fixing E.I.	1.0 E.I. an	d fans in
econom WHERE (hereina	HEREAS the Principal/Owner values full compliance we cause of resources and of fairness/transparency in its AS to meet the purpose aforesaid both the parties of the referred to as "Integrity Pact" or "Pact"), the terms a parcel of the Tender/Bid documents and Contract between	s relation with its nave agreed to en and conditions of wh	Bidder(s) and ter into this I	Contractontegrity A	or(s).AND greement
	, THEREFORE, in consideration of mutual covenants con his Pact witnesses as under:	tained in this Pact, tl	he parties here	eby agree a	as follows
Artic	le 1: Commitment of the Principal / Owner				
1)	The Principal/Owner commits itself to take all measures following principles: No employee of the Principal / Owner, personally or throu the Tender, or the execution of the Contract, demand, tak material or immaterial benefit which the person is not legal	gh any of his / her fa e a promise for or ac	amily members	s, will in cor	nnection with
	(a) The Principal/Owner will, during the Tender pro	ocess, treat all Bidde	er(s) with equi	ity and rea	son. The
CNil	I Nil O Nil				
D'Man /J	E. A.E.E / A.E.				E.E.

A.E.E / A.E.



Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.

- (b) The Principal/Owner shall Endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.
- 3) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s) / Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or coercion or collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PoC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal / Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - d) The Bidder(s) / Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s) / Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent

C....Nil I....Nil O....Nil



- participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practices means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal /Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner.
 Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal / Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

C....Nil I....Nil O....Nil



- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
 - 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
 - 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6: Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 6 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority of IITD.

Article 7: Other Provisions

- 7.. This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Division of the Principal/Owner, who has floated the Tender.
 - 2) Changes and supplements need to be made in writing. Side agreements have not been made.
 - 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by Board Resolution.
 - 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
 - 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8: LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard

C....Nil I....Nil O....Nil



any of the provisions covered under this Integrity Pact.

IN WITN	NESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first
above n	nentioned in the presence of following witnesses:
(For and	d on behalf of Principal / Owner)
(For and	d on behalf of Bidder / Contractor)
WITNES	SSES:
1.	
	(signature, name and address)
2.	
	(signature, name and address)
Place:	
Dated :	

C....Nil I....Nil O....Nil



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI – 110016

Percentage Rate Tender / Item Rate Tender & Contract for Works

Tender for the work of "A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi."

(A) (I) To be submitted online by **28-06-2017 upto 03:00 PM**

(II) To be opened on **29-06-2017 at 15:00 PM** online

e-TENDER

I / We have read and examined the Notice Inviting Tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I / We hereby tender for the execution of the work specified for the Board of Governors, IIT Delhi within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (**strike out as the case may be**) and not to make any modification in its terms and conditions.

A sum of **Rs.30,108.00** is hereby deposited in IIT Delhi Revenue Account No. 10773572622 as earnest money. If I / We, fail to furnish the prescribed performance guarantee within prescribed period I / We agree that the said The Board of Governors, IIT Delhi, Hauz Khas, New Delhi – 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / We fail to commence the work as specified, I / We agree that The Board of Governors, IIT Delhi, Hauz Khas, New Delhi – 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid I / We shall be debarred for participation in the re-tendering process of the work.

I / We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / We shall be debarred for tendering in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

A.E.E / A.E.

I / We hereby declare that I / We shall treat the tender documents drawings and other records connected with

CNil	I Nil	O Nil		
D'Man /J.E.			A.E.E / A.E.	

D'Man /J.E.



the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I / We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dat	ed:																
											Siç	gnature	of C	Contracto	r		
Witı	ness:																
Add	lress:										F	Postal A	ddre	ess			
Occ	cupatio	n:															
								ACC	EPTAN	NCE							
on						dified by you Governors,											
	Th	e lett	ters re	eferred to	be	low shall form	n part	of this o	contract	agreem	nent:-						
(a)																	
(b)																	
I																	
													_				
														ernors, IIT		ni	
5.															••		
Dat	ed:								Desi	gnation							
C	.Nil	I	Ni	I		O Nil											



PROFORMA OF SCHEDULES

[Operative Schedules to be supplied separately to each intending tenderer]

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
-	Nil			→

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
+	——————————————————————————————————————		-

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.



C....Nil I....Nil O....Nil



SCHEDULE 'E'

Reference to General Conditions of contract [GCC]

1	Name of work	:	A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi.
2	Estimated cost of work	:	Rs.15,05,415.00
3	Earnest Money	:	Rs.30,108.00
4	Performance Guarantee	:	5 percent of tendered value
5	Security Deposit	:	5 percent of tendered value

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS

: Officer inviting tender

Maximu	im percentage for quantity of items of work to be executed beyond when	:	See below
rates ar	e to be determined in accordance with Clauses12.2&12.3		
Definitions:			
2[v]	Engineer – in – charge	•	Executive Engineer [Elect]
2[vi]	Accepting Authority	:	Executive Engineer [Elect]
2[x]	Percentage on cost of materials and labour to	:	15 percent
	Cover all overheads and profits		
2[xi]	Standard schedule of rates	•	Market Rate / DSR 2014
2[xii]	Department	:	E & W, IIT Delhi
9[ii]	Standard IITD Contract Form	:	General Conditions of Contract
			2010,IITD Form 7/8-2010 modified &
			Corrected up to date of submission of
			tender

Claus	se 1:		
[i]	Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	:	15 days
[ii]	Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above		1 to 15 days
Clause	2:		
Authori	ty for fixing compensation under clause 2	:	Institute Engineer
Clause	2 A:		
Whethe	er Clause 2A shall be applicable	:	No

C	NIII	I Nil	O Ni	ì
U	1 1 1 1 1	I INII	U IN	ı



Clause 5:		
Number of days from the date of issue of letter of award for	:	10 [ten] days
reckoning date of start		-

Milestone(s)as per table given below:-

SI. No.	Description of Milestone (Financial)		Amount to be with-held in case of non-achievement of mile stone
	N O T A	PPLICABLE	

Time allowed for execution of work	:	15 Days
Authority to decide:		
Extension of time	:	Executive Engineer [Engineer]
Rescheduling of mile stones	••	Institute Engineer
Clause Applicable 6 or 6A:		Clause 6 A
Clause 7:		
Gross work to be done together with net payment / adjustment		Not Applicable
of advances for material collected, if any, since the last such		
payment for being eligible to interim payment		
Clause 10 A:		
List of testing equipment to be provided by the contractor at site	:	As desired by the Engineer-in-charge relating to the
lab		work
A) (A)		
Clause 10B(ii):		
Whether Clause 10 B (ii) shall be applicable	••	No
Clause 10C:		
Component of labour expressed as percent of value of work	:	10 percent

Clause 10CA:

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA*
1			

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E. E.E. E.E.



2		
3		
4		

^{*} Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approval of NIT.

Clause 10CC

_

Clause 11

Specifications to be followed for execution of work	:	CPWD General specifications for Electrical work
		Part-I (Internal) Part-II (External), Part-IV
		(Substation), with upto date modifications.

Clause 12

Oldube 12		
Type of work	:	Maintenance works including works of
		upgradation, aesthetic, special repair, addition/
		alteration
Clause 12.2. & 12.3		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for		30 percent
building work		
Clause 12.5		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for	:	100 percent
foundation work		

Clause 16

Competent Authority for deciding reduced rates : Executive Engineer

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:

1	2	3
4	5	6
	5NII	
	8	9
7		

C....Nil I....Nil O....Nil

D'Man /J.E. D'Man /J.E.

A.E.E / A.E. A.E.E / A.E. E.E. E.E.



Clause 36 (i) Requirement of Technical Representative(s) and recovery Rate

S. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical Representative)	Minimum Experience (Years)	Number	made from event of not	ich recovery shall be the contractor in the t fulfilling provision of lause 36(i)
						Figures	Words

Assistant Engineers retired from Government services that are holding diploma will be treated at par with Graduate Engineers

C....Nil I....Nil O....Nil



ANNEXURE - I

<< Organization Letter Head >> DECLARATION

orga thro	ugh the specification, conditions and stipulation		hereby declare that all the information and data furnishing true and complete to the best of our knowledge. I / we have details and agree to comply with the requirements and	ave gone
	cification.			
1	Name & Address of the bidder	:		
2	Phone	:		
3	E-mail	:		
4	Contact person name	:		
5	Mobile number	:		
6	TIN number	:		
7	PAN number	:		
8	UTR no. [for payment of EMD]	:		
	- , ,			
	BANK DETAILS			
9	Bank name	:		
10	Branch address	:		
11	Branch telephone no.	1:		
12	MICR Code of the bank	:		
13	IFSC code	:		
14	Bank Account no.	:		
15	Type of account	+:		
10	Type of decount	<u> </u>		
	further declare that our organization has no ncy / Govt. Department / Public Sector Undert		n blacklisted / delisted or put to any holiday by any Ins in the last three years.	stitutional
	[9]	Signa	ture of the bidder]	
			Name:	
C	Nil I Nil O Nil			
	an /J.E. an /J.E.		.E.E / A.E. .E.E / A.E.	E.E. E.E.



Seal of the bidder

COMMERCIAL AND ADDITIONAL CONDITIONS

1 General

- 1.11 This specification covers manufacture, testing as may be necessary before dispatch delivery at site, all preparatory work, assembly and installation, commissioning putting into operation guarantee of equipments for the following work: A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. Sub-Head:- Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi.
- 1.1 The work shall be executed as per CPWD General Specifications for Electrical works **Part I, II, IV** as amended up to date, relevant IE Rules, relevant IS, and as per directions of Engineer-in-charge. These additional specifications and conditions are to be read in conjunction with above and in case of variations, specifications given in the Additional specifications and conditions shall apply. However, nothing extra shall be paid on account of these as the same are to be read along with schedule of quantities for the work.
- **1.2** The tenderer should in his own interest visit the site and get familiarized with the site conditions before tendering.
- 1.3 No T&P shall be issued by the Department and nothing extra shall be paid on account of this.

2 COMMERCIAL CONDITIONS

2.1 Type of contract

The work to be awarded by this tender shall be treated as indivisible works contract.

- 2.2 Submission of Tender:-
 - Bidder shall submit the cost of tender documents, if any, e-tendering processing fee and earnest money, other documents, price bid in prescribed manner as indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 2.3 The tenderers are advised not to deviate from the technical specifications / items, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- 2.4 The department reserves the right to reject any or all the price bids and call for fresh price tenders as the case may be without assigning any reason.

7.B. Validity

Tenders shall be valid for acceptance for a period of 90 days from the date of opening of price bid.

4.0 SAFETY CODES AND LABOUR REGULATIONS

CNil	I Nil	O Nil		
D'Man /J.E. D'Man /J.E.			A.E.E / A.E. A.E.E / A.E.	E.E. E.E.



- In respect of all labour employed directly or indirectly on the work for the performance of the contractor's part of work, the contractor at his own expense, will arrange for the safety provisions as per the statutory provisions, B.I.S. recommendations, factory act, workman's compensation act, CPWD code and instructions issued from time to time. Failure to provide such safety requirements would make the tenderer liable for **penalty as specified in applicable clause.** In addition the Engineer-In-Charge shall be at liberty to make arrangements and provide facilities as aforesaid and recover the cost from the contractor.
- (ii) The contractor shall provide necessary barriers, warning signals and other safety measures while laying pipelines, cables etc. or wherever necessary so as to avoid accident. He shall also indemnify IITD against claims for compensation arising out of negligence in this respect. Contractor shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause. The department shall not be responsible for any accident occurred or damage incurred or claims arising there from during the execution of work. The contractor shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the contractor due to the above provisions thereof.

5.0 Payment Terms

5.1 Unless otherwise specified, in the additional conditions of the contract, the payment shall be made as per the relevant clauses of form PWD 7/8 forming a part of the tender documents.

6.0 Security Deposit

Security deposit shall be deducted from each running bill and the final bill to be the extent of 10 percent of the gross amount payable. However the maximum amount of security deposit will be 5 percent of the tendered value. The earnest money deposited shall be adjusted against this security deposit. The security deposit shall be released on the expiry of guarantee period stipulated in the contract. **Bank guarantee will not be accepted as security deposit.**

7.0 Performance Guarantee

The successful tenderer shall submit an irrevocable performance guarantee of 5 percent of the tendered amount in addition to other deposits mentioned elsewhere in the contract in the contract for his proper performance of the contract agreement within 90 days of issued of letter of acceptance of tender. This guarantee shall be in the form of Demand draft/ Pay order or irrevocable bank guarantee bond of any scheduled bank or the State Bank of India in the specified format or in the form of Government security, fixed deposit pledged in favour of Executive Engineer or as specified in the letter of acceptance of tender. **The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond**. This bank guarantee shall be kept valid till the recoding of completion certificate for the work by the competent authority.

8.0 Rates

8.1 The rates quoted by the tenderer, shall be firm and inclusive of all taxes (i/c works contract taxes), duties & levies, octroi etc. and all charges for packing forwarding, insurance, freight and delivery, installation, testing, commissioning etc. at site including risk, overhead charges, general liabilities / obligations and clearance from concerned authority, if any.

9.0 STORAGE AND CUSTODY OF MATERIALS

No separate storage accommodation shall be provided by the department. Watch and ward of the stores and their safe custody shall be the responsibility of the contractor till the final taking over the installation by the department.

C....Nil I....Nil O....Nil



10.0 COMPLETION PERIOD

The completion period of **06 Months** as indicated in the tender documents is for the entire work of routine maintenance and servicing including breakdown maintenance to the satisfaction of the Engineer-in-charge.

11. CARE OF THE BUILDING

Care shall be taken by the contractor while handling and installing the various equipments and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

12.0 Any item required for completion of the project but left inadvertently shall be executed with-in the quoted rate.

13.0 Compliance with Regulations and Indian Standards

- All works shall be carried out in accordance with relevant regulation, both statutory and those specified by the Indian Standards related to the works covered by this specification. In particular, the equipment and installation will comply with the following:
 - [a] Factories Act
 - [b] IE Rules
 - [c] BIS and other standards as applicable
 - [d] Workmen's Compensation Act
 - [e] Statutory norms prescribed by local bodies like CEA, Power Supply Co. etc.

14.0 Mobilization Advance:

No mobilization advance shall be paid for this work.

15.0 Verification of correctness of Equipment at Destination:

The contractor shall have to produce all the relevant records to certify that the genuine equipment from the manufacturers has been supplied and erected.

16.0 CLEAN UP WORKS AT SITE

During maintenance the contractor shall at all times keep the working and storage areas free from waste or rubbish. On completion of maintenance / servicing he shall remove all temporary structures, debris and leave the premises clean to the full satisfaction of the department.

17.0 TERMS OF PAYMENT

The terms of payments shall be as indicated in General Conditions of Contract.

18.0 INTERPRETING SPECIFICATIONS

In interpreting the specifications, the following order of decreasing importance shall be followed in case of contradictions:

[a] schedule of quantities

CNil	I Nil	O Ni



- [b] Technical specifications
- [c] Drawing [if any]
- [d] General specifications
- [d] Relevant BIS or other international code in case BIS code is not available

19.0 COOPERATION WITH OTHER AGENCIES

The successful tenderer shall co-ordinate with other contractors and agencies in the site of work, if any, and exchange freely all technical information so as to make the execution of this work / contract smooth.

No remuneration should be claimed from the department for such technical cooperation. If any unreasonable hindrance is caused to other agencies and any completed portion of the work has to be dismantled and re-done for want of cooperation and coordination by the tenderer during the course of work, such expenditure incurred will be recovered from the successful tenderer if the restoration work to the original condition or specification of the dismantled portion of the work was not undertaken by the tenderer himself.

19.1 The work will be carried out with least disturbance to the Institute during maintenance, servicing and shutdown.

20.0 INDEMNITY

The successful tenderer shall at all times indemnify the department, consequent on this works contract. The successful tenderer shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause and the contractor shall be responsible for any accident or damage incurred or claims arising there from during the period of erection, construction and putting into operation the equipment and ancillary equipments under the supervision of the successful tenderer in so far as the latter is responsible. The successful tenderer shall also provide all insurance as may be necessary to cover the risk. No extra payment would be made to the successful tenderer on account of the above.

21.0 ERECTION TOOLS

No tools and tackles either for unloading or for shifting the equipments for erection purposes would be made available by the department. The successful tenderer shall make his own arrangement for all these facilities.

C....Nil I....Nil O....Nil



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI

SPECIAL CONDITIONS

- 1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by the contractor which will have to be signed as token of acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3. The contractors are advised to get acquainted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, Sales Tax & stacking of material required at places etc.
- 5. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- 6. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7. Articles manufactured by the reputed firms and approved by Engineer-in-Charge shall only be used. Only articles classified as "**First quality**" by the manufacturer shall be used unless otherwise specified.
- 8. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work.
- 9. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the Contractor and shall be reimbursed in case the test results are satisfactory. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- 10. The contractor shall submit a detailed programme of work within 7 days of the date of award of work. The Engineer in- Charge can modify the programme and the contractors have to work accordingly.
- 11. The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 12. No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.

CNil	I Nil	O Nil		
D'Man /J.E.			A.E.E / A.E.	E.E.
D'Man /J.E.			A.E.E / A.E.	E.E.



13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour & material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts out side the campus. However constructions of cement

INDIAN INSTITUTE OF TECHNOLOGY DELHI

- 14. Godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- 15. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 16. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD.
- 17. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipments left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 18. Work Contract Tax @ 4% and income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 19. 1% labour cess will be deducted from the bills of contractor.

C....Nil I....Nil O....Nil



ITD - 2010 CORRECTION SLIPS

In General condition of contract for IIT Delhi works department 2010 -

Reference	Existing	Modified
Clause	Before any installment of advance is released, the	Before any installment of advance is released,
10B (ii),	contractor shall execute a Bank Guarantee Bond from Scheduled Bank for the amount of advance &valid for the contract period. This shall be least represent from time to time to severe the	the contractor shall execute a Bank Guarantee Bond from Scheduled Bank for the amount equal to 110% of the amount of advance and
Para-2	be kept renewed from time to time to cover the balance amount and likely period of complete recovery, together with interest.	valid for the contract period. This (Bank Guarantee from Scheduled Bank for the amount equal to 110% of the balance amount of advance) shall be kept renewed from time to time to cover the balance amount and likely period of complete recovery.
Clause 3 (vii)	If the contractor shall obtain a contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering.	If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.

Reference	Existing Provision	Modified Provision
Page 5, IITD 2010	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders,a tenderer shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, contractor shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in
•	4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders,a tenderer shall fill up the usual printed form, stating at what	4A. Applicable for Percentage Rate Tender (IITD-7) In case of Percentage Rate Tenders, cont shall fill up the usual printed form, stating a

C....Nil I....Nil O....Nil



of Quantities at Schedule-A, he will be willing to execute the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.

- of Quantities at Schedule-A, he will be willing to execute the work. The tender submitted shall be treated as invalid if:-
- 1. The contractor does not quote percentage above/below on the total amount of tender or any section/sub head of the tender.
- 2. The percentage above/below is not quoted in figures & words both on the total amount of tender or any section/sub head of the tender.
- 3. The percentage quoted above/below is different in figures & words on the total amount of tender or any section/sub head of the tender: Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.

New Para 4B is added as below:

4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers.

In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited. If the revised tendered amount of two more contractors received in revised offer is again found to be equal, the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the

C....Nil I....Nil O....Nil



		circle & the lowest contractors those have quoted equal amount of their tenders. In case all the lowest contractors those have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each contractor. Contractor(s), whose earnest money is forfeited because of non-submission of revised offer, shall not be allowed to participate in the re-tendering process of the work.
Reference	Existing Provision	Modified Provision
10A	In case of Percentage Rate Tenders only	In case of Percentage Rate Tenders only
(page 6-7)	percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. However if the contractor has worked out the amount of the tender and if any discrepancy is found in the percentage quoted in words and figures, the percentage which corresponds with the amount worked out by the contractor shall, unless otherwise proved, be taken as correct. If the amount of the tender is not worked out by the contractor or it does not correspond with the percentage written either in figures or in words, then the percentage quoted by the contractor in words shall be taken as correct. Where the percentage quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the percentage quoted by the contractor will, unless otherwise proved, be taken as correct and not the amount.	percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. (Remaining part deleted)
Reference	Existing Provisions	Modified Provisions
Deviations/	CLAUSE 12	CLAUSE 12
Variations Extent and Pricing	The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during	The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable



the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations. omissions. additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.

during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.

The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.25 times of Tendered amount.

Deviations, Extra Items, Pricing

12.2

In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 90 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.

12.2

A. For Project and original works:

In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 90 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.

B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:

In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the

C....Nil I....Nil O....Nil



schedule rate plush cost index (at the time of tender) plus/minus percentage above below quoted contract amount.

Payment of Extra items in case of nonschedule items (Non-DSR items) shall be made as per the prevailing market rate.

Deviation, Substituted Items, Pricing In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.

- (a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).
- (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)

A. for Project and original works:

In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.

- (a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).
- (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted). For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:

In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plush cost index (at the time of tender) plus/minus percentage

C....Nil I....Nil O....Nil



above below quoted contract amount. Payment of Extra items in case of nonschedule items (Non-DSR items) shall be made as per the prevailing market rate. In the case of contract items, substituted items, A. for Project and original works: Deviation. Deviated contract cum substituted items, which exceed the In the case of contract items, substituted items, Quantities, limits laid down in schedule F, the contractor may contract cum substituted items, which exceed the Pricing within fifteen days of receipt of order or limits laid down in schedule F, the contractor may occurrence of the excess, claim revision of the within fifteen days of receipt of order or rates, supported by proper analysis for the work in occurrence of the excess, claim revision of the excess of the above mentioned limits, provided rates, supported by proper analysis for the work that if the rates so claimed are in excess of the in excess of the above mentioned limits, provided rates specified in the schedule of quantities, the that if the rates so claimed are in excess of the Engineer-in-Charge shall within one month of rates specified in the schedule of quantities, the receipt of the claims supported by analysis, after Engineer-in-Charge shall within one month of giving consideration to the analysis of the rates receipt of the claims supported by analysis, after submitted by the contractor, determine the rates giving consideration to the analysis of the rates on the basis of the market rates and the submitted by the contractor, determine the rates contractor shall be paid in accordance with the on the basis of the market rates and the rates so determined. contractor shall be paid in accordance with the rates so determined. B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities. 12.3 The provisions of the preceding paragraph 12.3 A. For Project and original works: shall also apply to the decrease in the The provisions of the preceding paragraph rates of items for the work excess of the shall also apply to the decrease in the rates limits laid down in Schedule F. and the of items for the work excess of the limits laid Engineer-in-Charge shall after giving down in Schedule F, and the Engineer-innotice to the contractor within one month Charge shall after giving notice to the of occurrence of the excess and after contractor within one month of occurrence of taking into consideration any reply the excess and after taking into consideration received from him within fifteen days of any reply received from him within fifteen the receipt of the notice, revise the rates days of the receipt of the notice, revise the for the work in question within one month rates for the work in question within one of the expiry of the said period of fifteen

C....Nil I....Nil O....Nil

E.E. E.E.



	days having regard to the market rates.	month of the expiry of the said period of fifteen days having regard to the market rates.
		B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:
		In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the
		Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.
Schedule F	Clause 12	Clause 12
	No provision.	Type of work *** *** To be filled by NIT approving authority either Project and original work or Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration.

C....Nil I....Nil O....Nil



TECHNICAL SPECIFICATIONS

1.0 The work shall be executed as per CPWD General Specifications for Electrical works as amended up to date, relevant IE Rules, relevant IS, and as per directions of Engineer-in-charge. These additional specifications and conditions are to be read in conjunction with above and in case of variations, specifications given in the Additional specifications and conditions shall apply.

C....Nil I....Nil O....Nil



ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS

S.No.	Name of items	Acceptable Make
1.	MCB (10 KA)	Legrand (Lexic)/ Schnieder (Multi-9)/ Hager
2.	MCCB	Schneider (NS Compact Series) / G.E. / A.B.B / L & T
3.	XLPE Aluminium / Copper Conductor Armoured cables upto 1100 V Grade	Havells / Skytone / Nicco / Polycab / Grandlay (ISI Marked)
4.	Copper Conductor Control Cable	Skytone /Nicco/Grandlay / Gloster / Havells (ISI Marked)
5.	FRLS Copper Conductor PVC Insulated Wires	Skytone / Polycab / Finolex / Havells (ISI Marked)
6.	Multifunction Meter	Socomec /Schneider / Ducati / L & T (VEGA series)
7.	Ammeter	Automatic Electric / I.M.P./ Rishav
8.	Voltmeter	Automatic Electric / I.M.P. / Rishav
9.	Frequency Meter	Automatic Electric / I.M.P./Rishav
10.	CT's	Automatic Electric/KAPPA
11.	Selector Switches	Kaycee / L & T / Schnieder / Siemens
12.	Contactors	L & T / Schnieder / G.E. / BCH
13.	Push Button & Pilot Lamps	Vaishno / Concord / L & T
14.	Timers.	Legrand / L & T / BCH
15.	Protection Relays.	Schnieder / L&T / Alsthom / PIL
16.	Toggle Switch	Kaycee.
17.	Indicating Lights (L.E.D. Type)	Vaishno / Concord / L & T
18.	Panels Manufacturers	Shall be CPRI Approved
19.	G.I Pipe	Jindal Steel / Hissar / Prakash / TATA / Bansal
20.	LED Light & fittings	Philips / Havells / GE / Wipro / Osram / Equivalent make having SSI Registration
22.	Steel conduit	BEC /NIC/ AKG, ISI marked.
23.	PVC conduit	Poly pack / AKG/ Setia I.S.I. marked.
24.	Batten Holder /ceiling rose /call bell & ordinary Switch, socket/regulator	Anchor / Antex / M. KAY I.S.I. Marked.

C....Nil I....Nil O....Nil



S.No.	Name of items	Acceptable Make
1.	MCB (10 KA)	Legrand (Lexic)/ Schnieder (Multi-9)/ Hager
	(socket type)	
25.	Modular type 5A switch , socket & 15A Switch , socket and electronic fan regulator (stepped type)	Havells / MK / Northwest/ LEGRAND I.S.I. marked.
26.	Modular plate & cover	Havells / MK / Northwest / LEGRAND.
27.	Distribution board /MCB / Isolator	Legrand /Schnieder / Hager
28.	Industrial type socket	Crompton/ Havells / Indo Asian
29.	Ceiling fans (All size).	Crompton Greaves (high speed) / Usha (Striker) / Havells (Vellocity), Model high speed.
30.	Exhaust fans (All size).	GEC Alstom/ Crompton greaves / Usha / Hager.
31.	G.I. Box	Havells / MK / Northwest/ LEGRAND
32.	Plastic Trucking	Legrand / MK / Schnieder

N.B.: For any item not covered in the above list, the contractor shall require to get the samples approved from the Engineer-in-charge before the supply is made.

C....Nil I....Nil O....Nil



BID SUBMISSION

ONLINE BID SUBMISSION:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

	(Followin	Envelope – 1 g documents to be provided as single PDF file)				
SI. No.	SI. No. Documents Content					
1.	Technical Bid	Organization Declaration Sheet as per Annexure – I	.PDF			
2.		Attested Certificate of work experience	.PDF			
3.		Certificate of registration for sales tax / VAT and acknowledgement of up to date filed return	.PDF			
4.		Affidavit as per NIT condition 1.2.2 on stamp paper	.PDF			
5.		Acceptance to execute integrity pact	.PDF			
6.		IITD 7/8 duly signed by the bidder	.PDF			
7.		EPF & ESI Registration proof with upto date challan.				
8.		Enlistment order of Contractor.	.PDF			
9.		Any other document as specified in the NIT	.PDF			
10.		Valid Electrical License	.PDF			
		Envelope – 2				
SI. No.	TYPES	Content				
1.	Financial Bid	Price bid should be submitted in BOQ format.	.EXL			

C....Nil I....Nil O....Nil



SCHEDULE OF QUANTITY

Name of work:- A.R & M.O E.I. and fans in academic area i/c street light arrangement at IIT Delhi. **Sub-Head:-** Providing and fixing E.I. for minor addition alteration in academic area at IIT Delhi.

S.N.	Description	Unit.	Qty.	Rate	Amount
1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper				
	conductor single core cable etc as required.				
(i)	Group C	Point	25		
2	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc as required.				
(i)	Group C	Pts.	75		
3	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required	Meter	650		
4	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	Meter	450		

C....Nil I....Nil O....Nil



5	Wiring for circuit/ submain wiring			
	alongwith earth wire with the following			
	sizes of FRLS PVC insulated copper			
	conductor, single core cable in surface/			
	recessed steel conduit as required			
(i)	2 X 1.5 sq.mm + 1 X 1.5 sq. mm. earth	Meter	150	
	wire			
(ii)	2 X 2.5 sq.mm + 1 X 2.5 sq. mm. earth	Meter	150	
	wire			
(iii)	2 X 6 sq.mm + 1 X 6 sq. mm. earth wire	Meter	150	
(iv)	2 X 10 sq.mm + 1 X 10 sq. mm. earth	Meter	50	
	wire			
(v)	4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth	Meter	100	
	wire			
6	Wiring for light point/ fan point/ exhaust			
	fan point/ call bell point with 1.5 sq.mm			
	FRLS PVC insulated copper conductor			
	single core cable in surface / recessed			
	medium class PVC conduit, with piano			
	type switch, phenolic laminated sheet,			
	suitable size M.S. box and earthing the			
	point with 1.5 sq.mm. FRLS PVC			
	insulated copper conductor single core			
	cable etc as required.			
(i)	Group C	Pont	20	
7	Wiring for light/ power plug with 2X4	Meter	200	
	sq. mm FRLS PVC insulated copper			
	conductor single core cable in surface/			
	recessed medium class PVC conduit			
	alongwith 1 No 4 sq. mm FRLS PVC			
	insulated copper conductor single core			
	cable for loop earthing as required.		_	
8	Wiring for light/ power plug with 4X4	Meter	200	
	sq. mm FRLS PVC insulated copper			
	conductor single core cable in surface/			
	recessed medium class PVC conduit			
	alongwith 2 Nos 4 sq. mm FRLS PVC			
	insulated copper conductor single core			
	cable for loop earthing as required.			
9	Rewiring for light point/ fan point/			

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E.



	exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper			
	conductor single core cable and 1.5			
	sq.mm. FRLS PVC insulated copper			
	conductor single core cable as earth wire			
	in existing surface/ recessed steel /PVC			
	conduit including dismantling as			
	required			
(i)	Group C	Point	20	
10	Supplying and drawing following sizes			
	of FRLS PVC insulated copper			
	conductor, single core cable in the			
	existing surface/ recessed steel / PVC			
	conduit as required.			
(i)	3 X 1.5 sq. mm.	Meter	200	
(ii)	3 X 4 sq. mm	Meter	350	
(iii)	6 X 4 sq. mm	Meter	200	
(iv)	2 X 6 sq. mm	Meter	100	
(v)	4 X 6 sq. mm	Meter	100	
11	Supplying and fixing of following sizes			
	of steel conduit along with accessories			
	in surface/recess including painting in			
	case of surface conduit, or cutting the			
	wall and making good the same in case			
	of recessed conduit as required.			
(i)	20 mm	Meter	20	
(ii)	25mm	Meter	20	
12	Supplying and fixing of following sizes			
	of medium class PVC conduit along			
	with accessories in surface/recess			
	including cutting the wall and making			
	good the same in case of recessed			
	conduit as required.			
(i)	20 mm	Meter	20	
(ii)	25mm	Meter	20	
13	Supplying and fixing stepped type	Each	25	
	electronic fan regulator on the existing			
	modular plate switch box including			
	connections but excluding modular plate			
	etc. as required.		= 4	
14	Installation, testing and commissioning	Each	50	

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E.



15	of pre-wired, fluorescent fitting / compact fluorescent fitting of all types, complete with all accessories and tube etc. directly on ceiling/ wall, including connection with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required. Installation, testing and commissioning of ceiling fan, including wiring the down the rods of standard length (upto 30 cm) with 1.5 sq. mm FR PVC insulated, copper conductor, single core	Each	25	
	cable etc. as required.			
16	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper busbar, neutral busbar, earth bar, din bar, inter-connection, powder painted including earthing etc. as required. (but without MCB/ RCCB/ Isolator)			
(i)	, , , , , , , , , , , , , , , , , , ,	Each	4	
(i)	2 + 4 way, Double door 2 + 8 way, Double door	Each	4	
(ii)	2 + 6 way, Double door 2 + 12 way, Double door	Each	4	
17	Supplying and fixing following ways	Lacii		
1 /	surface/ recess mounting, vertical type,			
	415 volts, TPN MCB distribution board			
	of sheet steel, dust protected, duly			
	powder painted, inclusive of 200 amps			
	tinned copper bus bar, common neutral			
	link, earth bar, din bar for mounting			
	MCB's, with provision of 100 amps TP			
	16 KA MCCB as incomer,			
	interconnection between incomer			
	MCCB and bus bars (but without			
	MCB's/ MCCB) as required. (Note: Vertical type MCB TPDB is normally			
	used where 3 phase outlets are required)			
(i)	4 Way TP DB Double door Make	each	2	
	Legrand / Hager / Schnieder (ACTI-9)			

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E.



(ii)	8 way TP DB Double door Make	each	2	
(11)	Legrand / Hager / Schnieder (ACTI-9)	Cacii	2	
(iii)	12 way TP DB Double door Make	each	2	
(111)	Legrand / Hager / Schnieder (ACTI-9)	Cacii	2	
18	Supplying and fixing 5 amps to 32 amps			
10	rating, 240 volts 'B' series, miniature			
	circuit breaker suitable for lighting and			
	other load of following poles in the			
	existing MCB DB complete with			
	connections, testing and commissioning			
	etc. as required.			
(i)	Single pole Legrand (Lexic)/ Schnieder	Each	170	
(1)	(Multi-9)/ Hager Make	20011	170	
(ii)	Single pole and neutral Legrand (Lexic)/	Each	5	
(11)	Schnieder (Multi-9)/ Hager Make	24011	5	
(iii)	Triple pole Legrand (Lexic)/ Schnieder	Each	5	
(111)	(Multi-9)/ Hager Make	20011		
19	Supplying and fixing 20 amps, 240	Each	25	
	volts, SPN industrial type, socket outlet			
	with 2 pole and earth, metal enclosed			
	plug top along with 20 amps 'C' series,			
	SP MCB in sheet steel enclosure, on			
	surface or in recess, with chained metal			
	cover for the socket out Make Legrand /			
	Hager / Schnieder			
20	Providing and fixing following rating			
	and breaking capacity MCCB in existing			
	cubicle panel board including drilling			
	holes in cublcle panel, making			
	connection, etc, as required.			
(i)	100 amp, 16 KA Make Legrand / Hager	Each	2	
	/ Schnieder (ACTI-9)			
(ii)	125 amp, 16 KA Make Legrand / Hager	Each	2	
	/ Schnieder (ACTI-9)			
(iii)	160 amp, 16 KA Make Legrand / Hager	Each	2	
	/ Schnieder (ACTI-9)			
21	Supplying and fixing TP MCCB - 125	Each	2	
	AMP 16 KA in sheet steel box size			
	600mm X 450 mm. with neutral link			
	including connection etc. complete as			
	required. Make:- Legrand Make / Hager			
	including connection etc. complete as			

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E.



	/ Schnider			
22	Providing and fixing hylem sheet on the			
	existing switch board of following sizes			
(i)	8" X 5"	Each	50	
(ii)	9" X 11"	Each	50	
(iii)	4" X 4"	Each	20	
23	Supplying and fixing of exhaust fan 250	Each	10	
	mm 230 V 50 Hz 1400 RPM 10" (NEW			
	TEK) make KE – 25L by providing			
	bakalite sheet 6mm including connetion			
	etc. complete as required.			
24	Providing and fixing MS fan hook in the	Each	50	
	existing RCC work i/c digging in RCC			
	& make good the same as required			
25	Supplying and fixing following modular			
	switch / socket on the existing modular			
	plate & switch box including connection			
	but excluding modular plate etc. as			
	required			
(i)	5/6 amps switch	Each	200	
(ii)	15/16 amp switch	Each	400	
(iii)	3 pin 5/6 amp socket outlet	Each	200	
(iv)	6 pin 15/16 amp socket outlet	Each	400	
26	supplying and fixing following size /			
	modules, GI box along with modular			
	base & cover plate for modular switches			
	in recess etc as required.			
(i)	4 module (125mm X 75mm)	Each	20	
(ii)	6 module (200mm X 75mm)	Each	25	
(iii)	8 module (125mm X 125mm)	Each	25	
(iv)	12 module (200mm X 150mm)	Each	80	
27	Supply installation, testing and	Each	2	
	commissioning of exhaust fan 18" (450			
	mm) supply Make- Crompton / Havels /			
	Usha with opening and closing louvers			
	complete as required.			
28	Supplying installation testing and	Each	2	
	commissioning of exhaust fan 15"			
	1400RPM (375mm) Make:-Crompton /			
	Havels / Usha with opening and closing			
	louvers complete as required.			

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E.



29	S/F following rating triple pole 415	Each	8	
	volts MCB TP 63A Cat No. 603291 in	20011		
	the existing MCB DB complete with			
	connection, testing and commissioning			
	etc. as required. Make Legrand /			
	Schnider /Hager 63A			
30	S/F following rating four pole 63 amp/	Each	8	
	40 amp. 415 volts four pole MCB Cat			
	No. 603308 in the existing MCB DB			
	complete with connection, testing and			
	commissioning etc. as required. Make			
	Legrand / Schnider / Hager			
31	Providing and fixing plastic trunking	Mtr.	50	
	without cover (105mm X 50mm Cat no.			
	010422 Make - Legrand / M.K. 100 mm			
	X 50mm / Schnider)			
32	Providing and fixing suitable size	Mtr.	50	
	flexiable covers (85mm widths Cat no.			
	010522 Make - Legrand / M.K. /			
	Schnider)			
33	Providing and fixing end caps (Legrand	Nos.	12	
	/ M.K. / Schnider)			
34	Providing and fixing Internal angel	Nos.	6	
	legrand make cat no. 010780 complete			
	as required (Legrand Make.)			
35	Providing and fixing extranal angel	Nos.	6	
	legrand make cat no. 010781 complete			
	as required (Legrand Make.)			
36	Providing and fixing 6/8 modules Arteor	Nos.	60	
	frame for existing cover. (Legrand /			
	M.K. / Schnider)			
37	Providing and fixing modular 16A/20	Nos.	120	
	amps switch (Legrand / M.K. /			
	Schnider) make on the existing modular			
	plate & switch box including connection			
4.0	as required.		4.6.0	
38	Providing and fixing modular 6/16 amps	Nos.	120	
	multi socket (Legrand / M.K. /			
	Schnider) make on the existing modular			
	plate & switch box including connection			
	as required. Legrand make.			

D'Man /J.E. D'Man /J.E. A.E.E / A.E. A.E.E / A.E.



sheathed XLPE aluminum conductor armoured cable of 1.1 KV grade conforming to I.S. — 1554/1/88 of following make size Kaling Primium /HAVELLS. (i) Size 3 ½ X 55 sq.mm. Mts 100 (ii) Size 3 ½ X 50 sq.mm. Mts 100 (iii) Size 3 ½ X 95 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. Mtrs. wire on surface or in recess for loop earthing along with existing surface/recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4	39	Supplying of PVC insulated PVC				
armoured cable of 1.1 KV grade conforming to I.S. – 1554/1/88 of following make size Kaling Primium /HAVELLS. (i) Size 3 ½ X 35 sq.mm. Mts 100 (ii) Size 3 ½ X 50 sq.mm. Mts 100 (iii) Size 3 ½ X 50 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. Mtrs. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 50 sq. mm (35mm) each 4	39	11 0				
conforming to I.S. – 1554/1/88 of following make size Kaling Primium /HAVELLS. (i) Size 3 ½ X 35 sq.mm.						
following make size Kaling Primium /HAVELLS. (i) Size 3 ½ X 35 sq.mm. Mts 100 (ii) Size 3 ½ X 50 sq.mm. Mts 100 (iii) Size 3 ½ X 95 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35 sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 50 sq. mm (35mm) each 4		9				
/HAVELLS. (i) Size 3 ½ X 35 sq.mm. Mts 100 (ii) Size 3 ½ X 50 sq.mm. Mts 100 (iii) Size 3 ½ X 95 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 50 sq. mm (35mm) each 4						
(i) Size 3 ½ X 35 sq.mm. Mts 100 (ii) Size 3 ½ X 50 sq.mm. Mts 100 (iii) Size 3 ½ X 95 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4						
(ii) Size 3 ½ X 50 sq.mm. Mts 100 (iii) Size 3 ½ X 95 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4	(*)		3.6	100		
(iii) Size 3 ½ X 95 sq.mm. Mts 100 40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm Mtrs. 100 (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		-				
40 Laying and fixing of one number PVC insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm	` '	-				
insulated and PVC sheathed /XLPE power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm	` ′	-	Mts	100		
power cable of 1.1 KV grade of following size on wall surface as required. (i) Upto 35sq.mm (ii) Above 35 sq. mm and upto 95 sq. mm Mtrs. 200 (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) (ii) 3½ X 50 sq. mm (35mm) (iii) 3½ X 95 sq. mm (35mm) (iii) 3½ X 95 sq. mm (35mm) (iii) 3½ X 95 sq. mm (35mm)	40	• •				
following size on wall surface as required. (i) Upto 35sq.mm (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) (ii) 3½ X 50 sq. mm (35mm) (iii) 3½ X 95 sq. mm (35mm) (iii) 3½ X 95 sq. mm (35mm) (iiiiii) 3½ X 95 sq. mm (35mm)						
required. (i) Upto 35sq.mm (ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4						
(i) Upto 35sq.mm		following size on wall surface as				
(ii) Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		required.				
(clamped with 25x3mm MS flat clamp) 41 Providing and fixing 6 SWG dia G.I. Mtrs. 600 wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4	(i)	Upto 35sq.mm	Mtrs.	100		
41 Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4	(ii)	Above 35 sq. mm and upto 95 sq. mm	Mtrs.	200		
wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		(clamped with 25x3mm MS flat clamp)				
earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4	41	Providing and fixing 6 SWG dia G.I.	Mtrs.	600		
recessed conduit/ submain wiring/ cable as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		wire on surface or in recess for loop				
as required. 42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		earthing along with existing surface/				
42 Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		recessed conduit/ submain wiring/ cable				
with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		as required.				
aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4	42	Supplying and making end termination				
PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iii) 3½ X 95 sq. mm (35mm) each 4		with brass compression gland and				
XLPE aluminium conductor cable of 1.1 KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iiI) 3½ X 95 sq. mm (35mm) each 4		aluminium lugs for following size of				
KV grade as required. (i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iiI) 3½ X 95 sq. mm (35mm) each 4		PVC insulated and PVC sheathed /				
(i) 3½ X 35 sq. mm (32mm) each 4 (ii) 3½ X 50 sq. mm (35mm) each 4 (iiI) 3½ X 95 sq. mm (35mm) each 4		XLPE aluminium conductor cable of 1.1				
(ii) 3½ X 50 sq. mm (35mm) each 4 (iiI) 3½ X 95 sq. mm (35mm) each 4		KV grade as required.				
(iiI) 3½ X 95 sq. mm (35mm) each 4	(i)	3½ X 35 sq. mm (32mm)	each	4		
	(ii)	3½ X 50 sq. mm (35mm)	each	4		
Total Rs.	(iiI)	3½ X 95 sq. mm (35mm)	each	4		
T OUT AUS					Total Rs.	

 $\mathbf{E}\mathbf{E}(\mathbf{E})$

C....Nil I....Nil O....Nil