

**INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016**

Index of Tender documents

Sr. No.	DETAILS	PAGE NO.
1.	Index	1-1
2.	Details & Online Instruction	2-2
3.	Schedule of Online tender	3-3
4.	Tender Notice	4-7
5.	Online instruction for bid submission	8-10
6.	Annexure -I	11-12
7.	IIT Form 6-7/8	13-36
8.	Make List	37-37
9.	Additional conditions and Special term & Condition	38-39
10.	Corrections slips	40-45
11.	Bid Submission	46-46
12.	Schedule of Quantities	47-73

This Tender documents contains pages One to Seventy three only

NIT Amounting to Rs. 1,44,18,656.00/- (Rs. One Crore Fourty Four Lacs Eighteen thousands Six Hundred Fifty Six Rupees Only) approved.

Institute Engineer

Notice Inviting E-Tender (E-Procurementmode)
INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEWDELHI-110016

Dated:-20/11/2018

Open Tender Notice No. /IITD/ WORKS(SP-1946)/2018
--

Indian Institute of Technology Delhi is in the process of purchasing following item(s)/ services as per details as given as under.

Details of the item	Name of work:- Renovation work in academic area at IIT Delhi during 2018-19.
Earnest Money Deposit submitted	Rs. 28,373.00
Warranty / Maintenance Period	1 Year
Performance Security	5% of Tender Amount

Tender Documents may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>

Aspiring Bidders who have not enrolled/registered in e-procurement should enroll/register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tender can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the e-procurement portal).

Schedule

Name of Organization	Indian Institute of Technology Delhi
Tender Type(Open/Limited/EOI/Auction/Single)	Open
Tender Category(Services/Goods/works)	Works
Type/Form of Contract (Work/Supply/Auction/Service/ Buy/ Empanelment/Sell)	Work
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Civil
Source of Fund(Institute/Project)	Budget Code PLN-05/EW
Is Multi Currency Allowed	No
Date of Issue/Publishing	20/11/2018(17:00Hrs)
Document Download/Sale Start Date	20/11/2018(17:00Hrs)
Document Download/Sale End Date	30/11/2018 (15:00Hrs)
Last Date and Time for Uploading of Bids	30/11/2018 (15:00Hrs)
Date and Time of Opening of Technical Bids	03/12/2018 (15:00Hrs)
Tender fee	Rs.1000/-(One Thousand only). (To be paid through RTGS/NEFT. IIT Delhi Bank details are asunder: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, NewDelhi-110016 IFSC Code :SBIN0001077 MICR Code :110002156 Swift No. :SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-I)
EMD	Rs. 2,88,373.00/-/- (Rs. Two Lacs Eighty Eight Thousand Three Hundred Seventy Three Only) in favour of Registrar IIT Delhi or through RTGS.
No. of Covers(1/2/3/4)	02
Bid Validity days(180/120/90/60/30)	90 days (From last date of opening of tender)
Address for Communication	Executive Engineer (P), work section Room No MZ-136, Main Building, IIT Delhi, Hauz
Contact No.	011-26591762
Email Address	a26790@admin.iitd.ac.in>

Executive Engineer (P)

NOTICE INVITING E-TENDERS

Executive Engineer (P) Indian Institute of Technology, Hauz Khas, New Delhi-16. (Phone No. 011-26591762) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for the following work:

1. NIT No : **/IITD/EE(P)/2018-2019**
2. Name of Work : **Renovation work in academic area at IIT Delhi during 2018-19.**
3. Estimated cost : **Rs. 1,44,18,656.00**
4. Earnest Money : **Rs. 2,88,373.00**
5. Period of completion : **11 Months**
6. Last time & date of submission of bid: **29/11/2018 upto 4:00 pm (on line)**

The bid forms and other details can be obtained from the website **www.iitd.ac.in** or **e-procure.gov.in** free of cost. For more clarification you may visit on above website.

**Executive Engineer (P),
For & on Behalf of BOG, IIT Delhi**

Ch. Head: PLN-05/EW

Work code-WO3224

Copy to: -

1. Institute Engineer
2. Executive Engineer (Elect.) for information.
3. D.A. (Works Accounts)
4. AEE (C)
5. D.R. (A/Cs) – for opening of uploaded documents **at 11:00 AM on 30/11/2018** in the office of D.R. Store
6. Notice Boards.
7. Office Copy
8. Web site Administrator, I.I.T.D.



INDIAN INSTITUTE OF TECHNOLOGY: DELHI.
HAUZ KHAS, NEW DELHI-110016

INFORMATION AND INSTRUCTIONS FOR BIDDER FOR e-TENDERING

Executive Engineer (P) Indian Institute of Technology, Hauz Khas, New Delhi-16.(Phone No. 011-26591762) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for the following work:

Sl. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (inRs.)	Tender fees (inRs.)	Time for completion
1.	IITD/EE(P)/2018-2019	Name of work:- Renovation work in academic area at IIT Delhi during 2018-19.	1,44,18,656.00	2,88,373.00	1000.00	11 Months

Last date and time of submission of financial bid :-30/11/2018 upto 3:00 pm (on line)

Date and time of opening of technical bid :-01/12/2018 after 03:00 pm (office of D.R. Store)

Financial bid shall be opened after verification of technical bid

1. The successful bidder shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.
2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) Firms/ Contractors must have completed satisfactorily one similar work of value not less than **Rs. 1,15,35,000.00** or two similar works each of value not less than **Rs. 86,51,200.00/-** or three similar works each of value not less than **Rs. 57,67,500.00/-** during last 7 years ending on date **31/10/2018** for the subject work.
 - ii) Tender fees – **Rs.1000.00** through online payment as per account detail provided in page 3 of the NIT.
 - iii) Earnest money of **Rs.2,88,373.00/-** in the form of Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of Registrar IIT Delhi OR RTGS .
3. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
4. Information and Instructions for bidders posted on website shall form part of bid document.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary

documents can be seen and downloaded from website <http://eprocure.gov.in/eprocure/app>. in free of cost. But the bid can only be submitted after online payment of Tender Fee .

6. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
7. Attested copy of registration certificates to be submitted. Registration of firms/ Contractors must be valid on the last day of issue of Tenders or extended date of issue of Tenders.
8. Work means only work under Government/ Public Sector Under taking / Autonomous bodies.
9. Similar work means work pertaining to works of Renovation/ Addition Alteration/ Rehabilitation/ New construction of buildings (Civil works).
10. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of submission of financial bid.
11. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid each bidder should sign acceptance to execute integrity pact at respective places and submit the bid, if duly signed acceptance to execute integrity pact is not submitted by bidder such bid shall not be considered.
12. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
13. The intending bidder must have valid class-III digital signature to submit the bid.
14. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
15. Contractor can upload documents in the form of JPG format and PDF format.
16. Contractor must ensure to quote rate of each item., If any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
17. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
18. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
19. Contractor should be registered with E.S.I and E.P.F.
20. In e-tendering intending bidder can quote his rates in figures only. The rates in words, amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures is to be taken as correct.
21. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Drafts or Pay Order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favour of Registrar IIT Delhi to be deposit with <http://eprocure.gov.in/eprocure/app/NEFT> facility.
22. The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
23. The following undertaking in this regard shall be up-loaded by the intending bidders: " the **physical EMD shall be deposited by me/us with the authority inviting the tender, in case I/we become the lowest tenderer , within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me/us from tendering in any form in IIT Delhi**"
24. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
25. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has submitted EMD and other documents scanned and uploaded are found in order.
26. When bids are invited in two/three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid-Not applicable.
27. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible.
 - b. The bidder does not uploaded all the documents (GSTIN Registration) as stipulated in the bid document included the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded.

- c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- d. The lowest bidder does not deposit physical EMD within a week of opening of financial bid.

List of Documents to be Scanned and uploaded within the period of bid submission:

1. Scanned copy /Online Payment of EMD and online Tender Fee.
2. Enlistment order of contractor.
3. Attested certificate of work experience.
4. Certificate of Registration of GST and acknowledgment of up to date field return of GST.
5. Affidavit as per Notice Inviting Tender condition 1.2.2 of page 14 of NIT to be submitted on stamp paper.
6. Acceptance to execute INTEGRITY PACT.
7. Undertaking as per “sr. no. 23” above on firm’s letter head if the scan copy of EMD uploaded.

“ The physical EMD shall be deposited by me/us with the authority inviting the tender, in case I/we become the lowest tenderer , within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me/us from tendering in any form in IIT Delhi”

8. ESI and EPF Registration.
9. Organization Declaration sheet as per annexure-I
10. Tender Fee of Rs.1000/- to be paid online as per detailed provided in schedule page 3.

**Executive Engineer (P),
For & on Behalf of BOG, IIT Delhi**

Ch. Head: PLN-05/EW

Work code-WO3224

Copy to: -

1. D.A. (Works Accounts)
2. AEE (C)
3. D.R. (A/Cs) – for opening of uploaded documents **at 11:00 AM on 30/11/2018** in the office of D.R. Store
4. Notice Boards.
5. Office Copy
6. Web site Administrator, I.I.T.D.
7. NIT:- Publicity on Website on institute as well as on CPP portal <http://eprocure.gov.in> may be ensured as per instruction issued.
E-tendering Web.<http://eprocure.gov.in/eprocure/app> or www.iitdelhi.ac.in

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

<http://eprocure.gov.in/eprocure/app>

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:<http://eprocure.gov.in/eprocure/app>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid

documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white colored (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.
- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer' for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app> .

ANNEXURE-I
<< Organization Letter Head >>
DECLARATION SHEET

We, _____ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been authorized (*Copy attached*) by the OEM to participate in Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document. Moreover, OEM has agreed to support on regular basis with technology / product updates and extend support for the warranty.

The prices quoted in the financial bids are subsidized due to academic discount given to IIT Delhi.

We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1 Phone	
2 Fax	
3 E-mail	
4 Contact Person Name	
5 Mobile Number	
6 TIN Number	
7 PAN Number	
(In case of on-line payment of Tender Fees)	
8 UTR No. (For Tender Fee)	
(In case of on-line payment of EMD)	
9 UTR No. (For EMD)	
10. Bank details of bidder (Name of Bank)	
11. Bank Branch Address with Phone No.	
12. IFSC Code	
13. MICR code of Bank	
14. Bank Account No	
15. Type of Bank account	

List of Documents Scanned and uploaded /check list.

1. Scanned copy /Online Payment of EMD and online Tender Fee.
2. Enlistment order of contractor.
3. Attested certificate of work experience.
4. Certificate of Registration of GST and acknowledgment of up to date field return of GST.
5. Affidavit as per Notice Inviting Tender condition 1.2.2 of page 14 of NIT to be submitted on stamp paper.
6. Acceptance to execute INTEGRITY PACT.
7. Undertaking as per “sr. no. 23” above on firm’s letter head if the scan copy of EMD uploaded.

“ The physical EMD shall be deposited by me/us with the authority inviting the tender, in case I/we become the lowest tenderer , within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me/us from tendering in any form in IIT Delhi”


8. ESI and EPF Registration.
9. Organization Declaration sheet as per annexure-I
10. Tender Fee of Rs.1000/- to be paid online as per detailed provided in schedule page 3.

(Signature of the Tenderer)

1 Name & Address of the bidder :

Seal of the Company

Notice Inviting Tender



INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI
(Works Department)

**INDIAN INSTITUTE OF TECHNOLOGY
HAUZ KHAS, NEW DELHI - 110016**

NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL and Railway** dealing with building and roads for the work of **Renovation work in academic area at IIT Delhi during 2018-19.**

The enlistment of the contractors should be valid on the last date of submission of tenders.

In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

1.1 The work is estimated to cost **Rs. 1,44,18,656.00** This estimate, however, is given merely as a rough guide.

1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 100/-) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of receipt of application for tender.

I.I.T.D – 6 FOR e-TENDERING	I.I.T.D
------------------------------------	----------------

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)

2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
4. The site for the work is available.

OR

The site for the work shall be made available in parts as specified below:-

5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site **www.iitd.ac.in or e-procure.gov.in free of cost** and other necessary documents can be seen in the office of the **Work Section of Room No. MZ-136** between hours of 11:00 AM & 4:00 PM from **19/11/2018 to 29/11/2018** as per tender notice every day except on Saturday, Sunday and public holidays.
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

I.I.T.D – 6 FOR e-TENDERING	I.I.T.D
------------------------------------	----------------

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid & Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents (GSTIN Registration) as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.

9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5% (Five Percent)** of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
16. The bid for the works shall remain open for acceptance for a period of **ninety (90) days** from the date of opening of financial bids, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
18. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in there-bidding process of the work.

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

To,

.....,

.....,

.....

Subject:- NIT No. /IITD/EE(P)/2018-2019 for the work of Renovation work in academic area at IIT Delhi during 2018-19.

Dear Sir,

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (P)

Acceptance to execute integrity pact	I.I.T.D
---	----------------

(To be signed by bidder and upload the scanned copy)

To,
Executive Engineer (P),
 IIT Delhi, Hauz Khas,
 New Delhi – 110016.

Subject:- Submission of Bid for the of Renovation work in academic area at IIT Delhi during 2018-19.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that **THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE** of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

INTEGRITY PACT e-TENDERING**I.I.T.D**

To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of..... 20.....

BETWEEN

The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (P) IIT Delhi.

....., (Hereinafter referred as the
(Address of Division)

'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

.....
(Name and Address of the Individual/firm/Company)

through (Hereinafter referred to as the
(Details of duly authorized signatory)

'Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal / Owner has floated the Tender (NIT No.) (Hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for
.....

(Name of work)
hereinafter referred to as the "Contract".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

INTEGRATY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:

- a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
 - e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
 - 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.**

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may be forever or for a limited period as decided by the Principal/Owner.**
- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit:** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

INTEGRATY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

.....
(For and on behalf of Principal/Owner)

.....
(For and on behalf of Bidder/Contractor)

WITNESSES:

- 1.
(signature, name and address)
- 2.
(signature, name and address)

Place:

Dated :

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

**INDIAN INSTITUTE OF TECHNOLOGY
HAUZ KHAS, NEW DELHI - 110016**

Percentage Rate Tender/**Item Rate Tender & Contract for Works**

Tender for the work of: **Name of work:- Renovation work in academic area at IIT Delhi during 2018-19.**

(i) To be submitted by **4:00 PM** hours on 29/11/ 2018 **as per tender notice page**

3..... to

.....

(ii) To be opened in presence of bidders who may be present at **as per tender notice page 3**

.....

in the office of **D.R. (Store)**

Issued to

Signature of officer issuing the documents

Designation

Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (**strike out as the case may be**) and not to make any modification in its terms and conditions.

I.I.T.D – 7/8 e-TENDERING**I.I.T.D**

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhias earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 for a sum of (Rupees.....).

The letters referred to below shall form part of this contract agreement:-

(a)

(b)

(c)

For & on behalf of Board of Governors, IIT Delhi

Signature

Dated: Designation

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

PROFORMA OF SCHEDULES

(Separate Performa for Civil, Elect.& Hort. Works in case of Composite Tenders) (Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the Contractor	Place of issue
1			4	
	← Nil →			

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
1			
	← Nil →		

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.

----- **Nil** -----

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

SCHEDULE 'E'

Reference to General Conditions of contract.

Name of work:- Renovation work in academic area at IIT Delhi during 2018-19.)Estimated cost of wor : **Rs. 1,44,18,656.00**(i) Earnest Money : **Rs. 2,88,373.00**(ii) Performance Guarantee : **5% of tendered value**(iii) Security Deposit : **5% of tendered value****SCHEDULE 'F'****GENERAL RULES& DIRECTIONS : Officer inviting tender IITD/ Form – 7/8-2010**

Maximum percentage for quantity of items of work

to be executed beyond which rates are to be

determined in accordance with Clauses 12.2 & 12.3:

See below

Definitions:

2(v) Engineer-in-Charge

Executive Engineer

2(viii) Accepting Authority

Institute Engineer

2(x) Percentage on cost of materials and

Labour to cover all overheads and profits:

15%

2(xi) Standard Schedule of Rates – DSR 2016 and Market Rate

2(xii) Department – **Works department at I.I.T Delhi**

9(ii) Standard I.I.T.D Contract Form

GCC 2010, I.I.T.D Form 7/8-2010 modified & Corrected

up to date of submission of tender.

Clause 1

(i) Time allowed for submission of Performance Guarantee

from the date of issue of letter of acceptance

15 days

(iii) Maximum allowable extension with late fees @ 0.1% per day of performance

guarantee amount beyond the period provided in (i) above

1 to 15 days

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

Clause 2**Authority for fixing compensation under clause 2****Institute Engineer****Clause 2A**

Whether Clause 2A shall be applicable

No**Clause 5**Number of days from the date of issue of letter
of award for reckoning date of start

10 (Ten) days

Mile stone(s) as per table given below:-

Sl. No.	Description of Milestone (Financial)	Time allowed in days (from date of start)	Amount to be with-held in case of non-achievement of mile stone
			In the event of not achieving the necessary progress as assessed from the running payment, 1% of the Tender value of work will be withheld for failure of each milestone.
1	1/8 th (of the whole work)	1/4 th (of the whole work)	
2	3/8 th (of the whole work)	1/2 th (of the whole work)	
3	3/4 th (of the whole work)	3/4 th (of the whole work)	
4	Full	Full	

Time allowed for execution of work

As per tender notice.

Authority to decide:

(i) Extension of time

Executive Engineer.

(ii) Rescheduling of mile stones

Institute Engineer.**Clause 6, 6A**Clause applicable - (6 or 6A) **Clause 6A**.....**Clause 7**

C----NIL

I----NIL

O-----NIL

D'Man/AEE(P)

AEE(C)E.E. (P)

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment

Rs. 15.00 Lakhs

Clause 10A

List of testing equipment to be provided by the contractor at site lab.

1..... 2. 3.....
4..... 5..... **Nil** 6.....

PROFORMA OF SCHEDULES

I.I.T.D

Clause 10B(ii)

Whether Clause 10 B (ii) shall be applicable **No**

Clause 10C

Component of labour expressed as percent of value of work = 25%

Clause 10CA

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA*
1			
2			
3		Nil	
4		Nil	

* Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approved of NIT.

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column 12 months

Schedule of component of other Materials, Labour, POL etc. for price escalation.

Component of civil (except materials covered under clause 10CA) /Electrical construction Materials expressed as percent of total value of work. - Xm%

Component of Labour - expressed as percent of total value of work. Y..... %

Component of P.O.L. - expressed as percent of total value of work. Z..... %

Clause 11

Specifications to be followed for execution of work CPWD specifications 2009 Vol-1&2 with upto date correction slips & manufacturers specifications

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

Clause 12

Type of work -Maintenance works including works of up-gradation, aesthetic, special repair, addition/ alteration.

12.2. & 12.3	Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for building work	30%
12.5	Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for foundation work	100%

Clause 16

Competent Authority for

deciding reduced rates.

Institute **Engineer**

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:-

1. 2. 3.
4. 5. 6.
7. **----- Nil -----** 9.

Clause 25

Constitution of Dispute Redressal Committee (DRC)	Competent Authority to appoint DRC
DRC shall constitute one Chairman and two members	Director Indian Institute of Technology Delhi

Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical Representative)	Minimum Experience (Years)	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i)	
						Figures	Words
	Graduate Engineer or Diploma Engineer	Civil	Project Planning/ Site / billing Engineer	2	1	Rs.15,000.00 per month.	Rupees Fifteen Thousand only per month
				5	1		

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

Clause 42

- (i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates **2016** printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities:
- (a) Cement
- | | |
|---|----------------|
| For works with estimated cost put to tender not more than Rs. 5 lakh. | 3% plus/minus. |
| For works with estimated cost put to tender more than Rs.5 lakh. | 2% plus/minus. |
- (b) Bitumen All Works 2.5% plus only & nil on minus side.
- (c) Steel Reinforcement and structural steel sections for each diameter, section and category 2% plus/minus
- (d) All other materials. Nil

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S. No.	Description of Item	Rates in figures and words at which recovery shall be made from the Contractor	
		Excess beyond permissible variation	Less use beyond permissible variation
1.	Cement	As per CPWD Specification 2009	
2.	Steel Reinforcement		
3.	Structural Sections		
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed Price		

BANK GUARANTEE BOND**I.I.T.D****Form of Earnest Money Deposit
Bank Guarantee Bond**

WHEREAS, contractor.....(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")

KNOW ALL PEOPLE by these presents that we(name of bank) having our registered office at (hereinafter called "the Bank") are bound unto
(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs. (Rs. in words) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of 20....
THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;
 - OR
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
 - OR
 - (c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,
 - OR
 - (d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiate his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE

WITNESSSEAL

SIGNATURE OF THE BANK

(SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

LIST OF APPROVED MAKES FOR CIVIL & Electrical works**A-Civil Items**

S. No.	Description	Approved Makes
1.	Cement (Grey) OPC/ PPC	ACC / Ultratech/ J.K. / BIRLA/ J.P./ Vikram
2.	Cement (White)	J.K. / BIRLA
3.	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDARY MANUFACTURERS HAVING VALID BIS LICENSE (to be as per latest BIS provisions)
4.	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDARY MANUFACTURERS HAVING VALID BIS LICENSE (to be as per latest BIS provisions)
5.	Stainless steel (Grade 304)	Jindal / SAIL / Salem
6.	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH
7.	Aluminum Sections	HINDALCO / JINDAL / MAHAVIR
8.	Flush doors	CENTURY / MERINO / DURO BOARD /GREEN
9.	Laminates	GREENLAM / DURO / MERINO /DECOLAM / CENTURY
10.	Glass / Mirror	SAINT GOBAIN / MODI FLOAT / ASAHI FLOAT
11.	Ceramic Glazed tiles/Border tiles	1 ST QUALITY KAJARIA / NITCO / JOHNSON / ORIENT / SOMANY
12.	Vitrified Tiles	NAVEEN / SOMANY / JOHNSON / KAJARIA
13.	Interlocking Precast pavers blocks / Kerb Stone	HINDUSTAN TILES / NIMCO PREFAB / K.K. MANHOLES / DALAL
14.	Stainless Steel Hinges	JOLLY / GARG /AMIT / ASI SUPREME
15.	Stainless Steel Nuts Bolts / Screws	KUNDAN / PUJA / ATUL / GKW
16.	Paint / primer / oil bound distemper Acrylic paint	1 ST QUALITY PAINTS OF ASIAN / BERGER / NEROLAC / AKZONOBAL INDIA (ICI)
17.	Water Proof. Cement Paint	SNOWCEM / ASIAN PAINTS / BERGER / NEROLAC/ AKZONOBAL INDIA (ICI)
18.	Sanitary ware (Vitreous China) (European Seats, Urinal Wash Basins, etc.)	HINDWARE / PARRYWARE / CERA
19.	Seat Covers	HINDWARE / PARRYWARE / CERA
20.	C.P. brass Fittings / Accessories	JAQUAR / MARC / CERA / KOHLAR
21.	G.I. Pipes	TATA / JINDAL (HISSAR)
22.	G.I. Fittings	UNIK / ZOLOTO
23.	Stainless Steel Sink	NEELKANTH / JAINA / KINGSTON (COBRA) / NIRALI
24.	Commercial Board / PLY	MERINO / DURO /GREEN / CENTURY
25.	CI Pipes / Fittings & Manhole covers	RIF / NECO / BENGAL IRON WORKS / BC / SKF
26.	CI Pipes "Class LA"	NICO / KESORAM / ELECTRO STEEL / KAPILANSH
27.	Floor Spring	DOORKING / EVERITE
28.	Door Closer	EVERITE / SANDHU/ Hardwin or as approved Equivalent
29.	Bison Board	BISON / E BOARD
30.	Vertical Blinds	VISTA / MAC
31.	False Ceiling	Armstrong/ Saint Gobain/ Metaworth
32.	Water proofing compound	CICO / FOSROC / PIDILITE / Sika
33.	Polymer Compound	CICO / PIDILITE / FOSROC /Sika
34.	Particle Board	NOVA PAN / BHUTAN BOARD/ Eco Board
35.	Rust Remover / Anticorrosive	FOSROC / CICO / PIDILITE/SIKKA or BASF
36.	Adhesive	FEVICOL / VAMICOL
37.	Tile Adhesive	PIDILITE / BALENDURA / FERROUSCRETE / Sika
38.	Wall Putty	BIRLA / JK / FERROUSCRETE/ Sika
39.	GRG Partitions	Gypsum India or as approved equivalent
40.	Insulation	U.P. Twiga Ltd or as approved equivalent
41.	Epoxy Grout	Ballendura / Kerakoll / Ferrouscrete/ Sika
42.	PVC Water storage tank (ISI marked)	Sintex / UniPlast / Polywell
43.	PVC insulated Water storage tank Heavy duty 4/5 layer	Sintex / UniPlast / Polywell / Euro
44.	Brass Ball Valve/ Gate Valve / Float Valve	Zoloto / Leader / SANT
45.	Aluminium Door fittings	Classic or ISI
46.	Brass Bib / Stop cock	Sant / Leader or ISI
47.	Thermoplastic paint	CBM, CMS, S.N. Industries and any other approved by Engineer-in-charge.
48.	Plaster of paris putty	Sakarni, Adhar Shree, Shree Ram, J.K., Ashirwad
49.	Glow Stud, Solar Power Stud	Road Star / 3M / Dark Eye /Every Dennison

INDIAN INSTITUTE OF TECHNOLOGY: NEW DELHI

HAUZ KHAS: NEW DELHI

ADDITIONAL CONDITIONS

1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
3. The contractors are advised to get acquainted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained on account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of houses of renovation.
4. The work shall be carried out as per CPWD specifications 2009 volume I & II for civil and 2005 for electrical with up – to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
5. The rates quoted by the contractor shall be inclusive of GST ,Royalty, Cartage& stacking of material required at places etc.nothing shall be paid extra on any account ..
6. The rates for different items of work shall apply for all Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
7. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
8. Articles manufactured by the reputed firms and approved by Engineer-in-Charge shall only be used. Only articles classified as “**First quality**” by the manufacturer shall be used unless otherwise specified.
9. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work.
10. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the institute in case the test results are satisfactory. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
11. The contractor shall submit a detailed programme of work within 7 days of the date of award of work. The Engineer – in- Charge can modify the programme and the contractors have to work accordingly.
- 12 **(a) Water arrangement has to be made by agency but if Institute provides then recovery rate will be 1% of gross done work from bills.(b) Electricity for work will be arranged by the contractor. If Institute provides electricity the recovery rate will be 0.50% of gross work done from the bills.**
- 13 The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 14 No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 15 Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. **No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus.** However constructions of cement godown and

Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.

- 16 The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 17 The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD.
- 18 The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 19 Income tax and Labourcess as applicable shall be deducted from the bills of contractor.
- 20 Firm should be registered with ESI and EPF and actual **reimbursement** shall be made only after production of original receipt
- 21 Special Conditions:-
 - i) No labour huts shall be allowed in IIT Campus and nothing shall be extra paid on this account.
 - ii) The contractor must visit the site of work before quoting the rates.
 - iii) No labour to stay in IIT Campus nothing shall be extra paid on this account.
- iv) Site shall be made available as and when available.

IITD -2010 CORRECTION SLIPS**In general condition of contract for IIT Delhi works department 2010**

	Existing	Modified
Reference	Existing Provision	Modified Provision
Clause 3 (vii)	If the contractor shall obtain a contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering.	If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
Reference	Existing Provision	Modified Provision
<u>Deviations /variation extent and pricing</u>	<p>CLAUSE 12 The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.</p>	<p>CLAUSE 12 The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.</p> <p>The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.5 times of Tendered amount.</p>
<u>Deviations /,Extra items, pricing</u>	12.2 In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.	<p>12.2 A. For Project and original works: In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.</p>
C----NIL	I----NIL O-----NIL D'Man/AEE(P)	AEE(C)E.E. (P)

		<p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
<p><u>Deviations, Substituted items, pricing</u></p>	<p>In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p>	<p>A. For Project and original works: In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
<p><u>Deviations, Deviated Quantities,</u></p>	<p>In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may</p>	<p>A. For Project and original works: In the case of contract items, substituted items, contract cum substituted items,</p>

<p>pricing</p>	<p>within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p>	<p>which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.</p>
	<p>12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>	<p>12.3 A. For Project and original works:The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>

	<p>14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / ninety days from the date of opening of financial bid in case Tenders are invited on 2/3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to th department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.</p>	<p>CPWD-6 14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / Ninety days from the date of opening of Technical bid in case Tenders are invited on 2 envelope system / 120 days from the date of opening of Technical bids in case tenders are invited for specialized works on 3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.</p>
	<p>11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.</p>	<p>11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee. The Contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board and Programme Chart (Time and Progress) Within the period specified in schedule in Schedule F.</p>

	No Provision	No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, Whatever applicable are submitted by the contractor to the Engineer-in-Charge.
	The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work.	The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work. The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979.
	(i)Time allowed for submission of performance Guarantee from the date of issue of letter of acceptance.....days.	(i)Time allowed for submission of performance Guarantee , Programme Chart (Time and Progress) and applicable labour licenses, registration with EPFO, 'ESIC and BOCW Wefare Board or proof of applying thereof from the date of issue of letter of acceptance.....days.
	No Provision	Whether Clause 7A Shall be Applicable Yes
	14. The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / ninety days from the date of opening of financial bid in case Tenders are invited on 2/3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to th department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.	CPWD-6 14. The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / Ninety days from the date of opening of Technical bid in case Tenders are invited on 2 envelope system / 120 days from the date of opening of Technical bids bids in case tenders are invited for specialized works on 3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.
	15.CONDITION OF CONTRACT No provision	CONDITION OF CONTRACT 2 (xvi) GST shall mean Goods and Service Tax- Central, State and Inter State.
	IITD-6 General Rules & Directions	IITD-6 General Rules & Directions

	<p>15. Sales-tax/VAT (except service tax), purchase tax, turnover tax any other tax applicable in respect of this contract shall be payable by the contractor and Government will not entertain any claim whatsoever in respect of service tax same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the engineer-in-charge after satisfying that it has been actually and genuinely paid by the contractor.</p>	<p>15. GST or any other tax applicable in respect of input procured by the contractor for this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same, However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including, extension if any.</p>
	<p>CLAUSE 37</p> <p>(i) Sales Tax. Vat (except Service Tax), Building and other Construction Workers Cess or any other tax or Cess in respect of this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect. However, in respect of service tax. same shall be paid the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-i-charge after satisfying that it has been actually and genuinely paid by the contractor.</p>	<p>CLAUSE- 37</p> <p>(i) GST, Building and other construction workers welfare Cess or any other tax, Levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect except as provided under clause 38.</p>
	<p>CLAUSE-38</p> <p>(i) All tendered rates, shall be inclusive of all taxes and levies (except Service Tax) payable under respective statutes. However, if any further tax or levy or cess is imposed by the statute. after the last stipulated date for the receipt of tender including extensions if any and the contractor thereupon necessarily and properly pays such taxes/levies/cess, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.</p>	<p>CLAUSE-38</p> <p>(i) All tendered rates shall be inclusive of any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e, increase or decrease shall be made for any variation in the rate of GST, Building and Other Construction Workers Welfare Cess or any tax, levy or cess applicable on inputs. However, effect of variation in rates of GST or Building and Other Construction workers welfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on either side, increase or decrease. Provided for Building and other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/levies/cess. Provided further that such adjustment including GST shall not be made in the extended period of contract for which the contractor alone in responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.</p>

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in **two** Envelops as explained below:-

Envelope – 1 (Following documents to be provided as single PDF file)			
Sl. No.	Documents	Content	File Types
1.	Technical Bid	Organization Declaration Sheet as per Annexure - I	.PDF
2.		Self Attested Certificate of work experience	.PDF
3.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
4.		Affidavit as per NIT condition 1.2.2 of IITD-6 on stamp paper	.PDF
5.		Acceptance to execute integrity pact	.PDF
6.		IITD 7/8 duly signed by the bidder	.PDF
7.		EPFO & ESIC Registration proof	.PDF
8.		Undertaking as per “sr. no. 23” page no. 6 on firm’s letter head if the scan copy of EMD uploaded	.PDF
9.		Any other document as specified in the NIT	.PDF
10.		Self Attested Copy of Enlistment Order of appropriate Category	.PDF
11.		Proof of submission of Tender Fees UTR No.	PDF
Envelope – 2			
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

SCHEDULE OF QUANTITY

Name of work:- Renovation work in academic area at IIT Delhi during 2018-19.

S.No.	Description	Qty.	Unit	Rate	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
1.1	All kinds of soil.	10	Cum		
2	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m :				
2.1	All kinds of soil				
2.1.1	Pipes, cables etc, not exceeding 80 mm dia.	50	Metre		
3	Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.				
3.1	All kinds of soil	100	Sqm		
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				
4.1	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20	10	Cum		

	mm nominal size)				
4.2	1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	15	Cum		
5	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size).	5	Cum		
6	Centering and shuttering including strutting, propping etc. and removal of form for all heights :				
6.1	Shelves (Cast in situ)	60	Sqm		
6.2	Lintels, beams, plinth beams, girders, bressumers and cantilevers.	20	Sqm		
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
7.1	Thermo-Mechanically Treated bars	1000	Kg		
8	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
8.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	10	Cum		
9	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
9.1	Cement mortar 1:6 (1 cement : 6 coarse sand)	12	Cum		
10	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				

10.1	Cement mortar 1:4 (1 cement :4 coarse sand)	200	Sqm		
11	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.				
11.1	Granite of any colour and shade				
11.1.1	Area of slab over 0.50 sqm	150	Sqm		
12	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.				
12.1	Granite work	150	Metre		
13	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	200	Metre		
14	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	10	Each		
15	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for				

	separately).				
15.1	Kiln seasoned and chemically treated hollock wood	1	Cum		
16	Providing and fixing glazed shutters for doors, windows and clerestory windows using 4 mm thick float glass panes, including ISI marked M.S. pressed butt hinges bright finished of required size with necessary screws.				
16.1	Kiln seasoned and chemically treated hollock wood				
16.1.1	35 mm thick	20	Sqm		
17	Deduct for not providing hinges in doors, windows or clerestory window shutters with :				
17.1	ISI marked M.S. pressed butt hinges bright finished of required size.				
17.1.1	For 2nd class teak wood and other class of wood shutters.	20	Sqm		
18	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
18.1	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws.	75	Sqm		
19	Extra for providing vision panel not exceeding 0.1 sqm in all type of flush doors (cost of glass excluded) (overall area of door shutter to be measured):				
19.1	Rectangular or square	10	Nos.		
20	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	10	Sqm		
21	Providing and fixing special quality bright finished brass cupboard or ward robe locks with four levers of approved				

	quality including necessary screws etc. complete.				
21.1	50 mm.	50	Each		
22	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	30	Each		
23	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.				
23.1	Size 50 mm	150	Each		
24	Providing and fixing chromium plated brass 50 mm cupboard or wardrobe knobs with nuts complete.	250	Each		
25	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :				
25.1	300x16 mm	15	Each		
25.2	250x16 mm	20	Each		
26	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
26.1	250x10 mm	50	Each		
26.2	150x10 mm	50	Each		
26.3	100x10 mm	110	Each		
27	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete.				
27.1	125 mm	75	Each		
27.2	100 mm	500	Each		

28	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
28.1	Twin rubber stopper	30	Each		
29	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.				
29.1	Double strip (horizontal type)	750	Each		
30	Providing and fixing sliding arrangement in book rack/ cupboard/ cabinets shutters by with stainless steel rollers to run inside C or E aluminium channel section. (Payment of C or E channel shall be made separately).	80	Nos		
31	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality.				
31.1	1.0 mm thick	450	Sqm		
32	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1000	Kg		
33	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.				
33.1	Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)	100	Kg		

34	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
34.1	Hot finished seamless type tubes	2000	Kg		
35	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete.				
35.1	40 mm thick with 20 mm nominal size stone aggregate.	50	Sqm		
36	Cement plaster skirting up to 30 cm height, with cement mortar 1:3 (1 cement: 3 coarse sand), finished with a floating coat of neat cement.				
36.1	18 mm thick	15	Sqm		
37	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) , of aproved make, in all colours, shades by Engineer -in-charge, in skirting, risers of stepes and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with gray cement slurry @ 3.3 kg per sqm, including pointing in white cement mixed with pigments of matching shade complete.	200	Sqm		
38	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints				

	(Payment for grouting of joints to be made separately).				
38.1	size of tile 600x600 mm	500	Sqm		
39	12 mm cement plaster of mix:				
39.1	1:6 (1 cement: 6 fine sand)	200	Sqm		
40	15 mm cement plaster on the rough side of single or half brick wall of mix:				
40.1	15 mm cement plaster on the rough side of half brick wall of mix 1:6(1 cement : 6 fine sand)	150	Sqm		
41	12 mm cement plaster finished with a floating coat of neat cement of mix:				
41.1	1:4 (1 cement: 4 fine sand)	50	Sqm		
42	Providing and applying plaster of paris putty of approved brand and manufacturer minimum thickness 2 mm or as required at site over plastered surface to prepare the surface even and smooth complete. (Make of POP : Sakarni, Ashirbad, Adharshree or as approved by Engineer-In-Charge)	400	Sqm		
43	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade.				
43.1	Two or more coats on new work	2500	Sqm		
44	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade.				
44.1	Two or more coats on new work	300	Sqm		
45	French spirit polishing:				
45.1	Two or more coats on new works including a coat of wood filler.	1000	Sqm		
46	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and	2500	Sqm		

	smooth complete.				
47	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per directions of Engineer-In-Charge.				
47.1	With cement mortar 1:4 (1 cement : 4 fine sand)	300	Sqm		
48	Making the opening in brick masonry including dismantling in floor or walls by cutting masonry and making good the damages to walls, flooring and jambs complete, to match existing surface i/c disposal of mulba/ rubbish to the nearest municipal dumping ground, all complete as per direction of Engineer-in-Charge.	10	Nos.		
48.1	For door/ window/ clerestory window				
49	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty.				
49.1	Float glass panes of thickness 4 mm	20	Sqm		
50	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	1500	Sqm		
51	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
51.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	3	Cum		
52	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	5	Cum		

53	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	2	Cum		
54	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
54.1	In cement mortar	15	Cum		
55	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead.				
55.1	Of area 3 sq. metres and below	60	Each		
56	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
56.1	For thickness of tiles 10 mm to 25 mm	50	Sqm		
57	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead	20	Sqm		
58	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable surplus material and stacking of serviceable material within 50 meters lead as directed by Engineer-in-charge.	250	Sqm		
59	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	300	Cum		

60	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
60.1	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap.	5	Each		
61	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.	5	Each		
62	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug, 40 mm C.P brass waste and 40mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required :				
62.1	Size 600x450x200 mm	15	Each		
63	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
63.1	Flexible pipe				
63.1.1	32 mm dia	20	Each		
64	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall				
64.1	15 mm dia nominal bore	100	Metre		
64.2	20 mm dia nominal bore.	100	Metre		
64.3	25 mm dia nominal bore.	50	Metre		
64.4	32 mm dia nominal bore	20	Metre		
64.5	50 mm dia nominal bore.	25	Metre		
65	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall:				
65.1	15 mm dia nominal bore	30	Metre		

65.2	20 mm dia nominal bore	30	Metre		
67	Providing and fixing brass stop cock of approved quality :				
67.1	15 mm nominal bore	3	Each		
67.2	20 mm nominal bore	3	Each		
68	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end)				
68.1	20 mm nominal bore	10	Each		
69	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :	2	Nos.		
69.1	20 mm nominal bore				
70	Providing and fixing plasticised PVC connection pipe with brass unions.				
70.1	45 cm length				
70.1.1	15 mm nominal bore	20	Each		
71	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work)				
71.1	15 mm nominal bore.	20	Each		
71.2	20 mm nominal bore.	20	Each		
71.3	25 mm nominal bore	20	Each		
72	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931				
72.1	15 mm nominal bore	5	Each		
73	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				
73.1	15 mm nominal bore	9	Each		
74	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight,				

	mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
74.1	For fixed portion				
75	Powder coated aluminium (minimum thickness of powder coating 50 micron).	1900	Kg		
76	For shutters of doors, windows & ventilators including providing and fixing hinges/pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
76.1	Powder coated aluminium (minimum thickness of powder coating 50 micron).	450	kg		
77	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				
77.1	Pre-laminated particle board with decorative lamination on both sides.	70	Sqm		
78	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber/ neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium				

	snap beading shall be paid in basic item):				
78.1	With float/frosted glass panes of 5.50 mm thickness.	220	Sqm		
79	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.				
79.1	With stainless steel cover plate minimum 1.25 mm thickness.	10	Each		
80	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
80.1	Upto 5mm depth and 5 mm width	300	Metre		
81	Providing and fixing double glazed hermetically sealed glazing in aluminium windows, ventilators and partition etc. with 6 mm thick clear float glass both side, having 12 mm air gap, including providing EPDM gasket, perforated aluminium spacers, desiccants, sealant (Both primary and secondary sealant) etc. as per specifications, drawings and direction of Engineer-in-charge complete.	50	Sqm		

82	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer-in-charge complete.				
82.1	255 X 19 mm	40	Each		
83	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	20	Each		
84	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge				
84.1	Powder coated minimum thickness 50 micron aluminium.	60	Each		
85	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/ pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).	100	kg		
86	Providing and fixing of (Metaworth Lay , Armstrong & saint Gobain) metal False ceiling System consisting of 600x600mm tiles of pre coated galvanised steel in 0.5 mm thickness with bevelled edge in white colour with standard perforation of 2.5mm dia & open area of 16%. The back of the tile should have black acoustical fleece.	600	Sqm		

87	Providing and fixing Vertical blinds with anodized /powder coated aluminium channel weight, chord, hangers and chain etc. The width of louvers (fabric) shall be 100 mm of good quality & approval brand & manufacturer complete vista levelor make of Alps industries or Mac brand.	250	Sqm		
88	Providing and fixing cupboard shutters with 18-19mm thick commercial block board of Duro, Century, Green plywood only as per IS : 1659 of approved make with necessary SS hinges of size 75x47x1.8 mm or SS piano hinges of appropriate size etc complete as per direction of Engineer In Charge.	250	Sqm		
89	Providing and fixing cupboard inside shelves, sides, back portion, drawers etc. with 18-19mm thick commercial block board Duro, Century, Green plywood only as per IS : 1659 of approved make with necessary fixing arrangement and as per requirement complete as per direction of Engineer In Charge. (All exposed edges of block board to be lipped with 3 mm thick teak wood beading/ margin.)	750	Sqm		
90	Providing and fixing 6mm thick ply wood sheet Duro, Century, Green plywood only as per ISI in cupboard including necessary glue and nails etc. complete as per direction of Engineer- In-Charge.	350	Sqm		
91	Hacking of existing floor (to make rough) for making base for laying floor tiles.	1200	Sqm		
92	Providing and fixing 50 mm thick sandwich roof puff panel (factory made only) as per specification as follow. A) trapezoidal steel sheet having minimum 30mm crest depth, polyester top coat & alkyd backer. Zinc coating shall be 120g/sqm as per IS-277. Top coat polyester 15-18 microns over 5-7 micron epoxy primer.	150	Sqm		

	b) Insulation: High density puff insulation. c) Inner sheet: Colour coated galvanized slightly ribbed. Thickness 0.50mm (TCT) minimum 15-18 micron top coat polyester coating, zinc coating 120g/sqm as per IS-277				
93	Providing and fixing 10 mm thick non - asbestos multipurpose cement board reinforced with cellulose fiber manufactured through autoclaving process (high pressure steam cured) as per IS:14862 of Everest industries Ltd or equivalent make , over the existing MS frame work (to be paid in basis items) with 25 mm counter sunk ribbed hard screws @200mm center to center.	500	Sqm		
94	Removing and refixing of 30 mm thick flush door shutter in position after cutting from bottom with necessary screw etc. complete as per the direction of the Engineer-in-charge.	10	Each		
95	Providing and fixing powder coated telescopic channel for drawer upto 600 mm long with necessary screws etc. complete as per directions of Engineer.	100	Set		
96	Providing and fixing C or E aluminium channel (Heavy duty) for sliding arrangement in book rack/ cupboard/ cabinet shutter with including necessary screw, nail etc. complete as per direction of Engineer in charge.	160	Metre		
97	Providing & fixing sliding wheel roller set of approved make or equivalent in aluminium sliding door /window shutters for opening and closing as per direction of Engineer-in-Charge.	20	Set		
98	Providing and fixing 100 mm C.P. grating with or without hole for nahani trap/floor trap.	20	Nos.		

99	Shifting of lab instruments, steel almirah, wooden cup boards and other related materials including covering from polythene sheet & Clearing of rubbish etc. from one room of the lab to other room and after completion of renovation work reshifting the same instruments and materials to original position complete as per direction of Lab-in-charge.	1000	Sqm		
100	Providing and fixing C.P. Brass 3 in one Laboratory sink mixer of approved quality confirming to IS standards.				
100.1	15mm nominal bore.	4	Nos.		
101	Providing and laying unglazed matt finished heavy duty homogenous body 10mm thick vitrified tiles having water absorption less than 0.5% and confirming to IS-15622 & IS.- of size- 600x600 mm of approved make and brand (Somany STONE 10 series or equivalent) laid on 20 mm thick base on cement mortar 1:4 (1 cement : 4 Coarse Sand)/ 6 mm thick (Avg.) base cement based high polymer modified quick set tile adhesive (water based) confirming to IS- 15477, including grouting of joints with white cement and matching pigment etc. complete as per direction of Engineer-in-Charge.	700	sqm		
102	Providing services of a Computer Operator cum supervisor for utilization of computer installed in the office of the Assistant Executive Engineer during the office hours for day to day work on 22 working days in a month. The person to be employed for this job should have working experience of M.S. Word, M.S. Excel & Esta as required for preliminary estimate, detailed estimate, justification, NIT, E.I.S, D.I.S preparation of monthly reports, quarterly report for various categories of works, financial progress report,	11	Month		

	letters, budget report etc. and update the works information system. (The rate should be quoted inclusive of all statutory payments & all other applicable Government taxes if any).				
103	Wiring for light point/C.fan point/ exhaust fan point/ call bell point with 1.5sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit, with modular switch, modular plate, suitable GI box & earthing the point with 1.5sq.mm. FRLS PVC insulated copper conductor single core cable etc as reqd.				
103.1	Group C	50	Each		
104	Wiring for light/ power plug with 2X4 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 1 No 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as reqd.	2500	Metre		
105	Wiring for light/ power plug with 4X4 sq.mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 2 Nos 4 sq.mm FRLS PVC insulated copper conductor single core cable for loop earthing as reqd.	1000	Metre		
106	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class steel conduit as required				
106.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	350	Metre		
106.2	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	160	Metre		

106.3	4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire	150	Metre		
107	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in existing surface/ recessed steel/ PVC conduit as required				
107.1	3 x 4 sq. mm	400	Metre		
107.2	6 x 4 sq. mm	275	Metre		
108	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
108.1	25 mm	50	Metre		
109	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
109.1	5/6 A switch	50	Each		
109.2	15/16 A switch	450	Each		
109.3	3 pin 5/6 A socket outlet	50	Each		
109.4	6 pin 15/16 A socket outlet	450	Each		
110	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	50	Each		
111	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	100	Each		
112	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc as required.				
112.1	3 Module (100 mmX75 mm)	10	Each		
112.3	6 Module (200 mmX75 mm)	21	Each		
112.3	12 Module (200 mmX150 mm)	112	Each		
113	Supplying & fixing suitable size GI box with modular plate & cover in front on surface or in recess, including providing & fixing 3 pin5/6 amps modular	10	Each		

	socket outlet & 5/6 amps modular switch, connection etc. as reqd.				
114	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 amps modular socket outlet and 15/16 amps modular switch, connection etc. as required.	20	Each		
115	Installation, testing and commissioning of pre-wired, fluorescent fitting/ compact fluorescent fitting of all types, complete with all accessories and tube etc. directly on ceiling/ wall, including connection with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required.	145	Each		
116	Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq.mm FRLS PVC insulated, copper conductor, single core cable including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.	60	Each		
117	Installation of exhaust fan in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.				
117.1	Upto 450 mm sweep	11	Each		
118	Providing and fixing following rating and breaking capacity and pole MCCB with thermomagnetic release and terminal spreaders in existing MCB DB including drilling holes in MCB DB and making connections, etc. as required.				
118.1	125 A, 16 kA, TPMCCB	9	Each		
119	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar din bar,				

	interconnections, powder painted including earthing etc. as required.(But without MCB/RCCB/Isolator) including dismantling of existing MCB DB etc as required.				
119.1	8 way, Double door	2	Each		
119.2	12 way, Double door	8	Each		
120	Supplying and fixing of following ways surface/ recess mounting, vertical type, 415 V, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 A, tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCBs (but without MCBs and incomer) as required.(Note : Vertical type MCB TPDB is normally used where 3 phase outlets are required.)				
120.1	8 way (4 + 24), Double door	6	Each		
120.1	12 way (4 + 36), Double door	3	Each		
121	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
121.1	Single pole	364	Each		
122	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required.	40	Each		
123	Supplying and fixing following rating, double pole, 240 volts, MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
123.1	63 amps	10	Each		
124	Supplying and fixing DP sheet steel enclosure on surface / recess along with 25/32 amps 240 volts "C" curve DP MCB complete with connection,testing and commissioning etc as required.	10	Each		

125	Supplying and fixing TP sheet steel enclosure on surface/ recess along with 16/25/32 A, 415 V "C" curve TP MCB complete with connections, testing and commissioning etc. as required.	5	Each		
126	Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 amps "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	35	Each		
127	Supplying and fixing 20 A, 415 V, TPN Industrial type socket outlet, with 4 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, TPMCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	10	Each		
128	Supplying and fixing 30 A, 415 V, TPN Industrial type socket outlet, with 4 pole and earth, metal enclosed plug top alongwith 30 A, "C" curve, TPMCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	12	Each		
129	Supplying and fixing Cable End Box (Loose wire box)(IP 43) suitable for following single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with testing and commissioning etc. as required.				
129.1	For 8 way, Double door SPN MCBDB	2	Each		
129.2	For 14 way, Double door SPN MCBDB	8	Each		

130	Supplying and fixing Cable End Box (Loose wire box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 V, on surface/recess, complete with testing and commissioning etc. as required.	9	Each		
131	Providing and fixing M.S. Fan clamp type I or II of 16 mm dia M.S. bar, bent to shape with hooked ends in R.C.C. slabs or beams during laying, including painting the exposed portion of loop, all as per standard design complete as required. Rate to be taken	52	Each		
132	Supplying of following size polythene (XLPE) insulated PVC outer sheathed Aluminium conductor cable for rated voltage 1.1 KV grade conforming to IS: 7098 (Part-I)/88 with amendment No.1 armoured with galvanized steel strip with ISI mark.				
132.1	3.5C x 70Sq.mm	50	Metre		
132.2	3.5C x 50Sq.mm	50	Metre		
132.3	3.5C x 35Sq.mm	50	Metre		
132.4	4C x 25Sq.mm	50	Metre		
133	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size on wall surface as required.				
133.1	Upto 35 sq. mm (clamped with 1mm thick saddle)	100	Metre		
133.2	Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp)	100	Metre		
134	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.				
134.1	3½ X 70 sq. mm (38mm)	4	Each		
134.2	3½ X 50 sq. mm (35 mm)	4	Each		
134.3	3½ X 35 sq. mm (32mm)	4	Each		
134.4	4 X 25 sq. mm (28mm)	4	Each		

135	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	420	Metre		
136	Supply of 1200 mm size of double ball bearing,copper winding, capacitor start Ceiling fan of approved make suitable for 230 volt, 50 Hz, sigle phase A.C. supply and complete with all standard accessories such as Motors, Blades & Capacitor, fan box cover i/c wiring the down rod with 1.5 sq.mm FRLS copper conductor wires from the point outlet etc complete as required. Make Orient High Speed / Havells Velocity HS/Crompton High Speed	30	Each		
137	Supply of 1400 mm size of double ball bearing,copper winding, capacitor start Ceiling fan of approved make suitable for 230 volt, 50 Hz, sigle phase A.C. supply and complete with all standard accessories such as Motors, Blades & Capacitor, fan box cover i/c wiring the down rod with 1.5 sq.mm FRLS copper conductor wires from the point outlet etc complete as required. Make Orient High Speed / Havells Velocity HS/Crompton High Speed	20	Each		
138	Supplying of Crompton Greaves make 12"(300mm) size,1400rpm,copper wound, heavy duty metalic Exhaust Fan of double ball bearing capacitor start,suitable for 230 volt,50 Hz,single phase A.C. supply and complete with accessories such as motor, legs,frame,loober and Nut & bolts etc complete as required Make Crompton Greaves / GE /Havells Turbo Force SP	6	Each		
139	Supplying of 10"(250mm) size,copper wound, ventiling fresh air fan of double ball bearing capacitor start,suitable for 230 volt,50 Hz,single phase A.C. supply and complete with accessories such as motor,	5	Each		

	legs,frame,loober and Nut & bolts etc complete as required Make Crompton Greaves / GE /Havells Ventil Air-DX White.				
140	Supplying of 34 watt recess mounted LED 2x2 panel ceiling light with ultra modern designed architectural LED luminaire which provides soft-light and glare free symmetrical illumination with high brightness suitable for Armstrong/Grid ceiling etc required.	90	Each		
141	Supplying and Fixing DLP U-PVC turnking of 105mm x 50mm on surface etc as required.	90	Meter		
142	Supplying and Fixing Full Flexible cover of width 85mm on existing DLP U-PVC turnking etc as required.	90	Meter		
143	Supplying and Fixing of 90° flat angle in existing DLP U-PVC turnking etc as required.	10	Each		
144	Supplying and Fixing of 90° internal angle in existing DLP U-PVC turnking etc as required.	12	Each		
145	Supplying and Fixing of 90° External angle in existing DLP U-PVC turnking etc as required.	12	Each		
146	Supplying and Fixing of End cap on existing DLP U-PVC turnking etc as required.	12	Each		
147	Supplying and Fixing 6/8 module support for 85mm cover etc as required.	95	Each		
148	Supplying and fixing following modular switch/ socket on the existing U-PVC trunking system including connections etc. as required.				
148.1	15/16 A switch	125	Each		
148.2	6 pin 15/16 A socket outlet	125	Each		
149	Providing and fixing cover joint etc as required. Make – Legrand / M.K. / Hager.	20	Each		
	Credit of dismantled Items				
150	1.) Fire wood from damaged cup-boards etc.	150	Kg		

151	2.) Old flush door shutter of various thickness and sizes with fitting etc.	15	Each			
152	3.) Old M.S section / steel bars scrap / G.I pipes / C.I pipes etc.	100	kg			
153	4.) Old scrap aluminium sections of various size and thickness.	200	Kg			
154	5.) Old dismantled brick.	2400	Each			
155	1.) Dismantled old 1x40 watt /2x40watt tube light fitting /CFL fitting.	80	Each			
156	2.) Dismantled old 1200 mm ceiling fan.	30	Each			
157	3.) Dismantled old 1400 mm ' size ceiling fan	30	Each			
158	4.) Dismantled old 12''/15'' size exhaust fan	8	Each			
159	5.) Dismantled old 18'' size exhaust fan	1	Each			
160	6.) Dismantled old Copper/ Aluminium wire.	80	Kg			
161	7.) Dismantal of old Dis. Board of different size.	6	Each			
162	8.) Dismantal old SP MCBS of different capacity.	180	Each			
163	9.) Dismantal of old MS box with Bakelite sheet of different size.	60	Kg			
164	10.) Dismantal of 5A switch piano type.	300	Each			
165	11.) Dismantal of 15A switch.	150	Each			
166	12.) Dismantal of 5A socket.	150	Each			
167	13.) Dismantal of 15A socket.	150	Each			
168	14.) Dismantal of old fan regulator.	50	Each			
169	15.) Dismantal old DP Isolator	10	Each			
170	16.) Dismantal of 100 mm/150 mm width old M.S channel.	20	Kg			
		Total				

C---NIL

I---NIL

O-----NIL

D'Man/AEE(P)

AEE(C)E.E. (P)