

**INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016**

Index of Tender documents

Sr. No.	DETAILS	PAGE NO.
1.	Index	1-1
2.	Details & Online Instruction	2-3
3.	Tender Notice	4-6
4.	Form "F"	7-7
5.	Terms & condition including IIT Form 6-7/8	8-42
6.	Make List	43-45
7.	Additional conditions and Special term & Condition	46-47
8.	Special Term & Condition Regarding water Proofing Guarantee	48-48
9.	Water Proofing Guarantee Bond	49-49
10.	Drawing	50-50
11.	Corrections slips	51-56
12.	Bid Submission	57-57
13.	Schedule of Quantities	58-83

This Tender documents contains pages Eighty Three Only.

NIT Amounting to Rs. 1,95,24,137/- (Rupees One Crore Ninety Five Lakh Twenty Four Thousand One Hundred Thirty Seven Only)

Institute Engineer

Notice Inviting E-Tender (E-Procurement mode)**INDIAN INSTITUTE OF TECHNOLOGY DELHI****HAUZ KHAS, NEWDELHI-110016****Dated:-25.08.2020****Open Tender Notice No. IITD/ WORKS(SP-3127)/2020**

Indian Institute of Technology Delhi is in the process of purchasing following item(s)/ services as per details as given as under.

Details of the item	Name of work: - Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi. Sub Head: - Civil and Electrical Work
Earnest Money Deposit submitted	Rs. 3,90,500/-
Warranty / Maintenance Period	1 Year
Performance Security	5% of Tender Amount

Tender Documents may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>

Aspiring Bidders who have not enrolled/registered in e-procurement should enroll/register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tender can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the e-procurement portal)

NOTICE INVITING E-TENDERS

Executive Engineer (CD-III) Indian Institute of Technology, Hauz Khas, New Delhi-16. (Phone No. 011-26596237) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for the following work:

- . NIT No : **/IITD/EE (CD-III)/2020-2021**
2. Name of Work : Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi.
Sub Head : Civil & Electrical Work.
3. Estimated cost : **Rs. 1,95,24,137 /-**
4. Earnest Money : **Rs. 3,90,500/-**
5. Period of completion : **10 Months**
6. Last time& date of submission of bid: 02/09/2020 **up to 3:00 pm (on line)**

The bid forms and other details can be obtained from the website **www.iitd.ac.in** or **e-procure.gov.in** free of cost. For more clarification you may visit on above website.

**Executive Engineer (CD-III),
For & on Behalf of BOG, IIT Delhi**

Ch. Head: PLN-12/01B
Work code- WO3485

Copy to: -

1. Institute Engineer
2. Executive Engineer (CD-III) for information.
3. D.A. (Works Accounts)
4. AEE (C)
5. D.R. (A/Cs) – for opening of uploaded documents **at 3:00 PM 03/09/2020** in the office of D.R. Store
6. Notice Boards.
7. Office Copy
8. Web site Administrator, I.I.T.D.

INDIAN INSTITUTE OF TECHNOLOGY: DELHI
HAUZ KHAS: NEW DELHI – 110016

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for **Composite works** of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for completion
1	/IITD/EE(CD-III)/2020-2021.	Name of work: Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi. Sub Head :- Civil & Electrical Work.	1,95,24,137/-	3,90,500/-	1500/-	10 Months

Last date and time of submission of financial & Technical bid :- 02/09/2020 upto 3:00 pm (on line)

Date and time of opening of Technical bid :- 03/09/2020 upto 3.00 am (office of D.R Store)

Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.
- Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - Firms/Contractors must have completed satisfactorily one similar work of value not less than Rs. 1,56,19,500/- or Two similar works each of value not less than Rs. 1,17,14,500/- or three similar works each of value not less than Rs 78,10,000/- during last 7 years ending on previous day of last day of submission of tender.**
 - Earnest money of Rs. 3,90,500/-** in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of **Registrar, I.I.T. Delhi** or through RTGS/NEFT as per detail given on page-09. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- Information and Instructions for bidders posted on website shall form part of bid document.
- The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary

documents can be seen and downloaded from website <http://eprocure.gov.in/eprocure/app> in free of cost.

6. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
7. Work means only work under Government/ Public Sector Under taking / Autonomous bodies.
8. Similar work means composite works of maintenance of buildings/ Renovation/ Addition Alteration/ Rehabilitation/ New construction of buildings (Only composite work of Civil + Electrical Work will be considered)
9. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of submission of financial bid.
10. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
12. The intending bidder must have valid class-III digital signature to submit the bid.
13. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
14. Contractor can upload documents in the form of JPG format and PDF format.
15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
16. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words, amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures is to be taken as correct.
18. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favour of **Registrar IIT Delhi** to be deposited with <http://eprocure.gov.in/eprocure/app> / NEFT facility.
19. The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
20. The following undertaking in this regard shall be up-loaded by the intending bidders: **"the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"**
21. **Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.**
22. **Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.**
23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid – Not applicable.
24. **The bid submitted shall become invalid if:**
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page5.
 - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
 - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - d. The lowest bidder does not deposit physical EMD within a week of opening of tender.

25. Bid validity shall be 90 days from opening of financial bid.
26. Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

1. Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
2. Enlistment order of contractor.
3. Attested certificate of work experience.
4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
5. Affidavit as per Notice Inviting Tender Condition 1.3 page 19 of NIT.
6. Acceptance to execute INTEGRITY PACT.
7. Undertaking as per ‘Sl. No. 20’ above on firm’s letter head.

“the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi”

8. ESI & EPF registration.
9. FORM “F” (Duly filled with all required details).
10. Tender Fee of Rs. 1500/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid

*Executive Engineer (CD-III),
For & on Behalf of BOG, IIT Delhi
Hauz Khas, New Delhi-110016.*

Ch. Head:PLN-12/01

Work code- WO3485

Copy to: -

1. Executive Engineer (CD-III) for information.
2. D.A. (Works Accounts)
3. AEE (C)
4. D.R. (A/Cs) – for opening of tenders on 03/09/2020 at 3:00 PM in the office of D.R. Store
5. Notice Boards.
6. Office Copy
7. Web site Administrator, I.I.T.D
8. NIT :- Publicity on Website on Institute as well as on CPP portal <http://eprocure.gov.in> may be ensured as per instruction issued.
9. E-tendering Web. <http://eprocure.gov.in/eprocure/app> or www.iitd.ac.in

FORM "F"
STRUCTURE & ORGANISATION

1. Name & Address of the bidder
2. Telephone no./ Telex no./ Fax no.
3. Legal status of the bidder (attach copies of original document defining the legal status)
 - a. An Individual
 - b. A proprietary firm
 - c. A firm in partnership
 - d. A limited company or Corporation
4. Particulars of registration with various Government Bodies (attach attested photocopy)

Organization/ Place of registration

Registration No.

- 1.
- 2.
- 3.
5. Name and titles of Directors & Officers with designation to be concerned with this work.....!
6. Designation of individuals authorized to act for the organization.....!
7. Has the bidder or any constituent partner in case of partnership firm, ever abandoned the awarded work before its completion? If so, give name of the project and reasons for abandonment.....!
8. Has the bidder or any constituent partner in case of partnership firm, ever been debarred/ black listed for tendering in any organization at any time? If so, give details.....!
9. Has the bidder, or any constituent partner in case of partnership firm, ever been convicted by the court of law? If so, give details.....!
10. Past work experience in IIT Delhi will be considered in deciding the Technical bid.....!

Signature of Bidder(S)

Notice Inviting Tender
INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016
Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 3,90,500/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

Name of Organization	Indian Institute of Technology Delhi
Tender Type (Open/Limited/EOI/Auction/Single)	Open
Tender Category (Services/Goods/works)	Works
Type/Form of Contract (Work/Supply/Auction/Service/Buy/Empanelment/ Sell)	Works
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Civil & Electrical Work
Source of Fund (Institute/Project)	Budget Code PLN –12/01B/WO3485
Is Multi Currency Allowed	No
Date of Issue/Publishing	25/08/2020 (13:00 Hrs)
Document Download/Sale Start Date	25/08/2020 (13:00 Hrs)
Document Download/Sale End Date	02/09/2020 (15.00 Hrs)
Date for Pre-Bid Conference	---
Venue of Pre-Bid Conference	---
Last Date and Time for Uploading of Bids	02/09/2020 (15.00 Hrs)
Date and Time of Opening of Technical Bids	03/09/2020 (15.00 Hrs)
Tender Fee	Rs. 1500/-
EMD	Rs. 3,90,500/- (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : Registrar IIT Delhi SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, HauzKhas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II) <u>or as per NIT/ Tender notice</u>
No. of Covers (1/2/3/4)	02
Bid Validity days (180/120/90/60/30)	90 days (From last date of opening of financial bids)
Address for Communication	EE(CD-III), East Campus Maintenance (Residential Area Maintenance) , IIT D.
Contact No.	011-26596237
Email Address	a26516@admin.iitd.ac.in

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

<http://eprocure.gov.in/eprocure/app>

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and

content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as “on-line” to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app> . Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link “Information about DSC”.
- 3) Tenderer are advised to follow the instructions provided in the ‘Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>.

Terms & Conditions Details

S.No.	Specification
1.	Due date: The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids: The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX. OR Financial Bids to be submitted in Excel. The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
4.	Refund of EMD :- As per NIT
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.
7.	Pre-qualification criteria: - Mentioned in Tender notice
8.	Performance Security:-Mentioned in Tender notice
9.	Force Majeure :- As per IITD form 8
10.	Risk & Cost Clause : As per IITD form 8
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8
13.	Prices: As per Tender Notice & NIT & IITD form 8
14.	Progress of Work :As per Tender Notice & NIT & IITD form 8
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8
17.	Applicable Law:As per Tender Notice & NIT & IITD form 8
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8
19.	Training : As per Tender Notice & NIT & IITD form 8
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8
21.	Incidental services: As per Tender Notice & NIT & IITD form 8
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8
23.	Governing Language : As per Tender Notice & NIT & IITD form 8
24.	Applicable Law : As per Tender Notice & NIT & IITD form 8
25.	Notices : As per Tender Notice & NIT & IITD form 8
26.	Taxes : As per Tender Notice & NIT & IITD form 8
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8

ANNEXURE-I

COMPLIANCE SHEET

TECHNICAL SPECIFICATION

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Firm registration	
2	GST Registration	
3	GST Return	
4	ESI & EPF	
5	Experience Certificate	
6	Undertaking	
7	Affidavit	
8	INTEGRITY PACT	
9	Annexure 1	
10	Annexure 2	
11	Annexure 3	
12	EMD	
13	Tender Fee	
14	FORM "F" (Duly filled with all required details)	
15	BOQ	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

**<< Organization Letter Head >>
DECLARATION SHEET**

We, _____ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been registered as per Tender Notice & NIT & IITD form 8Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document.

We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1 Phone	As per Tender Notice & NIT
2 Fax	
3 E-mail	
4 Contact Person Name	
5 Mobile Number	
6 TIN Number	
7 PAN Number	
(In case of on-line payment of Tender Fees)	
8 UTR No. (For Tender Fee) (In case of on-line payment of EMD)	
9 UTR No. (For EMD)	

(Signature of the Tenderer)

Name:

Seal of the Company

List of Govt. Organization/Deptt.

List of Government Organizations for whom the Bidder has undertaken such work As per Tender Notice & NIT & IITD form 8		
Name of the organization	Name of Contact Person	Contact No.

As per Tender Notice & NIT

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

Bid Submission**Online Bid Submission:**

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Document – 1 (Following documents to be provided as single PDF file)			
Sl. No.	Documents	Content	File Types
1.	Technical Bid	Compliance Sheet as per Annexure – I	.PDF
2.		Organization Declaration Sheet as per Annexure – II	.PDF
3.		List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF
4.		Technical supporting documents in support of all claims made at Annexure-I (Annexure-IV)	.PDF
Bid Document – 2			
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in Excel format.	.xlsx

IITD-6 FOR e-TENDERING AND TERM & CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged in the field of civil construction work in appropriate category for the *work As per tender notice*.

1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost **as per tender notice** This estimate, however, is given merely as a rough guide.
- 1.2 Details of criteria for eligibility As Indicated in “INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE”
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)
2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD - 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule ‘F’ or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
4. The site for the work shall be made available in parts as and when site will be available.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <http://eprocure.gov.in/eprocure/app> or iitd.ac.in or e-procure.gov **free** of cost.
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
9. Earnest Money in the form of Demand Draft or Pay order or Banker`s Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e-tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-III), IIT Delhi, Hauz Khas, New Delhi**

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

(i) <http://eprocure.gov.in/eprocure/app>.

10. The bid submitted shall become invalid if:

- (i) The bidders are found not eligible.
- (ii) The bidders do not upload all the documents (including GST registration/ **other documents as per Tender Notice**) as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
- (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.

11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.

12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.

15. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.

16. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.

17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently

employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
19. The tender for the works shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form - 8 or other Standard IITD Form as mentioned.
21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-III)
IIT Delhi, HauzKhas,
New Delhi - 110016

Notice Inviting Tender



INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI
(Works Department)

**INDIAN INSTITUTE OF TECHNOLOGY
HAUZ KHAS, NEW DELHI - 110016**

NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL and Railway** dealing with building and roads for the work of “**Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi. Sub Head :- Civil & Electrical work.**”

The enlistment of the contractors should be valid on the last date of submission of tenders.

In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

1.1 The work is estimated to cost **Rs. 1,95,24,137/-**-This estimate, however, is given merely as a rough guide.

1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) in last 7 years ending last day of the month previous to the one in which the tenders are invited.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to the last date of receipt of application for tender.

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)

2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
4. The site for the work shall be made available in parts as and when site will be available.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site **www.iitd.ac.in or e-procure.gov.in free of cost.**
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid & Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
 - (ii) The bidder does not upload all the documents (GSTIN Registration) as stipulated in the bid document.
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5% (Five Percent)** of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or

the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
16. The bid for the works shall remain open for acceptance for a period of **ninety (90) days** from the date of opening of financial bids, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

I.I.T.D – 6 FOR e-TENDERING**I.I.T.D**

- a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.

18.In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in there-bidding process of the work.

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

To,

.....,

.....,

.....

Subject:- NIT No. /IITD/EE(CD-III)/2020-2021 for the work of “Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi.
Sub Head: - Civil and Electrical Work

Dear Sir,

It is hereby declared that I.I.T.D is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

E.E.(CD-III)

Acceptance to execute integrity pact	I.I.T.D
---	----------------

(To be signed by bidder and upload the scanned copy)

To,
Executive Engineer (CD-III),
 IIT Delhi, Hauz Khas,
 New Delhi – 110016.

Subject:- Submission of Bid for the work of “Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi.”
Sub Head: - Civil and Electrical Work

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that **THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE** of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

To be signed by the bidder and same signatory competent / authorized to
sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of..... 20.....

BETWEEN

The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 represented through Executive Engineer (CD-III) IIT Delhi.

....., (Hereinafter referred as the(Address of Division)
'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

.....
(Name and Address of the Individual/firm/Company)

through (Hereinafter referred to as the(Details of duly authorized signatory)

"Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal / Owner has floated the Tender (NIT No.) (Hereinafter referred to as **"Tender/Bid"**) and intends to award, under laid down organizational procedure, contract for

.....
(Name of work)hereinafter referred to as the **"Contract"**.

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as **"Integrity Pact"** or **"Pact"**), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

INTEGRATY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the

business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
 - e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
 - 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.**
 - 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may be forever or for a limited period as decided by the Principal/Owner.**
- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit:** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.

- 3) **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

INTEGRATY PACT e-TENDERING

I.I.T.D

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

.....
(For and on behalf of Principal/Owner)

.....
(For and on behalf of Bidder/Contractor)

WITNESSES:

1.
(signature, name and address)

2.
(signature, name and address)

Place:

Dated :

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

**INDIAN INSTITUTE OF TECHNOLOGY
HAUZ KHAS, NEW DELHI - 110016**

Percentage Rate Tender/Item Rate Tender & Contract for Works

Tender for the work of: **Name of work: - “Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi. Sub Head: - Civil and Electrical Work.**

(i) To be submitted by **as per tender notice** to

.....

(ii) To be opened in presence of bidders who may be present at **as per tender notice**

in the office of **D.R. (Store)**

Issued to

Signature of officer issuing the documents

Designation

Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, HauzKhas, New Delhi - 16 within the time specified in Schedule ‘F’ viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 for a sum of (Rupees.....).

The letters referred to below shall form part of this contract agreement:-

- (a)
- (b)
- (c)

For & on behalf of Board of Governors, IIT Delhi

Signature

Dated: Designation

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

PROFORMA OF SCHEDULES

(Separate Performa for Civil, Elect. & Hort. Works in case of Composite Tenders) (Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the Contractor	Place of issue
1			4	
	← Nil →			

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
1			
	← Nil →		

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.

----- **Nil** -----

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

SCHEDULE 'E'

Reference to General Conditions of contract.

Name of work:- "Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi.Sub Head: - Civil and Electrical Work

Estimated cost of work	: Rs. 1,95,24,137/-
(i) Earnest Money	: Rs. 3,90,500/-
(ii) Performance Guarantee	: 5% of tendered value
(iii) Security Deposit	: 5% of tendered value

SCHEDULE 'F'**GENERAL RULES& DIRECTIONS : Officer inviting tender IITD/ Form – 7/8-2010**

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3: See below

Definitions:

2(v)	Engineer-in-Charge	Executive Engineer	
2(viii)	Accepting Authority	Institute Engineer	
2(x)	Percentage on cost of materials and Labour to cover all overheads and profits:		15%
2(xi)	Standard Schedule of Rates –	Civil& Electrical work :- DSR 2018and Market Rate	
2(xii)	Department –	Works department at I.I.T Delhi	
9(ii)	Standard I.I.T.D Contract Form	GCC 2010, I.I.T.D Form 7/8-2010 modified & Corrected up to date of submission of tender.	

Clause 1

- | | |
|---|---------|
| (i) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance | 15 days |
| (iii) Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above | |
| 1 to 15 days | |

Clause 2**Authority for fixing compensation under clause 2****Institute Engineer**

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

Clause 2A

Whether Clause 2A shall be applicable

No**Clause 5**

Number of days from the date of issue of letter of award for reckoning date of start

10 (Ten) days

Mile stone(s) as per table given below:-

Sl. No.	Description of Milestone (Financial)	Time allowed in days (from date of start)	Amount to be with-held in case of non-achievement of mile stone
			In the event of not achieving the necessary progress as assessed from the running payment, 1% of the Tender value of work will be withheld for failure of each milestone.
1	1/8 th (of the whole work)	1/4 th (of the whole work)	
2	3/8 th (of the whole work)	1/2 th (of the whole work)	
3	3/4 th (of the whole work)	3/4 th (of the whole work)	
4	Full	Full	

Time allowed for execution of work

As per tender notice.

Authority to decide:

(i) Extension of time

Institute Engineer.

(ii) Rescheduling of mile stones

Institute Engineer.**Clause 6, 6A**Clause applicable - (6 or 6A) **Clause 6A**.....**Clause 7**

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment

Rs. 20.00 Lakhs

Clause 10A

List of testing equipment to be provided by the contractor at site lab.

1..... 2. 3.....
 4..... 5. **Nil** 6.....
Clause 10B(ii)

Whether Clause 10 B (ii) shall be applicable **No**

Clause 10C

Component of labour expressed as percent of value of work = 25%

Clause 10CA

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA*
1			
2			
3			
4		Nil	

* Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approved of NIT.

Clause 10CC :- Not applicable in this NIT/Tender

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column **18 months**

Schedule of component of other Materials, Labour, POL etc. for price escalation.

Component of civil (except materials covered under clause 10CA) /Electrical construction Materials expressed as percent of total value of work. - **Xm**

Component of Labour - expressed as percent of total value of work. **Y**..... %

Component of P.O.L. - expressed as percent of total value of work. **Z**..... %

Clause 11

Specifications to be followed for execution of work

CPWD specifications 2009 Vol-1&2 with upto date correction slips & manufacturers specifications

PROFORMA OF SCHEDULES

I.I.T.D

Clause 12

Type of work -Maintenance works including works of up-gradation, aesthetic, special repair, addition/ alteration.

12.2. & 12.3 Deviation Limit beyond which clauses
12.2 & 12.3 shall apply for all maintenance work **50%**

Clause 16

Competent Authority for

deciding reduced rates.

Institute **Engineer**

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:-

1. 2. 3.
4. 5. 6.
7. **----- Nil -----** 9.

Clause 25

Constitution of Dispute Redressal Committee (DRC)	Competent Authority to appoint DRC
DRC shall constitute one Chairman and two members	Director Indian Institute of Technology Delhi

Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical Representative)	Minimum Experience (Years)	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i)	
						Figures	Words
1.	Graduate Engineer Or Diploma Engineer	Civil	Project Manager Cum Planning/ quality/Site/billing Engineer	2	1	Rs.15,000.00 per month.	Rupees Fifteen Thousand only per month
				5	1		

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

Clause 42

- (i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates **2018** printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities:
- (a) Cement
- For works with estimated cost put to tender not more than Rs. 5 lakh. 3% plus/minus.
For works with estimated cost put to tender more than Rs.5 lakh. 2% plus/minus.
- (b) Bitumen All Works 2.5% plus only & nil on minus side.
- (c) Steel Reinforcement and structural steel sections for each diameter, section and category 2% plus/minus
- (d) All other materials. Nil

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S. No.	Description of Item	Rates in figures and words at which recovery shall be made from the Contractor	
		Excess beyond permissible variation	Less use beyond permissible variation
1.	Cement	As per CPWD Specification 2009	
2.	Steel Reinforcement		
3.	Structural Sections		
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed Price		

BANK GUARANTEE BOND**I.I.T.D****Form of Earnest Money Deposit
Bank Guarantee Bond**

WHEREAS, contractor.....(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")

KNOW ALL PEOPLE by these presents that we.....(name of bank) having our registered office at.....(hereinafter called "the Bank") are bound unto

.....
..
(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs. (Rs. in words) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of 20....

THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;
 - OR
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
 - OR
 - (c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,
 - OR
 - (d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiate his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE

WITNESSSEAL

SIGNATURE OF THE BANK

(SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender

LIST OF APPROVED MAKES FOR CIVIL & Electrical works**A-Civil Items**

S. No.	Description	Approved Makes
1	EWC Seat Covers	HINDWARE/PARRYWARE/ CERA
2	C.P Brass Fittings/ Accessories	JAQUAR, MARC, KOHLAR
3	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/ J.K./ BIRLA/ ULTRA TECH/ VIKRAM
4	Cement (White)	J.K./ BIRLA
5	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL/ SECONDARY MANUFACTURER HAVING VALID BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS)
6	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL/ SECONDARY MANUFACTURER HAVING VALID BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS)
7	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM
8	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH
9	Aluminum Sections	HINDALCO/ JINDAL/ MAHAVIR
10	Flush Doors	CENTURY/ MERINO/ DURO BOARD/ GREEN
11	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/ DECOLAM/ CENTURY
12	Glass	SAINT GOBIN/ MODI FLOAT/ ASAHI FLOAT
13	Ceramic Glazed tiles/ Border tiles	1 ST QUALITY KAJARIA / NITCO/ JOHNSON/ ORIENT/ SOMANY
14	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY
15	Interlocking precast paver blocks/ Kerb Stone	HINDUSTAN TILES/ SWASTIK/ DALAL
16	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASI/ SUPREME
17	Stainless Steel Nuts bolts / Screws	KUNDAN/ PUJA/ ATUL/ GKW
18	Paint/ Primer/ Oil bound distemper/ Acrylic paint/ Plastic paint	1 ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/ SHALIMAR/ DULUX
19	Water Proof Cement Paint/ Exterior Paint	1 ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/ SHALIMAR/ DULUX
20	Sanitary ware (Vitreous China) (European Seats, Urinals, Wash Basins, etc.)	HINDWARE/ PARRYWARE/ CERA
21	G.I. Pipes	TATA/ JINDAL(HISSAR)/ BHUSHAN/ APL APPOLO/ TT SWASTIK
22	G.I. Fittings	UNIK/ ZOLOTO/ AM
23	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)/ PRAYAG
24	Commercial Board/ Ply	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
25	CI Pipes/ Fittings & Manhole covers	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF
26	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH
27	Floor Spring	DOORKING/ EVERITE/ SANDHU
28	Door Closer	EVERITE/ SANDHU/ HARDWIN
29	Mirror	ATUL/ MODIGUARD/ SAINT GOBAIN/ AASHI
30	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN
31	False Ceiling	ARMSTROBG/ SAINT GOBAIN/ META WORTH
32	Water Proofing Compound	CICO/ FOSROC/ PIDILITE/ ECMAS/ ASIAN
33	Polymer Compound	CICO/ PIDILITE/ FOSROC/ ECMAS/ ASIAN
34	Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
35	Rust Remover/ Anticorrosive	FOSROC/ CICO/ PIDILITE/ ECMAS/ ASIAN
36	Adhesive	FEVICOL/ VAMICOL/ DUNLOP/ VAM ORGANIC
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLNDURA/ CICO
38	Wall Putty	BIRLA / JK/ SARA

39	Epoxy Grout	BALLENDURA/ KERAKOLL/ FERROUSCRETE
40	PVC Water storage tank (ISI marked)	SINTEC/ UNI PLAST/ POLYWELL
41	PVC insulated water storage tank Heavy duty 4/5 layer	SINTEX/ UNI PLAST/ POLYWELL/ EURO
42	Brass Ball Valve/ Gate Valve/ Float Valve	ZOLOTO/ AM/ LEADER/ SANT
43	Aluminum Door Fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop Cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic Paint	CBM/ CMS/ S.N. INDUSTRIES
46	Plaster of Paris Putty	ADHARSHREE/ SHREE RAM/ J.K./ BIRLA
47	Rcc Pipe	LAKSHMI/ SOOD & SOOD/ JAIN & CO. / DIWAN SPUN PIPES
48	Pvc Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	JSW, BHUSHAN, D-META
50	WPC Board And MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN / POLYGAL/ TUFLITE
54	Acp Panel	ALSTRONG/ ALUCOBOND/ EUROBOND/ ALUDECOR
55	Acoustic Wooden/ Fabric Paneling	ARMSTRONG/ ANUTONE/CREDENCE/ TOPAKUSTIC
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR / 3M / DARK EYE /EVERY DENNISON
58	Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation	UP TWIGA LTD OR EQUIVALENT
61	Fire Door	NAVAIR/ SHAKTI/ GODREJ/ RADIANT
62	Flush Door Shutters Of Various Thickness	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
	Furniture	
63	Work Station	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER
64	Executive Table/ Other Table	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER
65	Chair/ Audi Chair	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER
66	Lab Furniture's	KEWANEE/ WALDNER/ GODREJ/ WIPRO/ FEATHERLITE
67	Hostel Beds And Cots	ZUARI/ EVOK/ GODREJ/ WIPRO/ FEATHERLITE
68	Hospital Beds	HUNTLEY/ STRIKER/ GODREJ/ WIPRO/ FEATHERLITE
	Electrical	
69	LED Luminaire	PHILIPS/ PANASONIC/ WIPRO/ BAJAJ
70	Conduit	ISI MARKED
71	Power Cables	HAVELLS/ NICCO/ SKYTONE/ GLOSTER
72	Copper Wires	FINOLEX/ HAVELLS/ KEI/ POLYCAB
73	MCB	HAVELLS/ L&T/ SIEMENS/ STANDARD/ CROMPTON/ LEGRAND/ GM/ C&S
74	DB	HAVELLS/ L&T/ SIEMENS/ STANDARD/ CROMPTON/ LEGRAND/ GM/ C&S
75	Switch & Socket	LEGRAND/ HAVELLS CRABTREE/ L&T/ MDS/ WIPRO NORTH WEST/ GM/ POLYCAB/ SCHNEIDER
76	Ceiling Fan	USHA/ HAVELLS/ ATOMBERG/ ORIENT/ BAJAJ
77	Fan Regulator	GM/ NORTH WST/ HAVELLS/ POLYCAB/ MDS/ LEGRAND
78	Industrial Plug Sockets	HAVELLS/ STANDARD/ BCH/ L&T
79	Fresh Air/ Exhaust Fans	HAVELLS/ USHA/ BAJAJ/ ORIENT
80	MCCB	SIEMENS/ L&T/ GE POWER CONTROLS/ C&S/

		CROMPTON/ HAVELLS/ LEGRAND
81	PVC (DMC) Trunking with all accessories	HAGER/ LEGRAND/ GM
82	SFU	HAVELLS/ L&T/ STANDARD/ HPL
83	VRF/ VRV AC Unit	BLUE STAR/ KIRLOSKAR/ DAIKIN/ HITACHI
84	CPVC Pipe	SUPREME/ SUDHAKAR/ FONOLEX/ PLAZA/ ALG
85	Control Cable	HAVELLS/ GLOSTER/ KEC/ NICCO/ INCAB/ UNIVERSAL/ FINOLEX/ RR KABEL/ V-GUARD/ KEI WITH ISI MARKED

INDIAN INSTITUTE OF TECHNOLOGY: NEW DELHI
HAUZ KHAS: NEW DELHI
ADDITIONAL CONDITIONS

1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
3. The contractors are advised to get acquainted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained on account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
4. The work shall be carried out as per CPWD specifications for civil and electrical work with up – to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on account of Royalty, Cartage, GST & stacking of material required at places. The rates for different items of work shall apply for all Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
6. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by him at his own cost.
7. Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-in-charge shall only be used at work.
8. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work.
9. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the IITD if reports are satisfactory and if test results are unsatisfactory than testing charges shall be deducted from bills of contractor. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
10. The contractor shall submit a detailed program of work within 7 days of the date of award of work. The Engineer – in- Charge can modify the program and the contractors have to work accordingly.
11. The contractor shall make his own arrangement for getting the permission with respect to movement of trucks from the Traffic Police.
12. No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour & material. **No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus.** However constructions of cement godown and

Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.

14. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
15. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.
16. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
17. Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
18. Income tax and other taxes as applicable shall be deducted from the bills of contractor.
19. 1% labour cess or as applicable will be deducted from the bills of contractor.
20. Contractor will make his own arrangement for water & Electricity, if water & electricity provided by IIT Delhi than Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor.
21. Agency has to take proper safety measures during the execution of work.
- 22. GCC for 7/8 shall form part of NIT and the bidder shall go through GCC before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.**
23. ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work. .
24. The contractor shall submit the program of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
25. Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
26. Work shall be executed as per the Architectural drawings and instructions of Engineer-in-charge/ Architect or his representatives. The Architectural drawing and instruction of Engineer-in-Charge/ Architect shall be strictly adhered.
27. GST shall considered as inclusive in quoted rate of agency.
28. Electrical work will be executed only through the agency who is having valid electrical license and the copy of valid electrical license will be submitted before start of work.

**INDIAN INSTITUTE OF TECHNOLOGY: NEW DELHI
HAUZ KHAS: NEW DELHI**

SPECIAL TERM & CONDITON REGARDING WATER PROOFING GUARANTEE.

Five years guarantee bond in prescribed performa attached at annexure II herewith shall be submitted by the contractor which shall also be signed by the contractor to meet their liability/ liabilities under the guarantee bond. The sole responsibility about efficiency of water proofing treatment shall rest with the contractor.

A separate amount @ 10% of the cost of water proofing work shall be retained as a security for the performance of water proofing work. This withheld amount shall be released Five years after the expiry of maintenance period, if the performance of the work done is found satisfactory. If any defect is noticed during the guarantee period, it shall be rectified by the contractor within 7 days of receipt of intimation of defect in the water proofing work. If the defects pointed out not attended within the specified period, the same will be got done from other agency at the risk & cost contractor

This amount shall be in addition to the security deposit mentioned elsewhere in contract form.

The amount with held may be released in full of against bank Guarantee of equivalent amount in favour of Engineer-in-charge of prescribed period is mentioned above.

WATER PROOFING GURANTEE BOND.

THE AGREEMENT made this day of Two thousands..... between..... son of(hereinafter called the Guarantor of the one part) and the B.O.G IIT Delhi (hereinafter called the Government of the other part).

WHEREAS THIS agreement is supplementary to the contract (hereinafter called the Contract) Dated..... and made between the Guarantor of the one part and Government of the other part, whereby the Contractor, inter alia, undertook to render the buildings and structures in the said Contractor recited, completely water and leak-proof.

AND WHEREAS THE GUARANTOR agreed to give a guarantee to the effect that the said structure will remain water and leak-proof for Five years from expiry of maintenance period.

PROVIDED THAT THE GUARANTOR will not be responsible for leakage caused by earthquake or structural defects or misuse of roof or alteration and for such purpose.

- a) Misuse of roof shall mean any operation which will damage proofing treatment, like chopping of firewood and things of the same nature which might cause damage to the roof.
- b) Alteration shall mean construction of an additional storey or a part of the roof of construction adjoining to existing roof whereby proofing treatment is removed in parts;
- c) The decision of the Engineer-in-Charge with regard to cause of leakage shall be final.

DURING THIS PERIOD of guarantee the Guarantor shall make good all defects and in case of may defect being found he shall render the building water-proof to the satisfaction of the Engineer-in-charge at his cost and shall commence the works of such rectification within seven days from date of issuing notice from the Engineer-in-charge calling upon him to rectify the defects, failing which the work will be got done by the Department by some other Contractor at the Guarantor's cost and risk. The decision of the Engineer-in-charge as to the cost, payable by the Guarantor shall be final and binding.

THAT IF THE GUARANTOR fail to execute the water proofing or commits breaches hereunder then the Guarantor will indemnify the Principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the GUARANTOR in performance and observance of this supplemental agreement. As to the amount of loss and/or damage and/or cost incurred by the Government, the decision of the Engineer-in-charge will be final and binding on the parties.

IN WITNESS whereof these present have been executed by the Obligorand by), IIT Delhi and for and on behalf of the **B.O.G. IIT Delhi** on the day, month and year first above written.

Signed, sealed and delivered by OBLIGOR in the presence of-


- 1.
- 2.

Signed for and on behalf of B.O.G. IIT Delhi by in the presence of.

- 1.

Executive Engineer (CD-III)

For & on behalf of the Board of Governors, IIT Delhi



KEY PLAN SCALE -

No.	Rev.	Description	Date

DWG ISSUED ON	AT - NEW DELHI	PROJECT CODE
ARCHITECT	ORIGINATED BY	BUILDING CODE
CHECKED BY	VERIFIED BY	

PROJECT
RENOVATION OF NEELKANTH HALL

ROOM No. - M2-131
 DRAWING BRANCH, WORKS DEPTT
 INFRASTRUCTURE UNIT
 IIT DELHI CAMPUS, HAUZ KHAS,
 NEW DELHI- 110015

TEL:(011)
 MAIL: apurva@admin.iitd.ac.in

ISSUED FOR TENDER PURPOSE ONLY CLIENT: IIT DELHI

BUILDING TYPE
 DRAWING TITLE
PROPOSED GROUND FLOOR
 DRAWING NUMBER

SCALE - 1:150 SHEET SIZE - A3 SHEET NO. - 02

IITD -2010 CORRECTION SLIPS
In general condition of contract for IIT Delhi works department 2010

	Existing	Modified
Reference	Existing Provision	Modified Provision
Clause 3 (vii)	If the contractor shall obtain a contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering.	If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
Reference	Existing Provision	Modified Provision
<u>Deviations /variation extent and pricing</u>	<u>CLAUSE 12</u> The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.	<u>CLAUSE 12</u> The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided. The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.5 times of Tendered amount.
<u>Deviations /Extra items, pricing</u>	12.2 In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.	12.2 A. For Project and original works: In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.

		<p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
<p><u>Deviations, Substituted items, pricing</u></p>	<p>In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p>	<p>A. For Project and original works: In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of substituted items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
<p><u>Deviations,</u></p>	<p>In the case of contract items, substituted items,</p>	<p>A. For Project and original works:</p>

<p><u>Deviated Quantities, pricing</u></p>	<p>contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p>	<p>In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.</p>
	<p>12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>	<p>12.3 A. For Project and original works: The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>

	<p>14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / ninety days from the date of opening of financial bid in case Tenders are invited on 2/3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to th department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.</p>	<p>CPWD-6 14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / Ninety days from the date of opening of Technical bid in case Tenders are invited on 2 envelope system / 120 days from the date of opening of Technical bids bids in case tenders are invited for specialized works on 3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.</p>
	<p>11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker’s cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule ‘F’, including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.</p>	<p>11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker’s cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule ‘F’, including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.</p> <p>The Contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board and Programme Chart (Time and Progress) Within the period specified in schedule in Schedule F.</p>

	No Provision	No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, Whatever applicable are submitted by the contractor to the Engineer-in-Charge.
	The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work.	The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work. The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979.
	(i)Time allowed for submission of performance Guarantee from the date of issue of letter of acceptance.....days.	(i)Time allowed for submission of performance Guarantee , Programme Chart (Time and Progress) and applicable labour licenses, registration with EPFO, 'ESIC and BOCW Wefare Board or proof of applying thereof from the date of issue of letter of acceptance.....days.
	No Provision	Whether Clause 7A Shall be Applicable Yes
	15. Sales-tax/VAT (except service tax), purchase tax, turnover tax any other tax applicable in respect of this contract shall be payable by the contractor and Government will not entertain any claim whatsoever in respect of service tax same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the engineer-in-charge after satisfying that it has been actually and genuinely paid by the contractor.	15. GST or any other tax applicable in respect of input procured by the contractor for this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same, However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including, extension if any.
	CLAUSE 37 (i) Sales Tax. Vat (except Service Tax), Building and other Construction Workers Cess or any other tax or Cess in respect of this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect. However, in respect of service tax. same shall be paid the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-i-charge after satisfying that it has been actually and genuinely paid by the contractor.	CLAUSE- 37 (i) GST, Building and other construction workers welfare Cess or any other tax, Levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect except as provided under clause 38.

	<p>CLAUSE-38</p> <p>(i) All tendered rates, shall be inclusive of all taxes and levies (except Service Tax) payable under respective statutes. However, if any further tax or levy or cess is imposed by the statute. after the last stipulated date for the receipt of tender including extensions if any and the contractor thereupon necessarily and properly pays such taxes/levies/cess, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.</p>	<p>CLAUSE-38</p> <p>(i) All tendered rates shall be inclusive of any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e, increase or decrease shall be made for any variation in the rate of GST, Building and Other Construction Workers Welfare Cess or any tax, levy or cess applicable on inputs. However, effect of variation in rates of GST or Building and Other Construction workers welfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on either side, increase or decrease. Provided for Building and other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/levies/cess. Provided further that such adjustment including GST shall not be made in the extended period of contract for which the contractor alone in responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.</p>
--	---	--

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in **two** Envelops as explained below:-

Envelope – 1 (Following documents to be provided as single PDF file)			
Sl. No.	Documents	Content	File Types
1.	Technical Bid	Scanned copy /Online Payment of EMD	.PDF
2.		Enlistment order of contractor.	.PDF
3.		Attested certificate of work experience.	.PDF
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
5.		Affidavit as per Notice Inviting Tender condition 1.3 of page 19 of NIT to be submitted on stamp paper.	.PDF
6.		Acceptance to execute INTEGRITY PACT.	.PDF
7.		Undertaking as per tender notice on firm's letter head if the scan copy of EMD uploaded.	.PDF
8.		ESI and EPF Registration.	PDF
9.		FORM "F" (Duly filled with all required details	.PDF
10.		Proof of tender fees	.PDF
11		Any other documents specified in NIT	PDF
Envelope – 2			
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

All above documents shall be as per Tender Notice.

SCHEDULE OF QUANTITY

Name of Work :- Renovation work in Neelkanth Community Centre in East Campus at IIT Delhi.
Sub Head: - Civil and Electrical Work.

Sr.No	Description	Qty	Unit	Rate	Amount
1	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm on plan including disposal of excavated earth upto 50 m and lift upto 1.5 m, disposed soil to be levelled and neatly dressed :				
1.1	All kinds of soil	602.00	Sqm.		
2	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level :				
2.1	1:2:4 (1 Cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size)	10.00	Cum.		
2.2	1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size).	26.00	Cum.		
3	Providing and laying in position ready mixed plain cement concrete, with cement content as per approved design mix and manufactured in fully automatic batching plant and transported to site of work in transit mixer for all leads, having continuous agitated mixer, manufactured as per mix design of specified grade for plain cement concrete work, including pumping of R.M.C. from transit mixer to site of laying and curing, excluding the cost of centering, shuttering and finishing, including cost of curing, admixtures in recommended proportions as per IS : 9103 to accelerate/ retard setting of concrete, improve workability without impairing strength and durability as per direction of the Engineer-in-charge. Note : 1) Excess/less cement used than specified in this item is payable/recoverable separately.				
3.1	All works upto plinth level :				
3.1.1	M-10 grade plain cement concrete (cement content considered @ 220 kg/cum)	69.00	Cum.		
4	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) : 3 graded stone aggregate 20 mm nominal size).				
4.1	1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)	5.00	Cum.		

5	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size).	4.00	Cum.		
6	Centering and shuttering including strutting, propping etc. and removal of form for :				
6.1	Foundations, footings, bases of columns, etc. for mass concrete	60.00	Sqm.		
6.2	Suspended floors, roofs, landings, balconies and access platform	236.00	Sqm		
6.3	Lintels, beams, plinth beams, girders, bressumers and cantilevers	49.00	Sqm		
7	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
7.1	Thermo-Mechanically Treated bars	5330.00	Kg.		
8	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge (Note :- Cement content considered in this item is @ 330 kg/cum. Excess/ less cement used as per design mix is payable/recoverable separately).				
8.1	All works above plinth level upto floor V level	42.00	Cum.		
9	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:				
9.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	16.00	Cum.		
10	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :				
10.1	Cement mortar 1:4 (1 cement : 4 coarse sand)	38.00	Cum.		
11	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
11.1	Cement mortar 1:3 (1 cement :3 coarse sand)	161.00	Sqm.		

12	Extra for providing and placing in position 2 Nos. 6mm dia. M.S. bars at every third course of half brick masonry.	161.00	Sqm.		
13	Providing and fixing 18mm thick gang saw cut mirror polished (premoulded and prepolished) machine cut for kitchen platforms, vanity counters ,window sills , facias and similar locations of required size of approved shade, colour and texture laid over 20mm thick base cement mortar 1:4 (1 cement : 4 coarse sand) with joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing moulding and polishing to edge to give high gloss finish etc. complete at all levels.				
13.1	Granite of any colour and shade				
13.1.1	Area of slab over 0.50 sqm.	37.00	Sqm.		
14	Extra for fixing marble /granite stone over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive including cleaning etc. complete.	35.00	Mtr.		
15	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	15.00	Each		
16	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.	32.00	Each		
17	Providing and fixing chromium plated brass handles with necessary screws etc. complete:				
17.1	125 mm	40.00	Each		
18	Providing and fixing bright finished brass tower bolts (barrel type) with necessary screws etc. complete :				
18.1	250x10 mm	46.00	Each		
18.2	200x10 mm	46.00	Each		
19	Providing and fixing aluminium tower bolts ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade with necessary screws etc. complete :				
19.1	150x10 mm	40.00	Each		
19.2	100x10 mm	40.00	Each		
20	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers				

	etc. complete.				
20.1	Hot finished seamless type tubes	6794.00	Kg.		
21	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
21.1	In stringers, treads, landings etc. of stair cases, including use of chequered plate wherever required, all complete	1683.00	Kg.		
21.2	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	1439.00	Kg.		
22	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.).	500.00	Kg.		
23	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS : 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.(Basic rate of tiles will not be less than Rs. 350.00 per sqm.)	600.00	Sqm.		
24	Providing and laying rectified Glazed Ceramic floor tiles 300x300 mm or more (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand) including pointing the joints with white cement and matching pigments etc., complete.(Basic rate of tiles will not be less than Rs. 400.00 per sqm.)	84.00	Sqm.		
25	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				

25.1	Size of Tile 600x600 mm	273.00	Sqm.		
26	Deduct for not using 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand) bedding in laying of floor tiles.	-273.00	Sqm.		
27	Fixing glazed/ Ceramic/ Vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (Water based) conforming to IS: 15477, in average 3mm thickness.	273.00	Sqm.		
28	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
28.1	Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	712.00	Sqm.		
29	Providing and fixing percoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self-drilling / self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	89.00	Sqm.		
30	Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid				

	including, required cutting/making, opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x 1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge.				
30.1	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece.	542.00	Sqm.		
31	12 mm cement plaster of mix :				
31.1	1:4 (1 cement : 4 coarse sand)	146.00	Sqm.		
32	15 mm cement plaster on rough side of single or half brick wall of mix :				
32.1	1:4 (1 cement: 4 coarse sand)	262.00	Sqm.		
33	Cement plaster 1:3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement.				
33.1	12 mm cement plaster	31.00	Sqm		
34	Pointing on brick work or brick flooring with cement mortar 1:3 (1 cement : 3 fine sand) :				
34.1	Flush / Ruled/ Struck or weathered pointing.	199.00	Sqm.		
35	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :				
35.1	Water thinnable cement primer	2280.00	Sqm.		
36	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:				
36.1	New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	1961.00	Sqm.		
37	Providing and applying white cement based putty of average thickness 2 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2280.00	Sqm.		

38	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground within 50 metres lead :				
38.1	With cement mortar 1:4 (1cement: 4 coarse sand)	102.00	Sqm.		
39	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once irrespective of duration of scaffolding.	522.00	Sqm.		
40	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
40.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	21.00	Cum.		
40.2	Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	49.00	Cum.		
41	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
41.1	In cement mortar	24.00	Cum.		
42	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :				
42.1	Of area 3 sq. metres and below	65.00	Each		
42.2	Of area beyond 3 sq. metres	14.00	Each		
43	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
43.1	For thickness of tiles 10 mm to 25 mm	349.00	Sqm.		
44	Dismantling stone slab flooring laid in cement mortar including stacking of serviceable material	208.00	Sqm.		

	and disposal of unserviceable material within 50 metres lead.				
45	Dismantling wooden boardings in lining of walls and partitions, excluding supporting members but including stacking within 50 metres lead :				
45.1	Thickness above 10 mm up to 25 mm	88.00	Sqm.		
46	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge :				
46.1	15 mm to 40 mm nominal bore	117.00	Mtr		
47	Dismantling C.I. pipes including excavation and refilling trenches after taking out the pipes manually/ by mechanical means, breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes and lead at site within 50 metre lead as per direction of Engineer-in-charge:				
47.1	Upto 150 mm diameter	65.00	Mtr.		
48	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	10.00	Each		
49	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	145.00	Cum.		
50	Providing and laying factory made coloured chamfered edge Cement Concrete paver blocks of required strength, thickness & size/shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50mm thick compacted bed of fine sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with jamuna sand and cutting of paver blocks as per required size and pattern, finishing and sweeping extra sand in footpath, parks, lawns, drive ways or light traffic parking etc. complete as per manufacturer's specifications & direction of Engineerin-Charge.				
50.1	60mm thick C.C. paver block of M-35 grade with approved colour, design & pattern.	602.00	Sqm.		
51	Providing and laying at or near ground level factory made kerb stone of M-25 grade cement concrete in position to the required line, level and curvature, jointed with cement mortar 1:3 (1 cement: 3 coarse sand), including making joints with or without grooves (thickness of joints except at sharp curve	6.00	Cum.		

	shall not to more than 5mm), including making drainage opening wherever required complete etc. as per direction of Engineer-in-charge (length of finished kerb edging shall be measured for payment). (Precast C.C. kerb stone shall be approved by Engineer-in-charge).				
52	Providing and fixing water closet squatting pan (Indian type W.C. pan) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:				
52.1	White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	4.00	Each		
53	Providing and fixing white vitreous china pestal for wash basin completely recessed at the back for the reception of pipes and fittings.	6.00	Each		
54	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe: 32 mm dia	14.00	Each		
55	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	12.00	Each		
56	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete.	2.00	Each		
57	Providing and fixing toilet paper holder :				
57.1	C.P. brass	14.00	Each		
58	Providing and fixing soil, waste and vent pipes :				
58.1	100 mm dia.				
58.1.1	Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	65.00	Mtr.		
58.2	75mm diameter :				
58.2.1	Centrifugally cast (spun) iron socketed pipe as per IS: 3989	44.00	Mtr.		
59	Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) including cost of cutting holes and making good the walls etc. :				
59.1	For 100 mm dia. Pipe	26.00	Each		

59.2	For 75 mm dia. Pipe	8.00	Each		
60	Providing and fixing plain bend of required degree.				
60.1	100 mm				
60.1.1	Sand cast iron S&S as per IS - 3989	22.00	each		
60.2	75 mm				
60.2.1	Sand cast iron S&S as per IS -3989	8.00	Each		
61	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
61.1	100x100x100 mm				
61.1.1	Sand cast iron S&S as per IS - 3989	4.00	Each		
61.2	75x75x75 mm				
61.2.1	Sand cast iron S&S as per IS - 3989	2.00	Each		
62	Providing and fixing single equal plain junction of required degree :				
62.1	100x100x100 mm				
62.1.1	Sand cast iron S&S as per IS - 3989	8.00	Each		
63	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:				
63.1	100 mm	63.00	Each		
63.2	75 mm	45.00	Each		
64	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors :				
64.1	100 mm inlet and 75 mm outlet				
64.1.1	Sand cast iron S&S as per IS - 3989	20.00	Each		
65	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	4.00	Each		

66	Providing and fixing floor mounted, white vitreous china single piece, double traps syphonic water closet of approved brand/make, shape, size and pattern including integrated white vitreous china cistern of capacity 10 litres with dual flushing system, including all fittings and fixtures with seat cover, cistern fittings, nuts, bolts and gasket etc including making connection with the existing P/S trap, complete in all respect as per directions of Engineer-in-Charge.	13.00	Each		
67	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall				
67.1	20 mm dia. nominal bore	204.00	Mtr.		
68	Providing and fixing G.I. pipes complete with G.I. fittings and clamps including making good the walls etc. concealed pipe including painting with anti corrosive bitumastic paint, cutting chases and making good the wall.				
68.1	15 mm dia nominal bore	30.00	Mtr		
68.2	20 mm dia nominal bore	102.00	Mtr.		
69	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work				
69.1	25 mm dia nominal bore	95.00	Mtr.		
70	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :				
70.1	20 mm nominal bore	30.00	Each		
71	Providing and fixing brass ferrule with C.I. mouth cover including boring and tapping the main :				
71.1	20 mm nominal bore	8.00	Each		
72	Painting G.I. pipes and fittings with synthetic enamel white paint with two coats over a ready mixed priming coat, both of approved quality for new work :				
72.1	20 mm diameter pipe.	204.00	Mtr.		
72.2	25 mm diameter pipe.	95.00	Mtr.		
73	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work)				
73.1	15 mm nominal bore	10.00	Each.		
73.2	20 mm nominal bore	36.00	Each		

74	Cutting holes up to 30x30 cm in walls including making good the same:				
74.1	With common burnt clay F.P.S. (non modular) bricks	37.00	Each		
75	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	20.00	Each		
76	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :				
76.1	150 mm diameter	82.00	Mtr.		
77	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design :				
77.1	150 mm diameter S.W. pipe	82.00	Mtr.		
78	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design:				
78.1	150 x 100 mm size P type				
78.1.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	21.00	Each		
79	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design :				
79.1	Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg) :				
79.1.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	4.00	Each		
80	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded				

	stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :				
80.1	For pipes 100 to 250 mm diameter	8.00	Each		
81	Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :				
81.1	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	8.00	Each		
82	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
82.1	For fixed portion.				
82.1.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	1513	Kg.		
83	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately).				
83.1	Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	732.00	Kg.		
84	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge.				

84.1	With stainless steel cover plate minimum 1.25 mm thickness	10.00	Each		
85	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
85.1	Upto 5mm depth and 5 mm width	204.30	Mtr.		
86	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineerin-charge complete.				
86.1	355 X 19 mm	152.00	Each		
87	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-incharge				
87.1	Powder coated minimum thickness 50 micron aluminium	20.00	Each		
88	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).	100	Kg.		
89	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately).	10.00	Sqm.		
90	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	44.00	Sqm.		

91	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3mm thick water proofing membrane, black finished reinforced with non-woven polyester matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 ltr/sqm. by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/ltr and viscosity 70-160 cps. Over the primer coat the layer of membrane shall be laid using Butane Torch and sealing all joints etc., and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under: Joint strength in longitudinal and transverse direction at 23°C as 650/450N/5cm. Tear strength in longitudinal and transverse direction as 300/250N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane :				
91.1	3 mm thick	653.00	Sqm.		
92	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with PVC / neoprene gasket etc. complete as per the architectural drawings of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item)				
92.1	With 5. mm thickness reflective glass (antilio from Saint Gobain or equivalent of ASI)	76.00	Sqm.		
93	Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank	15000.00	Ltr.		
94	Taking out china ware wash basin or W/C's, Wash basin and kitchen sink including Dismantling of brackets etc. complete.	22.00	Each		
95	Providing and fixing factory made hot pressed both side laminated flush door ready made shutter with one mm thick decorative laminate on both side confirming to IS:2202 (Part-I) non decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grain or cross bands and face veneer on both face of shutters.				
95.1	35mm thick including ISI marked stainless steel butt hinges with necessary screws.	64.00	Sqm.		
96	Wall painting with Premium Acrylic interior paint (ICI DuluxValvet Touch) of approved brand and manufacture to give an even shade				
96.1	Two or more coats	2280.00	Sqm.		
97	Providing and Fixing C.P. brass bib cock (long body) of approved quality complete as per the direction of Engineer in-charge. (Make -				

	Jaquar/Marc/Kohler)				
97.1	15mm nominal bore.	2.00	Each		
98	Providing & Fixing of CP Brass bib cock (Short body) of approval quality complete as per the direction of Engineer in-charge. (Make - Jaquar/Marc/Kohler)				
98.1	15mm nominal bore	14.00	Each		
99	Providing & Fixing of C.P. Central Hole Basin Mixer of approved quality complete as per the direction of Engineer in-charge. (Make - Jaquar/Marc/Kohler) -				
99.1	15mm nominal bore	13.00	Each		
100	Providing & Fixing of C.P. brass angle valve/angular stop cock for wash basin and geyser and WC points of approved quality complete as per the direction of Engineer in-charge.(Make - Jaquar/Marc/Kohler) -	66.00	Each		
101	Providing and Fixing of C.P. Health Faucet with 1 Mtr long tube & Hook complete as per the direction of Engineer in-charge. (Make - Jaquar/Marc/Kohler) - .	11.00	Each		
102	Providing and Fixing of C.P. towel ring round complete with brackets fixed to wooden cleats with C.P. brass screws complete as per the direction of Engineer in-charge. (Make - Jaquar/Marc/Kohler)				
102.1	C.P. Towel ring round	8.00	Each		
103	Providing and Fixing of C.P. towel rod with brackets fixed to wooden cleats with C.P. brass screws complete -	2.00	Each		
104	Providing and Fixing of C.P. Copper connection with brass union complete as per the direction of Engineer in-charge -	52.00	Each		
105	Providing and Fixing of stainless steel jali (Grating) with or without hole for waste pipe for floor / Nahni trap. (Make - Chili / Hefle) -	28.00	Each		
106	Providing and Fixing of gun metal gate valve with C.I. wheel of approved quality complete (Make-Zoloto/Leader/Saint)				
106.1	20 mm nominal size	30.00	Each		
107	Providing and fixing fly proof wire guaze to windows, clerestory windows and doors with screws/ washer etc. or by approved means as per manufacturer's specifications. (a) Stainless steel (grade 304) wire guaze of 0.38 mm dia wire and 1.4 mm aperture on both sides. (complete area of shutter will be measured for payment and no extra payment for folding the wire guaze at edges will be made for material and labour etc.)	65.00	Sqm.		
108	Providing & Fixing of stainless steel cylindrical lock with a pair of handles (Dorset - Model No.	19.00	Each		

	CETO) all complete as per direction of engineer-in-charge.				
109	Providing and fixing 25mm diameter stainless steel Curtain/Drapery Rod with finials and rings in required position including Curtain Brackets/ End Knobs/ Pipe Holders etc. and including necessary cutting, tightening/ fixing as required complete as per the instructions of Engineer-in-charge. (Make - Vista Allure -SS-02 or equivalent of MAC) Note:- For payment purpose total end to end length of rod including End Globe will be measured and no extra payment will be made for Curtain Bracket, End Knob, Pipe Holder, Finials and rings.	54.00	Mtr.		
110	Providing and fixing powder coated push button type white metal handle to aluminium windows with SS screws etc. complete as per direction of Engineer-in-Charge.	140.00	Nos.		
111	Cleaning the roof surface and removing dirt, dust, bird dropping, fungus, vegetable growths etc. including disposal of rubbish to the dumping ground before laying APP modified prefabricated water proofing membrane as per the direction of the Engineer in charge.	653.00	Sqm.		
112	Providing and fixing wash basin (constellation set of Hindware / Clair of CERA ,or equivalent of Parryware in Ivory color) size (LXW) 55cm x 45cm with all accessories complete including painting of fittings etc. cutting and making good the walls wherever required completed in all respect	6.00	Each		
113	Providing and fixing wash basin with C.I./M.S. brackets, 32mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever required.				
113.1	Oval shaped counter top wash basin (Size - 560mm x 400mm)	7.00	Each		
114	Providing and Fixing of C.P. Shower Arm with Head approved quality complete (Make-Zoloto/Leader/Saint) 15mm nominal bore.	2.00	Each		
115	Providing and Fixing of C.P. Brass Stop Cock (Concealed) of approval quality complete as per the direction of Engineer in-charge. (Make - Jaquar/Marc/Kohler) 15mm nominal bore.	4.00	Each		
116	Providing and Providing and Fixing of C.P. Wall Mixer Non Telephonic approved quality complete (Make- Zoloto/Leader/Saint)	2.00	Each		
117	Providing and Fixing of glass corners of size upto 300mmx300mm with necessary cleats and screws etc. complete as per direction of engineer-in-charge.	2.00	Each		
118	Dismantling and removing rectangular/square shape G.I. Sheet duct of any size from wall and stacking the same as per the direction of the Engineer-in-charge.	25.00	Mtr.		
119	Providing and Fixing 10 mm thick non-asbestos multipurpose cement board reinforced with cellulose fiber , manufactured though autoclaving	275.00	Sqm.		

	process having density grater than 1200kg/cubic meter (high pressure steam cured) as per IS:14862 and type B category 3tasted as per BS-476 part 2,5,6 & 7 over the existing MS frame work(MS frame work to be paid in basic items) with 25mm counter sunk ribbed hard screws @ 200mm center to center . The joints of the boards shall be finished with specially formulated jointing compound and jointing tape to be provided seamless finish , etc all complete as per drawing & direction of engineer in charge.				
120	Providing and fixing 50mm thick sandwich roof panel (factory made) as per specification as follow. a) Outer sheet; 0.50mm (TCT) pre-coated galvanized trapezoidal steel sheet having minimum 30mm crest depth, polyester top coat & alkyd backer. Zinc coating shall be 120 gsm as per IS-277. Top coat polyester 15-18 microns over 5-7 micron epoxy primer. b) Insulation : High density puff insulation. c) Inner Sheet: Colour coated galvanized, slightly ribbed. Thickness 0.50mm (TCT) minimum 15-18 micron top coat polyester coating, Zinc coating 120g/sqm as per IS-277 Grade of steel : Minimum 240Mpa (both sheets). Sheet should have protective guard film of 25 micron minimum to avoid scretches during transportations and should be supplied in single length upto 12 meter or as desired by Engineer-In-Charge. The sheet shall be fixed using self drilling / self tapping screws with EPDM seal, completed upto any pitch in horizontal / vertical or curved surfaces excluding the cost purlins, rafters and trusses and including cutting to size and shape wherever required. Work to be executed as per the instructions of Engineer-In-Charge.	275.00	Sqm.		
121	Providing and fixing cup board shutters with 18-19mm thick commercial block board as per IS : 1659 of approved make with necessary SS piano hinges of appropriate size etc. complete as per direction of Engineer In Charge.	18.00	Sqm.		
122	Providing and fixing 18 mm thick WPC (wooden polymer composit) board inside shelves, sides, back portion or in drawer units etc. for specific size and 18 mm thickness, composed of wood dust (min 30% - 40% and remaining PVC, fungus/Acid/termite/water proof , fire retardent, formaldehyde free, virgin thermoplastic,single Extruded and screw-able/nail-able, having density of 680 - 720 kg/cum. and water absorption up to 1 % with approved make with necessary fixing arrangement and as per requirement complete as per direction of Engineer in charge.	77.00	Sqm.		
123	Providing and fixing auto closing spring loaded hinges (hydraulic type) of Make-HETTICH/Hafele to cupboard shutters with full theaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-	42.00	Each		

	in-charge.				
124	Providing and fixing 2 mm thick 16 to 19 mm wide PVC edge banding tape of approved quality for cupboard / wardrobe shutters including necessary hot glue by edge banding machine etc complete as per direction of Engineer-in-charge.	126.00	Mtr.		
125	The scope of Structural Design under this item are :- Structural Design of Extended front portion of Neelkanth hall as per drawing enclosed and Structural Design of structural steel inside hall for holding the false ceiling. Structural Design will be submitted to Engineer-in-charge for approval before execution of work. Bidders are advised before quoting their rate please visit the site to get acquainted about the scope of this design work.	1.0	L.S.		
126	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required.				
126.1	Group C	150.00	Point		
127	Wiring for light/ power plug with 2X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	500.00	Mtr.		
128	Wiring for light/ power plug with 4X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.	400.00	Mtr.		
129	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required				
129.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	400.00	Mtr.		
129.2	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	350.00	Mtr.		
129.3	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	180.00	Mtr.		
130	Supplying and drawing following sizes of FR PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit/ PVC trunking as required.				
130.1	3 x 2.5 sq. mm	120.00	Mtr.		
130.2	3 x 4 sq. mm	200.00	Mtr.		

130.3	6 x 4 sq. mm	150.00	Mtr.		
131	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.				
131.1	5/6 amp switch	40.00	Each		
131.2	3 pin 5/6 amp socket outlet	40.00	Each		
131.3	15/16 amp switch	120.00	Each		
131.4	6 pin 15/16 amp socket outlet	120.00	Each		
132	Supplying and fixing following size/ modules, GI/PVC box alongwith modular base & cover plate for modular switches in recess etc as required.				
132.1	3 Module (100mmX75mm)	40.00	Each		
132.2	6 Module (200mmX75mm)	20.00	Each		
132.3	12 Module (200mmX150mm)	20.00	Each		
133	Supplying and installation of Recess/ Surface mounting LED luminaire equipped with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage not more than 34 Watts;Output lumens not less than 3300 lm; CCT 6000K; Dimension in mm (595X595); Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 20;	48.00	Each		
134	Supplying and installation of Recess mounting round LED luminaire equipped with fully enclosed precision die-cast aluminium construction,excellent pan with energy efficient electronic driver with following features:-Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 45 Watts; CCT 4000K; Dimension 215 mm cutout ; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 20;	15.00	Each		
135	Supplying and installation of Recess/Surface mounting round LED luminaire equipped with die-cast aluminium / CRCA housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:-Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage not more than 12 Watts;Output lumens not less than 650 lm; CCT 6000K; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 20;	45.00	Each		
136	Supplying and fixing of 450mm Wall mount fan complete with all accessories for use on 220/240 volts 50 HZ, single phase A/C Supply including	40.00	Each		

	connection with 1.5 sq. mm FRLS PVC insulated, copper conductor single/ multi core cable etc as reqd.				
137	Supply, installation, testing and commissioning of 1200 mm sweep, BEE5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B,3 nos. blades, 30 cm long down rod, 2 nos, canopies, shackle kit, safety rope, copper winding. Power Factor not less than 0.9, Service value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 350 RPM (tolerance as per IS: 374-2019), THD less than 10% remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.) insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase Ac supply, earthing etc. complete as required.	21.00	Each		
138	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	21.00	Each		
139	Providing and fixing M.S fan hook for ceiling fan including digging in RCC & making good the same complete as required.	21.00	Each		
140	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	20.00	Each		
141	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				
141.1	8 way, Double door	2.00	Each		
141.2	12 way, Double door	3.00	Each		
142	Supplying and fixing of following ways surface/ recess mounting, vertical type, 415 volts, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 amps tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCB's (but without MCB's and incomer) as required . (Note : Vertical type MCB TPDB is normally used where 3 phase outlets are required.) and should have provision for MCCB as incomer.				
142.1	8 way (4 + 24), Double door	2.00	Each		
142.2	12 way (4 + 36), Double door	3.00	Each		
143	Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
143.1	Single pole	150.00	Each		
143.2	Single pole and neutral	5.00	Each		
143.3	Triple pole	8.00	Each		

144	Supplying and fixing 125 amps, 18 KA, TP MCCB in the existing TPN Distribution board/ panel board including testing & commissioning etc. complete as required.	5.00	Each		
145	Supplying and fixing 100 amps, 18 KA, TP MCCB with Steel Enclosure including testing & commissioning etc. complete as required.	5.00	Each		
146	Supplying and fixing following rating, double pole, 240 volts, MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
146.1	63 amps	5.00	Each		
147	Supplying and fixing Cable End Box (Loose Wire Box) suitable for following single pole and neutral, sheet steel, MCB distribution board, 240 Volts, on surface/ recess, complete with testing and commissioning etc. as required. For 8/12 way, Double door SPN MCBDB	5.00	Each		
148	Supplying and fixing Cable End Box (Loose Wire Box) suitable for following triple pole and neutral, sheet steel, MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc.as required. For 8/ 12 way, Double door TPN MCBDB	5.00	Each		
149	Supplying and fixing DP sheet steel enclosure on surface/ recess along with 25/32amps 240 volts "C" curve DP MCB complete with connections, testing and commissioning etc. as required.	4.00	Each		
150	Supplying and fixing TP sheet steel enclosure on surface/ recess along with 16/25/32amps 415 volts "C" curve TP MCB complete with connections, testing and commissioning etc. as required.	9.00	Each		
151	Supplying and fixing of 300 mm size exhaust fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the existing opening, including making good the damage , connection, testing and commissioning etc. as required.as required	10.00	Each		
152	Supplying and fixing of 450 mm size Heavy duty exhaust fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the existing opening, including making good the damage , connection, testing and commissioning etc. as required.as required	5.00	Each		
153	Supplying and making end termination with brass compression gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.				
153.1	4 X 35 sq. mm (32mm)	10.00	Each		
153.2	3½ X 50 sq. mm (35mm)	10.00	Each		
154	Supplying and Laying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of Following size, 1.1 KV grade conforming				

	to I.S-1554/1/88				
154.1	4 X 35 sq. mm	200.00	Mtr.		
154.2	3½ X 50 sq. mm	210.00	Mtr.		
155	Providing and fixing 8 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	820.00	Mtr.		
156	Installation, testing and commissioning of pre-wired, fluorescent fitting / compact fluorescent fitting of all types, complete with all accessories and tube etc. directly on ceiling/ wall, including connection with 1.5 sq. mm FR PVC insulated, copper conductor, single core cable and earthing etc. as required.	10.00	Each		
157	Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq. mm FR PVC insulated, copper conductor, single core cable, including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.	10.00	Each		
158	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	2.00	Each		
159	Providing and fixing 25 mm X 5 mm G.I. strip on surface or in recess for connections etc. as required.	60.00	Mtr.		
160	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required.	100.00	Mtr.		

161	<p>Fabrication, supply, installation testing & commissioning of indoor type compartmentalized panel board made out of 2mm thick CRCA sheet having separate cable and bus bar alley double door arrangement with two leaf door on front side and single door with double leaf on rear side with locking arrangement, having 400 amp TPN Aluminium bus bar with base frame made out of 50x50x6mm thick angle iron having 300 mm legs duly erection in ground with connection and interconnection with copper conductor PVC insulated cables/ insulated copper conductor strip of appropriate size and terminals blocks (on outgoing) including supplying and fixing following switch gears & accessories there in powder coating labelling earthing etc. complete as required</p> <p>1. Having minimum size = 800mm x 1400mm x 300mm deep.</p> <p>(a) 250 amps, 4P, 36KA, 50HZ, 415V, AC MCCB L&T, legrand, Schnieder Make= 1 No</p> <p>(b) 100 Amps 3 Pole, 18KA 415V, 50HZ MCCB L&T,legrand, Schnieder Make=4 Nos</p> <p>(c) Earthing studs 2 Nos</p> <p>(d) Danger plate – 02 Nos</p> <p>(e) Multimeter - 01 Nos.</p> <p>(e) RYB indicating lamp</p>	1.00	Nos.		
162	<p>Supply, Installation, Testing and commissioning of 5 Star, inverter type [variable speed] High wall split type air conditioning unit complete with indoor and outdoor units [to be installed at existing structure], intial charge including topping up as required with eco-friendly refrigerant, coil material made of copper , suitable on operation on 240 V, 50 Hz [for single phase] with permissible variation, etc. including pressure testing of refrigerant pipe lines after installation with dry nitrogen gas, vaccumising etc. as per specificatons.</p>				
162.1	Nominal Cooling Capacity: 02 TR	3.00	Each		
162.2	Nominal Cooling Capacity: 1.5 TR	3.00	Each		
163	<p>Supply, Installation, Testing and commissioning of 5 Star, inverter type [variable speed] Window type air conditioning unit complete with [to be installed at existing cutting wall] with eco-friendly refrigerant, coil material made of copper , suitable on operation on 240 V, 50 Hz [for single phase] with permissible variation, etc. as per specificatons.</p>				
163.1	Nominal Cooling Capacity: 1.5 TR	4.00	Each		
164	<p>Supply, Installation, Testing and commissioning of inverter type [variable speed] floor standing air conditioning unit complete with floor-standing-</p>				

	indoor and outdoor units [to be installed at existing structure], intial charge including topping up as required with eco-friendly refrigerant, coil material made of copper , suitable on operation on 415 V, 50 Hz [for 3 phase] / 240 V, 50 Hz [for single phase] with permissible variation, etc. including pressure testing of refrigerant pipe lines after installation with dry nitrogen gas, vaccumising etc. as per specificatons.				
164.1	Nominal Cooling Capacity: 04 TR	4.00	Each		
165	Suppling, installation, testing and commissioning of following size copper refrigerant pipe wrapped with foam / polyurethene / nitrile insulation with proper saddling on wall / tray including cutting, brazing, etc. as required. [N.B Thickness of wall of copper pipes shall be as perr recommendation of the OEM of tower AC under item no 1 above].				
165.1	Size: 7/8 inch + 1/2 inch	120.00	Mtr.		
166	Supplying and laying of ISI marked CPVC pipe of 1 inch dia for draining of sweated water from AC evaporator unit including providing tee, joints, elbows, wherever necessary etc. complete as required.	100.00	Mtr.		
167	Fabricating, providing and fixing M.S iron frame fabricated with M.S angle of size 50mm x 50mm x 6mm for resting the outdoor unit condenser unit on the outside wall / roof/ of the building duly supported from the bottom with same angle iron and finally making good the damages including painting the framework etc. complete as required.	100.00	Mtr.		
168	Supplying and laying of ISI marked pvc insulated flexible copper cable of size 6 core x 1.5 sqmm of 1.1 kv grade including making connection etc. for communication between indoor and outdoor unit etc. complete as required.	130.00	Mtr.		
169	De-insatllation of existing ducting from its position including removal of Air Handling Unit and old pipelines, drain lines, etc. as directed by the Engineer-in-charge.	1.00	Job		
Credit for dismantles item					
170	Less buyback of old Ducting etc. on as is where is basis.	1.00	Lot.		
171	Less buyback of old air handling unit etc. on as is where is basis.	2.00	Nos.		
172	Less buyback of T5/ tube light etc. on as is where is basis.	20.00	Nos.		
173	Less buyback of 5/15 Amp Switch etc. on as is where is basis.	20.00	Nos.		
174	Less buyback of 5/15 Amp Socket etc. on as is where is basis.	20.00	Nos.		
175	Less buyback of old aluminium wiring on as is where is basis.	1.00	Lot.		

176	G.I. Pipe 15 to 40mm dia	60.00	Mtr.		
177	C.I. Pipe 75mm dia	10.00	Mtr.		
178	C.I. Pipe 100mm dia	15.00	Mtr.		
179	PVC Cistern of any size	8.00	Each		
180	Any type of iron scrape (Iron Frames, Bars and G.I. Sheet duct)	300.00	Kg.		
181	Flush Door Shutter/ Partial board door shutter	55.00	Sqm.		
182	Glazed Shutter	20.00	Sqm.		
183	Old PVC Tanks	800.00	Ltr.		
184	Aluminium Frames	250.00	Kg.		
185	Less buyback of old Ducting etc. on as is where is basis.	1.00	Lot.		
186	Less buyback of old air handling unit etc. on as is where is basis.	2.00	Nos.		
187	Less buyback of T5/ tube light etc. on as is where is basis.	20.00	Nos.		
188	Less buyback of 5/15 Amp Switch etc. on as is where is basis.	20.00	Nos.		
189	Less buyback of 5/15 Amp Socket etc. on as is where is basis.	20.00	Nos.		
190	Less buyback of old aluminium wiring on as is where is basis.	1.00	Lot.		
TOTAL					

Special Conditions:

1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
2. The contractor must visit the site of work /buildings before quoting the rates.
3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
4. Site shall be available in parts or phases as per directions of Engineer in Charge and nothing extra on this account shall be paid to the Contractor.
5. Quoted rates of participating agencies shall be inclusive of GST.