

**INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016**

Index of Tender documents

Sr. No.	DETAILS	PAGE NO.
1.	Index	1-1
2.	Details & Online Instruction	2-3
3.	Tender Notice	4-6
4.	Form "F"	7-7
5.	Terms & condition including IIT Form 6-7/8	8-42
6.	Make List	43-44
7.	Additional conditions and Special term & Condition	45-49
8.	Corrections slips	50-54
9.	Bid Submission	55-55
10.	Schedule of Quantities	56-83

This Tender documents contains pages One to Eighty Three Only

NIT Amounting to Rs. 1,48,84,936/- (Rs. One Crore Fourty Eight Lakhs Eighty Four Thousand Nine Hundred Thirty Six Only)

Institute Engineer

Notice Inviting E-Tender (E-Procurement mode)**INDIAN INSTITUTE OF TECHNOLOGY DELHI****HAUZ KHAS, NEWDELHI-110016****Dated : 25/02/2021****Open Tender Notice No. IITD/ WORKS(SP- 3402)/2020**

Indian Institute of Technology Delhi is in the process of purchasing following item(s)/ services as per details as given asunder.

Details of the item	Name of work :- Renovation & Modification in account section in Academic area at IIT Delhi. Sub Head :- Civil, Furniture, Electrical & A.C. work
Earnest Money Deposit submitted	NIL (Filled Performa for Earnest Money Deposit Declaration (Relaxation for Earnest Money Deposit as per OM No. F9/14/2020/PPD dated 12-11-2020 issued by the Department of Expenditure and DG/ CON/Misc./13)
Warranty / Maintenance Period	1 Year
Performance Security	3% of Tender Amount

Tender Documents may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>

Aspiring Bidders who have not enrolled/registered in e-procurement should enroll/register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tender can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All quotation (both Technical and Financial should be submitted in the e-procurement portal)

NOTICE INVITING E-TENDERS

Executive Engineer (CD-III) Indian Institute of Technology, Hauz Khas, New Delhi-16. (Phone No. 011-26596237) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for the following work:

1. NIT No : **/IITD/EE(CD-III)/2020-21**
2. Name of Work : **Renovation & Modification in account section in academic area at IIT Delhi.**
3. Sub Head :- **Civil, Furniture, Electrical & A.C. work**
4. Estimated cost : **Rs. 1,48,84,936/-**
5. Earnest Money : **NIL (Filled Performa for Earnest Money Deposit Declaration (Relaxation for Earnest Money Deposit as per OM No. F9/14/2020/PPD dated 12-11-2020 issued by the Department of Expenditure and DG/ CON/Misc./13)**
6. Period of completion : **4 (Four) Months**
7. Last time& date of submission of bid: **08/03/2021 up to 3:00 pm (on line)**

The bid forms and other details can be obtained from the website **www.iitd.ac.in** or **e-procure.gov.in** **free of cost.** For more clarification you may visit on above website.

**Executive Engineer (CD-III),
For & on Behalf of BOG, IIT Delhi**

Ch. Head: PLN-12/01B
Work code-WO3561

Copy to: -

1. Institute Engineer
2. Executive Engineer (CD-III) for information.
3. D.A. (Works Accounts)
4. A. E. E. (Civil)
5. D.R. (A/Cs) – for opening of uploaded documents **at 3:00 PM on 09/03/2021** in the office of D.R. Store
6. Notice Boards.
7. Office Copy
8. Web site Administrator, I.I.T.D.

INDIAN INSTITUTE OF TECHNOLOGY: DELHI
HAUZ KHAS: NEW DELHI – 110016

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Civil works of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for completion
1	/IITD/EE(CD-III)/2020-21.	Name of work : Renovation & Modification in account section in academic area at IIT Delhi Sub Head :- Civil, Furniture, Electrical & A.C. Work	1,48,84,936/-	NIL	1000/-	04 (Four) Months

Last date and time of submission of financial & Technical bid :- 08/03/2021 upto 3:00 pm (on line)

Date and time of opening of Technical bid :- 09/03/2021 upto 3.00 pm (office of D.R Store)

Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

1. The successful bidders shall be required to submit a performance guarantee of 3% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.
2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) **Firms/Contractors must have completed satisfactorily one similar work of value not less than Rs. 1,19,07,949/- or Two similar works each of value not less than Rs. 89,30,962/- or three similar works each of value not less than Rs 59,53,974/- during last 7 years ending on previous day of last day of submission of bids.**
3. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
4. Information and Instructions for bidders posted on website shall form part of bid document.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <http://eprocure.gov.in/eprocure/app> in free of cost.
6. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
7. Work means only work under Government/ Public Sector Under taking / Autonomous bodies.
8. Similar work means composite work of maintenance of building/ Renovation/ Addition Alteration/ Rehabilitation/ New construction of buildings (Each work shall be inclusive of Civil, Furniture, Electrical & A.C works).
9. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to previous day of last date of submission of financial bid.

10. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
12. The intending bidder must have valid class-III digital signature to submit the bid.
13. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
14. Contractor can upload documents in the form of JPG format and PDF format.
15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
16. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words, amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures is to be taken as correct.
18. The following undertaking in this regard shall be uploaded by intending bidders "EMD declaration as per page-53 duly signed and uploaded with Technical bid.
19. The EMD undertaking uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
20. **Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice/ web notice shall have to be submitted by the lowest bidder within a week physically in the office of e-tender authority and it shall be sole responsibility of lowest bidder.**
21. **Online bid documents submitted by intending bidders shall be opened only of those bidders, who has uploaded EMD Declaration and other documents scanned and uploaded are found in order.**
22. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid – Not applicable.
23. **The bid submitted shall become invalid if:**
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 14 on tender notice page 5-6.
 - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document.
 - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
24. Bid validity shall be 90 days from opening of financial bid.
25. Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

1. Performa of EMD declaration (duly filled & signed by the bidders) as given on page-18.
2. Enlistment order of contractor.
3. Attested certificate of work experience.
4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
5. Affidavit as per Notice Inviting Tender Condition 1.3 page 19 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).
6. Acceptance to execute INTEGRITY PACT.
7. ESI & EPF registration.
8. FORM "F" (Duly filled with all required details).
9. **Tender Fee of Rs. 1000/- to be deposited through RTGS to Registrar IIT Delhi as per detail given in schedule page-09 and its proof to be uploaded with technical bid**

10. Annexure-I (duly filled & signed by the bidders)
11. Annexure-II (duly filled & signed by the bidders)
12. Annexure-III (duly filled & signed by the bidders)
13. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
14. Undertaking by the firm that if the firm becomes lowest then they shall submit along with Performance guarantee from the OEM after acceptance of tender regarding:-
 - a. Valid OEM Authorization Certificate.
 - b. Written commitment from OEM of VRF/ VRV to supply the units and its delivery schedule.
 - c. The letter of OEM that the OEM unconditionally supports the bidder technically throughout the execution of the contract as well as for maintenance contract for the useful life of the system.
 - d. The letter of OEM that they will provide all the spares required for healthy functioning of the equipment for at least 7 years from the date of supply of equipment.
 - e. VRF/VRV air conditioning work shall only be got executed only by the manufacturer or their authorized dealers.

*Executive Engineer (CD-III),
For & on Behalf of BOG, IIT Delhi
Hauz Khas, New Delhi-110016.*

Ch. Head:PLN-12/01B

Work code-WO3561

Copy to: -

1. Executive Engineer (CD-III) for information.
2. D.A. (Works Accounts)
3. A. E. E. (Civil)
4. D.R. (A/Cs) – for opening of tenders on 09/03/2021 at 3:00 PM in the office of D.R. Store
5. Notice Boards.
6. Office Copy
7. Web site Administrator, I.I.T.D
8. NIT :- Publicity on Website on Institute as well as on CPP portal <http://eprocure.gov.in> may be ensured as per instruction issued.
9. E-tendering Web. <http://eprocure.gov.in/eprocure/app> or www.iitd.ac.in

FORM "F"
STRUCTURE & ORGANISATION

1. Name & Address of the bidder
2. Telephone no./ Telex no./ Fax no.
3. Legal status of the bidder (attach copies of original document defining the legal status)
 - a. An Individual
 - b. A proprietary firm
 - c. A firm in partnership
 - d. A limited company or Corporation
4. Particulars of registration with various Government Bodies (attach attested photocopy)

Organization/ Place of registration

Registration No.

- 1.
- 2.
- 3.
5. Name and titles of Directors & Officers with designation to be concerned with this work.....!
6. Designation of individuals authorized to act for the organization.....!
7. Has the bidder or any constituent partner in case of partnership firm, ever abandoned the awarded work before its completion?
If so, give name of the project and reasons for abandonment.....!
8. Has the bidder or any constituent partner in case of partnership firm, ever been debarred/ black listed for tendering in any organization at any time? If so, give details.....!
9. Has the bidder, or any constituent partner in case of partnership firm, ever been convicted by the court of law? If so, give details.....!
10. Past work experience in IIT Delhi will be considered in deciding the Technical bid.....!

Signature of Bidder(S)

Notice Inviting Tender
INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI-110016
Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	NIL
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

Name of Organization	Indian Institute of Technology Delhi
Tender Type (Open/Limited/EOI/Auction/Single)	Open
Tender Category (Services/Goods/works)	Works
Type/Form of Contract (Work/Supply/Auction/Service/Buy/Empanelment/ Sell)	Works
Product Category (Civil Works/Electrical Works/Fleet Management/ Computer Systems)	Civil
Source of Fund (Institute/Project)	Budget Code PLN01B/ WO3561
Is Multi Currency Allowed	No
Date of Issue/Publishing	25/02/2021 at 16:00 Hrs
Document Download/Sale Start Date	25/02/2021 at 16:00 Hrs
Document Download/Sale End Date	08/03/2021 at 15:00 Hrs
Date for Pre-Bid Conference	Nil
Venue of Pre-Bid Conference	---
Last Date and Time for Uploading of Bids	08/03/2021 at 15:00 Hrs
Date and Time of Opening of Technical Bids	09/03/2021 at 15:00 Hrs
EMD	Nil
Tender Fees	<p>Rs. 1000/- (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : Registrar IIT Delhi SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)<u>or as per NIT/ Tender notice</u></p>
No. of Covers (1/2/3/4)	02
Bid Validity days (180/120/90/60/30)	90 days (From last date of opening of bids)
Address for Communication	EE(CD-III), East Campus Maintenance (Residential Area Maintenance) , IIT DELHI.
Contact No.	011-26596237
Fax No.	Nil
Email Address	a26516@admin.iitd.ac.in

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

<http://eprocure.gov.in/eprocure/app>

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal ([URL:http://eprocure.gov.in/eprocure/app](http://eprocure.gov.in/eprocure/app)) by clicking on the link “Click here to Enroll”. Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as “on-line” to pay the tender fee as applicable and enter details of the instrument. Whenever, Tender fees is sought, bidders need to pay the tender fee separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app> . Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link “Information about DSC”.
- 3) Tenderer are advised to follow the instructions provided in the ‘Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>.

Terms & Conditions Details

S.No.	Specification
1.	Due date: The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids: The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX. OR Financial Bids to be submitted in Excel. The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
4.	Refund of EMD :- As per NIT
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.
7.	Pre-qualification criteria: - Mentioned in Tender notice
8.	Performance Security:- Mentioned in Tender notice
9.	Force Majeure :- As per IITD form 8
10.	Risk & Cost Clause : As per IITD form 8
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8
13.	Prices: As per Tender Notice & NIT & IITD form 8
14.	Progress of Work : As per Tender Notice & NIT & IITD form 8
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8
19.	Training : As per Tender Notice & NIT & IITD form 8
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8
21.	Incidental services: As per Tender Notice & NIT & IITD form 8

22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8
23.	Governing Language : As per Tender Notice & NIT & IITD form 8
24.	Applicable Law : As per Tender Notice & NIT & IITD form 8
25.	Notices : As per Tender Notice & NIT & IITD form 8
26.	Taxes : As per Tender Notice & NIT & IITD form 8
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8

COMPLIANCE SHEET

TECHNICAL SPECIFICATION

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Performa of EMD declaration (duly filled & signed by the bidders) as given on page-18.	
2	Enlistment order of contractor.	
3	Attested certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit as per Notice Inviting Tender Condition 1.3 page 19 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
7	ESI & EPF registration.	
8	FORM "F" (Duly filled with all required details).	
9	Tender Fee of Rs. 1000/- to be deposited through RTGS to Registrar IIT Delhi as per detail given in schedule page-09 and its proof to be uploaded with technical bid	
10	Annexure-1 (Dully Filled & signed by the bidders)	
11	Annexure 2 (Dully Filled & signed by the bidders)	
12	Annexure 3 (Dully Filled & signed by the bidders)	
13	In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
14	Undertaking for the VRV/ VRF AC system as given at S.N-14 on page-6	
15	Any other documents given in NIT	
16	BOQ	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

**<< Organization Letter Head >>
DECLARATION SHEET**

We, _____ hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been registered as per Tender Notice & NIT & IITD form 8Tender. We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document.

We, further specifically certify that our organization has not been Black Listed/De Listed or put to any Holiday by any Institutional Agency/ Govt. Department/ Public Sector Undertaking in the last three years.	NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent
1. Phone	As per Tender Notice & NIT
2. Fax	
3. E-mail	
4. Contact Person Name	
5. Mobile Number	
6. GST Number	
7. PAN Number	
(In case of on-line payment of Tender Fees) 8. UTR No. (For Tender Fee)	

(Signature of the Tenderer)

Name:

Seal of the Company

Performa for earnest Money Deposit Declaration on Firms letter head

Whereas, I/we (Name of agency) have submitted bids for (name of work)

I/We hereby submit following declaration in lieu of submitting Earnest Money Deposit.

1. If after the opening tender, I/we withdraw or modify my/our during the period of validity of tender/ quotation (including extended validity of tender/ quotation) specified in the tender documents,

Or

2. If, after the award of work, I/we fail to sign the contract , or to submit performance guarantee before the deadline defined in the tender documents,

I/we shall be suspended for one year and shall not be eligible to bid for IIT Delhi tenders from date of issue of suspension order.

Signature of contractor (s)

IITD-6 FOR e-TENDERING AND TERM & CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged in the field of civil construction work in appropriate category for the **work As per tender notice**.

1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
 - 1.1 The work is estimated to cost **as per tender notice**. This estimate, however, is given merely as a rough guide.
 - 1.2 Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
 - 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-


I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.
2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD - 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
4. The site for the work shall be made available in parts as and when site will be available.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <http://eprocure.gov.in/eprocure/app> or iitd.ac.in or e-procure.gov.in free of cost.
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid
9. The bid submitted shall become invalid if:
 - (i) The bidders are found not eligible.
 - (ii) The bidders do not upload all the documents (including GST registration and **other documents as per Tender Notice**) as stipulated in the bid document.
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
10. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
11. The contractor whose bid is accepted, will be required to furnish performance guarantee of 3% (Three Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the contractor shall be debarred from tendering in IIT Delhi for a period of one year as per EMD Declaration.
12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he

inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

13. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
14. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
15. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
16. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
17. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
18. The tender for the works shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
19. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form - 8 or other Standard IITD Form as mentioned.
20. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-III)
IIT Delhi, Hauz Khas,
New Delhi - 110016

Notice Inviting Tender



INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI
(Works Department)

I.I.T.D – 6 FOR e-TENDERING	I.I.T.D
------------------------------------	----------------

**INDIAN INSTITUTE OF TECHNOLOGY
HAUZ KHAS, NEW DELHI - 110016**

NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL and Railway** dealing with building and roads for the work of **Renovation & Modification in account section in academic area at IIT Delhi. Sub Head :- Civil, Furniture, Electrical & A.C. Work**

The enlistment of the contractors should be valid on the last date of submission of tenders.

In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

1.1 The work is estimated to cost **Rs. 1,48,84,936/-** This estimate, however, is given merely as a rough guide.

1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) **during last 7 years ending on previous day of last day of submission of bids.**

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated **during last 7 years ending on previous day of last day of submission of bids.**

I.I.T.D – 6 FOR e-TENDERING**I.I.T.D**

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-
I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
4. The site for the work shall be made available in parts as and when site will be available.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site **www.iitd.ac.in or e-procure.gov.in free of cost.**
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid & Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.

9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 3% (Three Percent)** of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed

I.I.T.D – 6 FOR e-TENDERING**I.I.T.D**

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
16. The bid for the works shall remain open for acceptance for a period of **ninety (90) days** from the date of opening of financial bids, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall be debarred for tendering in IIT Delhi for a period of one year.
17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

I.I.T.D – 6 FOR e-TENDERING**I.I.T.D**

- a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.

18.In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall be debarred for tendering in IIT Delhi for a period of one year.

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

To,

.....

Subject:- NIT No. /IITD/EE(CD-III)/2020-21 for the work of Renovation and Modification in account section in academic area at IIT Delhi

Sub Head :- Civil, Furniture, Electrical & A.C. work

Dear Sir,

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (CD-III)

Acceptance to execute integrity pact	I.I.T.D
---	----------------

(To be signed by bidder and upload the scanned copy)

To,
Executive Engineer (CD-III),
 IIT Delhi, Hauz Khas,
 New Delhi – 110016.

Subject :- Renovation and Modification in account section in academic area at IIT Delhi.
Sub Head :- Civil, Furniture, Electrical & A.C. work

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that **THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE** of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)



To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of..... 20.....

BETWEEN

The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (CD-III) IIT Delhi.

....., (Hereinafter referred as the(Address of Division)
‘Principal/Owner’, which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

.....
 (Name and Address of the Individual/firm/Company)
 through (Hereinafter referred to as the (Details of duly authorized signatory)
‘Bidder/Contractor’ and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal / Owner has floated the Tender (NIT No.) (Hereinafter referred to as **“Tender/Bid”**) and intends to award, under laid down organizational procedure, contract for
 (Name of work) hereinafter referred to as the **“Contract”**.

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as **“Integrity Pact”** or **“Pact”**), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

INTEGRATY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the

business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
 - e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
 - 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.**
 - 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may be forever or for a limited period as decided by the Principal/Owner.**
- 2) **Forfeiture of Performance Guarantee/Security Deposit:** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Performance Guarantee and Security Deposit of the Bidder/Contractor.

INTEGRITY PACT e-TENDERING	I.I.T.D
-----------------------------------	----------------

- 3) **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

INTEGRATY PACT e-TENDERING

I.I.T.D

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

.....
(For and on behalf of Principal/Owner)

.....
(For and on behalf of Bidder/Contractor)

WITNESSES:

1.
(signature, name and address)

2.
(signature, name and address)

Place:

Dated :

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

**INDIAN INSTITUTE OF TECHNOLOGY
HAUZ KHAS, NEW DELHI - 110016**

Percentage Rate Tender/Item Rate Tender & Contract for Works

Tender for the work of : **Renovation & Modification in account section in academic area at IIT Delhi. Sub Head :- Civil, Furniture, Electrical & A.C. Works**

(i) To be submitted by **as per tender notice** to

.....

(ii) To be opened in presence of bidders who may be present at **as per tender notice**

in the office of **D.R. (Store)**

Issued to

Signature of officer issuing the documents

Designation

Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the date of opening of financial bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I/We agree that in case of forfeiture of

I.I.T.D – 7/8 e-TENDERING

I.I.T.D

Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
----------------------------------	----------------

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 for a sum of (Rupees.....).

The letters referred to below shall form part of this contract agreement:-

- (a)
- (b)
- (c)

For & on behalf of Board of Governors, IIT Delhi

Signature

Dated: Designation

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

PROFORMA OF SCHEDULES

(Separate Performa for Civil, Elect.& Hort. Works in case of Composite Tenders) (Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S. No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the Contractor	Place of issue
1			4	
←———— Nil —————→				

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
1			
←———— Nil —————→			

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.

————— **Nil** —————

PROFORMA OF SCHEDULES	I.I.T.D
------------------------------	----------------

SCHEDULE 'E'

Reference to General Conditions of contract.

Name of work:- Renovation & Modification in account section in academic area at IIT Delhi.**Sub Head :- Civil, Furniture, Electrical & A.C. work**

(i)	Estimated cost of work	:	Rs. 1,48,84,936/-
(ii)	Earnest Money	:	NIL
(iii)	Performance Guarantee	:	3% of tendered value
(iv)	Security Deposit	:	5% of tendered value

SCHEDULE 'F'**GENERAL RULES& DIRECTIONS : Officer inviting tender IITD/ Form – 7/8-2010**

Maximum percentage for quantity of items of work

to be executed beyond which rates are to be

determined in accordance with Clauses 12.2 & 12.3:

See below

Definitions:

2(v)	Engineer-in-Charge		Executive Engineer
2(viii)	Accepting Authority		Institute Engineer
2(x)	Percentage on cost of materials and Labour to cover all overheads and profits:		15%
2(xi)	Standard Schedule of Rates –		Civil, Electrical :- DSR 2018 & Market Rate
2(xii)	Department –		Works department at I.I.T Delhi
9(ii)	Standard I.I.T.D Contract Form		GCC 2010, I.I.T.D Form 7/8-2010 modified & Corrected up to date of submission of tender.

Clause 1

- (i) Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance 15 days
- (i) Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above
1 to 15 days

Clause 2**Authority for fixing compensation under clause****Institute Engineer**

PROFORMA OF SCHEDULES

I.I.T.D

Clause 2A

Whether Clause 2A shall be applicable

No

Clause 5

Number of days from the date of issue of letter of award for reckoning date of start

10 (Ten) days

Mile stone(s) as per table given below:-

Sl. No.	Description of Milestone (Financial)	Time allowed in days (from date of start)	Amount to be with-held in case of non-achievement of mile stone
			In the event of not achieving the necessary progress as assessed from the running payment, 1% of the Tender value of work will be withheld for failure of each milestone.
1	1/8 th (of the whole work)	1/4 th (of the whole work)	
2	3/8 th (of the whole work)	1/2 th (of the whole work)	
3	3/4 th (of the whole work)	3/4 th (of the whole work)	
4	Full	Full	

Time allowed for execution of work

As per tender notice.

Authority to decide:

(i) Extension of time

Institute Engineer.

(ii) Rescheduling of mile stones

Institute Engineer.

Clause 6, 6A

Clause applicable - (6 or 6A) **Clause 6A**.....

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment

Rs. 25.00 Lakhs

Clause 10A

List of testing equipment to be provided by the contractor at site lab.

1..... 2. 3.....
 4..... 5. **Nil** 6.....
Clause 10B(ii)

Whether Clause 10 B (ii) shall be applicable **No**

Clause 10C

Component of labour expressed as percent of value of work = 25%

Clause 10CA

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA*
1			
2			
3			
4		Nil	

* Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approved of NIT.

Clause 10CC :- Not applicable in this NIT/Tender

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column **18 months**

Schedule of component of other Materials, Labour, POL etc. for price escalation.

Component of civil (except materials covered under clause 10CA) /Electrical construction Materials expressed as percent of total value of work. - **Xm**%

Component of Labour - expressed as percent of total value of work. **Y.....** %

Component of P.O.L. - expressed as percent of total value of work. **Z.....** %

Clause 11

Specifications to be followed for execution of work **CPWD specifications 2009 Vol-1 & 2 with upto date correction slips & manufacturers specifications**

Clause 12

Type of work -Maintenance works including works of up-gradation, aesthetic, special repair, addition/ alteration.

PROFORMA OF SCHEDULES

I.I.T.D

12.2. & 12.3 Deviation Limit beyond which clauses
12.2 & 12.3 shall apply for building work 30%

Clause 16

Competent Authority for

deciding reduced rates.

Institute Engineer

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:-

1. 2. 3.
4. 5. 6.
7. ----- **Nil** ----- 9.

Clause 25

Constitution of Dispute Redressal Committee (DRC) DRC shall constitute one Chairman and two members	Competent Authority to appoint DRC Director, Indian Institute of Technology Delhi
--	--

Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical Representative)	Minimum Experience (Years)	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i)	
						Figures	Words
1.	Graduate Engineer Or Diploma Engineer	Civil	Project Manager Cum Planning/ quality/Site/billing Engineer	2 5	1 1	Rs.15,000.00 per month per person	Rupees Fifteen Thousand only per month per person

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

PROFORMA OF SCHEDULES

I.I.T.D

Clause 42

- (i) (a) Schedule/statement for determining theoretical quantity of cement & bitumen on the basis of Delhi Schedule of Rates **2018** printed by C.P.W.D.
- (ii) Variations permissible on theoretical quantities:
- (a) Cement
- For works with estimated cost put to tender not more than Rs. 5 lakh. 3% plus/minus.
For works with estimated cost put to tender more than Rs. 5 lakh. 2% plus/minus.
- (b) Bitumen All Works 2.5% plus only & nil on minus side.
- (c) Steel Reinforcement and structural steel sections for each diameter, section and category 2% plus/minus
- (d) All other materials. Nil

RECOVERY RATES FOR QUANTITIES BEYOND PERMISSIBLE VARIATION

S. No.	Description of Item	Rates in figures and words at which recovery shall be made from the Contractor	
		Excess beyond permissible variation	Less use beyond permissible variation
1.	Cement	As per CPWD Specification 2009	
2.	Steel Reinforcement		
3.	Structural Sections		
4.	Bitumen issued free		
5.	Bitumen issued at stipulated fixed Price		

BANK GUARANTEE BOND**I.I.T.D****Form of Earnest Money Deposit
Bank Guarantee Bond**

WHEREAS, contractor.....(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")

KNOW ALL PEOPLE by these presents that we(name of bank) having our registered office at (hereinafter called "the Bank") are bound unto.....
(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs. (Rs. in words) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of 20....
THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
 - (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;
 - OR
 - (b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
 - OR
 - (c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,
 - OR
 - (d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiate his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by him is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.

DATE

WITNESSSEAL

SIGNATURE OF THE BANK

(SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender

LIST OF APPROVED MAKES FOR CIVIL & Electrical works**A-Civil Items**

S. No.	Description	Approved Makes
1	EWC Seat Covers	HINDWARE/PARRYWARE/ CERA
2	C.P Brass Fittings/ Accessories	JAQUAR, MARC, KOHLAR
3	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/ J.K./ BIRLA/ ULTRA TECH/ VIKRAM
4	Cement (White)	J.K./ BIRLA
5	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL/ SECONDARY MANUFACTURER HAVING VALID BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS)
6	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL/ SECONDARY MANUFACTURER HAVING VALID BIS LICENSE (TO BE AS PER LATEST BIS PROVISIONS)
7	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM
8	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH
9	Aluminum Sections	HINDALCO/ JINDAL/ MAHAVIR
10	Flush Doors	CENTURY/ MERINO/ DURO BOARD/ GREEN
11	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/ DECOLAM/ CENTURY
12	Glass	SAINT GOBIN/ MODI FLOAT/ ASAHI FLOAT
13	Ceramic Glazed tiles/ Border tiles	1 ST QUALITY KAJARIA / NITCO/ JOHNSON/ ORIENT/ SOMANY
14	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY
15	Interlocking precast paver blocks/ Kerb Stone	HINDUSTAN TILES/ SWASTIK/ DALAL
16	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASI/ SUPREME
17	Stainless Steel Nuts bolts / Screws	KUNDAN/ PUJA/ ATUL/ GWK
18	Paint/ Primer/ Oil bound distemper/ Acrylic paint/ Plastic paint	1 ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/ SHALIMAR/ DULUX
19	Water Proof Cement Paint/ Exterior Paint	1 ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/ SHALIMAR/ DULUX
20	Sanitary ware (Vitreous China) (European Seats, Urinals, Wash Basins, etc.)	HINDWARE/ PARRYWARE/ CERA
21	G.I. Pipes	TATA/ JINDAL(HISSAR)/ BHUSHAN/ APL APPOLO/ TT SWASTIK
22	G.I. Fittings	UNIK/ ZOLOTO/ AM
23	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)/ PRAYAG
24	Commercial Board/ Ply	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
25	CI Pipes/ Fittings & Manhole covers	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF
26	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH
27	Floor Spring	DOORKING/ EVERITE/ SANDHU
28	Door Closer	EVERITE/ SANDHU/ HARDWIN
29	Mirror	ATUL/ MODIGUARD/ SAINT GOBAIN/ AASHI
30	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN
31	False Ceiling	ARMSTROBG/ SAINT GOBAIN/ META WORTH
32	Water Proofing Compound	CICO/ FOSROC/ PIDILITE/ ECMAS/ ASIAN
33	Polymer Compound	CICO/ PIDILITE/ FOSROC/ ECMAS/ ASIAN
34	Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
35	Rust Remover/ Anticorrosive	FOSROC/ CICO/ PIDILITE/ ECMAS/ ASIAN
36	Adhesive	FEVICOL/ VAMICOL/ DUNLOP/ VAM ORGANIC
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLNDURA/ CICO
38	Wall Putty	BIRLA / JK/ SARA
39	Epoxy Grout	BALLENDURA/ KERAKOLL/ FERROUSCRETE
40	PVC Water storage tank (ISI marked)	SINTEC/ UNI PLAST/ POLYWELL
41	PVC insulated water storage tank Heavy duty 4/5 layer	SINTEX/ UNI PLAST/ POLYWELL/ EURO
42	Brass Ball Valve/ Gate Valve/ Float Valve	ZOLOTO/ AM/ LEADER/ SANT

43	Aluminum Door Fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop Cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic Paint	CBM/ CMS/ S.N. INDUSTRIES
46	Plaster of Paris Putty	ADHARSHREE/ SHREE RAM/ J.K./ BIRLA
47	Rcc Pipe	LAKSHMI/ SOOD & SOOD/ JAIN & CO. / DIWAN SPUN PIPES
48	Pvc Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	JSW, BHUSHAN, D-META
50	WPC Board And MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN / POLYGAL/ TUFLITE
54	Acp Panel	ALSTRONG/ ALUCOBOND/ EUROBOND/ ALUDECOR
55	Acoustic Wooden/ Fabric Paneling	ARMSTRONG/ ANUTONE/CREDENCE/ TOPAKUSTIC
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR / 3M / DARK EYE /EVERY DENNISON
58	Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation	UP TWIGA LTD OR EQUIVALENT
61	Fire Door	NAVAIR/ SHAKTI/ GODREJ/ RADIANT
62	Flush Door Shutters Of Various Thickness	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
	Furniture	
63	Work Station	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER
64	Executive Table/ Other Table	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER
65	Chair/ Audi Chair	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/ FEATHERLITE/ HERMAN MILLER
66	Lab Furniture's	KEWANEE/ WALDNER/ GODREJ/ WIPRO/ FEATHERLITE
67	Hostel Beds And Cots	ZUARI/ EVOK/ GODREJ/ WIPRO/ FEATHERLITE
68	Hospital Beds	HUNTLEY/ STRIKER/ GODREJ/ WIPRO/ FEATHERLITE
	Electrical	Makes are indicated in the BOQ itself.

INDIAN INSTITUTE OF TECHNOLOGY: NEW DELHI
HAUZ KHAS: NEW DELHI
ADDITIONAL CONDITIONS

1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
3. The contractors are advised to get acquainted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
4. The work shall be carried out as per CPWD specifications for civil and electrical work with up – to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
6. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
7. Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-in-charge shall only be used at work.
8. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work.
9. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the IITD if satisfactory report and if test results are unsatisfactory than testing charges shall be deducted from bills of contractor. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
10. The contractor shall submit a detailed program of work within 7 days of the date of award of work. The Engineer – in- Charge can modify the program and the contractors have to work accordingly.
11. The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
12. No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. **No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus.** However constructions of cement godown and Chowkidar’s hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
14. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
15. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.

16. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
17. Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
18. Income tax and other taxes as applicable shall be deducted from the bills of contractor.
19. 1% labour cess or as applicable will be deducted from the bills of contractor.
20. Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
21. Agency has to take proper safety major during the execution of work.
- 22. GCC for 7/8 shall form part of NIT and the bidder shall go through GCC before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.**
23. ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work. .
24. The contractor shall submit the programmer of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
25. Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
26. Work shall be executed as per the Architectural drawings and instructions of retainer Architect or his representatives. The Architectural drawing and instruction of Architect shall be strictly adhered.
27. GST shall considered as inclusive in quoted rate of agency.
28. Electrical work will be executed only through the agency who is having valid electrical license and the copy of valid electrical license will be submitted before start of work.
29. Original warranty certificate from O.E.M/ Original manufacturer of furniture will be obtained by the agency and same will be handed over to the representative of engineer-in-charge.
30. Required Guarantee of VRF/VRV units from the OEM in favour of the Engineer-in-charge to cover defect liabilities and final bill will only be released after submitting the required certificate.
31. VRF/VRV air-conditioning work shall only be got executed only by the manufacturer or their authorized agency approved by Engineer-in-charge.

Special Condition for VRV/ VRF :-

- (1) This specification covers supply and delivery of materials at site, all preparatory work assembly and installation, commissioning putting into operation of VRF / VRV system & final testing & commissioning at site.
- (2) The work shall be executed as per CPWD General Specifications for Electrical Works **Part-I (Int.) 2013, Part-II (Ext.) 1994, HVAC Work 2017**, as amended upto date, relevant I.E. Rules, BIS/IEC and as per directions of Engineer-in- Charge. These additional specifications/conditions are to be read in conjunction with above and in case of variations; specifications given in these additional conditions shall apply. However, nothing extra shall be paid on account of these additional specification and conditions, as the same are to be read along with schedule of quantities for the work.
- (3) All equipment's shall be guaranteed for a period of 12 months from the date of taking over the installation by the department against unsatisfactory performance and / or breakdown due to defective design, workmanship or material. The equipment or component, or any part thereof, so found defective during guarantee period shall be forthwith repaired or replaced free of cost to the satisfaction of the Engineer-in- Charge. In case it is felt by the department that undue delay is being caused by the contractor in doing this, the same will be got done by the department at the risk and cost of the contractor. The decision of Engineer-in-Charge in this regard shall be final & binding on the contractor.

3.1 The tenderer shall guarantee among other things, the following:

3.2 Quality, strength and performance of the material used as per manufacturer's standards.

3.3 Safe mechanical and electrical stress on all part under all specified conditions of operation.

3.4 Satisfactory operation during the maintenance period.

4. **VRF/VRV** air conditioning work shall only be got executed only by the manufacturer or their authorized dealers/ representative.

5. Operation and Maintenance

5.1 **The** maintenance during one year warranty period & subsequent five years shall be as per **Annexure - 4** of the NIT and as per CPWD General Specifications for HVAC work 2017 as amended up to date and as per Manufacturer Standard for CCTV System. A separate **supplementary agreement** shall be made with the successful tenderer for sub head "AMC *i.e.* Routine, Preventive & Breakdown Maintenance (for 5 years after one year guarantee period)" of schedule of work. The payment of maintenance may be made half yearly after the end of each six months.

5.2 Any fault pertaining to VRF / CCTV unit shall be attended within 4 hours of reporting. Beyond 4 hours of non-attendance, penalty shall be imposed @Rs.200/- per every hour subject to maximum of 10% of the tendered amount (AMC part). Persistent non-attendance beyond 08 hours may be got done by the Institute at the risk and cost of the contractor. Decision of Engineer-in-charge in this regard shall be final and binding upon the contractor.

MAINTENANCE

GENERAL FOR HVAC & CCTV: This section covers the maintenance schedule during warranty period and 5 years subsequent to warranty period.

The maintenance provided during the warranty period shall be fully comprehensive and shall include but not limited to all equipment's, labour part and emergency calls providing and site response within 24 hours. However during the maintenance period after the warranty is over, the material shall be arranged by the department if any replacement is warranted.

The maintenance shall also include a minimum 12 monthly preventive maintenance visits by qualified personnel who are thoroughly familiar with the type of equipment and system provided for this project.

Air handling units and fan coil units [Indoor units]	Monthly inspection	<ol style="list-style-type: none"> 1. Inspect all air handling and fan coil units 2. Check all air filters and clean or change filters as necessary 3. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications 4. Check and clean all the condensate pans, trays and drain 5. Check, measure and re-calibrate all sensors if necessary 6. Check spring vibration isolators for abnormal vibration. Rectify if necessary. 7. Coil to be cleaned
Air handling units and fan coil units [do]	Annual inspection prior to expiry of warranty period	<ol style="list-style-type: none"> 1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settings
Air cooled packaged units and VRF / VRV air condition equipment	Monthly check	<ol style="list-style-type: none"> 1. Check condenser fan motor load ampere 2. Check fan and motor mounting brackets 3. Check shafts and bearings. Lubricate with grease as necessary. 4. Check the tension of all belt drives and adjust as necessary 5. Check for refrigerant leaks with electronic leak detector 6. Check electrical terminals and contactors operation and connections for tightness 7. Check compressor motor current 8. Check refrigerant line driers and moisture indicators
Air cooled packaged units VRV / VRF and precision AC equipment	Annual inspection prior to expiry of warranty period	Perform all functions listed in the monthly check
Air distribution system [Indoor units]	Monthly and Annual inspection prior to expiry of warranty period	<ol style="list-style-type: none"> 1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These checks include the calibration of sensors, thermostat etc. 3. Check noise level of discharged air from diffusers
Switch board	Six-monthly and Annual inspection prior to expiry of warranty period	<ol style="list-style-type: none"> 1. Clean and adjust all switchgear, contactors, relays and associated electrical equipment at intervals not exceeding six months 2. Check and prove operation of thermal overload and protection devices 3. Check and ensure tightness of all equipment fastenings and cable

		<p>terminations within switch boards</p> <p>4. Vacuum clean all switch board cubicles</p>
Piping system	Monthly and Annual inspection prior to expiry of warranty period	<p>1. Check all piping system for leaks and repair these where they have occurred</p> <p>2. Check for damage & deterioration of insulation or sheathings. Rectify as necessary.</p>
	Consumable materials	<p>The department shall supply the following consumable materials as and when required:-</p> <ol style="list-style-type: none"> 1. All greases and oils required for lubrication of compressors, fan bearings, motor bearings, pivots and other moving parts 2. All refrigerant required for topping up. Refrigerant loss if due to manufacturing defect or due to negligence shall be made good by the contractor 3. All consumable filter elements / rolls 4. All electric contact points required to replace worn electric contact points in switchgears, motor starter gears, electronic control gears and electric relays 5. All electric fuses required to replace blown fuses <p>Just before the expiry of the warranty of the contract, the contractor shall carry out a complete system operability test on all the systems or sub systems as called for in the contract.</p> <p>The purpose of the test is to verify that the performance of all the systems or sub systems in the contract is in accordance to the specifications.</p> <p>All test shall be carried out in the presence of the Engineer-in-charge or his representative.</p> <p>The warranty period is deemed to be over if the department or his representative is completely satisfied with the system performance during the test.</p>
CCTV		
Overall functioning of the system	Monthly	General checking of the whole system for proper functioning.

IITD -2010 CORRECTION SLIP
In General Condition of contract for IIT Delhi Work Department 2010

Reference	Existing Provision	Modified Provision
Clause 3 (vii)	If the contractor shall obtain a contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering.	If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits breach of Integrity Agreement.
Reference	Existing Provision	Modified Provision
<u>Deviations /variation extent and pricing</u>	<p><u>CLAUSE 12</u> The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.</p>	<p><u>CLAUSE 12</u> The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided. The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.5 times of Tendered amount.</p>
<u>Deviations /Extra items, pricing</u>	12.2 In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.	<p>12.2 A. For Project and original works: In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-</p>

		schedule items (Non-DSR items) shall be made as per the prevailing market rate.
<u>Deviations, Substituted items, pricing</u>	<p>In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p>	<p>A. For Project and original works: In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration: In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
<u>Deviations, Deviated Quantities, pricing</u>	<p>In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p>	<p>A. For Project and original works: In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the</p>

		<p>contractor shall be paid in accordance with the rates so determined.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:</p> <p>In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.</p>
	<p>12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>	<p>12.3 A. For Project and original works:The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:</p> <p>In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>
	<p>14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / ninety days from the date of opening of financial bid in case Tenders are invited on 2/3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to th department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.</p>	<p><u>CPWD-6</u></p> <p>14.The Tender of the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders / Ninety days from the date of opening of Technical bid in case Tenders are invited on 2 envelope system / 120 days from the date of opening of Technical bids bids in case tenders are invited for specialized works on 3 envelope system (strike out as case may be) if any Tenderer withdraws his tender before the said period or issue of letter of acceptance of acceptance, whichever is earlier or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, if the said earnest money as aforesaid, Further the tenderer shall not be allowed to participate in the retendering process of the work.</p>
	<p>11. The contractor whose bid is accepted will be required to furnish performance guarantee of 3% (Three Percent) of the bid amount within the period specified in Schedule F.</p>	<p>11. The contractor whose bid is accepted will be required to furnish performance guarantee of 3% (Three Percent) of the bid amount within</p>

	<p>This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.</p>	<p>the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at call receipt of any scheduled bank /Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/ Pay Order of any Scheduled Bank of any Scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F', including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor. The earnest money deposited along with bid shall be returned after receiving the aforesaid performance guarantee.</p> <p>The Contractor whose bid is accepted will also be required to furnish either copy of applicable licenses/ registrations or proof of applying for obtaining labour licenses, registration with EPFO, ESIC and BOCW Welfare Board and Programme Chart (Time and Progress) Within the period specified in schedule in Schedule F.</p>
	No Provision	<p>No Running Account Bill shall be paid for the work till the applicable labour licenses, registration with EPFO, ESIC and BOCW Welfare Board, Whatever applicable are submitted by the contractor to the Engineer-in-Charge.</p>
	<p>The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work.</p>	<p>The contractor shall obtain a valid license under the Contract Labour (R&A) Act, 1970 and the Contract Labour (Regulation and Abolition) Central Rules, 1971 before the commencement of the work, and continue to have a valid license until completion of the work.</p> <p>The contractor shall also comply with provisions of the Inter-State Migrant Workmen (Regulation of Employment and Conditions of Service) Act, 1979.</p>
	<p>(i)Time allowed for submission of performance Guarantee from the date of issue of letter of acceptance.....days.</p>	<p>(i)Time allowed for submission of performance Guarantee , Programme Chart (Time and Progress) and applicable labour licenses, registration with EPFO, 'ESIC and BOCW Wefare Board or proof of applying thereof from the date of issue of letter of acceptance.....days.</p>
	No Provision	Whether Clause 7A Shall be Applicable Yes
	15. Sales-tax/VAT (expect service tax), purchase tax,	15. GST or any other tax applicable in respect

	<p>turnover tax any other tax applicable in respect of this contract shall be payable by the contractor and Government will not entertain any claim whatsoever in respect of service tax same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the engineer-in-charge after satisfying that it has been actually and genuinely paid by the contractor.</p>	<p>of input procured by the contractor for this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same, However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including, extension if any.</p>
	<p>CLAUSE 37</p> <p>(i) Sales Tax. Vat (except Service Tax), Building and other Construction Workers Cess or any other tax or Cess in respect of this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect. However, in respect of service tax. same shall be paid the contractor to the concerned department on demand and it will be reimbursed to him by the Engineer-in-charge after satisfying that it has been actually and genuinely paid by the contractor.</p>	<p>CLAUSE- 37</p> <p>(i) GST, Building and other construction workers welfare Cess or any other tax, Levy or cess in respect of input for or output by this contract shall be payable by the contractor and Government shall not entertain any claim whatsoever in this respect except as provided under clause 38.</p>
	<p>CLAUSE-38</p> <p>(i) All tendered rates, shall be inclusive of all taxes and levies (except Service Tax) payable under respective statutes. However, if any further tax or levy or cess is imposed by the statute. after the last stipulated date for the receipt of tender including extensions if any and the contractor thereupon necessarily and properly pays such taxes/levies/cess, the contractor shall be reimbursed the amount so paid, provided such payments, if any, is not, in the opinion of the Superintending Engineer whose decision shall be final and binding on the contractor) attributable to delay in execution of work within the control of the contractor.</p>	<p>CLAUSE-38</p> <p>(i) All tendered rates shall be inclusive of any tax, levy or cess applicable on last stipulated date of receipt of tender including extension if any. No adjustment i.e, increase or decrease shall be made for any variation in the rate of GST, Building and Other Construction Workers Welfare Cess or any tax, levy or cess applicable on inputs. However, effect of variation in rates of GST or Building and Other Construction workers welfare Cess or imposition or repeal of any other tax, levy or cess applicable on output of the works contract shall be adjusted on either side, increase or decrease. Provided for Building and other Construction Workers Welfare Cess or any tax (other than GST), levy or cess varied or imposed after the last date of receipt of tender including extension if any, any increase shall be reimbursed to the contractor only if the contractor necessarily and properly pays such increased amount of taxes/levies/cess. Provided further that such adjustment including GST shall not be made in the extended period of contract for which the contractor alone in responsible for delay as determined by authority for extension of time under Clause 5 in Schedule F.</p>

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in **two** Envelops as explained below:-

Envelope – 1 (Following documents to be provided as single PDF file)				
Sl. No.	Documents	Content	File Types	
	Technical Bid			
1.			Performa of EMD declaration (duly filled & signed by the bidders) as given on page-18	.PDF
2.			Enlistment order of contractor.	.PDF
3.			Attested certificate of work experience.	.PDF
4.			Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
5.			Affidavit as per Notice Inviting Tender condition 1.3 of page 19 of NIT to be submitted on stamp paper.(Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	.PDF
6.			Acceptance to execute INTEGRITY PACT.	.PDF
7.			ESI and EPF Registration.	PDF
8.			FORM "F" (Duly filled with all required details	.PDF
9.			Proof of tender fees	.PDF
10			Annexure-I	.PDF
11			Annexure-II	.PDF
12			Annexure-III	.PDF
13			In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	.PDF
14.			Undertaking for the VRV/ VRF AC system as given at S.N-14 on page-6	.PDF
15		Any other document given in NIT	.PDF	
Envelope – 2				
Sl. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls	

All above documents shall be as per Tender Notice.

SCHEDULE OF QUANTITY

Name of work :- Renovation & Modification in account section in academic area at IIT Delhi.

Sub Head :- Civil, Furniture, Electrical & A.C work

S.N.	Description of work	Qty	Unit	Rate	Amount
1	Providing and laying in position cement concrete of specified grade excluding the cost of cantering and shuttering - All work up to plinth level :				
1.1	1:2:4 (1 cement : 2 coarse sand (zone-III) : 4 graded stone aggregate 20 mm nominal size)	5.00	Cum.		
2	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in :				
2.1	cement mortar 1:4 (1 cement : 4 coarse sand)	73.00	Sqm.		
3	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete :				
3.1	250x16 mm	2.00	Each		
4	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete :				
4.1	125 mm	4.00	Each		
5	Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.	6.00	Each		
6	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	6.00	Each		
7	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.				
7.1	Size 50 mm	10.00	Each		
8	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :				
8.1	250x16 mm	4.00	Each		

9	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
9.1	200x10 mm	6.00	Each		
9.2	100x10 mm	20.00	Each		
10	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality.				
10.1	1.0 mm thick	121.00	Sqm.		
11	Providing and fixing bright /matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete.				
11.1	100mm	30.00	Each		
12	Steel work in built up tubular (round, square or rectangular hollow tubesetc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
12.1	Hot finished welded type tubes	660.00	Kg.		
13	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete.				
13.1	Size of Tile 600x600 mm	36.00	Sqm.		
14	Grouting the joints of flooring tiles having joints of 3 mm width, using epoxy grout mix of 0.70 kg of organic coated filler of desired shade (0.10 kg of hardener and 0.20 kg of resin per kg), including filling / grouting and finishing complete as per direction of Engineer-in-charge.				
14.1	Size of Tile 600x600 mm	360.00	Sqm.		

15	Providing and laying Vitrified tiles in floor with different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS : 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).				
15.1	Size of Tile 600x600 mm	360.00	Sqm.		
16	Deduct for not grouting the joints with white cement and matching pigment in the items of fixing of vitrified tiles.	360.00	Sqm.		
17	Providing and laying Polished Granite stone flooring in required design and patterns, in linear as well as curvilinear portions of the building all complete as per the architectural drawings with 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed with cement slurry and pointing with white cement slurry admixed with pigment of matching shade including rubbing , curing and polishing etc. all complete as specified and as directed by the Engineer-in-Charge.				
17.1	Polished Granite stone slab jet Black, Cherry Red, Elite Brown, Cat Eye or equivalent.	36.00	Sqm.		
18	Providing and fixing GI Clip in Metal Ceiling System of 600x600 mm module which includes providing and fixing 'C' wall angle of size 20x30x20 mm made of 0.5 mm thick pre painted steel along the perimeter of the room with help of nylon sleeves and wooden screws at 300 mm center to centre, suspending the main C carrier of size 10x38x10 mm made of G.I steel 0.7 mm thick from the soffit with help of soffit cleat 37x27x25x1.6 mm, rawl plugs of size 38x12 mm and C carrier suspension clip and main carrier bracket at 1000 mm c/c. Inverted triangle shaped Spring Tee having height of 24 mm and width of 34 mm made of GI steel 0.45 mm thick is then fixed to the main C carrier and in direction perpendicular to it at 600 mm centers with help of suspension brackets. Wherever the main C carrier and spring T have to join, C carrier and spring T connectors have to be used. All sections to be galvanized @ 120 gms/sqm (both side inclusive), fixing with clip in tiles into spring T with :				

18.1	GI Metal Ceiling Clip in plain Beveled edge global white color tiles of size 600x600 and 0.5 mm thick with 25 mm height, made of G I sheet having galvanizing of 100 gms/ sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation.	388.00	Sqm		
19	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :				
19.1	Water thinnable cement primer	305.00	Sqm.		
20	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour.				
20.1	Two coats	305.00	Sqm.		
21	Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineer-in-Charge. (a) Internal Work- Exposed on wall	60.00	Mtr.		
22	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
22.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	21.00	Cum.		
23	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in - charge.	2.00	Cum.		
24	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
24.1	In cement mortar	32.00	Cum		
25	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :				
25.1	Of area 3 sq. metres and below	24.00	Each		
25.2	Of area beyond 3 sq. metres	2.00	Each		

26	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.				
26.1	For thickness of tiles 10 mm to 25 mm	388.00	Sqm		
27	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead :				
27.1	75 to 80 mm dia pipe	20.00	Mtr		
27.2	100 mm dia pipe	15.00	Mtr		
28	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	3.00	Each		
29	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 meters lead as directed by Engineer-in-charge.	438.00	Sqm		
30	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	127.00	Cum		
31	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
31.1	For fixed portion				
31.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	314.00	Kg.		

32	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
32.1	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	28.00	Sqm		
33	Preparation of surface for laying waterproofing treatment by cleaning and repair of existing top surface to remove dust, fungus, vegetation and loosely adhering particles completely. All cracks and open/damaged brick to brick joints should be repaired with high strength polymer modified mortar and also the joints of outlet pipes and concrete /masonry are to be sealed with Acrybond mortar . In case of PVC pipes, the joints should be sealed with polymer modified mortar. All horizontal to vertical corners should be provided with corner fillets of size 50mm X 50mm using polymer modified mortar. (Surface area treated shall be measured for payment purpose). The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	595.00	Sqm.		
34	Supplying and application on terrace waterproofing treatment to existing top surface of terrace. Laying waterproofing membrane on already prepared, cleaned & dry concrete surface by applying 2 coats of Acrycoats FR / Equivalent as per manufacturer specifications (single Component Fiber Reinforced UV resistance Waterproofing Eterion Coating) over a surface primed with Acrybond and Cement mixed with 1 : 1 ration @ 500gm per Sqm. In There total consumption of Acrycoat FR to be maintained @ 1.0 Kg. / sqm. Coating to be taken on full height of vertical parapet wall of preferably take it through parapet wall and terminated 200mm down the roof slab and wall joint. Water leakage testing on treated surface as [per the direction of Engineer-in-charge. (Surface area treated shall be measured for payment purpose).	595.00	Sqm.		
35	Providing and fixing 2 mm thick 16 to 19 mm wide PVC edge banding tape of approved quality for cupboard / wardrobe shutters including necessary hot glue by edge banding machine etc complete as per direction of Engineer-in-charge	136.00	Meter		

36	Providing and fixing factory made hot pressed both side laminated flush door ready made shutter with one mm thick decorative laminate on both side conforming to IS:2202 (Part-I) non decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grain or cross bands and face veneer on both face of shutters.				
36.1	35mm thick including ISI marked stainless steel butt hinges with necessary screws.	5.04	sqm		
37	Providing and fixing 18 mm thick WPC (wooden polymer composit) board inside shelves, sides, back portion of cupboard or in drawer units etc. for specific size and 18 mm thickness, composed of wood dust (min 30% - 40% and remaining PVC, fungus/Acid/termite/water proof , fire retardent, formaldehyde free, virgin thermoplastic, single Extruded and screw-able/nail-able, having density of 680 - 720 kg/cum. and water absorption up to 1 % with approved make with necessary fixing arrangement and as per requirement complete as per direction of Engineer in charge.	60.00	Sqm		
38	Providing and fixing 6 mm thick WPC (wooden polymer composit) board for back portion of cupboard for specific size and 6 mm thickness, composed of wood dust (min 30% - 40% and remaining PVC, fungus/Acid/termite/water proof , fire retardent, formaldehyde free, virgin thermoplastic, single Extruded and screw-able/nail-able, having density of 680 - 720 kg/cum. and water absorption up to 1 % with approved make with necessary fixing arrangement and as per requirement complete as per direction of Engineer in charge.	21.00	Sqm		
39	Providing and fixing auto closing spring loaded hinges (hydraulic type) of HETTICH/ blum/or equivalent of approved brand to cupboard shutters with full theaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge.	84.00	No.		
40	Providing and applying plaster of paris putty of 4mm to 6mm thick thickness over plastered surface to prepare the surface even and smooth complete.	305.00	sqm		

41	Providing and fixing roller blinds, the fabric should be screen openness of 5% and composition of 75% PVC 25% polyester with fabric weight of 465 GSM with fire resistance grade of NSPA 701, BS 586 part- II with anodized aluminium channel weight, bracket and hangers etc. the fabric will be approved colour and shed of approved manufacturer complete. Make (VISTA/MAC/Marvel	66.00	Sqm		
42	Providing and fixing self adhesive frosted/decorative film on glass partition and glass door and windows of approved design and make all complete as per direction of Engineer-in-charge.	157.00	Sqm		
43	Providing and fixing cup board shutters with 18-19mm thick commercial block board as per IS : 1659 of approved make with necessary SS piano hinges of appropriate size etc. complete as per direction of Engineer In Charge.	19.00	Sqm.		
44	Providing and fixing 12 mm thick frameless toughened glass in partition of approved brand and manufacture, including making necessary holes etc for fixing the fittings but excluding the cost of fittings all complete as per direction of Engineer-in-charge.	252.60	Sqm		
45	Providing and fixing Stainless door lock of Ozone make (Model-OPL-1)/Dorma / Hettich for glass door to be fixed at bottom of door i/c necessary cutting and making good the floor etc complete.	13.00	Each		
46	Providing and fixing H type handle of Ozone make (MODEL-OGH-55)/Dorma / Hettich 32 mm dia 457 mm long with necessary screws etc complete .	13.00	Pair		
47	Providing and fixing wall to Glass connector of Ozone make (OGC-4A) /Dorma / Hettich Complete as per Direction of Engineer-in-charge	352.00	Each		
48	Providing and fixing Over Pannel Fitting of Ozone make (MODEL-OPF-1)/Dorma / Hettich Complete as per Direction of Engineer-in-charge.	22.00	Each		
49	Providing and fixing G.I. powder coated U shape Chanel & wall Angle in top For supporting the Toughened Glass as per direction of Engineering-charge.	132.00	Mtr.		
50	Extra for using double charge vitrified nanotech high gloss with zero water absorption tiles of size 600 x 600 mm in place of normal vitrified tiles of 600x600mm.(Kajaria / Somany / Johnson / Orient)	388.00	Sqm.		

51	Providing and Fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basid item) : with 5 mm thickness reflective glass (antilio from Saint Gobain or equivalent of ASI)	54.00	Sqm.		
52	Supply and installation of required size, shape, design and colour (as per enclosed drawing) Reception Table as per approved make and direction of Engineer- in-charge (Make-Godrej- Model no- Aristo TBL 1650 LH RU 1200 PDL/ equivalent of Featherlite/ equivalent of Wipro) In this estimate Godrej Interio Aristo TBL 1650 LH RU 1200 PDL in reception table series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Goderj interio)	3.00	Each		
53	Supply and installation of required size, shape, design and colour (as per enclosed drawing) Table 1500 mm long and 600 mm width with ERU 900 with KBPT, pedestal and CPU trolley as per approved make and direction of Engineer- in-charge (Make-Godrej- Model no- Upbeat 1500 x 600 + ERU 900 with KBPT + Pedestal + CPU Trolley/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Upbeat 1500 x 600 + ERU 900 with KBPT + Pedestal + CPU Trolley in table series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Goderj interio)	12.00	Each		
54	Supply and installation of required size, shape, design and colour (as per enclosed drawing) Chair as per approved make and direction of Engineer-in-charge (Make-Godrej- Model no- Motion HB Chair/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Motion HB Chair in chair series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Goderj interio)	38.00	Each		

55	Supply and installation of required size, shape, design and colour (as per enclosed drawing) Chair as per approved make and direction of Engineer-in-charge (Make-Godrej- Model no- Versa HB Chair/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Marvel HB Chair in chair series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	5.00	Each		
56	Supply and installation of required size, shape, design and colour Chair with Adjustable Armrests(as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej model no- Versa Mid Back / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Marvel Mid Back in chair series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	4.00	Each		
57	Supply and installation of required size, shape, design and colour (as per enclosed drawing) Visitor Chair as per approved make and direction of Engineer- in-charge (Make-Godrej- Model no- Versa Visitor Chair/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Marvel Visitor Chair in chair series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	9.00	Each		
58	Supply and installation of required size, shape, design and colour (as per enclosed drawing) Visitor Chair as per approved make and direction of Engineer- in-charge (Make-Godrej- Model no- Motion Visitor Chair/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Motion Visitor Chair in chair series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	24.00	Each		

59	<p>Supply and installation of required size, shape, design and colour Storage Gain Main 500 with wooden Door (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- Gain Main 500 (H=2025mm,D=500mm,W=500mm) with Wooden Door / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Gain Main 500 (H=2025mm,D=500mm,W=500mm) Model " in Gain Main Series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)</p>	11.00	Each		
60	<p>Supply and installation of required size, shape, design and colour Addon 1000 (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- Gain Addon 1000(H=2025mm,D=1000mm,W=500mm) / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Gain addon 1000 H=2025mm,D=1000mm,W=500mm) Model " in Addon 1000 Series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)</p>	12.00	Each		
61	<p>Supply and installation of required size, shape, design and colour Table (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- Mingle 6 Str Table / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Mingle 6 Str Table in table series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)</p>	1.00	Each		

62	Supply and installation of required size, shape, design and colour SD2-Single Static Drive (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- SD2-Single Static Drive Cover Unit 2 Bay / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio SD2-Single Static Drive Cover Unit 2 Bay in optimizer series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	1.00	Each		
63	Supply and installation of required size, shape, design and colour LD2-Single Last Drive (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- LD2-Single Last Drive Unit 2 Bay / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio LD2-Single Last Drive Unit 2 Bay in optimizer series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	2.00	Each		
64	Supply and installation of required size, shape, design and colour TD-Twin Mobile Drive (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- TD2-Twin Mobile Drive Unit 2 Bay / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio TD2-Twin Mobile Drive Unit 2 Bay in optimizer series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	2.00	Each		
65	Supply and installation of required size, shape, design and colour Rail Pair 3 ft (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- Rail Pair 3 Ft / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Rail Pair 3 ft in series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	2.00	Each		

66	Supply and installation of required size, shape, design and colour Rail Pair 6 ft (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- Rail Pair 6 Ft / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Rail Pair 6 ft in series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	4.00	Each		
67	Supply and installation of required size, shape, design and colour SD2- Bay (457x 1980- KD) (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- SD2- Bay (457x 1980- KD) / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio SD2- Bay (457x 1980- KD in optimizer series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	1.00	Each		
68	Supply and installation of required size, shape, design and colour LD2- Bay (457x 1980- KD) (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- LD2- Bay (457x 1980- KD) / equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio LD2- Bay (457x 1980- KD in optimizer series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	1.00	Each		
69	Supply and installation of required size, shape, design and colour TD2- Bay (457x 1980- KD) (as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- TD2- Bay (457x 1980- KD) /equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio TD2- Bay (457x 1980- KD) in optimizer series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	3.00	Each		

70	Supply and installation of required size, shape, design and colour work station Penta 1350*1350(as per enclosed drawing) as per approved make and direction of Engineer- in-charge. (Make-Godrej Model No.- Penta work workstation wish 1350x 1350 with KBPT, CPU trolley and pedstal and panel ht. of 1350 mm/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio Penta work workstation wish 1350x 1350 with KBPT, CPU trolley and pedstal and panel ht. of 1350 mm in work station series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	26.00	Each		
71	Supply and installation of required size, shape, design and colour work ECO Storage HDU 900 (width) x 1190 (Hight) (as per enclosed drawing) as per approved make and direction of Engineer-in-charge. (Make-Godrej Model No.- ECO Storage HDU 900 (width) x 1190 (Hight)/ equivalent of Featherlite/ equivalent of Wipro). In this estimate Godrej Interio ECO Storage HDU 900 (width) x 1190 (Hight) in storage series has been considered . In Case of other makes, technical specifications should be equivalent and cost adjustment shall also be done if the equivalent make of lesser market price than Godrej interio)	25.00	Each		
72	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. (Make of Wire: Havells / Finolex / KEI / RR Kabel / Polycab)				
72.1	Group-C	130	Point		
73	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required. (Make of Wire: Havells / Finolex / KEI / RR Kabel / Polycab)	200	Meter		

74	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required. (Make of Wire: Havells / Finolex / KEI / RR Kabel / Polycab)	200	Meter		
75	Supplying and laying of ISI marked FR pvc insulated flexible copper cable of size 2 core x 1.5 sqmm of 1.1 kv grade including making connection etc. for communication between indoor and outdoor unit and other units, etc. through conduit complete as required. (Make of cable: Havells / Finolex / KEI / RR Kabel / Polycab / Gloster)	300	Metre		
76	Supplying and laying of 3 core x 4 sqmm size pvc insulated pvc sheathed armoured copper conductor cable including making connections etc. as required. (Make of cable: Havells / Finolex / KEI / RR Kabel / Polycab / Gloster)	300	Metre		
77	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required. (Make of Wire: Havells / Finolex / KEI / RR Kabel / Polycab)				
77.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	400	Metre		
77.2	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	200	Metre		
77.3	4 X 4 sq. mm + 2 X 4 sq. mm earth wire	100	Metre		
77.4	4 X 10 sq. mm + 2 X 6 sq. mm earth wire	100	Metre		
78	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel conduit/ FRPVC Trunking as required. (Make of Wire: Havells / Finolex / Polycab / KEI / RR Kabel)				
78.1	3 x 2.5 sq. mm	800	Metre		
78.2	3 x 4 sq. mm	300	Metre		
78.3	6 x 4 sq. mm	250	Metre		
79	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required. (Make of Wire: Havells / Finolex / Polycab/ Delton/ RR Kabel))				
79.1	1 Pair	100	Meter		
79.2	2 Pair	500	Meter		

80	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. (Make: Legrand / Havells Crabtree / L&T /Wipro North West / Schneider / GM)				
80.1	5/6 A Switch	120	Each		
80.2	15/16 A Switch	80	Each		
80.3	3 pin 5/6 A socket outlet	120	Each		
80.4	6 pin 15/16 A socket outlet	80	Each		
80.5	Telephone socket outlet	50	Each		
81	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required. (Make: Legrand / Havells Crabtree / L&T /Wipro North West / Schneider / GM)				
81.1	1 or 2 Module (75mmX75mm)	100	Each		
81.2	3 Module (100mmX75mm)	50	Each		
81.3	6 Module (200mmX75mm)	60	Each		
81.4	12 Module (200mmX150mm)	10	Each		
82	Supplying and fixing suitable size GI/PVC box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required. (Make: Legrand / Havells Crabtree / L&T /Wipro North West / Schneider / GM)	20	Each		
83	Supplying and fixing call bell/ buzzer suitable for single phase, 230 V, complete as required. (Make: Legrand / Havells Crabtree / L&T /Wipro North West / Schneider / GM)	10	Each		
84	Providing and fixing FR PVC DLP trunking without cover of (105 mm x 50 mm) size on existing wall etc. as required.	100	Metre		
85	Providing and fixing following accessories on the existing FR PVC trunking etc. as required.				
85.1	FR PVC trunking full cover width 85 mm (Make: Legrand)	100	Metre		
85.2	End Caps for 105 mm X 50 mm FRPVC (Make: Legrand)	10	Each		
85.3	Flat angle for 105 mm X 50 mm FRPVC (Make: Legrand)	10	Each		
85.4	Internal angle for 105 mm X 50 mm FRPVC (Make: Legrand)	10	Each		

85.5	External angle for 105 mm X 50 mm FRPVC (Make: Legrand)	10	Each		
85.6	Body Joint for 105 mm X 50 mm FRPVC (Make: Legrand)	50	Each		
85.7	Cover Joint for 85 mm width (Make: Legrand)	50	Each		
85.8	1 Module arteur frame for 40 mm cover (Make: Legrand)	100	Each		
85.9	6 Module arteur frame for 85 mm cover (Make: Legrand)	50	Each		
85.1	Modular 16/20A switch on the existing modular plate and switch box/channel including connection. (Make: Legrand)	100	Each		
85.11	Modular 6/16A multi socket on the existing modular plate and switch box/channel including connection. (Make: Legrand)	100	Each		
85.12	Supplying and fixing RJ-45 jack for networking point on the existing PVC box including termination testing etc. as required.	60	Each		
86	Supply and installation of recess mounting LED luminaire equipped with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 V AC, 50 Hz; wattage not more then 36 Watts , Output lumens not less then 3300lm; CCT not less then 6500K; Dimension in mm (595x595); Normal surge protection 2.5kV; Powe factor not less then 0.9; Minimum IP protection 20. (Make: Philips / Panasonic / Wipro / Bajaj / Polycab / Halonix / Havells)	75	Each		
87	Supply and installation of recess mounting round/square LED luminaire equipped with CRCA powder coating housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 V AC, 50 Hz; wattage not more then 12 Watts , Output lumens not less then 650lm; CCT not less then 5700K; slim profile surface mounted down light square/round type; Normal surge protection 2.5kV; Powe factor not less then 0.9; Minimum IP protection 20. (Make: Philips / Panasonic / Wipro / Bajaj / Polycab / Halonix / Havells)	10	Each		

88	Supply and installation of wall mounting fan 400 mm sweep, suitable for operation on 230V, 50 Hz, AC Supply with inbuilt speed regulator etc. complete as required etc. as required. (Make :- Havells / Crompton / USHA / Bajaj / Orient) Colour of fan shall be finalized by Engineer-in-Charge)	10	Each		
89	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CMM/W) minimum 6.85, Air delivery minimum 215 CMM, 350 RPM (tolerance as per IS : 374- 2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required.(Make :- Havells / Atomberg / Bajaj / Orient / Crompton/USHA)	30	Each		
90	Providing and fixing M.S. fan clamp type I or II of 16 mm dia M.S. bar, bent to shape with hooked ends in R.C.C. slabs or beams, including painting the exposed portion of loop, all as per standard design complete.	30	Each		
91	Supplying and fixing extra down rod of 30 cm length G.I. pipe, 15 mm dia, heavy gauge including painting etc. as required. (Note : More than 5 cm length shall be rounded to the nearest 10 cm and 5 cm or less shall be ignored)	30	Each		
92	Supply and Installation of 250 mm sweep exhaust fan PVC body with louver shutter suitable for operation on 230V, 50 Hz, AC supply in the existing opening, including making good the damage, connection, testing, commissioning etc. as required. (Make: Havells/ USHA/ Bajaj/ Orient/Crompton)	5	Each		
93	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable in the existing surface/ recessed Steel/ PVC conduit as required.				
93.1	1 run of cable	400	Meter		
93.2	2 run of cable	400	Meter		

94	Providing and fixing following rating and breaking capacity and pole MCCB with thermomagnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as required. (Make: L&T / Schneider / Legrand / Havells / C&S / Siemen / ABB)				
94.1	100 A,30KA,FP MCCB	2	Each		
94.2	125 A,36KA,FPMCCB	2	Each		
95	Providing and fixing 100A, 16KA, TP, MCCB with thermomagnetic release and terminal spreaders in existing cubicle panel board including drilling holes in cubicle panel, making connections, etc. as required. (Make: L&T / Schneider / Legrand / Havells / C&S / Siemen / ABB)	1	Each		
96	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) (Make: L&T / Schneider / Legrand / Havells / Siemens / ABB)				
96.1	8 way , Double door	2	Each		
96.2	12 way , Double door	2	Each		
97	Supplying and fixing following ways surface/ recess mounting, vertical type, 415 volts, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 amps tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCB's, with provision of 100 amps 4 Pole 16 KA MCCB as incomer, interconnection between incomer MCCB and bus bars (but without MCB's/ MCCB) including sign writing on DB (Make: AC / Normal / Emergency Power) etc. as required . (Make: L&T / Schneider / Legrand / Havells / Siemens / ABB)				
97.1	8 way (4 + 24), Double door	1	Each		
97.2	12 way (4 + 36), Double door	2	Each		
98	Supply and installation of SS enclosure duly powder Coated paint for housing incoming MCCB 4P, of appropriate size with incoming and outgoing opening, suitable to accommodate upto 70sqmm, 3.5 core aluminium armoured cable, with louvers for heat dissipation and mounting hole for easy wall mounting. (matter: AC / Normal / Emergency Power) etc. as required .	2	Each		

99	Supplying and fixing of following rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make: AC / Normal / Emergency Power) etc. as required . (Make: L&T / Schneider / Legrand / Havells / Siemens / ABB)				
99.1	Single Pole, 10A	30	Each		
99.2	Single Pole, 16A	30	Each		
99.3	Single Pole, 25A	30	Each		
99.4	Single Pole, 32A	40	Each		
99.5	Double Pole, 32A	6	Each		
99.6	Triple pole and neutral, 32A	6	Each		
100	Supplying and fixing following rating, double pole, 240 V, MCB 'C' Series in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make :- L&T / Schneider / Legrand/ Havells / Siemens / ABB)				
100.1	40 A	3	Each		
100.2	63 A	3	Each		
101	Supplying and fixing following rating, four pole, 415 V, MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Make :- L&T / Schneider / Legrand/ Havells / Siemens / ABB)				
101.1	40 A	3	Each		
101.2	63 A	3	Each		
102	Supplying and fixing DP sheet steel enclosure on surface/ recess along with 25/32 A 240 V "C" curve DP MCB complete with connections, testing and commissioning etc. as required. (Make: L&T / Schneider / Legrand / Havells / Siemens / C&S)	15	Each		
103	Supplying and fixing Cable End Box (Loose Wire Box) suitable for following single pole and neutral, sheet steel, MCB distribution board, 240 Volts, on surface/ recess, complete with testing and commissioning etc. as required.				
103.1	For 8 way, Double door SPN MCBDB	2	Each		
103.2	For 12/14 way, Double door SPN MCBDB	2	Each		
104	Providing and fixing earth bus of 50 mm X 5 mm copper strip on surface for connections etc. as required.	1	Metre		

105	Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required.	3	Each		
106	Supplying and installing 150 mm width X 50 mm depth X 1.6 mm thickness of perforated Hot Dipped Galvanised Iron cable tray (Galvanisation thickness not less than 50 microns) with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with G.I. suspenders including G.I. bolts & nuts, etc. as required.	30	Metre		
107	Supplying and installing 150 mm width X 50 mm depth X 1.6 mm thickness of perforated Hot Dipped Galvanised Iron cable tray "bends" (galvanisation not less than 50 microns) with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with G.I. suspenders including G.I. bolts & nuts, etc. as required.	4	Each		
108	Supplying and installing 150 mm width X 50 mm depth X 1.6 mm thickness of perforated Hot Dipped Galvanised Iron cable tray "Tee" (galvanisation not less than 50 microns) with perforation not more than 17.5%, in convenient sections, joined with connectors, suspended from the ceiling with G.I. suspenders including G.I. bolts & nuts, etc. as required.	2	Each		
109	Supplying and Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of 3 x 16 sq. mm size on cable tray/ open duct/ wall as required. (Make: Havells / Finolex / KEI / RR Kabel / Polycab / Gloster)	150	Metre		
110	Supplying and Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of 4 x 25 sq. mm size on cable tray/ open duct/ wall as required. (Make: Havells / Finolex / KEI / RR Kabel / Polycab / Gloster)	150	Metre		
111	Supplying and Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of 3.5 x 35 sq. mm size on cable tray/ open duct/ wall as required. (Make: Havells / Finolex / KEI / RR Kabel / Polycab / Gloster)	150	Metre		
112	Supplying and Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade of 3.5 x 35 sq. mm size with medium class GI pipe as required. (Make of cable: Havells / Finolex / KEI / RR Kabel / Polycab / Gloster. Make of GI Pipe: TATA / Bansal / Nezone / Jindal)	10	Metre		

113	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	620	Metre		
114	Supplying and making end termination with brass compression gland and aluminium lugs for 4 X 25 sq. mm (28mm) size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.	4	Each		
115	Supplying and making end termination with brass compression gland and aluminium lugs for 3½ X 35 sq. mm (32mm) size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.	4	Each		
116	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required. (ISI marked)				
116.1	25 mm	50	Metre		
116.2	32 mm	100	Metre		
117	Supplying and fixing of 25 mm sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. (ISI marked)	100	Metre		
118	Cutting of existing cement concrete floor for 300 mm wide x 25 mm deep to fix raceway including making good the same with proper cement mortar etc. as required.	50	Metre		
119	Supplying and fixing 300 mm x 25 mm, 3 compartment type metal/GI raceway IP 20 and fixing in floor with all accessories etc. as required. (Make: Legrand)	50	Metre		
120	Supplying and fixing GI Junction box/floor box for 300 x 300 x 65-90 mm size etc. as required. (Make: Legrand)	5	Each		
121	Supplying and fixing of 300 mm x 25 mm size GI bracket for fixing the raceway in floor etc. as required. (Make: Legrand)	100	Each		
122	Supplying and fixing G.I. coupler for 300 mm x 25 mm size GI raceway in floor etc. as required. (Make: Legrand)	100	Each		
123	Supplying and fixing G.I. vertical riser for 300 mm x 25 mm size GI raceway in floor etc. as required. (Make: Legrand)	2	Each		

124	Supply Installation, Testing & Commissioning of modular type Variable Refrigerant Flow/Variable Refrigerant Volume air cooled Outdoor units suitable for cooling and heating, having all hermetically sealed inverter type Scroll Compressor(s), minimum two compressors for above 14 HP modules, microprocessor based controller, top discharge type condensing unit(s), with R 410 A Refrigerant, vibration isolators, with suitable foundation etc. complete as required. The unit shall deliver the rated capacity at AHRI Conditions and work even at 50 Degree C ambient temperature without tripping. The unit shall be suitable to work on 400V +/- 10%, 3 Phase, 50Hz AC power supply. The unit shall be filled with first charge of the refrigerant and ready for use as required. The COP at AHRI conditions at 50% load shall not be less than 7 and IEER not less than 6.5 (Make : Blue Star/ LG/ Carrier/ Toshiba/ Mitsubishi / Hitachi)	26	HP		
125	Supply, installation, testing and commissioning of following minimum capacity 4-way flow VRV/VRF Cassette Type indoor ceiling mounted unit equipped with synthetic washable media pre-filter, fan section with low noise fan/dynamically balanced blower, multispeed motor, coil section with DX Copper coil, electronic expansion valve, outer cabinet, drain pump, grill, necessary supports, vibration isolation, cord less remote control etc., suitable for operation on single phase 230 V +/- 10%, 50Hz AC supply, complete, as required. The unit shall have automatic force shut down provision in case fire on receiving signal from BMS System. The cooling capacity of indoor unit will be at air inlet conditions of 27 degree C DB and 19 Degree C WB temperature. (Make: Same as outdoor unit)				
125.1	0.8 TR	3	Each		
125.2	1.2 TR	3	Each		
125.3	1.6 TR	8	Each		
125.4	02 TR	1	Each		

126	Supply, Installation, testing and commissioning including vaccumisation and nitrogen testing of following nominal sizes of soft / hard drawn copper refrigerant piping for VRV/VRF system, complete with fittings, Y-type joints wherever required, with adjustable with ring type hanger supports, jointing / brazing including accessories, insulated with XLPE class - O tubular insulation / with Class-O closed cell elastomeric nitrile rubber tubular sleeves sections of specified thickness as given below for suction and liquid lines, all accessories as per specifications etc. as required:				
127	NOTE: (1) The copper piping and piping circuit should be with minimum number of joints, which shall be attained by: (a) Using one end expanded tubes (b) bending the tubes instead of using elbow joints wherever 90 degree bending is required (2) Piping should be routed at site in such a manner, that brazed joints in the refrigeration piping are kept to a minimum (3) The makes of tube fittings shall be same as that of tubes (4) The thickness of fittings used shall be same as that of the pipe				
127.1	6.4 mm dia (OD) (Soft drawn) with tube thickness 1.2 mm with 19 mm thick insulation	150	Metre		
127.2	9.5 mm dia (OD) (Soft drawn) with tube thickness 1.2 mm with 19 mm thick insulation	30	Metre		
127.3	12.7 mm dia (OD) (Soft drawn) with tube thickness 1.2 mm with 19 mm thick insulation	15	Metre		
127.4	15.86 mm dia (OD) (Soft drawn) with tube thickness 1.2 mm with 19 mm thick insulation	20	Metre		
127.5	19 mm dia (OD) (Hard drawn) with tube thickness 1.2 mm with 19 mm thick insulation	20	Metre		
127.6	22.2 mm dia (OD) (Hard drawn) with tube thickness 1.2 mm with 19 mm thick insulation	20	Metre		
127.8	25.4 mm dia (OD) (Hard drawn) with tube thickness 1.2 mm with 19 mm thick insulation	15	Metre		

127.9	28.58 mm dia (OD) (Hard drawn) with tube thickness 1.2 mm with 19 mm thick insulation	25	Metre		
128	Supplying and laying of ISI marked CPVC pipe of 1 inch dia for draining of sweated water from AC evaporator unit including providing tee, joints, elbows wherever necessary etc. complete as required.	300	Metre		
129	Fabricating, Providing and fixing M.S. iron frame fabricated with M.S. angle of size 50mm x 50mm x 6mm for resting the condenser unit on the outside wall / roof of the building duly supported from the bottom with same angle iron and finally making good the damages including painting the framework etc. complete as required.	10	Metre		
130	Making RCC foundation for resting outdoor unit of VRV AC of size 1100mmx800mmx300mm with 1:2:4 (1cement,2coarse,4stone aggregate) complete with 8mm dia MS bar for reinforcement along with centering & shuttering ,3/4 no. complete as required.	1	Job		
	CCTV				
131	DDOME CAMERA - Supply, Installation, Testing & Commissioning of IP Network TDN Low-Light IR Dome Camera, 1/3.2" CMOS, 3 MP @ 25fps or better, triple stream, Min. Illumination required 0.2 lux @ F1.4 (color), 120dB True WDR, Min. Pixels 2304x1303p, triple stream, 3mm - 9 mm motorized focus & zoom lens, Backlight Compensation, 3DNR, Privacy Mask, 3 IR LEDs Smart IR with upto 20m IR distance, H.264& MJPEG, Dual channel Audio G.711a/G.711u/AAC, 128GB SD card support, IP 66/67 & IK10, Alarm: 1 In & 1out, PoE, H.264 High Profile and MJPEG, PoE Class 3/ 12V DC/24VAC, Die- Cast Aluminum Construction, Having Operating temp range: -30°C to 55° C. Certifications: ONVIF Profile S & Profile G compliant, UL, CE, EN, FCC &RoHS compliant. Approved Makes: Honeywell, Pelco, Bosch & Axis.	5	Each		

132	<p>NVR - Supply, Installation, Testing & Commissioning of 8 Channel NVR with Dual-core embedded processor, Embedded LINUX, BIDIRECTIONAL AUDIO 1 channel input; 1 channel output; RCA, RESOLUTION 1920 x 1080; 1280 x 1024; 1280 x 720; 1024 x 768, OSD Camera title; Time; Video loss; Camera lock; Motion detection; Recording, COMPRESSION H.264 / MJPEG, BIT RATE* 48 to 8192 Kbps, RECORDING MODE Manual; Schedule (Regular [Continuous], Motion Detection, Alarm, Motion Detection+Alarm); Stop, SUPPORTED PROTOCOLS** HTTP; TCP/IP; IPv4/IPv6; UPnP; RTSP; UDP; SMTP; NTP; DHCP; DNS; IP filter; PPPoE; DDNS; FTP; Alarm server; IP search, ETHERNET 1 x RJ-45 port (10/100/1000 Mbps, USB 2 ports: USB 3.0 on rear panel; USB 2.0 on front panel. The proposed system should provide 15 days recording. Approved Makes: Honeywell, Pelco, Bosch & Axis.</p>	1	Each		
133	<p>LED - Supplying, Installation, Testing & Commissioning of 32" LED TV with 1920x1080 full HD resolution and as per specifications attached suitable for mounting on wall including connection etc. Approved Makes: - Sony, Panasonic & Samsung.</p>	1	Each		
134	<p>HARD DISK - Supply, Installation, Testing & Commissioning of 8 TB Video Hard Disk (Make: Sony / Seagate / Samsung / Toshiba)</p>	1	Each		

135	<p>PORT SWITCH - Supply, Installation, Testing & Commissioning of 8 Port managed PoE Switch with 2 SFP port, minimum 8 nos. 10/100/1000 Base-T ports with PoE+ capability and minimum 60W of PoE Power and additional 2 nos. Combo uplink ports loaded with 2 nos. of SMF modules Shall have minimum 20 Gbps of switching fabric and 14.88Mpps of forwarding rate. Should support IEEE Standards of Ethernet: IEEE 802.1D, 802.1s, 802.1w, 802.1x, 802.3ad, 802.3x, 802.1p, 802.1Q, 802.3, 802.3u, 802.3ab, 802.3z, 802.3az, 802.3af, 802.3at. Switch should support port security, DHCP snooping, Dynamic ARP inspection, IP Source guard, BPDU Guard, spanning tree root guard and IPv6 First Hop Security. IPv6 QoS, IPv6 ACL, Multicast Listener Discovery (MLD v1/2) snooping, IPv6 applications and IPv6 First Hop Security. Switch should be IPv6 Certified/IPv6 logo ready. Approved Makes: - Cisco.</p>	1	Each		
136	<p>17U RACK - Supply, Installation, Testing & Commissioning of 17U rack. Approved Makes: - Rittal, Comrack & Valrack.</p>	1	Each		
137	<p>CAT 6 CABLE - Supply, Installation, Testing & Commissioning of CAT 6 Cable. Approved Makes: - Molex, D-link & AMP.</p>	305	Mtr		
138	<p>PVC CONDUIT - Supply, Installation, Testing & Commissioning of 25mm PVC Conduit On Surface. Approved Makes: - BEC, Kalinga & AKG.</p>	75	Mtr		
139	<p>Routine, Preventive and Breakdown maintenance of [a] VRF/VRV AC unit including its all accessories, condensers, evaporator units, time to time checking of refrigerant leakage, electrical circuits, etc. for smooth operation of the entire AC units during the defect liability period of 1 year after date of commissioning as per maintenance schedule & [b] Entire CCTV System during the defect liability period of 1 year after date of commissioning as per maintenance schedule (Completely free of cost): 1st Year</p>				

139.1	Routine, Preventive and Breakdown maintenance of [a] VRF / VRV AC unit including its all accessories, condensers, evaporator units, time to time checking of refrigerant leakage, electrical circuits, etc. for smooth operation of the entire AC units after defect liability period of 1 year from the date of commissioning as per maintenance schedule. Any breakdown shall be attended within 4 hours of reporting. Spare parts required during breakdown maintenance shall be arranged by the Institute. [b] CCTV System after defect liability period of 1 year from the date of commissioning as per maintenance schedule. Any breakdown shall be attended within 4 hours of reporting. Spare parts required during breakdown maintenance shall be arranged by the Institute. (N.B.: 01 Job means during a period of one year)				
139.1.1	2nd Year	1	Job		
139.1.2	3rd Year	1	Job		
139.1.3	4th Year	1	Job		
139.1.4	5th Year	1	Job		
139.1.5	6th Year	1	Job		
Credit of Dismantled Item.					
140	1.) Fire wood from damaged cup-boards etc.	200.00	Kg		
141	2.) Old flush door shutter of various thickness and sizes with fitting etc.	4.00	Each		
142	3.) Old M.S section / steel bars scrap / G.I pipes / C.I pipes etc.	300.00	kg		
143	4.) Old scrap aluminium sections of various size and thickness.	50.00	Kg		
144	G.I. Pipe 15 m to 40 mm dia	50.00	Mtr		
145	C.I. Pipe upto 100 mm dia including fittings	30.00	Mtr		
Grand Total					

Special Conditions:

1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
2. The contractor must visit the site of work /buildings before quoting the rates.
3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
4. Site shall be available in parts or phases as per directions of Engineer in Charge and nothing extra on this account shall be paid to the Contractor.
5. Quoted rates of participating agencies shall be inclusive of GST.