

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI – 110016

NOTICE INVITING E-TENDER

IITD/WORKS(SP-451)/2016

Executive Engineer (E,) Indian Institute of Technology Delhi, Hauz Khas, New Delhi-16. (Phone No. 011-26591742) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways dealing with Civil works for the following work:

1	Name of Work	:	Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi.
2	NIT No.	:	8753/ 22/EW/IITD/2016-17
3	Estimated cost	:	Rs.99,65,831.00
4	Earnest Money	••	Rs.1,99,317.00
5	Period of completion	:	06 months
6	Last date & time of bid submission	:	27 -06-2016 upto 05:00 PM
7	Performance Bank Guarantee	:	5% of the tendered amount

The bid forms and other details may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Bidders can access Quotation / tender documents on the website (For searching in the NIC site, kindly go to Quotation Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi Quotations). Select the appropriate Quotation / tender and fill them with all relevant information and submit the completed Quotation / tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All bids (both Technical and Financial should be submitted in the E-procurement portal).

Executive	Engineer [E]
For & on Behalf of B	OG, IIT Delh

Ch. Head: PLN - 05 Work code- W02745



Copy to: -

- 1. Institute Engineer
- 2. D.A. (Works Accounts) for opening of tenders in the office of D.R. [SPS]
- 3. A.E.E. (E) Plg.
- 4. D.R. (A/Cs)
- 5. D.R. [SPS]
- 6. Notice Boards.
- 7. Office Copy
- 8. Web site Administrator, IITD



INDEX

SR. NO.	DESCRIPTION	PAGE			
		From	То		
1	SCHEDULE	4	4		
2	INSTRUCTION FOR ONLINE BID SUBMISSION	5	7		
3	INFORMATION & INSTRUCTION TO BIDDERS	8	10		
4	IITD 6	11	13		
5	INTEGRITY PACT	14	20		
6	IITD – 7 / 8	21	22		
7	PROFORMA OF SCHEDULE	23	27		
8	DECLARATION [ANNEXURE – I]	28	28		
9	COMMERCIAL & ADDITIONAL CONDITIONS	29	32		
10	ADDITIONAL CONDITIONS	33	34		
11	IITD 2010 CORRECTION SLIPS	35	41		
12	TECHNICAL SPECIFICATIONS	42	42		
13	ACCEPTED MAKE OF MATERIALS	43	43		
14	BID SUBMISSION CHECK LIST	44	44		
15	SCHEDULE OF QUANTITY	45	60		

C....Nil I....Nil O....Nil



SCHEDULE

1	Name of Organisation	:	Indian Institute of Technology Delhi		
2	Tender / Quotation Type [open / limited / EOI / auction / single]	:	Open		
3	Tender / Quotation Category [services / goods / works]	:	Goods & Works		
4	Type / Form of Contract [work / supply / auction / service / buy / empanelment / sell]	:	Work & Supply		
5	Product Category [civil works / Civil Work / fleet management / computer systems]	:	Civil Work		
6	Is Multi Currency Allowed?	:	No		
7	Date of issue / publishing /start	:	15 -06-2016, 17:45 PM		
8	Document download start date	:	15 -06-2016, 17:45 PM		
9	Document download end date	:	27 -06-2016, 3:00 PM		
8	Last date & time of uploading of bids	:	27 -06 -2016 upto 03:00 PM		
9	Date & time of opening of Technical Bids	:	28 -06 -2016 at 11:00 AM		
10	Tender fee	:	NIL		
11	EMD	:	Rs.1,99,317.00 [For EMD] (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi- 110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)		
12	No. of covers [1/2/3/4]	:	02		
13	Address for communication	:	Assistant Executive Engineer [Civil], Works Organisation, Hauz Khas, IIT Delhi, New Delhi – 110016		
14	Contact No.	:	011- 2659 1742		
15	E-mail address	<u> </u>	a25226@admin.iitd.ac.in; a26335@admin.iitd.ac.in		

C....Nil I....Nil O....Nil



INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this Quotation / tender document has been published on the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / e-Token.

SEARCHING FOR QUOTATION / TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active Quotations / Tender by several parameters. These parameters could include Quotation ID, organization name, location, date, value, etc. There is also an option of advanced search for Quotations, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a Quotation published on the CPP Portal.
- 2) Once the bidders have selected the Quotations they are interested in, they may download the required documents / Quotation schedules. These Quotations can be moved to the respective 'My Quotations' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the Quotation document.
- 3) The bidder should make a note of the unique Quotation ID assigned to each Quotation / Tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

1) Bidder should take into account any corrigendum published on the Quotation document before submitting their bids

CNil	I Nil	O Nil
O	1 1 111	O I WII



- 2) Please go through the Quotation / Tender advertisement and the Quotation / Tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the Quotation document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the Quotation document.
- 3) Bidder has to select the payment option as "offline" to pay the Quotation fee / EMD as applicable and enter details of the instrument.
- 4) A standard BoQ format has been provided with the Quotation document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded Quotation documents become readable only after the Quotation opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.



ASSISTANCE TO BIDDERS

- Any queries relating to the Quotation document and the terms and conditions contained therein should be addressed to the Quotation Inviting Authority for a Quotation or the relevant contact person indicated in the Quotation.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

GENERAL INSTRUCTIONS TO THE BIDDERS

- 1) The Quotations will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".

Bidders are advised to follow the instructions provided in the 'Instructions to the Bidder for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at https://eprocure.gov.in/eprocure/app

C....Nil I....Nil O....Nil



INFORMATION AND INSTRUCTIONS TO BIDDERS FOR E-TENDERING

Executive Engineer (E,) Indian Institute of Technology Delhi, Hauz Khas, New Delhi-16.(Phone No. 011-26591742) on behalf of Board of Governors invites online **Item Rate Tender** from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways dealing with Civil works for the following work:

SI. No.	N.I.T. No.	Name of work & Location	Estimated cost put to bid	Earnest Money	Period of completion	Last date & time of submission of bid (online mode)	Time & date of opening of Technical Bid	Time & date of opening of Financial Bid
[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
1	8753/ 22 /EW/IITD/2016-17	Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi.	9,65	Rs.1,99,317.00	06 months	27- 06-2016 upto 05:00 PM	28 - 06-2016 at 3:30 PM	To be intimated after assessing Technical Bid.

- 1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized / Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to submit the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as null and void. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.
- 2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.

C....Nil I....Nil O....Nil



- Firms/Contractors should have satisfactorily completed one similar work of value not less than Rs.79,72,700.00 or two similar works each of value not less than Rs.59,79,500.00 or three similar works each of value not less than Rs.39,86,300.00 during last 7 years ending previous day of last date of submission of bids.
- ii) Earnest Money of Rs.1,99,317.00 to be deposited on-line as indicated in Schedule
- **3. Similar work means** work pertaining to works of Renovation/ Addition Alteration/ Rehabilitation/ New construction of buildings (Civil works).
- 4. The intending bidder must read the terms and conditions [both commercial & Additional] & IITD 6 carefully which will be the part of the Contract. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- **5.** Information and Instructions for bidders posted on website shall form part of bid document.
- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website e-procure.gov.in.
- 7. But the bid can only be submitted after depositing requisite EMD as specified in the schedule.
- 8. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only within a week physically in the office of e-tendering authority.
- **9.** Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited requisite EMD and other documents scanned and uploaded are found in order.
- **10.** Completion certificates are required to be got issued by an officer not below the rank of Executive Engineer of similar works completed by the Firm. The work experience certificates submitted by the bidders shall clearly indicate that:
 - a. The similar work executed shall be as '3' above
 - b. The completed cost of the work
 - c. Actual date of completion of the work
- **11.** Attested copy of registration certificates to be submitted. Registration of firms/ Contractors must be valid on the day of submission of Tenders or extended date of submission of Tenders whichever is later.
- 12. Work means only work under Government/ Public Sector Undertaking / Central Autonomous bodies.
- **13.** The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
- **14.** IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid, **each bidder should sign integrity pact at respective places** and submit the bid. If duly signed integrity pact is not submitted by bidder, such bid shall not be considered.
- **15.** Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.

C	Nil	I Nil	0	Nil



- **16.** When bids are invited in two / three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
- 17. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- 18. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible.
 - b. The bidder does not upload all the documents (including service tax registration / VAT registration / Sales Tax registration) as stipulated in the bid document including the undertaking / declaration.
 - c. EMD not deposited as specified
- 19. The firm shall be registered with EPFO & ESIC

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Annexure I duly filled in and got signed
- 2. Attested certificate of work experience as desired
- 3. Copy of enlistment order
- 4. Certificate of Registration for Sales Tax / VAT and acknowledgement of up to date filed return
- 5. Affidavit as per Notice Inviting Tender Condition [IITD-6] 1.2.2 [To be submitted on stamp paper]
- Acceptance to execute INTEGRITY PACT [see integrity pact]
- 7. IITD 7 / 8 duly signed at page 21.
- 8. EPF & ESI Registration proof
- 9. Any other document as specified in the NIT

Executive Engineer [Electrical] For & on Behalf of BOG, IIT Delhi





IITD – 6

INDIAN INSTITUTE OF TECHNOLOGY DELHI NOTICE INVITING E-TENDER

- 1.0 Item rate tenders are invited on behalf of The Board of Governors, IIT Delhi, Hauz Khas, New Delhi 110016 from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways dealing with Civil works for the following work:- Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi.
 - 1.1 The work is estimated to cost **Rs.99,65,831.00**. This estimate, however, is given merely as a rough quide
 - 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than **Rs. 39,86,300.00** or two similar work each of value not less than **Rs. 59,79,500.00.00** or one similar work of value not less than **Rs.79,72,700.00** in last 7 years ending previous day of last date of submission of bids.

- 1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-
 - "I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / We shall be debarred for bidding in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)"
- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IIT Delhi Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be 06 months from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- **4.** The site for the work is available.

C Nil	I Nil	O Nil



- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site e-procure.gov.in.
- **6.** After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- **8.** If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- **9.** Earnest Money as specified to be paid through RTGS / NEFT.

IIT Delhi Bank details are as under:

Name of the Bank A/C : IITD Revenue Account

SBI A/C No. : 10773572622

Name of the Bank : State Bank of India, IIT Delhi,

Hauz Khas, New Delhi-110016

 IFSC Code
 : SBIN0001077

 MICR Code
 : 110002156

 Swift No.
 : SBININBB547

(This is mandatory that UTR Number is provided in the on-line quotation/bid. Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)

Interested contractors who wish to participate in the bid has also to make following payments within the period of bid submission:

- (i) Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission.
- **10.** The bid submitted shall become invalid, if:
 - a) The bidder is found ineligible.
 - b) The bidder does not upload all the documents (including VAT registration/ Sales Tax registration/Technical bid) as stipulated in the bid document.
 - c) EMD not deposited as specified
- 11. The contractor whose bid is accepted will be required to furnish performance guarantee of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank / Banker' cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically



- provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 13. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **14**. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- **15.** The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 17. No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract liable to be cancelled, if, either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 18. The bid for the works shall remain open for acceptance for a period of ninety [90] days from the date of opening of financial bids, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
- 19. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as applicable.
- 20. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as to be submitted physically in IIT Delhi, if so desired by the accepting authority, then the bid submitted shall become invalid and the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the bidding process of the work.





INTEGRITY PACT

То	
	,
	IT No. 8753/ 22/EW/IITD/2016-17 for the work of "Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi."
Dear Si	r,
competi	It is here by declared that IITD is committed to follow the principle of transparency, equity and itiveness in public procurement.
	The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will a Integrity Agreement, which is an integral part of the tender/bid documents, failing which the tender/bidder will isqualified from the tendering process and the bid of the bidder would be summarily rejected.
deemed	This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be as acceptance and signing of the Integrity Agreement on behalf of the IITD.
	Yours faithfully,
	Executive Engineer(E)
CNil	L Nil O Nil






ITO BE SUBMITTED DULY SIGNED BY THE BIDDER ALONGWITH BID DOCUMENTS

To

Executive Engineer (Elect.), IIT Delhi. Hauz Khas. New Delhi - 110016

Dear Sir.



C....Nil I..... Nil O..... Nil



[To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of IITD]

INTEGRITY AGREEMENT

THE STATE OF THE S
This Integrity Agreement is made at on this day of
BETWEEN
The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (Elect.), IIT Delhi
'Principal/Owner',
AND
(Hereinafter referred
<u>Preamble</u>
WHEREAS the Principal / Owner has floated the Tender (NIT No. 8753/ 22 /EW/IITD/2016-17) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for "Renovation of V-244, 142 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi." (Name of work) hereinafter referred to as the "Contract".
AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement

WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal / Owner

- The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - No employee of the Principal / Owner, personally or through any of his / her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (a) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The

	Principal/Owner	vill, in particular, before and during the Tender process, provide to all Bidder(s) the
CNil	I Nil	O Nil



- same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
- (b) The Principal/Owner shall Endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.
- 3) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s) / Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or coercion or collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - c) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PoC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal / Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - d) The Bidder(s) / Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s) / Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.



- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practices means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal /Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) Criminal Liability: If the Principal/Owner obtains knowledge of conduct a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal / Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.

CNil	I Nil	O Nil



3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
 - 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
 - 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6: Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 6 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority of IITD.

Article 7: Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by Board Resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8: LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first





above menti	oned in the presence of following witnesses:	
(For and on	behalf of Principal / Owner)	
	behalf of Bidder / Contractor) S:	
1.		
	(signature, name and address)	
2.	(signature, name and address)	
Place:		
Dated :		



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016

Percentage Rate Tender / Item Rate Tender & Contract for Works

Tender for the work of "Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi."

- (A) (I) To be submitted online by 27 -06 **-2016 upto 05:00 PM**
 - (II) To be opened on 28 -06-2016 at 03:00 PM online

e-TENDER

I / We have read and examined the Notice Inviting Tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I / We hereby tender for the execution of the work specified for the Board of Governors, IIT Delhi within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (strike out as the case may be) and not to make any modification in its terms and conditions.

A sum of Rs.1,99,317.00 is hereby deposited in IIT Delhi Revenue Account No. 10773572622 as earnest money. If I / We, fail to furnish the prescribed performance guarantee within prescribed period I / We agree that the said The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / We fail to commence the work as specified, I / We agree that The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid I / We shall be debarred for participation in the re-tendering process of the work.

I / We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / We shall be debarred for tendering in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I / We hereby declare that I / We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person





other than a person to whom I / We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:											
							Signa	ture of C	Contracto	r	
Witness:											
Address:							Post	tal Addre	ess		
Occupatio	n:										
				AC	CEPTAN	ICE					
on behalf	of The	Board of	odified by you Governors,	IIT Delhi,	Hauz	Khas,	New D	elhi -			
).			
IN	e letters re	eterred to be	elow shall form	i part of this	contract	agreem	ent:-				
(a)											
(b)											
(c)											
					For & c	on behalf	f of Board	of Gove	ernors, II7	「Delhi	
					Sign	ature					
Dated:					Desi	gnation					
CNil	I Ni	I	O Nil								



PROFORMA OF SCHEDULES

[Operative Schedules to be supplied separately to each intending tenderer]

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
-	Nil			→

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
4	Nil—		-

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.



C....Nil I....Nil O....Nil



SCHEDULE 'E'

Reference to General Conditions of contract [GCC]

1	Name of work	:	Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi.
2	Estimated cost of work	:	Rs.99,65,831.00
3	Earnest Money	:	Rs.1,99,317.00
4	Performance Guarantee	:	5 percent of tendered value
5	Security Deposit	:	5 percent of tendered value

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS

: Officer inviting tender

	n percentage for quantity of items of work to be executed beyond what to be determined in accordance with Clauses12.2&12.3	:	See below
Definitio	ns:		
2[v]	Engineer – in - charge	• •	Executive Engineer [Elect]
2[vi]	Accepting Authority	٠.	Executive Engineer [Elect]
2[x]	Percentage on cost of materials and labour to	• •	15 percent
	Cover all overheads and profits		
2[xi]	Standard schedule of rates	٠.	Market Rate / DSR 2014
2[xii]	Department	• •	E & W, IIT Delhi
9[ii]	Standard IITD Contract Form	:	General Conditions of Contract
			2010,IITD Form 7/8-2010 modified &
			Corrected up to date of submission of
			tender

Clau	se 1:						
[i]	Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	15 days					
[ii]	Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above	:	1 to 15 days				
Clause	e 2:						
Author	rity for fixing compensation under clause 2		Institute Engineer				
Clause	e 2 A:						
Wheth	Whether Clause 2A shall be applicable : No						
Clause	e 5:						
	Number of days from the date of issue of letter of award for reckoning date of start : 10 [ten] days						

C....Nil I....Nil O....Nil



Milestone(s)as per table given below:-

SI.	Description of Milestone (Financial)		Amount to be with-held in
No.		days (from date of start)	case of non-achievement of mile stone
	N O T A	PPLICABLE	
		_	

Time allowed for execution of work	••	06 months
Authority to decide:		
Extension of time	:	Executive Engineer [Engineer-in-charge]
Rescheduling of mile stones	:	Institute Engineer
Clause Applicable 6 or 6A:	:	Clause 6 A
Clause 7:		
Gross work to be done together with net payment / adjustment	:	Not Applicable
of advances for material collected, if any, since the last such payment for being eligible to interim payment		
Clause 10 A:		
List of testing equipment to be provided by the contractor at site	:	As desired by the Engineer-in-charge relating to the
lab		work
Clause 10B(ii):		
Whether Clause 10 B (ii) shall be applicable	:	No
Clause 10C:		
Component of labour expressed as percent of value of work	:	25 percent

Clause 10CA:

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA*
1			
2			
3			
4			

C....Nil I....Nil O....Nil



* Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approval of NIT.

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period	:	18 months
of completion exceeding the period shown in next column		
Schedule of component of other Materials, Labour, POL etc. for		
price escalation		
Component of civil (except materials covered under clause 10CA)/	:	X _m : 75 percent
Electrical construction Materials expressed as percent of total value		
of work		
Component of Labour expressed as percent of total value of work	:	Y: 25 percent
Component of P.O.L. expressed as percent of total value of work	:	Not Applicable

Clause 11

Specifications to be followed for execution of work	:	CPWD General specifications for civil works
		with up to date modifications.

Clause 12

Type of work	:	Maintenance works including works of upgradation, aesthetic, special repair, addition/alteration
Clause 12.2. & 12.3		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for		30 percent
building work		
Clause 12.5		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for	:	100 percent
foundation work		

Clause 16

Competent Authority for deciding reduced rates	: Executive Engineer	
--	----------------------	--

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:

1	2	3
4	5	6
	5 NII	
	8	9
7		

C....Nil I....Nil O....Nil



Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical Representative)	Minimum Experience (Years)	Numbe r	made from the event of not for	n recovery shall be ne contractor in the ulfilling provision of use 36(i)
						Figures	Words
1	Graduate Engineer		Principal Technica Representative	5	1	Rs.20,000/- per month	Rupees Twenty Thousand only per month

Assistant Engineers retired from Government services that are holding diploma will be treated at par with Graduate Engineers

C....Nil I....Nil O....Nil



ANNEXURE - I

<< Organization Letter Head >>

DECLARATION

I / V	Ve,		hereby declare that all the information and data furnished by our
			true and complete to the best of our knowledge. I / we have gone
		pulations in	details and agree to comply with the requirements and intent of
spe	cification.		
1	Name & Address of the bidder	:	
2	Phone	:	
3	E-mail	:	
4	Contact person name	:	
5	Mobile number	<u>:</u>	
6	TIN number	:	
7	PAN number	:	
8	UTR no. [for payment of EMD]	:	
	BANK DETAILS		
9	Bank name	:	
10	Branch address	:	
11	Branch telephone no.	:	
12	MICR Code of the bank	:	
13	IFSC code	:	
14	Bank Account no.	:	
15	Type of account	:	
	further declare that our organization hancy / Govt. Department / Public Sector U		n blacklisted / delisted or put to any holiday by any Institutional in the last three years.
		[Signat	ture of the bidder]
			Name:
		Soc	al of the bidder
		368	ii oi tile biddei
C	Nil I Nil O Nil		



COMMERCIAL AND ADDITIONAL CONDITIONS

1 General

- 1.1 A good maintenance programme is the key to long generating set life. Maintenance & service should only be carried out by experienced and qualified technicians. The maintenance and service which are done must be recorded to the Maintenance Record Form for the following work:
- **1.11** Name of work & location: Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi.
- 1.2 The work shall be executed as per CPWD General Specifications for Civil Works as amended up to date, relevant IE Rules, relevant IS, and as per directions of Engineer-in-charge. These additional specifications and conditions are to be read in conjunction with above and in case of variations, specifications given in the Additional specifications and conditions shall apply. However, nothing extra shall be paid on account of these as the same are to be read along with schedule of quantities for the work.
- 1.3 The tenderer should in his own interest visit the site and get familiarized with the site conditions before tendering.
- 1.4 No T&P shall be issued by the Department and nothing extra shall be paid on account of this.

2 COMMERCIAL CONDITIONS

2.1 Type of contract

The work to be awarded by this tender shall be treated as indivisible works contract.

2.2 Submission of Tender:-

Bidder shall submit the cost of tender documents, if any, e-tendering processing fee and earnest money, other documents, price bid in prescribed manner as indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"

- 2.3 The tenderers are advised not to deviate from the technical specifications / items, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- 2.4 The department reserves the right to reject any or all the price bids and call for fresh price tenders as the case may be without assigning any reason.
- 3.0 Validity

Tenders shall be valid for acceptance for a period of 90 days from the date of opening of price bid.

4.0 SAFETY CODES AND LABOUR REGULATIONS

(i) In respect of all labour employed directly or indirectly on the work for the performance of the contractor's part of work, the contractor at his own expense, will arrange for the safety provisions as per the statutory provisions, B.I.S. recommendations, factory act, workman's compensation act, CPWD code and instructions issued from time to time. Failure to provide such safety requirements would make the tenderer liable for **penalty as specified in applicable clause.** In addition the Engineer-In-Charge shall be at liberty to make arrangements and provide facilities as aforesaid



and recover the cost from the contractor.

(ii) The contractor shall provide necessary barriers, warning signals and other safety measures while laying pipelines, cables etc. or wherever necessary so as to avoid accident. He shall also indemnify IITD against claims for compensation arising out of negligence in this respect. Contractor shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause. The department shall not be responsible for any accident occurred or damage incurred or claims arising there from during the execution of work. The contractor shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the contractor due to the above provisions thereof.

5.0 Payment Terms

5.1 Unless otherwise specified, in the additional conditions of the contract, the payment shall be made as per the relevant clauses of form PWD 7/8 forming a part of the tender documents.

6.0 Security Deposit

Security deposit shall be deducted from each running bill and the final bill to be the extent of 10 percent of the gross amount payable. However the maximum amount of security deposit will be 5 percent of the tendered value. The earnest money deposited shall be adjusted against this security deposit. The security deposit shall be released on the expiry of guarantee period stipulated in the contract. Bank guarantee will not be accepted as security deposit.

7.0 Performance Guarantee

The successful tenderer shall submit an irrevocable performance guarantee of 5 percent of the tendered amount in addition to other deposits mentioned elsewhere in the contract in the contract for his proper performance of the contract agreement within 15 days of issue of letter of acceptance of tender. This guarantee shall be in the form of Demand draft/ Pay order or irrevocable bank guarantee bond of any scheduled bank or the State Bank of India in the specified format or in the form of Government security, fixed deposit pledged in favour of Executive Engineer or as specified in the letter of acceptance of tender. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond. This bank guarantee shall be kept valid till the recording of completion certificate for the work by the competent authority.

8.0 Rates

8.1 The rates quoted by the tenderer, shall be firm and inclusive of all taxes (i/c works contract taxes), duties & levies, octroi etc. and all charges for packing forwarding, insurance, freight and delivery, installation, testing, commissioning etc. at site including risk, overhead charges, general liabilities / obligations and clearance from concerned authority, if any.

9.0 STORAGE AND CUSTODY OF MATERIALS

No separate storage accommodation shall be provided by the department. Watch and ward of the stores and their safe custody shall be the responsibility of the contractor till the final taking over the installation by the department.

C....Nil I....Nil O....Nil



10.0 COMPLETION PERIOD

The completion period of **06 months** as indicated in the tender documents is for the entire work of routine maintenance and servicing including breakdown maintenance to the satisfaction of the Engineer-in-charge.

11.0 CARE OF THE BUILDING

Care shall be taken by the contractor while handling and installing the various equipments and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

12.0 Any item required for completion of the project but left inadvertently shall be executed with-in the quoted rate.

13.0 Compliance with Regulations and Indian Standards

- 13.1 All works shall be carried out in accordance with relevant regulation, both statutory and those specified by the Indian Standards related to the works covered by this specification. In particular, the equipment and installation will comply with the following:
 - [a] Factories Act
 - [b] IE Rules
 - [c] BIS and other standards as applicable
 - [d] Workmen's Compensation Act
 - [e] Statutory norms prescribed by local bodies like CEA, Power Supply Co. etc.

14.0 Mobilization Advance:

No mobilization advance shall be paid for this work.

15.0 Verification of correctness of Equipment at Destination:

The contractor shall have to produce all the relevant records to certify that the genuine equipment from the manufacturers has been supplied and erected.

16.0 CLEAN UP WORKS AT SITE

During maintenance the contractor shall at all times keep the working and storage areas free from waste or rubbish. On completion of maintenance / servicing he shall remove all temporary structures, debris and leave the premises clean to the full satisfaction of the department.

17.0 TERMS OF PAYMENT

The terms of payments shall be as indicated in General Conditions of Contract.

18.0 INTERPRETING SPECIFICATIONS

In interpreting the specifications, the following order of decreasing importance shall be followed in case of contradictions:

- [a] schedule of quantities
- [b] Technical specifications
- [c] Drawing [if any]

C	.Nil	I Nil	O Nil
Ú	.INII	I NII	O NII



- [d] General specifications
- [d] Relevant BIS or other international code in case BIS code is not available

19.0 COOPERATION WITH OTHER AGENCIES

The successful tenderer shall co-ordinate with other contractors and agencies in the site of work, if any, and exchange freely all technical information so as to make the execution of this work / contract smooth.

No remuneration should be claimed from the department for such technical cooperation. If any unreasonable hindrance is caused to other agencies and any completed portion of the work has to be dismantled and re-done for want of cooperation and coordination by the tenderer during the course of work, such expenditure incurred will be recovered from the successful tenderer if the restoration work to the original condition or specification of the dismantled portion of the work was not undertaken by the tenderer himself.

19.1 The work will be carried out with least disturbance to the Institute during maintenance, servicing and shutdown.

20.0 INDEMNITY

The successful tenderer shall at all times indemnify the department, consequent on this works contract. The successful tenderer shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause and the contractor shall be responsible for any accident or damage incurred or claims arising there from during the period of erection, construction and putting into operation the equipment and ancillary equipments under the supervision of the successful tenderer in so far as the latter is responsible. The successful tenderer shall also provide all insurance as may be necessary to cover the risk. No extra payment would be made to the successful tenderer on account of the above.

21.0 ERECTION TOOLS

No tools and tackles either for unloading or for shifting the equipments for erection purposes would be made available by the department. The successful tenderer shall make his own arrangement for all these facilities.

C....Nil I....Nil O....Nil



INDIAN INSTITUTE OF TECHNOLOGY: NEW DELHI

HAUZ KHAS: NEW DELHI

ADDITIONAL CONDITIONS

- Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of
 acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3. The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of houses of renovation.
- 4. The work shall be carried out as per CPWD civil specifications 2009 volume I & II etc with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, Sales Tax & stacking of material required at places etc.
- 6. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 8. Articles manufactured by the reputed firms and approved by Engineer-in-Charge shall only be used. Only articles classified as "First quality" by themanufacturer shall be used unless otherwise specified.
- 9. The sample of material required in the work brought at site shall be got approved from Engineer –in-Charge before use in execution of work
- 10. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the Contractor and shall be reimbursed in case the test results are satisfactory. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- 11. The contractor shall submit a detailed programme of work within 7 days of the date of award of work. The Engineer in- Charge can modify the programme and the contractors have to work accordingly.
- 12. (a) Water arrangement has to be made by agency but if Institute provides then recovery rate will be 1% of gross done work from bills.
 - (b) Electricity for work will be arranged by the contractor. If Institute provides electricity the recovery rate will be 0.50% of gross work done from the bills.
- 13. The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 14. No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work
- 15. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/instructions and nothing shall be payable on this account.
- 16. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 17. The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD.
- 18. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipments left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 19. Work Contract Tax, income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 20. 1% labour cess will be deducted from the bills of contractor.
- 21. For item of water proofing Guarantee Bond shall be submitted by contractor as per format provided by IIT Delhi.
- 22. Firm should be registered with ESI and EPF and actual reimbursement shall be made only after production of original receipt.

|--|--|--|



23. Contractor has to quote against the item of schedule of credit of dismantle material. The contractor cannot quote either minus rate or zero rate for these items. **The minimum total amount to be quoted for these items is Rs. 35,000/-.** This total quoted amount against these items will be considered in calculating lowest agency. However, actual recovery in bills will be made as per actual quantity of dismantle material received and rate quoted by agency

SITE HANDING OVER SCHEDULE

This work will be in Academic area/Hostels which may be in occupied position. So agency has to plan the work with the convenience of residents and work may be carried out in parts. The site may also be available in varying number of houses but agency has to plan the work for available site immediately.

The civil agency has to complete the each handed over **VACATED** Area 1 month after handing over. If agency fails to complete the vacated flat in 1 month necessary action will be initiated.

Other electrical agency will also work in these flats so agency has to work in co-ordination with each other.

For electrical work: The electrical agency will be allowed to work in these Rooms 2 times 1st for chasing /conduiting and wiring a 8 days, time will be given and electrical agency has to complete within eight days. 2nd for fixing fixtures and final work the site will be given to electrical agency after first coat of finishing and 8 days will be given for completing the job.

Civil AEE/Sr AE will inform AE/AEE (Elect.) in this regard and co-ordinate it.

Nothing extra will be payable on account of above reasons. The work has to be carried out on available varying number of site.

The agency will keep cleanness at work place and surrounding areas. All building rubbish / debrise etc. has to collect in gunny bags etc. and will be stacked at specified location as decided by engineer-in-charge and it should be taken out at required interval.

All safety measures have to be followed by agency / work man and agency only will be responsible for any mishap.

The rates quoted by agency are deemed to be incorporated above factors and no extra payment in this regard will be made.

C....Nil I....Nil O....Nil



IITD -2010 CORRECTION SLIPS

In General condition of contract for IIT Delhi works department 2010 –

	Existing	Modified
Clause	Before any installment of advance is	Before any installment of advance is
10B	released, the contractor shall execute a Bank Guarantee Bond from Scheduled Bank for	released, the contractor shall execute a Bank Guarantee Bond from Scheduled
(ii),	the amount of advance &valid for the contract period. This shall be kept renewed	Bank for the amount equal to 110% of the amount of advance and valid for the
Para-2	from time to time to cover the balance	contract period. This (Bank Guarantee
	amount and likely period of complete	from Scheduled Bank for the amount
	recovery, together with interest.	equal to 110% of the balance amount of advance) shall be kept renewed from time to time to cover the balance amount and likely period of complete recovery.
Reference	Existing Provision	Modified Provision
Clause 3	If the contractor shall obtain a contract with	If the contractor had secured the contract
(vii)	Government as a result of wrong tendering or	with Government as a result of wrong
(VII)	other non-bonafide methods of competitive	tendering or other non-bonafide methods of
	tendering.	competitive tendering or commits breach
		of Integrity Agreement.

Reference	Existing Provision	Modified Provision
Page 5, IITD 2010	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, a tenderer shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, contractor shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. The tender submitted shall be treated as invalid if: 1. The contractor does not quote percentage above/below on the total amount of tender or any section/sub head of the tender. 2. The percentage above/below is not quoted in figures & words both on the total amount of tender or any section/sub head of the tender. 3. The percentage quoted above/below is different in figures & words on the total amount of tender or any section/sub head of

C....Nil I....Nil O....Nil



shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes. the tender: Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for each. Tender shall have the name and number of the works to which they refer, written on the envelopes.

New Para 4B is added as below:

4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on each sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers.

In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited.

If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(E) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.

In case all the lowest contractors those have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of each contractor.

Contractor(s), whose earnest money is forfeited because of non-submission of revised offer, shall not be allowed to participate in the re-tendering process of the work.

C....Nil I....Nil O....Nil



Reference Existing Provision	Modified Provision
In case of Percentage Rate Tenders of percentage quoted shall be considered. It tender containing item rates is liable to rejected. Percentage quoted by the contrain in percentage rate tender shall be accurated filled in figures and words, so that there is discrepancy. However if the contractor worked out the amount of the tender if any discrepancy is found in percentage quoted in words and figure the percentage which corresponds with amount worked out by the contract shall, unless otherwise proved, be taken correct. If the amount of the tender is worked out by the contractor or it do not correspond with the percentage quoted by the contractor words shall be taken as correct. Where percentage quoted by the contractor figures and in words tally but the amount is not worked out correctly, the percent quoted by the contractor will, un otherwise proved, be taken as correct and the amount.	percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. (Remaining part deleted) (Remaining part deleted)

Reference	Existing Provisions	Modified Provisions
Deviations/	CLAUSE 12	CLAUSE 12
Variations Ext		
and Pricing	The Engineer-in-Charge shall have power	The Engineer-in-Charge shall have power (i) to
	(i) to make alteration in, omissions from,	make alteration in, omissions from, additions to,
	additions to, or substitutions for the original	or substitutions for the original specifications,
	specifications, drawings, designs and	drawings, designs and instructions that may
	instructions that may appear to him to be	appear to him to be necessary or advisable during
	necessary or advisable during the progress	the progress of the work, and (ii) to omit a part of
	of the work, and (ii) to omit a part of the	the works in case of non-availability of a portion
	works in case of non-availability of a	of the site or for any other reasons and the
	portion of the site or for any other reasons	contractor shall be bound to carry out the works
	and the contractor shall be bound to carry	in accordance with any instructions given to him
	out the works in accordance with any	writing signed by the Engineer-in-Charge and
	instructions given to him writing signed by	such alterations, omissions, additions or



the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.

substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.

The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.25 times of Tendered amount.

Deviations, Ex 12.2 Items, Pricing

In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.

12.2

A. For Project and original works:

In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 15 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.

B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:

In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount.

Payment of Extra items in case of nonschedule items (Non-DSR items) shall be

I..... Nil O..... Nil C....Nil



made as per the prevailing market rate. In the case of substituted items (items that A. For Project and original works: are taken up with partial substitution or lieu Deviation, In the case of substituted items (items that of items of work in the contract), the rate for Substituted are taken up with partial substitution or lieu the agreement item (to be substituted) and Items, Pricing of items of work in the contract), the rate for substituted item shall also be determined in the agreement item (to be substituted) and the manner as mentioned in the following substituted item shall also be determined in Para. the manner as mentioned in the following Para. (a) If The market rate for the substituted item so determined is more than the (a) If The market rate for the substituted item so market rate of the agreement item (to be substituted), the rate payable to the determined is more than the market rate of contractor for the substituted item shall the agreement item (to be substituted), the be the rate for the agreement item (to be rate payable to the contractor for the substituted). substituted item shall be the rate for the agreement item (to be substituted). (b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be (b) If the market rate for the substituted item so substituted), the rate payable to the determined is less than the market rate of contractor for the substituted item shall the agreement item (to be substituted), the be the rate for the agreement item (to be substituted) so decreased to the extent of rate payable to the contractor for the the difference between the market rates substituted item shall be the rate for the of substituted item and the agreement agreement item (to be substituted) so item (to be substituted) decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted) B. For Maintenance including works of up gradation, aesthetic, special repair, addition/alteration: In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of nonschedule items (Non-DSR items) shall be



Deviation,
Deviated
Quantities,
Pricing

In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

made as per the prevailing market rate.

A. For Project and original works:

In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.

B. For Maintenance including works of upgradation, aesthetic, special repair, addition/alteration:

In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.

12.3 The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

12.3 A. For Project and original works:

The provisions of the preceding paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.

C....Nil I....Nil O....Nil



		B. For Maintenance including works of upgradation, aesthetic, special repair, addition/alteration:
		In the case of decrease in the rates Prevailing in the market of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.
Schedule F	Clause 12	Clause 12
	No provision.	Type of work *** *** To be filled by NIT approving authority either Project and original work or Maintenance works including works of upgradation, aesthetic, special repair, addition/alteration.



TECHNICAL SPECIFICATIONS

1.0 The work shall be executed as per CPWD General Specifications for Civil Work as amended up to date, relevant IE Rules, relevant IS, and as per directions of Engineer-in-charge. These additional specifications and conditions are to be read in conjunction with above and in case of variations, specifications given in the Additional specifications and conditions shall apply.

C....Nil I....Nil O....Nil



LIST OF APPROVED MAKES FOR CIVIL WORK

S. No.	Description	Approved Makes
1.	Cement (Grey) OPC/ PPC	ACC / Ultratech/ J.K. / BIRLA/ J.P./ Vikram
2.	Cement (White)	J.K. / BIRLA
3.	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL
		SECONDARY MANUFACTURERS HAVING VALID BIS
		LICENSE (to be as per latest BIS provisions)
4.	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEE
		SECONDARY MANUFACTURERS HAVING VALID BIS
		LICENSE (to be as per latest BIS provisions)
5.	Stainless steel (Grade 304)	Jindal / SAIL / Salem
6.	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH
7.	Aluminum Sections	HINDALCO / JINDAL / MAHAVIR
8.	Flush doors	CENTURY / MERINO / DURO BOARD / GREEN
9.	Laminates	GREENLAM / DURO / MERINO /DECOLAM / CENTURY
10.	Glass / Mirror	SAINT GOBAIN / MODI FLOAT / ASAHI FLOAT
11.	Ceramic Glazed tiles/Border tiles	1 ST QUALITY KAJARIA / NITCO / JOHNSON / ORIENT / SOMANY
12.	Vitrified Tiles	NAVEEN / NITCO / JOHNSON / KAJARIA
13.	Interlocking Precast pavers blocks / Kerb Stone	HINDUSTAN TILES / NIMCO PREFAB / K.K. MANHOLES / DALAL
14.	Stainless Steel Hinges	JOLLY / GARG /AMIT / ASI SUPREME
15.	Stainless Steel Nuts Bolts / Screws	KUNDAN / PUJA / ATUL / GKW
16.	Paint / primer / oil bound distemper Acrylic paint	1st QUALITY PAINTS OF ASIAN / BERGER / NEROLAC / AKZONOB
17	Water Dearf Courset Deint	INDIA (ICI) SNOWCEM / ASIAN PAINTS / BERGER / NEROLAC / ICI / SHALIMA
17. 18.	Water Proof. Cement Paint Sanitary ware (Vitreous China) (European Seats, Urin	
18.	Wash Basins, etc.)	HINDWARE/ PARKI WARE/ CERA
19.	Seat Covers	HINDWARE / PARRYWARE / CERA
20.	C.P. brass Fittings / Accessories	JAQUAR / MARC / CERA / ESS ESS / KOHLAR
21.	G.I. Pipes	TATA / JINDAL (HISSAR)
22.	G.I. Fipes G.I. Fittings	UNIK / ZOLOTO
23.	Stainless Steel Sink	NEELKANTH / JAINA / KINGSTON (COBRA) / NIRALI
24.	Commercial Board / PLY	MERINO / DURO /GREEN / Century
		<u> </u>
25.	CI Pipes / Fittings & Manhole covers	RIF / NECO / BENGAL IRON WORKS / BC / SKF
26.	CI Pipes "Class LA"	NICO / KESORAM / ELECTRO STEEL / KAPILANSH
27.	Floor Spring	DOORKING / EVERITE
28.	Door Closer	EVERITE / SANDHU/ Hardwin or as approved Equivalent
29.	Bison Board	BISON / E BOARD
30.	Vertical Blinds	VISTA / MAC
31.	False Ceiling	Armstrong/ Saint Gobain/ Metaworth or as approved equivalent
32.	Water proofing compound	CICO / FOSROC / PIDILITE
33.	Polymer Compound	CICO / PIDILITE / FOSROC
34.	Particle Board	NOVA PAN / BHUTAN BOARD/ Eco Board
35.	Rust Remover / Anticorrosive	FOSROC / CICO / PIDILITE
36.	Adhesive	FEVICOL / VAMICOL
37.	Tile Adhesive	PIDILITE / BALENDURA / FERROUSCRETE
38.	Wall Putty	BIRLA / JK / FERROUSCRETE
39	GRG Partitions	Gypsum India or as approved equivalent
40	Insulation	U.P. Twiga Ltd or as approved equivalent
41.	Epoxy Grout	Ballendura / Kerakoll / Ferrouscrete
42.	PVC Water storage tank (ISI marked)	Sintex / UniPlast / Polywell
43.	PVC insulated Water storage tank Heavy duty 4/5 lay	
44.	Brass Ball Valve/ Gate Valve / Float Valve	Zoloto / Leader / SANT
45.	Aluminium Door fittings	Classic or ISI
46.	Brass Bib / Stop cock	Sant / Leader or ISI
47.	Thermoplastic paint	CBM, CMS, S.N. Industries and any other approved by Engineer-in-
		charge.
48.	Plaster of paris putty	Sakarni, Adhar Shree, Shree Ram, J.K., Ashirwad
40.	Frasici of paris putty	Sakatin, Adhai Shee, Shee Kani, J.K., Ashirwad
40	G ID I/D	
49.	Commercial Board / Ply	As per item or Duro

N.B.: For any item not covered in the above list, the contractor shall require to get the samples approved from the Engineer-in-charge before the supply is made.

\sim	Nil	Nii	Ω	Mil



BID SUBMISSION

ONLINE BID SUBMISSION:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Envelope – 1 (Following documents to be provided as single PDF file)				
SI. No.	SI. No. Documents Content			
1.	Technical Bid	Organization Declaration Sheet as per Annexure - I	.PDF	
2.		Attested Certificate of work experience	.PDF	
3.		Certificate of registration for sales tax / VAT and acknowledgement of up to date filed return	.PDF	
4.		Affidavit as per NIT condition 1.2.2 on stamp paper	.PDF	
5.	5. Acceptance to execute integrity pact			
6.		IITD 7/8 duly signed by the bidder	.PDF	
7.		EPFO & ESIC Registration proof		
8.		Any other document as specified in the NIT	.PDF	
9.	9. Copy of Enlistment Order			
•				
Sl. No.	SI. No. TYPES Content			
1.	Financial Bid	Price bid should be submitted in PDF.	.PDF	

C....Nil I....Nil O....Nil



SCHEDULE OF QUANTITY

Name of work:- Renovation of V-244, 142, 143, 159, 145, 251, 154, 165, 350, 164, 162, 166, 167, 168, 169, 170, 171, and its back Dynamo shade and other lab's / offices in ITMMEC at IIT Delhi.

S.N.	and its back Dynamo shade and other lab's Description	Unit.	Qty.	Rate	Amount
1	EARTH WORK				
1.1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means over areas (exceeding 30cm in depth. 1.5 m in width as well as 10 sqm				
	on plan) including disposal of excavated earth, lead upto 50m and lift upto 1.5m, disposed earth to be levelled and neatly dressed.				
1.1.1	All kinds of soil	34.44	cum		
1.2.1 1.2.1.1	Excavating trenches of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, depth upto 1.5 m, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m: All kinds of soil Pipes, cables etc, not exceeding 80 mm	24	matra		
1.3	dia. Surface dressing of the ground including removing vegetation and inequalities not exceeding 15 cm deep and disposal of rubbish, lead upto 50 m and lift upto 1.5 m.	24	metre		
1.3.1	All kinds of soil	77	100 sqm		
2	CONCRETE WORK				
2.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				
2.1.1	1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	30.78	cum		
2.1.2	1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size)	19.4	cum		



2.2	M-1-in- ulimit mass 4: 50 mm 41: -1 6			
2.2	Making plinth protection 50 mm thick of			
	cement concrete 1:3:6 (1 cement : 3			
	coarse sand : 6 graded stone aggregate 20			
	mm nominal size) over 75mm thick bed			
	of dry brick ballast 40 mm nominal size,			
	well rammed and consolidated and			
	grouted with fine sand, including			
	finishing the top smooth.	7.8	sqm	
3	REINFORCED CEMENT CONCRETE		•	
3.1	Reinforced cement concrete work in			
	beams, suspended floors, roofs having			
	slope up to 15° landings, balconies,			
	shelves, chajjas, lintels, bands, plain			
	window sills, staircases and spiral stair			
	cases up to floor five level, excluding the			
	cost of centering, shuttering, finishing and			
	reinforcement, with 1:2:4 (1 cement : 2			
	coarse sand : 4 graded stone aggregate 20	10.3	oum	
2.2	mm nominal size).	10.5	cum	
3.2	Centering and shuttering including			
	strutting, propping etc. and removal of			
	form for:			
3.2.1	Shelves (Cast in situ)	127.12	sqm	
3.3	Steel reinforcement for R.C.C. work			
	including straightening, cutting, bending,			
	placing in position and binding all			
	complete above plinth level.			
3.3.1	Thermo-Mechanically Treated bars	1545	Kg	
4	BRICK WORK			
4.1	Brick work with common burnt clay			
	F.P.S. (non modular) bricks of class			
	designation 7.5 in foundation and plinth			
	in:			
4.1.1	Cement mortar 1:6 (1 cement : 6 coarse			
	sand)			
		4.627	cum	
4.2	Brick work with common burnt clay			
	F.P.S. (non modular) bricks of class			
	designation 7.5 in superstructure above			
	plinth level up to floor V level in all			
	shapes and sizes in :			
4.2.1	Cement mortar 1:6 (1 cement : 6 coarse			
1.2.1	sand)			
	Sund)	12.144	cum	
4.3	Half brick masonry with common burnt	12.144	Culli	
4.3	-			
	clay F.P.S. (non modular) bricks of class			



	designation 7.5 in superstructure above				
	plinth level up to floor V level.				
4.3.1	Cement mortar 1:4 (1 cement :4 coarse				
7.5.1	sand)	54.24	sqm		
4.4	Extra for providing and placing in	34.24	sqiii		
7.7	position 2 Nos 6mm dia. M.S. bars at				
	every third course of half brick masonry.	100	sqm		
5	MARBLE WORK	100	Sqiii		
5.1	Providing and fixing 18 mm thick gang				
3.1					
	saw cut, mirror polished, premoulded and				
	prepolished, machine cut for kitchen				
	platforms, vanity counters, window sills,				
	facias and similar locations of required				
	size, approved shade, colour and texture				
	laid over 20 mm thick base cement mortar				
	1:4 (1 cement : 4 coarse sand), joints				
	treated with white cement, mixed with				
	matching pigment, epoxy touch ups,				
	including rubbing, curing, moulding and				
	polishing to edges to give high gloss				
- 1 1	finish etc. complete at all levels.				
5.1.1	Granite of any colour and shade				
5.1.1.1	Area of slab upto 0.50 sqm	46.38	sqm		
5.1.1.2	Area of slab over 0.50 sqm	50.4	sqm		
5.2	Providing edge moulding to 18 mm thick				
	marble stone counters, Vanities etc.,				
	including machine polishing to edge to				
	give high gloss finish etc. complete as per				
	design approved by Engineer-in-Charge.				
5.2.1	Granite work	208.8	metre		
5.3	Extra for fixing marble /granite stone,				
	over and above corresponding basic item,				
	in facia and drops of width upto 150 mm				
	with epoxy resin based adhesive,				
	including cleaning etc. complete.	20.88	metre		
5.4	Extra for providing opening of required				
	size & shape for wash basin/ kitchen sink				
	in kitchen platform, vanity counter and				
	similar location in marble/ Granite/ stone				
	work, including necessary holes for pillar				
	taps etc. including moulding, rubbing and				
	polishing of cut edges etc. complete.				
		5	each		
6	WOOD AND P.V.C. WORK				
6.1	Providing wood work in frames of doors,				
				1	İ



	windows, clerestory windows and other			
	frames, wrought framed and fixed in			
	position with hold fast lugs or with dash			
	fasteners of required dia & length (hold			
	fast lugs or dash fastener shall be paid for			
	separately).			
6.1.1	Second class teak wood	3.2076	cum	
6.2	Providing and fixing ISI marked flush			
	door shutters conforming to IS: 2202			
	(Part I) non-decorative type, core of block			
	board construction with frame of 1st class			
	hard wood and well matched commercial			
	3 ply veneering with vertical grains or			
	cross bands and face veneers on both			
	faces of shutters:			
6.2.1	35 mm thick including ISI marked			
	Stainless Steel butt hinges with necessary			
	screws	8	sqm	
6.3	Providing and fixing M.S. grills of			
	required pattern in frames of windows etc.			
	with M.S. flats, square or round bars etc.			
	including priming coat with approved			
	steel primer all complete.			
6.3.1	Fixed to steel windows by welding	990	kg	
6.4	Providing and fixing special quality bright			
	finished brass cupboard or ward robe			
	locks with four levers of approved quality			
	including necessary screws etc. complete.			
6.4.1	50 mm	80	each	
6.5	Providing and fixing 50 mm bright			
	finished brass cup board or wardrobe			
	knob of approved quality with necessary			
	screws.	160	each	
6.6	Providing and fixing aluminium die cast			
	body tubular type universal hydraulic			
	door closer (having brand logo with ISI,			
	IS: 3564, embossed on the body, door			
	weight upto 35 kg and door width upto			
	700 mm), with necessary accessories and			
	screws etc. complete.	9	each	
6.7	Providing and fixing special quality			
	chromium plated brass cupboard locks			
	with six levers of approved quality			
67.1	including necessary screws etc. complete.			
6.7.1	Size 50 mm	80	each	



6.8	Providing and fixing chromium plated brass 50 mm cupboard or wardrobe knobs			
	with nuts complete.	60	each	
6.9	Providing and fixing aluminium sliding			
	door bolts, ISI marked anodised (anodic			
	coating not less than grade AC 10 as per			
	IS: 1868), transparent or dyed to required			
	colour or shade, with nuts and screws etc.			
	complete :			
6.9.1	300x16 mm	6	each	
6.9.2	250x16 mm	14	each	
6.1	Providing and fixing aluminium tower			
	bolts, ISI marked, anodised (anodic			
	coating not less than grade AC 10 as per			
	IS: 1868) transparent or dyed to required			
	colour or shade, with necessary screws			
	etc. complete :			
6.10.1	250x10 mm	30	each	
6.10.2	150x10 mm	50	each	
6.10.3	100x10 mm	80	each	
6.11	Providing and fixing aluminium handles,			
	ISI marked, anodised (anodic coating not			
	less than grade AC 10 as per IS: 1868)			
	transparent or dyed to required colour or			
	shade, with necessary screws etc.			
	complete :			
6.11.1	125 mm	40	each	
6.11.2	100 mm	40	each	
6.12	Providing and fixing aluminium hanging			
	floor door stopper, ISI marked, anodised			
	(anodic coating not less than grade AC 10			
	as per IS: 1868) transparent or dyed to			
	required colour and shade, with necessary			
	screws etc. complete.			
6.12.1	Twin rubber stopper		•	
6.10		24	each	
6.13	Providing and fixing magnetic catcher of			
	approved quality in cupboard / ward robe			
	shutters, including fixing with necessary			
	screws etc. complete.			
6.13.1	Double strip (horizontal type)			
0.13.1	Double strip (norizontal type)	80	each	
6.14	Providing & Fixing decorative high	00	Cacii	
0.14	Providing & Fixing decorative high pressure laminated sheet of plain / wood			
	pressure familiated sheet of plant / wood			



	again in aloga / mott/ guada finish with			1	
	grain in gloss / matt/ suede finish with				
	high density protective surface layer and				
	reverse side of adhesive bonding quality				
	conforming to IS: 2046 Type S, including				
C 1 4 1	cost of adhesive of approved quality.	100.0			
6.14.1	1.0 mm thick	100.8	sqm		
7	STEEL WORK				
7.1	Structural steel work in single section,				
	fixed with or without connecting plate,				
	including cutting, hoisting, fixing in				
	position and applying a priming coat of				
	approved steel primer all complete.	100	kg		
7.2	Structural steel work riveted, bolted or				
	welded in built up sections, trusses and				
	framed work, including cutting, hoisting,				
	fixing in position and applying a priming				
	coat of approved steel primer all				
	complete.	350	kg		
	Sub-Total				
8	FLOORING				
8.1	Cement concrete flooring 1:2:4 (1 cement				
	: 2 coarse sand : 4 graded stone aggregate)				
	finished with a floating coat of neat				
	cement, including cement slurry, but				
	excluding the cost of nosing of steps etc.				
	complete.				
8.1.1	40 mm thick with 20 mm nominal size				
	stone aggregate	114	sqm		
8.2	Providing and fixing glass strips in joints				
	of terrazo/ cement concrete floors.				
8.2.1	40 mm wide and 4 mm thick	73	metre		
8.3	Kota stone slab flooring over 20 mm				
	(average) thick base laid over and jointed				
	with grey cement slurry mixed with				
	pigment to match the shade of the slab,				
	including rubbing and polishing complete				
	with base of cement mortar 1: 4 (1				
	cement : 4 coarse sand) :				
8.3.1	25 mm thick	117	sqm		
8.4	Providing and fixing Ist quality ceramic				
	glazed wall tiles conforming to IS: 15622				
	(thickness to be specified by the				
	manufacturer), of approved make, in all				
	colours, shades except burgundy, bottle	4 = 0			
	green, black of any size as approved by	158	sqm		



	Engineer-in-Charge, in skirting, risers of				
	steps and dados, over 12 mm thick bed of				
	cement mortar 1:3 (1 cement : 3 coarse				
	·				
	sand) and jointing with grey cement slurry				
	@ 3.3kg per sqm, including pointing in				
	white cement mixed with pigment of				
	matching shade complete.				
8.5	Providing and laying Vitrified tiles in				
	floor with different sizes (thickness to be				
	specified by the manufacturer), with water				
	absorption less than 0.08% and				
	conforming to IS:15622, of approved				
	brand & manufacturer, in all colours and				
	shade, laid with cement based high				
	polymer modified quick set tile adhesive				
	(water based) conforming to IS: 15477,				
	in average 6 mm thickness, including				
	grouting of joints (Payment for grouting				
	of joints to be made separately).				
8.5.1	Size of Tile 600x600 mm				
		827.8	sqm		
9	ROOFING				
9.1	Providing and fixing precoated galvanised				
	iron profile sheets (size, shape and pitch				
	of corrugation as approved by Engineer-				
	in-charge) 0.50 mm (+ 0.05 %) total				
	coated thickness with zinc coating 120				
	grams per sqm as per IS: 277, in 240 mpa				
	steel grade, 5-7 microns epoxy primer on				
	both side of the sheet and polyester top				
	coat 15-18 microns. Sheet should have				
	protective guard film of 25 microns				
	minimum to avoid scratches during				
	transportation and should be supplied in				
	single length upto 12 metre or as desired				
	by Engineer-in-charge. The sheet shall be				
	fixed using self drilling /self tapping				
	screws of size (5.5x 55 mm) with EPDM				
	seal, complete upto any pitch in				
	horizontal/ vertical or curved surfaces,				
	excluding the cost of purlins, rafters and		1	1	
	truccos and including autting to sing and				
	trusses and including cutting to size and				
	trusses and including cutting to size and shape wherever required.	12	2200		
9.2		12	sqm		



	1			I	T
	approved materials of size 595x595 mm				
	in true horizontal level, suspended on				
	inter locking metal grid of hot dipped				
	galvanized steel sections (galvanized @				
	120 grams/ sqm, both side inclusive)				
	consisting of main "T" runner with				
	suitably spaced joints to get required				
	length and of size 24x38 mm made from				
	0.30 mm thick (minimum) sheet, spaced				
	at 1200 mm center to center and cross "T"				
	of size 24x25 mm made of 0.30 mm thick				
	(minimum) sheet, 1200 mm long spaced				
	between main "T" at 600 mm center to				
	center to form a grid of 1200x600 mm				
	_				
	and secondary cross "T" of length 600				
	mm and size 24x25 mm made of 0.30				
	mm thick (minimum) sheet to be				
	interlocked at middle of the 1200x600				
	mm panel to form grids of 600x600 mm				
	and wall angle of size 24x24x0.3 mm and				
	laying false ceiling tiles of approved				
	texture in the grid including, required				
	cutting/making, opening for services like				
	diffusers, grills, light fittings, fixtures,				
	smoke detectors etc. Main "T" runners to				
	be suspended from ceiling using GI				
	slotted cleats of size 27 x 37 x 25 x1.6				
	mm fixed to ceiling with 12.5 mm dia and				
	50 mm long dash fasteners, 4 mm GI				
	adjustable rods with galvanised butterfly				
	level clips of size 85 x 30 x 0.8 mm				
	spaced at 1200 mm center to center along				
	main T, bottom exposed width of 24 mm				
	_				
	of all T-sections shall be pre-painted with				
	polyester paint, all complete for all				
	heights as per specifications, drawings				
	and as directed by Engineer-in-charge.				
9.2.1	GI Metal Ceiling Lay in perforated				
	Tegular edge global white color tiles of				
	size 595x595 mm and 0.5 mm thick with				
	8 mm drop; made of GI sheet having				
	galvanizing of 100 gms/sqm (both sides				
	inclusive) and 20% perforation area with				
	1.8 mm dia holes and having NRC (Noise	704			
	Reduction Coefficient) of 0.5, electro	584	sqm		



	statically polyester powder coated of			
	thickness 60 microns (minimum),			
	including factory painted after bending			
	and perforation, and backed with a black			
	Glass fiber acoustical fleece.			
10	FINISHING			
10.1	12 mm cement plaster of mix :			
10.1.1	1:6 (1 cement: 6 fine sand)	150.9	sqm	
10.2	15 mm cement plaster on the rough side		1	
	of single or half brick wall of mix:			
10.2.1	1:6 (1 cement: 6 fine sand)	150.9	sqm	
10.3	Wall painting with acrylic emulsion paint			
	of approved brand and manufacture to			
	give an even shade:			
10.3.1	Two or more coats on new work	2591.8	sqm	
10.4	Painting with synthetic enamel paint of			
	approved brand and manufacture to give			
	an even shade:			
10.4.1	Two or more coats on new work	437.18	sqm	
10.5	French spirit polishing:			
10.5.1	Two or more coats on new works			
	including a coat of wood filler	160	sqm	
10.6	Applying priming coats with primer of			
	approved brand and manufacture, having			
	low VOC (Volatile Organic Compound)			
10.6.1	content.			
10.6.1	With water thinnable cement primer on			
	wall surface having VOC content less than 50 grams/litre	2591.8	eam	
11	REPAIRS TO BUILDINGS	2391.0	sqm	
11.1	Repairs to plaster of thickness 12 mm to			
11.1	20 mm in patches of area 2.5 sq. meters			
	and under, including cutting the patch in			
	proper shape, raking out joints and			
	preparing and plastering the surface of the			
	walls complete, including disposal of			
	rubbish to the dumping ground within 50			
	metres lead			
11.1.1	With cement mortar 1:4 (1 cement : 4 fine			
	sand)	233.4	sqm	
11.2	Removing dry or oil bound distemper,			
	water proofing cement paint and the like			
	by scrapping, sand papering and preparing			
	the surface smooth including necessary	6.		
	repairs to scratches etc. complete.	2591.8	sqm	



11.3	Melamine polishing on wood work (one			
11.5		180	sam	
12	or more coat). DISMANTLING & DEMOLISHING	180	sqm	
12.1	Demolishing cement concrete manually/			
	by mechanical means including disposal			
	of material within 50 metres lead as per			
	direction of Engineer - in - charge.			
12.1.1	Nominal concrete 1:3:6 or richer mix (i/c			
	equivalent design mix)	11.61	cum	
12.2	Demolishing brick work manually/ by			
	mechanical means including stacking of			
	serviceable material and disposal of			
	unserviceable material within 50 metres			
	lead as per direction of Engineer-in-			
	charge.			
12.2.1	In cement mortar	12.636	cum	
12.3	Dismantling doors, windows and			
	clerestory windows (steel or wood)			
	shutter including chowkhats, architrave,			
	holdfasts etc. complete and stacking			
	within 50 metres lead:			
12.3.1	Of area 3 sq. metres and below	90	each	
12.4	Dismantling tile work in floors and roofs			
	laid in cement mortar including stacking			
	material within 50 metres lead.			
12.4.1	For thickness of tiles 10 mm to 25 mm	611	sqm	
12.5	Dismantling old plaster or skirting raking			
	out joints and cleaning the surface for			
	plaster including disposal of rubbish to			
	the dumping ground within 50 metres			
	lead.	217	sqm	
12.6	Dismantling aluminium/ Gypsum			
	partitions, doors, windows, fixed glazing			
	and false ceiling including disposal of			
	unserviceable surplus material and			
	stacking of serviceable material with in 50			
	meters lead as directed by Engineer-in-			
	charge.	228	sqm	
12.7	Disposal of building rubbish / malba /			
	similar unserviceable, dismantled or			
	waste materials by mechanical means,			
	including loading, transporting, unloading			
	to approved municipal dumping ground or			
	as approved by Engineer-in-charge,			
	beyond 50 m initial lead, for all leads			
	including all lifts involved.	190	cum	
12.7	stacking of serviceable material with in 50 meters lead as directed by Engineer-incharge. Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads			



13	SANITARY INSTALLATIONS			
13.1	Providing and fixing wash basin with C.I.			
13.1	brackets, 15 mm C.P. brass pillar taps, 32			
	mm C.P. brass waste of standard pattern,			
	including painting of fittings and brackets,			
	cutting and making good the walls			
	wherever require:			
13.1.1	White Vitreous China Wash basin size			
13.1.1	630x450 mm with a single 15 mm C.P.			
	brass pillar tap	2	each	
13.1.2	White Vitreous China Flat back wash	2	Cacii	
13.1.2	basin size 450x 300 mm with single 15			
	mm C.P. brass pillar tap	4	each	
13.2	Providing and fixing white vitreous china	7	Cacii	
13.2	pedestal for wash basin completely			
	recessed at the back for the reception of			
	pipes and fittings.	8	each	
13.3	Providing and fixing Stainless Steel A ISi	0	Cucii	
13.3	304 (18/8) kitchen sink as per IS: 13983			
	with C.I. brackets and stainless steel plug			
	40 mm, including painting of fittings and			
	brackets, cutting and making good the			
	walls wherever required :			
13.3.1	Kitchen sink without drain board			
13.3.1.1	610x510 mm bowl depth 200 mm	3	each	
13.4	Providing and fixing white vitreous china	3	Cacii	
13.4	laboratory sink with C.I. brackets, C.P.			
	brass chain with rubber plug, 40 mm C.P			
	brass waste and 40mm C.P. brass trap			
	with necessary C.P. brass unions			
	complete, including painting of fittings			
	and brackets, cutting and making good the			
	wall wherever required :			
	wan wherever required.			
13.4.1	Size 600x450x200 mm	4	each	
13.5	Providing and fixing P.V.C. waste pipe	т	24011	
	for sink or wash basin including P.V.C.			
	waste fittings complete.			
13.5.1	Flexible pipe			
13.5.1.1	40 mm dia	15	each	
14	WATER SUPPLY	13		
14.1	Providing and fixing G.I. pipes complete			
	with G.I. fittings and clamps, i/c cutting			
	and making good the walls etc.			
	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			1



	Internal work - Exposed on wall			
14.1.1	15 mm dia nominal bore	73	metre	
14.1.2	20 mm dia nominal bore	28	metre	
14.2	Providing and fixing brass stop cock of approved quality:	-		
14.2.1	15 mm nominal bore	15	each	
14.2.2	20 mm nominal bore			
14.2.2		4	each	
	Providing and fixing uplasticised PVC connection pipe with brass unions :			
14.3.1	45 cm length			
14.3.1.1	15 mm nominal bore	15	each	
14.4	Providing and fixing G.I. Union in G.I.			
	pipe including cutting and threading the			
	pipe and making long screws etc.			
	complete (New work):			
14.4.1	15 mm nominal bore	10	each	
14.4.2	20 mm nominal bore	5	each	
14.5	Providing and fixing C.P. brass bib cock			
	of approved quality conforming to			
	IS:8931 :			
14.5.1	15 mm nominal bore	15	each	
15	ALUMINIUM WORK			
15.1	Providing and fixing aluminium work for			
	doors, windows, ventilators and partitions			
	with extruded built up standard tubular			
	sections/ appropriate Z sections and other			
	sections of approved make conforming to			
	IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size,			
	including necessary filling up the gaps at			
	junctions, i.e. at top, bottom and sides			
	with required EPDM rubber/ neoprene			
	gasket etc. Aluminium sections shall be			
	smooth, rust free, straight, mitred and			
	jointed mechanically wherever required			
	including cleat angle, Aluminium snap			
	beading for glazing / paneling, C.P. brass			
	/ stainless steel screws, all complete as per			
	architectural drawings and the directions			
	of Engineer-in-charge. (Glazing, paneling			
	and dash fasteners to be paid for			
	separately):			
15.1.1	For fixed portion			
15.1.1.1	Polyester powder coated aluminium	4141 = 5		
	(minimum thickness of polyester powder	4141.76	kg	



	coating 50 micron)			
15.1.2	For shutters of doors, windows &			
	ventilators including providing and fixing			
	hinges/ pivots and making provision for			
	fixing of fittings wherever required			
	including the cost of EPDM rubber /			
	neoprene gasket required (Fittings shall			
	be paid for separately)			
15.1.2.1	Polyester powder coated aluminium			
	(minimum thickness of polyester powder			
	coating 50 micron)	2974.4	kg	
15.2	Providing and fixing 12 mm thick			
	prelaminated particle board flat pressed			
	three layer or graded wood particle board			
	conforming to IS: 12823 Grade 1 Type 11,			
	in panelling fixed in aluminum doors,			
	windows shutters and partition frames			
	with C.P. brass / stainless steel screws etc.			
	complete as per architectural drawings			
	and directions of engineer-in-charge.			
15.2.1	Pre-laminated particle board with			
	decorative lamination on both sides	154	sqm	
15.3	Providing and fixing double action			
	hydraulic floor spring of approved brand			
	and manufacture conforming to IS: 6315,			
	having brand logo embossed on the body /			
	plate with double spring mechanism and			
	door weight upto 125 kg, for doors,			
	including cost of cutting floors,			
	embedding in floors as required and			
	making good the same matching to the			
	existing floor finishing and cover plates			
	with brass pivot and single piece M.S.			
	sheet outer box with slide plate etc.			
	complete as per the direction of Engineer-			
	in-charge.			
15.3.1	With stainless steel cover plate minimum			
	1.25 mm thickness	8	each	
15.4	Filling the gap in between aluminium			
	frame & adjacent RCC/ Brick/ Stone			
	work by providing weather silicon sealant			
	over backer rod of approved quality as per			
	architectural drawings and direction of			
	Engineer-in-charge complete.			
15.4.1	Upto 5mm depth and 5 mm width	180	metre	
15.5	Providing and fixing double glazed	44.64	sqm	



	hermetically sealed glazing in aluminium				
	windows, ventilators and partition etc.				
	with 6 mm thick clear float glass both				
	side, having 12 mm air gap, including				
	providing EPDM gasket, perforated				
	aluminium spacers, desiccants, sealant				
	(Both primary and secondary sealant) etc.				
	as per specifications, drawings and				
	direction of Engineer-in-charge complete.				
15.6	Providing and fixing 100mm brass locks				
	(best make of approved quality) for				
	aluminium doors including necessary				
	cutting and making good etc. complete.	16	each		
15.7	Providing and fixing aluminium round				
	shape handle of outer dia 100 mm with SS				
	screws etc. complete as per direction of				
	Engineer-in-charge				
15.7.1	Polyester powder coated minimum				
	thickness 50 micron aluminium	16	each		
15.8	Providing and fixing anodised aluminium				
	grill (anodised transparent or dyed to				
	required shade according to IS: 1868 with				
	minimum anodic coating of grade AC 15)				
	of approved design/pattern, with approved				
	standard section and fixed to the existing				
	window frame with C.P. brass/ stainless				
	steel screws @ 200 mm centre to centre,				
	including cutting the grill to proper				
	opening size for fixing and operation of				
	handles and fixing approved anodised				
	aluminium standard section around the				
	opening, all complete as per requirement				
	and direction of Engineer-in-charge.				
	(Only weight of grill to be measured for				
	payment).	80	kg		
16	NON SCHEDULE ITEMS		8		
16.1	Providing and fixing Vertical blinds with				
	anodized /powder coated aluminium				
	channel weight, chord, hangers and chain				
	etc. The width of louvers (fabric) shall be				
	100 mm of good quality & approval brand				
	& manufacturer complete vista levelor				
	make of Alps industries or Mac brand.	154	sqm		
16.2	Providing and fixing cup board shutters	101	~~		
10.2	with 18-19mm thick commercial block				
	board of Duro, Century, Green plywood	154	sqm		
	Journ of Buro, Contary, Green pry wood	134	54111	L	



	only as per IS: 1659 of approved make			
	with necessary SS hinges of size			
	75x47x1.8 mm or SS piano hinges of			
	appropiate size etc complete as per			
	direction of Engineer In Charge.			
16.3	Providing and fixing cup board inside			
	shelves, sides, back portion, drawers etc.			
	with 18-19mm thick commercial block			
	board Duro, Century, Green plywood only			
	as per IS: 1659 of approved make with			
	necessary fixing arrangement and as per			
	requirement complete as per direction of			
	Engineer In Charge. (All exposed edges			
	of block board to be lipped with 3 mm			
	thick teak wood beading/ margin.)	184	sqm	
16.4	Hacking of existing floor (to make rough)		<u> </u>	
	for making base for laying floor tiles.	1026.8	sqm	
16.5	Providing and fixing 6mm thick ply wood			
	sheet Duro, Century, Green plywood only			
	as per ISI in cup board including			
	necessary glue and nails etc. complete as			
	per direction of Engineer In Charge.	154	sqm	
16.6	Providing and fixing glazing in			
	aluminium door, window, ventilator			
	shutters and partitions etc. with EPDM			
	rubber/ neoprene gasket etc. complete as			
	per the architectural drawings and the			
	directions of engineer-in-charge . (Cost of			
	aluminium snap beading shall be paid in			
	basic item) : With float/frosted glass			
	panes of 5.00mm thickness.	517.72	sqm	
16.7	Providing, laying and jointing of foam			
	concrete blocks (autoclaved aerated			
	cement blocks) having density of			
	500kg/cum in cement mortar 1:4 (1			
	cement : 4 coarse sand) over the existing			
	floor at all levels and lead as per direction			
1.5.0	of Engineer-In-Charge.	21.6	cum	
16.8	Providing and applying plaster of paris			
	putty of approved brand and manufacturer			
	minimum thickness 2 mm or as required			
	at site over plastered surface to prepare			
	the surface even and smooth complete.			
	(Make of POP : Sakarni, Ashirbad,			
	Adharshree or as approved by Engineer-	2501.0	gam	
	In-Charge)	2591.8	sqm	



16.9	Dismantling of existing wash					
	basin/EWC/IWC/urinals etc. along with					
	all accessories (C.I./PVC/Vitrious China)					
	including stacking of useful materials					
	near the site and disposal of unserviceable					
	materials within 50 metres lead.	15	each			
16.1	Providing a project assistant having at					
	least diploma in Engineering for day to					
	day site/office work during the office					
	hours on 25 working days in a month.					
	(The rates should be quoted inclusive of					
	all satutory payments & all other					
	applicable Government taxes if any).	6	month			
16.11	Dismantling of old PVC flooring, skirting					
	etc. including disposal of unserviceable					
	material with, all leads and lifts including					
	dumping at MCD dumping ground out					
	side IIT Campus as per directions of					
	Engineer-in-charge.	108	Sqm			
			To	otal Rs (A).		
				1		
	Credit for dismantled material					
1	Scrap Iron	300.00	Kg			
2	Old Bricks	2,000.00	Nos			
3	Scrap Aluminum	200.00	Kg			
		4 000 00	14			
4	Fire wood	1,000.00	Kg			
	(Total Amount of Dismantle Rs. 35,0	00/-)	Te	otal Rs (B).		
		l Rs (A-B).				

AEE(C)

C....Nil I....Nil O....Nil