Notice Inviting Tender

Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI (Works Department)

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016 IITD/WORKS(SP-4072)2022

INDEX

Name of work: - Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.

Sl. No.	Description	Page No.	
1	Index	2	
2.	Notice Inviting e-tender	3	
3.	Part A		
	Information and instructions for bidders for e-tendering	4-7	
	IITD-6 for e-Tendering and Terms & Conditions	8-22	
	Integrity Pact	23-29	
	Form of Earnest Money (Bank Guarantee)	30	
	Performance Guarantee	31	
	Form-F	32	
	Annexure- I, II, III	33-35	
4.	Part B		
	IITD 7/8 e-Tendering	36-38	
	Schedule A-F	39-44	
	Commercial And Additional Conditions	45-48	
	Special Condition of Contract	49-50	
	List of Approved/Acceptable Make	51-53	
	Online Bid Submission	54	
5.	Part C		
	Schedule of Quantity	55-69	

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 69.

Executive Engineer (E)

Executive Engineer (CD-IV)

NIT approved for Rs.2,03,82,495.00 (Civil for Rs.1,18,19,012.00 + Electrical for Rs.85,63,483.00) (Rupees Two Crore Three Lakhs Eighty Two Thousand Four Hundred Ninety Five only)

Institute Engineer

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Notice Inviting e - Tender

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways Composite works of the following work:

NIT No. : 14/IITD/NIT/EE(CD-IV)/2022-23

Name of Work : Setting Right of B, C and D type Vacant houses in East Campus

at IIT Delhi.

Estimated cost : Rs. 2,03,82,495/- (Civil for Rs.1,18,19,012.00 + Electrical for Rs.

85,63,483.00)

Earnest Money : Rs. 4,07,650/-

Performance Guarantee : 3% of Tendered value Security Deposit : 2.5% of Tendered Value

Warranty : 5 Years for Lighting Fixtures and 1 Year for other work.

Period for completion : 06 Months

Late date & time for : 16/01/2023 upto 15.00 Hrs.

submission of bids

Date & Time of opening : 17/01/2023 at 15.00 Hrs.

of Bids

The bid forms and other details can be obtained from the website **wwww.iitd.ac.in** or **e-procure.gov.in** free of cost. For more clarifications you may visit on above website.

Executive Engineer (CD-IV), For & on Behalf of BOG, IIT Delhi

Budget Head: Renovation (Research Facility and Housing)/ 35.01.02(IOE) (2021/007/0032)

Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (E) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of uploaded documents at 3:00 PM on 17/01/2023 in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D.

PART 'A'

INDIAN INSTITUTE OF TECHNOLOGY: DELHI HAUZ KHAS: NEW DELHI – 110016 IITD/WORKS(SP-4072)2022

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Composite works of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for Comple tion
1	14/IITD/NIT/EE(CD- IV)/2022-23.	Name of work: Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.	2,03,82,495/- (Civil for Rs.1,18,19,012.00 + Electrical for Rs.85,63,483.00)	4,07,650/-	1500/-	06 Months

Last date and time of submission of financial & Technical bid: - 16/01/2023 up to 3:00 pm (online)

Date and time of opening of Technical bid: - 17/01/2023 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 3% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 10 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- **2.** Contractors who fulfil the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs. 1,63,06,000.00/-** or Two similar works each of value not less than **Rs. 1,22,30,000.00/-** or three similar works each of value not less than **Rs 81,53,000.00/-** during last 7 years ending on previous day of last day of submission of bids.
 - ii) **Earnest money of Rs. 4,07,650.00/-** in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of **Registrar, I.I.T. Delhi**. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 3. Similar work shall mean Composite Work consisting Civil and E&M Component.
- **4.** The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- **5.** Information and Instructions for bidders posted on website shall form part of bid document.
- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary

- documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/app.in free of cost.
- **7.** Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- **8.** Work means only work under Government/ Central Public Sector Undertaking / State Public Sector under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- **9.** The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to last date of submission of financial bid.
- **10.** IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- 11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- 12. The intending bidder must have valid class-III digital signature to submit the bid.
- **13.** On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 14. Contractor can upload documents in the form of JPG format and PDF format.
- 15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- **16.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- **17.** In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- **18.** The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favour of **Registrar IIT Delhi** to be deposited with http://eprocure.gov.in/eprocure/app / NEFT facility.
- 19. The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders: "The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- 23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.
- 24. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.

- b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
- c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
- e. The Bidder does not upload ESI & PF Registration.
- 25. Bid validity shall be 60 days from date of opening of technical bid.
- **26.** Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit as per Notice Inviting Tender Condition 1.3 page 7 of NIT. (Affidavit shall be purchased/notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 20 on page No. 5' on firm's letter head.
 - The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.
- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. Tender Fee of Rs. 1500/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid
- 11. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 12. Annexure-I (duly filled & signed by the bidders)
- 13. Annexure-II (duly filled & signed by the bidders)
- 14. Annexure-III (duly filled & signed by the bidders)

Note: - All Documents mentioned S.N-1 to 10 are mandatory for technically qualifying and document mentioned 11 to 14 are not mandatory.

Executive Engineer (CD-IV), For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016.

Budget Head: Renovation (Research Facility and Housing)/ 35.01.02(IOE) (2021/007/0032)

Copy to: -

- 1. Institute Engineer for information.
- 2. Executive Engineer (E) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of tenders on 17/01/2023 at 3:00 PM in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D
- 8. NIT: Publicity on Website on Institute as well as on CPP portal http://eprocure.gov.in may be ensured as per instruction issued.
- 9. E-tendering Web. http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in

INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS: NEW DELHI – 110016 IITD-6 FOR e-TENDERING AND TERM & CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged in the field of Civil & Electrical up gradation work in appropriate category for the **work** as per tender notice.

- 1 The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- **1.1** The work is estimated to cost **as per tender notice** This estimate, however, is given merely as a rough guide.
- **1.2** Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-
 - I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)
- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- **3.** The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
- 4. The site for the work is available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site http://eprocure.gov.in/eprocure/app or iitd.ac.in or e-procure.gov free of cost.
- **6.** After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- **8.** If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, HauzKhas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e-tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of Executive Engineer (CD-IV), IIT Delhi, HauzKhas, New Delhi

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

http://eprocure.gov.in/eprocure/app.

- **10.** The bid submitted shall become invalid if:
- (i) The bidders are found not eligible.
- (ii) The bidders do not upload all the documents (including GST registration/ other documents as per Tender Notice) as stipulated in the bid document.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
- (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per**Tender Notice shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 3% (Three Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- **15.** Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **16.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- **1.1.** The tender for the works shall remain open for acceptance for a period of **Sixty (60)** days from the date of opening of Technical Bid.
- 19. If any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- **20.** This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - **b**) Standard IITD Form 8 or other Standard IITD Form as mentioned.
- **21.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-IV) IIT Delhi, Hauz Khas, New Delhi - 110016

Notice Inviting Tender

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 4,07,650/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

Name of Organization		Indian Institute of Technology, Delhi	
Tender Type Open (Open/Limited/EOI/Auction/Single)		Open	
Tender Category (Services/G	oods/works)	Works	
Type/Form of Contract (Work Auction/Service/Buy/Empane		Works	
Product Category (Civil Works/Fleet Management/ Co		Civil & Electrical works	
Source of Fund (Institute/Project)		Renovation (Research Facility and Housing)/ 35.01.02(IOE) (2021/007/0032)	
Is Multi Currency Allowed Date of Issue/Publishing		No	
		06/01/2023 (15.30 Hrs)	
Document Download/Sale St	art Date	06/01/2023 (15.30 Hrs)	
Document Download/Sale Er	nd Date	16/01/2023 (15.00 Hrs)	
Date for Pre-Bid Conference		Nil	
Venue of Pre-Bid Conference	;		
Last Date and Time for Uploa	ading of Bids	16/01/2023 (15.00 Hrs)	
Date and Time of Opening of	Technical Bids	17/01/2023 (15.00 Hrs)	
Tender Fee	Rs. 1500/	(To be paid through RTGS/NEFT. IIT Delhi Bank	
EMD	Rs. 4,07,650/-	details are as under: Name of the Bank A/C: Registrar IIT Delhi SBI A/C No.: 10773572622 Name of the Bank: State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code: SBIN0001077 MICR Code: 110002156 Swift No.: SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)or as per NIT/ Tender notice	
No. of Covers (1/2/3/4)		02	
Bid Validity days (180/120/9	0/60/30)	60 days (From the date of opening of technical bid)	
Address for Communication		EE(CD-IV), MZ-129, Main Building, IIT Delhi	
Contact No.		011-26548714	
Fax No.		Nil	
Email Address		Kripa.Shanker.Tripati@admin.iitd.ac.in	

12

EE[E]

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.

- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app . Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the esubmission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

Terms & Conditions Details

S.No.	Specification			
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.			
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX.			
	OR			
	Financial Bids to be submitted in Excel.			
	The Technical bid and the financial bid should be submitted Online.			
3.	EMD (if applicable): As per NIT			
4.	Refund of EMD :- As per NIT			
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8			
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to			
7.	reject any or all offers without assigning any reason. Pre-qualification criteria: - Mentioned in Tender notice			
8.	Performance Security:-Mentioned in Tender notice			
9.	Force Majeure :- As per IITD form 8			
10.	Risk & Cost Clause : As per IITD form 8			
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8			
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8			
13.	Prices: As per Tender Notice & NIT & IITD form 8			
14.	Progress of Work :As per Tender Notice & NIT & IITD form 8			
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8			
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8			
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8			
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8			
19.	Training: As per Tender Notice & NIT & IITD form 8			
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8			
21.	Incidental services: As per Tender Notice & NIT & IITD form 8			
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8			
23.	Governing Language : As per Tender Notice & NIT & IITD form 8			
24.	Applicable Law: As per Tender Notice & NIT & IITD form 8			
25.	Notices : As per Tender Notice & NIT & IITD form 8			
26.	Taxes : As per Tender Notice & NIT & IITD form 8			
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8			
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8			
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8			

EE[CD-IV] EE[E]

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Document – 1				
Sl. No.	Documents	Content	File Types	
1.		Compliance Sheet as per Annexure – I	.PDF	
2.		Organization Declaration Sheet as per Annexure – II	.PDF	
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF	
4.		Technical supporting documents in support of all claims made at Annexure-I.	.PDF	
	Bid Document – 2			
Sl. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in Excel format.	.xls	

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL** and **Railway** dealing with **Composite works of Civil and Electrical** for the work of **Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.**

1. The enlistment of the contractors should be valid on the last date of submission of tenders.

In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.

- 1.1 The work is estimated to cost Rs. 2,03,82,495/- (Civil for Rs.1,18,19,012.00 + Electrical for Rs.85,63,483.00). This estimate, however, is given merely as a rough guide.
 - 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be as per Tender Notice from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site is available to start the work.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.
- **6.** After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid. Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- 9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 3%** (**Three Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

- 10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **12.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **13.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- **16.** The bid for the works shall remain open for acceptance for a period of **Sixty (60)** days from date of opening of technical bid. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:-
 - The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
- **18.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

19. For Composite Bid

- 19.1 The **Executive Engineer [CD-IV]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.
- 19.2 The bid document will include following three components: -
- **Part A-** IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2020 as corrected/modified upto date.
- **Part B** General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.
- **Part C :-** Schedule A to F for minor component of the work I.E. (Institute Engineer/EE Engineer-incharge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/specific conditions, specifications and schedule of quantities applicable to minor component(s) of the work.
- **19.3** The bidder must associate himself, with experienced agencies of the appropriate class eligible of bid for each of the minor component individually.
- **19.4** The eligible bidders shall quote rated for all items of major component as well as for all items of minor component of work.
- **19.5** After acceptance of the bid by Competent authority, the **EE** [**CD-IV**] in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, After the work is awarded, the main contractor will have to enter into one agreement with **EE** [**CD-IV**] and has also to sign two or more copies of agreement. On such signed set of agreement shall be handed over to EE (E) in charge of minor component. **EE** [**E**] will operate Electrical work and EE (CD-IV) will be in charge of major component shall operate Civil works.

- **19.6** Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- **19.7** Security Deposit will be worked out separately for each component corresponding to the estimated cost of the respective component of works. The Earnest Money will become part of security deposit of the major component of work.
- **19.8** The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).
- **19.9** In case the main contractor to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of Engineer-in-charge of minor component. The new agency/agencies shall also have agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- 19.10 The main contractor has to enter into agreement with contractor(s) associated by him for execution of minor components(s) in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE [CD-IV] and EE(E), in charge of major and minor component. In case of change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- **19.11** Running payment for the major component shall be processed by EE [CD-IV] of major discipline to the main contractor. Running payment of minor components shall be made by EE [E], discipline of minor component directly to the main contractor.
- 19.12A The composite work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 19.12B Final bill of whole work shall be finalized and paid by the EE [CD-IV] of major component. EE (E), in charge of minor component(s) will prepare and pass the final bill for their respective component of work and pass on the same to the EE (CD-IV) of major component for including in the final bill for composite contractor.

I.I.T.D

To,
,
Subject:- NIT No. 14/IITD/NIT/EE(CD-IV)/2022-23 for the work of Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.
Dear Sir,
It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity, an competitiveness in public procurement.
The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.
This declaration shall form part and parcel of the Integrity Agreement and signing of the sam shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.
Yours faithfull
Executive Engineer (CD-IV

(To be signed by bidder and upload the scanned copy)

To,

Executive Engineer (CD-IV),

IIT Delhi, Hauz Khas,

New Delhi - 110016.

Subject:- Submission of Bid for the of Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of 20
BETWEEN
The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (CD-IV) IIT Delhi.
, (Hereinafter referred as the(Address of Division)
'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND
WHEREAS the Principal / Owner has floated the Tender (NIT No) (Hereinafter referred to as " Tender/Bid ") and intends to award, under laid down organizational procedure, contract for
(Name of work) hereinafter referred to as the "Contract".
AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules,

25

regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the

parties.

I.I.T.D

INTEGRATY PACT e-TENDERING

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
- a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
- b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner aspart of the

INTEGRATY PACT e-TENDERING

I.I.T.D

business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
 - 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit**: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.

INTEGRATY PACT e-TENDERING

I.I.T.D

3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
 - 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
 - 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement / Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

	N WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and ate first above mentioned in the presence of following witnesses:
	For and on behalf of Principal/Owner)
	For and on behalf of Bidder/Contractor)
V	VITNESSES:
1.	
	(signature, name and address)
2.	(signature, name and address)
Pla	ace:

Dated:

BANK GUARANTEE BOND

I.I.T.D

Form of Earnest Money Deposit Bank Guarantee Bond

WHEREAS, contractor(Note: The contractor in	, · · · · · · · · · · · · · · · · · · ·
KNOW ALL PEOPLE by these presents that we registered office at	(hereinafter called "the Bank")
(Name and division of Executive Engineer) (hereinafter of Rs (Rs. in wordstruly to be made to the said Engineer-in-Charge the Bank these presents.) for which payment well and
SEALED with the Common Seal of the said Bank this	day of 20
THE CONDITIONS of this obligation are: (1) If after tender opening the Contractor withdraws, tender (including extended validity of tender) spectors (2) If the contractor having been notified of the acc Charge:	cified in the Form of Tender;
(a) fails or refuses to execute the Form of Agreeme contractor, if required; OR	ent in accordance with the Instructions to
(b) fails or refuses to furnish the Performance Guarant tender document and Instructions to contractor, OR	tee, in accordance with the provisions of
(c) fails or refuses to start the work, in accordance with Instructions to contractor, OR	th the provisions of the contract and
(d) fails or refuses to submit fresh Bank Guarantee of against Security Deposit after award of contract. We undertake to pay to the Engineer-in-Charge ei upon receipt of his first written demand, wir substantiates his demand, provided that in his den the amount claimed by his is due to him owing to conditions, specifying the occurred condition or conditions.	ther up to the above amount or part thereof thout the Engineer-in-Charge having to nand the Engineer-in-Charge will note that the occurrence of one or any of the above
This Guarantee will remain in force up to and include for submission of tender as such deadline is stated be extended by the Engineer-in-Charge, notice of waived. Any demand in respect of this Guarantee above date.	in the Instructions to contractor or as it may which extension(s) to the Bank is hereby
DATE	SIGNATURE OF THE BANK
WITNESSSEAL	(SIGNATURE, NAME AND ADDRESS)

^{*}Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 3% (Three percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The **Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 Days** beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv) In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

FORM "F" STRUCTURE & ORGANISATION

1.	Name & Address of the bidder
2.	Telephone no./ Telex no./ Fax no.
3.	Legal status of the bidder (attach copies of original document defining the legal status)
	a. An Individual
	b. A proprietary firm
	c. A firm in partnership
	d. A limited company or Corporation
4.	Particulars of registration with various Government Bodies (attach attested photocopy)
Or	ganization/ Place of registration Registration No.
	1.
	2.
	3.
5.	Name and tiles of Directors & Officers with designation to
	be concerned with this work
6.	Designation of individuals authorized to act for the organization
7.	Has the bidder or any constituent partner in case of partnership
	firm, ever abandoned the awarded work before its completion?
	If so, give name of the project and reasons for abandonment
8.	Has the bidder or any constituent partner in case of partnership
	firm, ever been debarred/ blacklisted for tendering in any organization
	at any time? If so, give details
9.	Past work experience in IIT Delhi will be considered in deciding the Technical bid

Signature of Bidder(S)

COMPLIANCE SHEET

TECHNICAL SPECIFICATION:

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	
2	Enlistment order of contractor.	
3	Certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit as per Notice Inviting Tender Condition 1.3 page 7 of NIT. (Affidavit shall be purchased/notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
7	Undertaking as per page-5/ Sl. No. 20' on firm's letter head. "The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8	ESI & EPF registration.	
9	FORM "F" (Duly filled with all required details).	
10	Tender Fee of Rs. 1500/- to be deposited through RTGS to Registrar IIT Delhi as per detail given in schedule page-10 and its proof to be uploaded with technical bid	
11	Annexure-1 (Dully Filled & signed by the bidders)	
12	Affilexure-1 (Duffy Fifted & signed by the bluders)	
	Annexure 2 (Dully Filled & signed by the bidders)	
13		
14	Annexure 2 (Dully Filled & signed by the bidders) Annexure 3 (Dully Filled & signed by the bidders) In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
	Annexure 2 (Dully Filled & signed by the bidders) Annexure 3 (Dully Filled & signed by the bidders) In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No.:	

<< Organization Letter Head >> DECLARATION SHEET

We,	hereby certify that all the information and data			
furnished by our organization with regard to thi	s tender specification are true and complete to the best of our			
knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply				
with the requirements and intent of specification	n.			
This is certified that our organization has be	een registered as per Tender Notice & NIT & IITD form			
8Tender.We further certified that our organization meets all the conditions of eligibility criteria laid down in				
this tender document.				
We, further specifically certify that our	NAME & ADDRESS of the Vendor/ Manufacturer / Agent			
organization has not been Black Listed/De				
Listed or put to any Holiday by any				
Institutional Agency/ Govt. Department/				
Public Sector Undertaking in the last three				
years.				
1. Phone				
2. Fax				
2. Fax				
3. E-mail	As per Tender Notice & NIT			
	•			
4. Contact Person Name				
5. Mobile Number				
6. GST Number				
o. Got ivamori				
7. PAN Number				
8.(In case of on-line payment of Tender				
Fees) UTR No. (For Tender Fee)				
9.(In case of on-line payment of EMD)				
UTR No. (For EMD)				

34

(Signature of the Tenderer)

Name:

Seal of the Company

EE[CD-IV] EE[E]

List of Govt. Organization/Deptt.

Name of the organizati	ion	Name of Contact Person	Contact No.
			\
			\
\longrightarrow As	per Tende	er Notice & NIT	$\Gamma \hspace{0.4cm} igg \hspace{0.4cm} igg \hspace{0.4cm}$
As	per Tende	er Notice & NIT	
As	per Tende	er Notice & NIT	
As	per Tende	er Notice & NIT	
As	per Tende	er Notice & NIT	
As	per Tende	er Notice & NIT	

	Signature of Bidder
Name:	
Designation:	
Organization Name:	
Contact No.:	

PART 'B'

I.I.T.D - 7/8 e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

Item Rate Tender & Contract for Composite Work

Tender for the work of: Name of work: -Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.

(i) To be submitted by as per tender notice to
(ii) To be opened in presence of bidders who may be present at as per tender notice
Issued to
Signature of officer issuing the documents
Designation Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

1.2. We agree to keep the tender open for **Sixty** (60) days from the date of opening of Technical Bid. A sum of as per tender notice is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I.I.T.D - 7/8 e-TENDERING

I.I.T.D

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:	
	Signature of Contractor
Witness:	Postal Address
Address:	rostai Addiess
Occupation:	

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted
by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 for
a sum of
(Dumage
(Rupees
).
The letters referred to below shall form part of this contract agreement: -
(a)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi
Signature
Dated: Designation

SCHEDULES (A to F)

(For Civil & Electrical Component)

SCHEDULE 'A'

Schedule of quantities for Civil& Electrical work as attached.

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

	NIL				
1	2	3	4	5	
5.110.	Description of item	Quality	words at which the material will be charged to the contractor	issue	
S.No.	Description of item	Quantity	Rates in figures &	Place of	

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue		
1	2	3	4		
NIL					

SCHEDULE 'D'

Extra schedule for specific requirement/document for the work, if any.

SCHEDULE 'E'

Reference to General Conditions of contract : General Conditions of Contract 2020 for

Maintenance Works issued by CPWD with correction slips/amendments issued upto

last date of submission of bid.

Nil.

Name of Work : Setting Right of B, C and D type Vacant houses in

East Campus at IIT Delhi.

Estimated cost of work: : Rs. 2,03,82,495/- (Civil for Rs.1,18,19,012.00 +

Electrical for Rs.85,63,483.00)

Earnest Money: : **Rs.4,07,650**/-

Performance Guarantee : 3% of tendered Value

Security deposit : 2.5 % of tendered value

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

1. Officer inviting tender : Executive Engineer [CD-IV]

2.Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.5

See below

Definitions:

2(i) Engineer-in-Charge : Executive Engineer [CD-IV]

2(ii) Accepting Authority : Institute Engineer

2(iii) Percentage on cost of materials : 15%

and Labour to cover all overheads

and profits:

2(iv) Standard Schedule of Rates: : DSR 2021 for Civil works with 10% cost index &

DSR 2022 for Electrical works including 6% (multiplying factor 0.0633) additional GST with corrected up to last date of submission of bid &

Market Rate.

2(v) Department: : Works department at I.I.T Delhi

2(vi) Standard IITD Form & CPWD GCC 2020 for Maintenance Works, modified & Corrected

up to last date of submission of bid.

Clause 1

(i) Time allowed for submission of Performance Guarantee from the date of issue of letter of

acceptance

(ii) Maximum allowable extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i)

above,

5days

:

10 days

Clause 2

Authority for fixing compensation under

clause 2:

Institute Engineer

Clause 5

Number of days from the date of issue of letter of acceptance for reckoning

date of start:

10 days

MILE STONE CHART

Sl.	Description of mile stone	Period for completion	Withheld amount for
No.	(financial terms)	from date of	non-
		start in	achievement of
		days/months	mile stone.
1	Completion of 10% of work done	$1/4^{th}$ (of the	In the event of
		whole work)	not achieving
2	Completion of 40% of work done	$1/3^{th}$ (of the	the necessary
		whole work)	progress as
3	Completion of 75% of work done	$3/4^{th}$ (of the	assessed from
		whole work)	the running
4	Completion of 100% of work done	06 Months	payment, 1% of
			the Tender
			value of work
			will be
			withheld for
			failure of each
			milestone.

Allowed for execution of work : **06 Months**

Authority to decide:

(i) Extension of time : Institute Engineer

(ii) Rescheduling of mile stones : Institute Engineer

(iii) Shifting of Date of start in case of delay : Institute Engineer

in handing over of site

: Applicable (Computerized MB)

Clause 7

Clause 6

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment: Minimum Rs. 34.00 Lakhs

Clause -7A : As per Institute Policy

No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge

Clause 10A

List of testing equipment to be provided by the : Not Applicable

contractor at site lab

Clause 10B : Not Applicable

Clause 10C

Component of labour expressed as percent of value of work: 25% for Civil work

15% for Electrical work

Clause 10CA : Not Applicable

S.No.	Material Covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA* (July 2022)
1.	Cement		
2.	Cement		
3.	Reinforcement bars	Not Applic	eable
4.	Structural steel		

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

Not Applicable

Clause 11

Specifications to be followed for execution of work

CPWD specifications 2019 Vol I and Vol II for civil work and **CPWD** Specifications 2013 for Electrical works with upto date correction slips & manufacturers Specifications upto the last date of bid submission/uploading of tender. Detailed nomenclature of items& specifications for market rate items as per Engineer-in-charge

Clause 12

Type of work : Maintenance/Up gradation work

12.2&12.5 Deviation limit beyond which clauses 12.2 : 100%

& 12.5 shall apply for building work

12.5 (I) Deviation Limit beyond which clauses 12.2 : 100%

& 12.5 shall applicable for foundation work (Except items mentioned in earthwork subhead of DSR and related items)

12.5 (II) Deviation Limit for Items in earth work : 100%

subhead of DSR and related items

Clause 16

Competent Authority for deciding reduced rates : Institute Engineer

Clause 18

List of mandatory machinery, tools & plants to : As per requirement be deployed by the contractor at site

Clause 36
Requirement of Technical Staff(s) & Recovery Rate

Cost of Work (Rs. In Crore)	Requirement Sta Qualification		Minimum Experience (Years)	Designation of Technical staff	Rate at which recovery shall be made from the Contractor in the event of not fulfilling
More than 1.5 to 5	Graduate Engineer or Diploma Engineer	1 + 1	2 or 5 respectively	Project Manager cum Planning/Quali ty/Site/Billing Engineer	Rs. 15,000/- per month per person

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineers.

COMMERCIAL AND ADDITIONAL CONDITIONS

2. GENERAL

- 2.1. Location: Houses in East Campus, IIT Delhi.
- 2.2. The work shall be executed as per CPWD General Specifications 2019 (Vol.I&II) for Civil Works and for Electrical Works Part-I (Int.) 2013, Part-II (Ext.) 1994, as amended upto date, relevant I.E. Rules, BIS/IEC and as per directions of Engineer-in- Charge. These additional specifications/conditions are to be read in conjunction with above and in case of variations; specifications given in these additional conditions shall apply. However, nothing extra shall be paid on account of these additional specification and conditions, as the same are to be read along with schedule of quantities for the work.
- **2.3.** The tenderer should in his own interest visit the site and get familiarize with the site conditions before tendering.
- **2.4.** No T&P shall be issued by the Department and nothing extra shall be paid on account of this.

3. COMMERCIAL CONDITIONS:

- **3.1. Type of contract:** The work to be awarded by this tender shall be treated as indivisible works contract.
- 3.2. Submission and opening of Tenders:
- **3.2.1.** The tender is in two parts:
 - **3.2.1.1.** Part-I Technical cum Un-priced commercial Bid
 - **3.2.1.2.** Part-II-Price Bid
- **3.3.** The tender shall be submitted online, duly completed as per NIT conditions within period of bid submission.
- **3.4.** The tenderers are advised not to deviate from the technical specifications / item, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- **3.5.** Technical cum un-priced commercial bid only shall be opened on the due date and time in the presence of tenderers or their authorized representative who wish to remain present.
- **3.6.** Scrutiny/evaluation of the technical-cum-commercial bid shall be done by the department. In case, it is found that the technical-cum-commercial bid of a tenderer is not in line with NIT specifications/requirements and/or contains too many deviations, the department reserves the right to reject the technical bid of such firms(s) without making any reference to the tenderer(s).
- 3.7. Necessary clarifications required by the department shall have to be furnished by the tenderer within the time given by the department for the same. The tenderer will have to depute his representative to discuss with the officer(s) of the department as and when so desired. In case, in the opinion of the department a tenderer is taking undue long time in furnishing the desired clarifications, his bid will be rejected without making any reference.
- **3.8.** After obtaining clarification from all the tenders, the department will intimate the tenders whose technical cum commercial bids are acceptable.
- **3.9.** The price bids of only those tenderers shall be opened whose technical bids are found to be technically acceptable. The time and date of opening of price bid shall be fixed after the technical cum unpriced commercial bid is accepted and intimated to them by post/Fax/e-mail.
- **3.10.** The department reserves the right to reject any or all the price bids and call for fresh prices/tenders as the case may be without assigning any reason.

4. TERMS OF PAYMENTS

4.1. Payment shall be released after successful completion (Providing and fixing, Supply, Installation, Testing, and satisfactory commissioning) of the work. However, R.A. bill may be preferred to the extent of pro rata basis based on progress of overall work. Bidder should note that necessary documents (PAN card, cancelled cheque, GST Reg. proof and RTGS mandate form as per prescribed proforma of IIT Delhi) be submitted as soon as the work is awarded to them. Separate Contractor's Code shall be generated in IIT Delhi if the bidder is a new contractor to IIT Delhi ('Code' is perpetual in nature). Payment shall be processed after submission of Invoice and

necessary documents / certificates (as mentioned in the NIT). There is a prevailing practice of preaudit (for total tendered amount more than 3 lakhs) at IIT Delhi before releasing payment. Bidder shall have to comply all necessary documents as outlined in the Contract as to be desired by the Auditor and or by the Accountant. It may take one to two months in the whole process (from submission / acceptance of bill in CMB / MB by the contractor upto processing by Accounts section) to release payment subject to quick compliance of all submittals by the contractor. Applicable Taxes shall be got deducted from the bill as per prevailing orders of the Government. 'GST part of the bill' shall be released after submission of proof of payment of GST, i.e. B2B challan, etc. as may be, by the contractor.

5. AWARD OF WORK

5.1. Work shall be awarded to the successful bidder only after concurrence of the **Auditor of the Internal Audit Section** of the IIT Delhi as per extant Rules of the Institute.

6. SECURITY DEPOSIT

6.1. Security Deposit shall be deducted from each running bill and final bill to the extent of 2.5% of the gross amount payable. The security deposit shall be released on the expiry of guarantee/ Maintenance period stipulated in the contract i.e 05 Years/1 year as per CPWD manual/manufacturer's guarantee.

7. PERFORMANCE GUARANTEE

- 7.1. The successful tenderer shall submit an irrevocable performance guarantee of 3% of the tendered amount in addition to other deposit mentioned elsewhere in the contract for his proper performance of the contract agreement within 15 days of issue of letter of acceptance of tender. This guarantee shall be in the form of Demand Draft/Pay order of irrevocable bank guarantee bond of any schedule bank or the State Bank of India in the specified perform a of Government Security, fixed deposit receipt pledged in favour of **Registrar**, **IIT Delhi** or as specified in the letter of acceptance of tender. The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 days. This bank guarantee shall be kept valid till the recording of completion certificate for the work by the competent authority. This shall be released after submission of fresh bank guarantee for the comprehensive maintenance. Fresh bank guarantee shall have to be submitted @3% of the contract amount of comprehensive maintenance for the whole period of maintenance plus 60 days beyond.
- 7.2. Income tax, GST, labour cess & other statutory deduction etc. shall be made at source as per the prevalent laws. The deduction of Security Deposit, Income Tax, etc., shall be done after calculation for the above due payment as per clause 3 above and net payment shall reduce accordingly.

8. RATES

8.1. The rates quoted by the tenderer, shall be firm and inclusive of all taxes (including works GST & labour cess), duties, levies, etc. and all charges for packing forwarding, insurance, freight and delivery, installation, testing and commissioning etc. at site including temporary construction of storage, risks overhead charges, general liabilities/obligations.

9. COMPLETENESS OF TENDER

9.1. All sundry equipments, fitting, unit assemblies, accessories, hardware items, foundation bolts, termination lugs for electrical connections and all other items which are useful and necessary for efficient assembly and installation of equipment and components of the work shall be deemed to have been included in the tender irrespective of the fact whether such items are specially mentioned in the tender documents or not.

10. STORAGE AND CUSTODY OF MATERIAL

10.1. The agency has to make his own arrangement for storage. No separate storage accommodation shall be provided by the department Watch and ward of the storage and their safe custody shall be responsibility till the final taking over of the installation by the department.

11. CARE OF THE BUILDING

11.1. Care shall be taken by the contractor while handling and installing the various equipment and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

12. COMPLETION PERIOD

12.1. The completion period indicated in the tender documents is for the entire work of planning, designing, approval of drawings etc, arrangement of materials & equipments, delivery at site including transportation, installation, testing, commissioning and handing over of the entire system to the satisfaction of the Engineer-in-charge.

13. GUARANTEE

- 13.1. The contractor shall guarantee the entire Electrical Installation work as per specifications both for components and for system as a whole. All LED lighting fixture shall be guaranteed for Five year from the date of commissioning against unsatisfactory performance and / or breakdown due to defective design, workmanship or material. The equipment or component, or any part thereof, so found defective during guarantee period shall be forthwith replaced free of cost to the satisfaction of the Engineer-in-Charge. In case it is felt by the department that undue delay is being caused by the contactor in doing this, the same will be got done by the department at the risk and cost of the contractor. The decision of Engineer-in-Charge in this regard shall be final & binding on the contractor.
- 13.2. The tenderer shall guarantee among other things, the following:
- 13.2.1. Quality, strength and performance of the material used as per manufacturer's standards.
- 13.2.2. Safe mechanical and electrical stress on all part under all specified conditions of operation.
- 13.2.3. Satisfactory operation during the maintenance period.

14. POWER SUPPLY

- 14.1. Power supply shall be made available by the department at one point near the site free of cost, if required. Further, the arrangement for tapping power supply from this point shall be made by the contractor.
- 15. Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.

16. EXTENT OF WORK

16.1. The work shall comprise of entire labour including supervision and all material necessary to make a complete installation and such tests and adjustment and commissioning as may be required by the department. The term complete installation shall not only mean major items of the plant and equipment's covered by the specification but all incidental sundry components necessary for complete execution and satisfactory performance of installation with all layout charts whether or not those have been mentioned in details in the tender documents in connection with this contract as this is a turnkey job.

17. VALIDITY

17.1. Tenders shall be valid for acceptance for a period 60 days from the date of opening of Technical Bid.

18. COMPLIANCE WITH REGULATIONS AND INDIAN STANDARDS

- **18.1.** All works shall be carried out in accordance with relevant regulation both statutory and those specified by the Indian Standards related to the works covered by this specification in particular, the equipment and installation will comply with the following:
- **18.1.1.** Factories Act
- **18.1.2.** Indian Electricity Rules
- **18.1.3.** B.l.S. & other standards as applicable
- **18.1.4.** Workmen's compensation Act

18.1.5. Statutory norms prescribed by local bodies like fire department, CEA, Power Supply Co. etc.

19. INDEMNITY

19.1. The successful tenderer shall at all times indemnify the department, consequent on this works contract. The successful tenderer shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause and the contractor shall be responsible for any accident or damage incurred or claims arising there from during the period of erection, construction and putting into operation the equipments and ancillary equipment under the supervision of the successful tenderer in so far as the latter is responsible. The successful tenderer shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the successful tenderer on account of the above.

20. ERECTION TOOLS

20.1. No tools and tackles either for unloading or for shifting the equipments for erection purposes would be made available by the department. The successful tender shall make his arrangement for all these facilities

21. COOPERATION WITH OTHER AGENCIES AND OCCUPANTS OF THE BUILDING

21.1. The successful tenderer shall co-ordinate with other working contractors, if any and other occupants of different offices / Labs, etc., and exchange freely all technical information so as to make the execution of this work / contract smooth. No remuneration should be claimed from the department for such technical cooperation. If any unreasonable hindrance is caused to other agencies and any completed portion of the work has to be dismantled and re-done for want or cooperation and coordination by the tenderer during the course of work, such expenditure incurred will be recovered from the successful tenderer if the restoration work to the original condition or specification of the dismantled portion of work was not under taken by the tenderer himself.

22. MOBILIZATION ADVANCE

22.1. No mobilization advance shall be paid for this work

23. INTERPRETING SPECIFICATION

- **23.1.** In interpreting the specification, the following order of decreasing importance shall be followed in case of contradictions:
- **23.1.1.** Schedule of quantities
- **23.1.2.** Technical Specification
- **23.1.3.** Drawing (if any)
- **23.1.4.** General Specification for Electrical Works of CPWD (relevant Parts)
- **23.1.5.** Relevant BIS or other international code in case BIS code is not available.
- 23.1.6. GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.

24. POLICY OF THE INSTITUTE

24.1. Institute has a policy against **sexual harassment** and is committed to providing an environment free from **sexual harassment of women** at the workplace. Contractor shall have to abide by the policy of the Institute with due diligence. Any violation on the part of the contractor shall be dealt with the extant rules of the Institute.

SPECIAL CONDITIONS

- 1.0 Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2.0 No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3.0 The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4.0 The work shall be carried out as per CPWD specifications for civil and electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5.0 The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- 6.0 Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7.0 Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-incharge shall only be used at work.
- 8.0 The sample of material required in the work brought at site shall be submitted prior Technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- 9.0 The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the IITD if satisfactory report and if test results are unsatisfactory than testing charges shall be deducted from bills of contractor. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor.
- 10.0 The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- 11.0 The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 12.0 No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13.0 Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- 14.0 The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 15.0 The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.

- 16.0 The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 17.0 Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
- 18.0 Income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 19.0 1% labour cess or as applicable will be deducted from the bills of contractor.
- 20.0 Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- 21.0 Agency has to take proper safety major during the execution of work.
- 22.0 GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- 23.0 ESI & EPF shall be reimbursed as per norms on production of original receipt of ESI & EPF from contractor specific to this work. .
- 24.0 The contractor shall submit the programme of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- 25.0 Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- 26.0 GST shall considered as inclusive in quoted rate of agency.
- 27.0 Electrical work will be executed only through the agency who is having valid electrical license and the copy of valid electrical license will be submitted before start of work.

28.0 Specialized Work:

- 28.1. The following works are considered as specialized work.
 - (a) Water Proofing.
 - (b) Aluminium Work
- 28.2. The above specialized work (if required by the IITD) shall be carried by specialized agencies/ agency on their own if they have experience of
 - (a) 03 similar work of 40% value of specialized work component of Tendered amount.
 - (b) 02 similar work of 60% value of specialized work component of Tendered amount.
 - (c) 01 similar work of 80% value of specialized work component of Tendered amount.

LIST OF APPROVED MAKES FOR CIVIL &ELECTRICAL WORKS

A-Civil Items

	vii items	A 13/C.1
-	Description C	Approved Makes
1	EWC Seat Covers	HINDWARE/PARRYWARE/ CERA
2	C.P Brass Fittings/ Accessories	JAQUAR, MARC, KOHLAR
3	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/ J.K./ BIRLA/ ULTRA TECH/ VIKRAM
4	Cement (White)	J.K./ BIRLA
5	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY
		MINISTRY OF STEEL/ SECONDARY MANUFACTURER
		HAVING VALID BIS LICENSE (TO BE AS PER LATEST
		BIS PROVISIONS)
6	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY
		MINISTRY OF STEEL/ SECONDARY MANUFACTURER
		HAVING VALID BIS LICENSE (TO BE AS PER LATEST
		BIS PROVISIONS)
7	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM
8	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED
		STRENGTH
9	Aluminum Sections	HINDALCO/ JINDAL/ MAHAVIR
10	Flush Doors	CENTURY/ MERINO/ DURO BOARD/ GREEN
11	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/ DECOLAM/
		CENTURY
12	Glass	SAINT GOBIN/ MODI FLOAT/ ASAHI FLOAT
13	Ceramic Glazed tiles/ Border tiles	1 ST QUALITY KAJARIA / NITCO/ JOHNSON/ ORIENT/
		SOMANY
14	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY
15	Interlocking precast paver blocks/ Kerb	HINDUSTAN TILES/ SWASTIK/ DALAL
	Stone	
16	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASI/ SUPREME
17	Stainless Steel Nuts bols / Screws	KUNDAN/ PUJA/ ATUL/ GKW
18	Paint/ Primer/ Oil bound distemper/ Acr	1 ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/
	paint/ Plastic paint	SHALIMAR/ DULUX
19	Water Proof Cement Paint/ Exterior Pain	1 ST QUALITY PAINTS OF ASIAN/ BERGER/ NEROLAC/
		SHALIMAR/ DULUX
20	Sanitary ware (Vitreous China)	HINDWARE/ PARRYWARE/ CERA
	(European Seats, Urinals, Wash Basins,	
	etc.)	
21	G.I. Pipes	TATA/ JINDAL(HISSAR)/ BHUSHAN/ APL APPOLO/ TT
	-	SWASTIK
22	G.I. Fittings	UNIK/ ZOLOTO/ AM
23	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)/ PRAYAG
24	Commercial Board/ Ply	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
25	CI Pipes/ Fittings & Manhole covers	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF
26	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH
27	Floor Spring	DOORKING/ EVERITE/ SANDHU
28	Door Closer	EVERITE/ SANDHU/ HARDWIN
29	Mirror	ATUL/ MODIGUARD/ SAINT GOBAIN/ AASHI
30	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT GOBAIN
31	False Ceiling	ARMSTROBG/ SAINT GOBAIN/ META WORTH
32	Water Proofing Compound	CICO/ FOSROC/ PIDILITE/ ECMAS/ ASIAN
33	Polymer Compound	CICO/ PIDILITE/ FOSROC/ ECMAS/ ASIAN
	- orginor compound	CLC, I DILLIE, I CONCO, DOMINO, INDINI

34	Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
35	Rust Remover/ Anticorrosive	
		FOSROC/ CICO/ PIDILITE/ ECMAS/ ASIAN
36	Crystalline Cementious Waterproofing compound	XYPEX / KRYTONE/ PENETRON
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLNDURA/ CICO
38	Wall Putty	BIRLA / JK/ SARA
39	Epoxy Grout	BALLENDURA/ KERAKOLL/ FERROUSCRETE
40	PVC Water storage tank (ISI marked)	SINTEC/ UNI PLAST/ POLYWELL
41	PVC insulated water storage tank	SINTEX/ UNI PLAST/ POLYWELL/ EURO
	Heavy duty 4/5 layer	
42	Brass Ball Valve/ Gate Valve/ Float	ZOLOTO/ AM/ LEADER/ SANT
	Valve	
43	Aluminum Door Fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop Cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic Paint	CBM/ CMS/ S.N. INDUSTRIES
46	Plaster of Paris Putty	ADHARSHREE/ SHREE RAM/ J.K./ BIRLA
47	Rcc Pipe	LAKSHMI/ SOOD & SOOD/ JAIN & CO. / DIWAN SPUN
		PIPES
48	Pvc Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	JSW, BHUSHAN, D-META
50	WPC Board And MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN / POLYGAL/ TUFLITE
54	Acp Panel	ALSTRONG/ ALUCOBOND/ EUROBOND/ ALUDECOR
55	Acoustic Wooden/ Fabric Paneling	ARMSTRONG/ ANUTONE/CREDENCE/ TOPAKUSTIC
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR / 3M / DARK EYE /EVERY DENNISON
58	Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation	UP TWIGA LTD OR EQUIVALENT
61	Fire Door	NAVAIR/ SHAKTI/ GODREJ/ RADIANT
62	Flush Door Shutters Of Various	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
	Thickness	= ==== =====
	Furniture	
63	Work Station	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/
		FEATHERLITE/ HERMAN MILLER
64	Executive Table/ Other Table	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/
		FEATHERLITE/ HERMAN MILLER
65	Chair/ Audi Chair	GODREJ INTERIO/ HAWORTH/ STEELCASE/ WIPRO/
		FEATHERLITE/ HERMAN MILLER
66	Lab Furniture's	KEWANEE/ WALDNER/ GODREJ/ WIPRO/
		FEATHERLITE
67	Hostel Beds And Cots	ZUARI/ EVOK/ GODREJ/ WIPRO/ FEATHERLITE
68	Hospital Beds	HUNTLEY/ STRIKER/ GODREJ/ WIPRO/ FEATHERLITE
	Electrical	
69	MCB(10KA) & MCB DB	Legrand /Havells/ Siemens/ Standard/Crompton/ L&T / GM/
		C&S
70	MCCB	Legrand /Havells/ Siemens/Crompton/ L&T / C&S/ GE
		Power Control

52

71	MCCB BOX	Legrand /Havells/ Siemens/Crompton/ L&T / C&S/ GE Power Control	
71	Modular type switch/ socket, TV	Havells Crabtree / L&T/ MDS/ Wipro North West/	
	socket,	Legrand/GM / Polycab/ Schneider	
72	Steel conduit pipe and Accessories	BEC/ AKG/ NIC	
	(ISI)		
73	PVC conduit pipe and Accessories(ISI)	BEC/ AKG/ NIC	
74	Junction Boxes/ MS Boxes	Havells Crabtree / Anchor / North West / Legrand	
75	Bushes	PVC/ Nylon	
76	FRLS PVC insulated copper conductor	Polycab / Finolex / Havells/ KEI	
	cable	ž	
77	Light Fixture	Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix	
78	Ceiling Fans (Double ball bearing) &	Havells/ Atomberg/ Bajaj/ Usha/ Orient/ Halonix.	
	Wall Fan		
79	Exhaust Fan (Double Ball Bearing)	Crompton Greaves / GE / Almonard / Usha/ Havells/ Orient	
80	Industrial type socket	Schneider / L&T/ ABB / Legrand	
81	DLP U-PVC channel & accessories	Schneider / Legrand	
83	Modular Plate & Cover Plate	Havells Crabtree / L&T/ MDS/ Wipro North West/	
		Legrand/GM / Polycab/ Schneider	
85	Distribution Board	Legrand /Havells/ Siemens/ Standard/Crompton/ L&T / GM/	
		C&S	
86	XLPE Alumium/ Copper conductor	Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal	
	Armoured cable		
87	Multifunction Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar	
88	Ammeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar	
89	Voltmeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar	
90	Frequency Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar	
91	CT's	L&T/AE/ KAPPA/ Pragati	
92	Selector Switches	L&T/AE/ KAPPA/ Pragati	
93	Contractors	L&T/ GR power controls/ Crompton/ Havells/ Legrand	
94	Push button & Pilor lamps	L&T/ Vishnoo/ BCH	
95	LED indicating Lights	L&T/ Siemens/ Kaycee/ Crompton/ Vaishno	
96	GI Pipe	Jindal Steel/ Jindal Hisar	
97	DW HDPE Pipe	Reliance/ Duraline/ Hasti	
98	LED Lights	Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix	
99	Panel Manufacturers (Panel Shall be	Eva engineering/Milestone/Tricolite/Edlac/ L&T	
	CPRI approved)		
100	Cat 6 LAN Cable	D-Link	
101	AC	As per BOQ	

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: -

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: - Envelope – 1				
	(Following documents to be provided as single PDF file)			
Sl. No.	Documents	Content	File Types	
1.	Technical Bid	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	.PDF	
2.		Enlistment order of contractor.	.PDF	
3.		Attested certificate of work experience.	.PDF	
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF	
5.		Affidavit as per Notice Inviting Tender Condition 1.3 page 19 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	.PDF	
6.		Acceptance to execute INTEGRITY PACT.	.PDF	
7.		Undertaking as per on firm's letter head.	.PDF	
		"the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"		
8.		ESI and EPF Registration.	PDF	
9.		FORM "F" (Duly filled with all required details	.PDF	
10.		Proof of tender fees	.PDF	
11		In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	PDF	
12		Annexure-I (duly filled and signed by the bidders)	PDF	
13		Annexure-II (duly filled and signed by the bidders)	PDF	
14		Annexure-III (duly filled and signed by the bidders)	PDF	
15		Any other documents specified in NIT	PDF	
	Envelope – 2			
Sl. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls	

All above documents shall be as per Tender Notice.

PART 'C'

SCHEDULE OF QUANTITY

Name of work: - Setting Right of B, C and D type Vacant houses in East Campus at IIT Delhi.

	e of work: - Setting Right of B, C and D type Vacant houses in East Campus at IIT Dell					
Item No.	Description of items	Qty.	Unit	Rate	Amount	
140.	CAND AND A CO. HAVE					
	SUB HEAD A Civil Work					
1	Supplying chemical emulsion in sealed containers including delivery as specified.					
1.1	Chlorpyriphos/ Lindane emulsifiable concentrate of 20%	200	litre			
2	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion):					
2.1	Treatment of soil under existing floors using chemical emulsion @ one litre per hole, 300 mm apart including drilling 12 mm diameter holes and plugging with cement mortar 1:2 (1 cement: 2 Coarse sand) to match the existing floor:					
2.1.1	With Chlorpyriphos/Lindane E.C. 20% with 1% concentration	250	sqm			
2.2	Treatment of existing masonry using chemical emulsion @ one litre per hole at 300 mm interval including drilling holes at 45 degree and plugging them with cement mortar 1:2 (1 cement : 2 coarse sand) to the full depth of the hole :					
2.2.1	With Chlorpyriphos/Lindane E.C. 20% with 1% concentration	150	m			
2.3	Treatment at points of contact of wood work by chemical emulsion Chlorpyriphos/ Lindane (in oil or kerosene based solution) @ 0.5 litres per hole by drilling 6 mm dia holes at downward angle of 45 degree at 150 mm centre to centre and sealing the same.	150	m			
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:					
3.1	1:2:4 (1 Cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 40 mm nominal size derived from natural sources)	10	cum			
3.2	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	14.50	cum			
4	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:					

		1		1	1
4.1	1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived				
	from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)	_			
	,	7	cum		
5	Centering and shuttering including strutting, propping etc. and removal of form for				
F 1					
5.1	Shelves (Cast in situ)	40	sqm		
6	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
6.1	Thermo-Mechanically Treated bars of grade Fe-500D or				
	more.	450	kg		
7	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
7.1	Cement mortar 1:3 (1 cement :3 coarse sand)	40	sqm		
8	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.				
8.1	Granite stone slab colour black, Cherry/Ruby red				
8.1.1	Area of slab over 0.50 sqm	83.5	sqm		
9	Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.		1		
9.1	Granite work	167	m		
10	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	750	sqm		
11	Providing and fixing ISI marked flush door shutters	130	54111		
	conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				

11.1	20 mm thick including ICI marked Stainless Steel butt			
11.1	30 mm thick including ISI marked Stainless Steel butt hinges			
	with necessary screws	34	cam	
12	Providing and fixing M.S. grills of required pattern in	34	sqm	
12	frames of windows etc. with M.S. flats, square or round			
	bars etc. including priming coat with approved steel			
	primer all complete.			
12.1	Fixed to steel windows by welding	1850	kg	
13	Providing and fixing ISI marked oxidised M.S. sliding			
	door bolts with nuts and screws etc. complete:			
13.1	250x16 mm	105	each	
14	Providing and fixing ISI marked oxidised M.S. tower			
	bolt black finish, (Barrel type) with necessary screws etc.			
	complete:			
14.1	200x10 mm	50	each	
15	Providing and fixing chromium plated brass handles			
	with necessary screws etc. complete:			
15.1	100 mm	170	each	
16	Providing and fixing aluminium sliding door bolts, ISI			
	marked anodised (anodic coating not less than grade AC			
	10 as per IS: 1868), transparent or dyed to required			
	colour or shade, with nuts and screws etc. complete:			
16.1	250x16 mm	70	each	
17	Providing and fixing aluminium tower bolts, ISI marked,			
	anodised (anodic coating not less than grade AC 10 as			
	per IS: 1868) transparent or dyed to required colour or			
	shade, with necessary screws etc. complete:			
17.1	250x10 mm	20	each	
17.2	200x10 mm	30	each	
17.3	150x10 mm	30	each	
18	Providing and fixing aluminium handles, ISI marked,			
	anodised (anodic coating not less than grade AC 10 as			
	per IS: 1868) transparent or dyed to required colour or			
	shade, with necessary screws etc. complete:			
18.1	125 mm	120	each	
19	Providing and fixing aluminium hanging floor door			
	stopper, ISI marked, anodised (anodic coating not less			
	than grade AC 10 as per IS: 1868) transparent or dyed			
	to required colour and shade, with necessary screws etc.			
40.1	complete.			
19.1	Single rubber stopper	111	each	
19.2	Twin rubber stopper	37	each	
20	Providing and fixing magnetic catcher of approved			
	quality in cupboard / ward robe shutters, including fixing			
	with necessary screws etc. complete.			
20.1	Triple strip vertical type	111	each	
20.2	Double strip (horizontal type)	195	each	

21	Providing and fiving DVC Door Frame of size 50v47			
41	Providing and fixing PVC Door Frame of size 50x47			
	mm with a wall thickness of 5 mm (\pm 0.2 mm), made out of single piece extruded PVC profile, with mitred cut			
	joints and joint with 2 nos of PVC bracket of size 190			
	mm x 100 mm long arms of cross section size 35 x 15			
	mm & self driven self taping screws, the vertical door			
	profiles to be reinforced with 40x20 mm M.S.			
	rectangular tube of 0.8 mm, including providing EPDM			
	rubber gasket weather seal throughout the frame,			
	including jointing 5 mm PVC frame strip with PVC			
	solvent cement on the back of the profile. The door frame			
	to be fixed to the wall using 8 x100 mm long anchor			
	fasteners complete, all as per manufacturer's			
	specification and direction of Engineer -in- charge.	165	m	
22	35 mm thick factory made Solid panel PVC Door			
	shutter, made out of single piece extruded soild PVC			
	profiles, 5 mm (± 0.2 mm) thick, having styles & rails			
	(except lock rail) of size 95 mmx 35 mm x 5 mm, out of			
	which 75 mm shall be flat and 20 mm shall be tapered			
	(on both side), having one side thickness of 15 mm			
	integrally extruded on the hinge side of the profile for			
	better screw holding power, including reinforcing with			
	MS tube of size 40 mm X 20 mm x 1 mm, joints of styles			
	& rails to be mitered cut & joint with the help of PVC			
	solvent cement, self driven self tapping screws & M.S.			
	rectangular pipes bracket of size 190 mm X 100 mm of			
	cross section size 35 mm x 17 mm x 1 mm at each corner.			
	Single piece extruded 5 mm thick solid PVC Lock rail of			
	size 115 mm x 35 mm, out of which 75 mm to be flat and			
	20 mm to be tapered at both ends, having 15 mm solid			
	core in middle of rail section integrally extruded, fixing			
	the styles & rails with the help of solvent and self driven			
	self tapping screws of 125 mm x 11 mm, including			
	providing 5 mm Single piece solid PVC extruded sheet			
	inserted in the door as panel, all complete as per			
	manufacturer's specification and direction of engineer			
	in- charge.			
22.1	Non decorative finish (matt finish)	51	sqm	
23	Providing and fixing bright /matt finished Stainless Steel			
	handles of approved quality & make with necessary			
	screws etc all complete.			
23.1	100 mm	230	each	
24	Providing and fixing stainless steel soft closing heavy			
	type telescopic drawer channels of approved make 500			
	mm long with screws etc. complete as per directions of		one	
	Engineer- in-charge.	185	set	
25	Providing and fixing T-iron frames/angle section/M.S.			
	Flat 50 x 4 mm for doors, windows and ventilators of			
	mild steel Tee-sections, joints mitred and welded,			
	including fixing of necessary butt hinges and screws and			
	applying a priming coat of approved steel primer.			

25.1	Fixing with 15x3 mm lugs 10 cm long embedded in			
	cement concrete block 15x10x10 cm of C.C. 1:3:6 (1			
	Cement: 3 coarse sand: 6 graded stone aggregate 20 mm			
	nominal size).			
		4310	kg	
26	Providing & fixing fly proof wire gauze to windows,			
	clerestory windows & doors with M.S. Flat 15x3 mm			
	and nuts & bolts complete.			
261	•			
26.1	Galvanised M.S. Wire gauze with 0.63 mm dia wire and			
	1.4 mm aperture on both sides			
		135	sqm	
27	Providing & fixing glass panes with putty and glazing			
	clips in steel doors, windows, clerestory windows, all			
	complete with:			
27.1	4.0 mm thick glass panes	76	sqm	
28	Providing and laying Ceramic glazed floor tiles of size			
	300x300 mm (thickness to be specified by the			
	manufacturer) of 1st quality conforming to IS: 15622 of			
	approved make in colours such as White, Ivory, Grey,			
	Fume Red Brown, laid on 20 mm thick cement mortar			
	1:4 (1 Cement : 4 Coarse sand), Jointing with grey			
	cement slurry @ 3.3 kg/sqm including pointing the joints			
	with white cement and matching pigment etc., complete.			
	with winter comment and matering premient etc., compreter	270		
20	TO 11 11 1 1 10 10 11 1 100 1	370	sqm	
29	Providing and laying vitrified floor tiles in different sizes			
	(thickness to be specified by the manufacturer) with			
	water absorption less than 0.08% and conforming to IS:			
	15622, of approved make, in all colours and shades, laid			
	on 20mm thick cement mortar 1:4 (1 cement : 4 coarse			
	sand), jointing with grey cement slurry @ 3.3 kg/ sqm			
	including grouting the joints with white cement and			
20.1	matching pigments etc., complete.			
29.1	Size of Tile 600x600 mm	1150	sqm	
30	Providing and laying Vitrified tiles in different sizes			
	(thickness to be specified by manufacturer), with water			
	absorption less than 0.08 % and conforming to I.S.			
	15622, of approved make, in all colours & shade, in			
	skirting, riser of steps, over 12 mm thick bed of cement			
	mortar 1:3 (1 cement: 3 coarse sand), jointing with grey			
	cement slurry @ 3.3 kg/sqm including grouting the joint			
	with white cement & matching pigments etc. complete.			
30.1	Size of Tile 600x600 mm	175	sqm	
	CEMENT PLASTER (IN FINE SAND)			
31	12 mm cement plaster of mix :			
31.1	1:4 (1 cement: 4 fine sand)	20	sqm	
32	15 mm cement plaster on the rough side of single or half		1	
	brick wall of mix:			
32.1	1:4 (1 cement: 4 fine sand)	10	0.077	
J#.1	CEMENT PLASTER (IN COARSE SAND)	10	sqm	
33	12 mm cement plaster of mix :			
33	12 mm cement plastel of mix.			

33.1	1:4 (1 cement: 4 fine sand)	20	sam	
34	15 mm cement plaster on the rough side of single or half	20	sqm	
34	brick wall of mix:			
34.1	1:4 (1 cement: 4 fine sand)	10		
35	· · ·	10	sqm	
35	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including			
	cutting the patch in proper shape, raking out joints and			
	preparing and plastering the surface of the walls			
	complete, including disposal of rubbish to the dumping			
	ground, all complete as per direction of Engineer-in-			
25.4	Charge.			
35.1	With cement mortar 1:4 (1 cement : 4 fine sand)	210	sqm	
36	Dismantling W.C. Pan of all sizes including disposal of			
	dismantled materials i/c malba all complete as per directions of Engineer-in-Charge.			
		30	each	
37	Hacking of CC flooring including cleaning for surface			
20	etc. complete as per direction of the Engineer-in-Charge.	1520	sqm	
38	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres			
	lead as per direction of Engineer - in - charge.			
20.1				
38.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	15	cum	
38.2	Nominal concrete 1:4:8 or leaner mix (i/c equivalent	13	cum	
30.2	design mix)	10	cum	
39	Demolishing R.C.C. work manually/ by mechanical			
	means including stacking of steel bars and disposal of			
	unserviceable material within 50 metres lead as per			
	direction of Engineer - in- charge.	5	cum	
40	Demolishing brick work manually/ by mechanical			
	means including stacking of serviceable material and			
	disposal of unserviceable material within 50 metres lead			
	as per direction of Engineer-in-charge.			
40.1	In cement mortar	12	cum	
41	Dismantling tile work in floors and roofs laid in cement			
	mortar including stacking material within 50 metres lead.			
41.1	For thickness of tiles 10 mm to 25 mm	1520	cam	
41.2	For thickness of tiles above 25 mm and up to 40 mm	83.5	sqm	
42	Providing and laying matt finished vitrified tile of size	03.3	sqm	
	300x300x9.8mm having with water absorption less than			
	0.5% and conforming to IS: 15622 of approved make in			
	all colours and shades in for outdoor floors such as			
	footpath, court yard, multi modals location etc., laid on			
	20mm thick base of cement mortar 1:4 (1 cement : 4			
	coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching			
	pigments etc. complete as per direction of Engineer-in-			
	Charge.	200	sqm	

43	Providing and fixing water closet squatting pan (Indian			
	type W.C. pan) with 100 mm sand cast Iron P or S trap,			
	10 litre low level white P.V.C. flushing cistern, including			
	flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and			
	fixtures complete, including cutting and making good			
	the walls and floors wherever required:			
43.1	White Vitreous china Orissa pattern W.C. pan of size			
	580x440 mm with integral type foot rests	20	each	
44	Providing and fixing white vitreous china pedestal type	20	Cacii	
	water closet (European type W.C. pan) with seat and lid,			
	10 litre low level white P.V.C. flushing cistern, including			
	flush pipe, with manually controlled device (handle			
	lever), conforming to IS: 7231, with all fittings and			
	fixtures complete, including cutting and making good			
44.1	the walls and floors wherever required:			
44.1	W.C. pan with ISI marked white solid plastic seat and lid.	14	anah	
45	Providing and fixing Stainless Steel A ISI 304 (18/8)	14	each	
43	kitchen sink as per IS:13983 with C.I. brackets and			
	stainless steel plug 40 mm, including painting of fittings			
	and brackets, cutting and making good the walls			
	wherever required:			
45.1	Kitchen sink without drain board			
45.1.1	610x460 mm bowl depth 200 mm	20	each	
46	Providing and fixing white vitreous china water closet			
	squatting pan (Indian type):			
46.1	Orissa pattern W.C. pan of size 580x440 mm	5	each	
47	Providing and fixing P.V.C. low level flushing cistern			
	with manually controlled device (handle lever)			
	conforming to IS: 7231, with all fittings and fixtures			
47.1	complete. 10 litre capacity - White	5	each	
48	Providing and fixing white vitreous china wash basin		Cacii	
40	including making all connections but excluding the cost			
	of fittings :			
48.1	Flat back wash basin of size 550x400 mm	25	each	
48.2	Flat back wash basin of size 450x300 mm	10	each	
49	Providing and fixing P.V.C. waste pipe for sink or wash			
	basin including P.V.C. waste fittings complete.			
49.1	Flexible pipe			
49.1.1	32 mm	50	each	
50	Providing and fixing 600x450 mm beveled edge mirror			
	of superior glass (of approved quality) complete with 6			
	mm thick hard board ground fixed to wooden cleats with			
	C.P. brass screws and washers complete.	40	each	
		. •		

		1	1	1
51	Providing and fixing 600x120x5 mm glass shelf with			
	edges round off, supported on anodised aluminium angle			
	frame with C.P. brass brackets and guard rail complete			
	fixed with 40 mm long screws, rawl plugs etc., complete.	40	each	
52	Providing and fixing Chlorinated Polyvinyl Chloride	40	Cacii	
32	(CPVC) pipes, having thermal stability for hot & cold			
	water supply, including all CPVC plain & brass threaded			
	fittings, i/c fixing the pipe with clamps at 1.00 m			
	spacing. This includes jointing of pipes & fittings with			
	one step CPVC solvent cement and the cost of cutting			
	±			
	chases and making good the same including testing of			
	joints complete as per direction of Engineer in Charge.			
	Concealed work, including cutting chases and making			
	good the walls etc.			
52.1	20 mm nominal dia Pipes	300	m	
53	Providing and fixing G.I. Pipes complete with G.I.			
	fittings and clamps, i/c making good the walls etc.			
	concealed pipe, including painting with anti corrosive			
	bitumastic paint, cutting chases and making good the			
	wall:			
53.1	15 mm dia nominal bore	50	m	
53.2	20 mm dia nominal bore	25	m	
54	Providing and fixing brass bib cock of approved quality			
	:			
54.1	15 mm nominal bore	20	each	
55	Providing and fixing brass stop cock of approved quality			
	:			
55.1	15 mm nominal bore	15	each	
56	Providing and fixing uplasticised PVC connection pipe			
	with brass unions:			
56.1	30 cm length			
56.1.1	15 mm nominal bore	100	each	
56.2	45 cm length	100	000011	
56.2.1	15 mm nominal bore	40	each	
57	Providing and fixing C.P. brass shower rose with 15 or	10	Cucii	
	20 mm inlet:			
57.1	100 mm diameter	20	00.01.	
57.1	150 mm diameter	20	each	
58	Providing and fixing C.P. brass bib cock of approved	5	each	
50	quality conforming to IS:8931:			
FO 4			_	
58.1	15 mm nominal bore	40	each	
59	Providing and fixing C.P. brass long body bib cock of			
	approved quality conforming to IS standards and			
	weighing not less than 690 gms.			
59.1	15 mm nominal bore	25	each	
60	Providing and fixing C.P. brass stop cock (concealed) of			
	standard design and of approved make conforming to			
	IS:8931.			

	T	1	1	1	
60.1	15 mm nominal bore	50	each		
61	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931				
61.1	15 mm nominal bore	100	each		
62	Providing and fixing C.P. Brass extension nipple (size				
	15mmx50mm) of approved make and quality as per				
	direction of Engineer-in-charge.	35	each		
63	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball.				
63.1	15 mm nominal bore, 105 mm long, weighing not less				
	than 138 gms	10	each		
64	Cutting holes up to 30x30 cm in walls including making good the same:				
64.1	With common burnt clay F.P.S. (non modular) bricks	15	each		
65	Making chases up to 7.5x7.5 cm in walls including				
	making good and finishing with matching surface after				
	housing G.I. pipe etc.	185	m		
66	Making hole up to 20x20 cm and embedding pipes up to 150 mm diameter in masonry and filling with cement concrete 1:3:6 (1 cement : 3 coarse sand: 6 graded stone				
	aggregate 20 mm nominal size) including disposal of	40			
	malba.	40	m		
67	Providing and fixing 18mm thick both side laminated (Colour to be approved by Engineer-in charge) HDHMR				
	(high density high moisture resistance) board of make				
	(Action Tesa / Greenply /century ply) in cup board				
	shutters, inside shelves, sides, back portion or in drawer				
	units etc. as per architectural drawings and site				
	requirement and complete as per direction of Engineer in				
	charge.	525	sqm		
68	Providing and fixing 2mm thick 16-19 mm wide PVC				
	edge banding tape of approved quality for cupboard /				
	wardrobe shutters including necessary hot glue by edge				
	banding machine etc complete as per direction of Engineer-in-charge.	3625	m		
69	Providing and fixing auto closing spring loaded hinges	3023	m		
	(hydraulic type) of Make- HETTICH/HAFELE to				
	cupboard shutters with full theaded steel screws				
	including making necessary recess in board and finished				
	etc. complete as per direction of Engineer-in-charge.	750			
		750	each		

		П	1	1	1
70	Providing and fixing Curtain/Drapery Rod with finials				
	and rings (28mm diameter Electric Resistance Welded				
	MS pipe having a currugated vigin PVC extrusion on it.				
	The finials and rings are made of ABS plastic in				
	matching colours with an option of golden finish) in				
	required position including curtain Brackets/ End				
	Knobs/ Pipe Holders etc. and including necessary				
	cutting, tightening/fixing as required complete as per				
	direction of Engineer-in-charge. (Make: Vista-Soffio-II				
	or equilent of MAC).				
	Note:- For payment purpose total end to end length of				
	rod including End Globe will be measured and no extra				
	payment will be made for Curtain Bracket, End Knob,	486	m		
71	Providing wood work in frames of curboard shutters and	400	m		
/1	Providing wood work in frames of cupboard shutters and other frames, wrought framed and fixed in position with				
	hold fast lugs or with dash fasteners of required dia &				
	length (hold fast lugs or dash fastener shall be paid for				
	separately) using:				
71.1	First class Marandi wood.	3.5	cum		
72	Providing and fixing glazed shutters for doors, windows	3.3	Culli		
	and clerestory windows using 4 mm thick float glass				
	panes, including ISI marked M.S. pressed butt hinges				
	bright finished of required size with necessary screws.				
72.1	•	40=			
72.1	With first class Marandi wood.	195	sqm		
73	Providing and fixing wire gauge shutters using				
	galvanized M.S. wire gauge of average width of aperture				
	1.4 mm in both directions with wire of dia 0.63 mm, for				
	doors, windows and clerestory windows with hinges and necessary screws. 35 mm thick shutters with ISI marked				
	M.S. pressed butt hinges bright finished of required size				
	141.5. pressed butt images bright finished of required size				
73.1	With first class Marandi wood.	195	sqm		
74	Providing and fixing Iron Three Lever Godown Lock Set				
	of approved quality with necessary screws etc. complete.	22	each		
	SUB HEAD B Electrical Installation				
75	Wiring for light point/ fan point/ exhaust fan point/ call				
	bell point with 1.5 sq.mm FRLS PVC insulated copper				
	conductor single core cable in surface / recessed steel				
	conduit, with modular switch, modular plate, suitable GI				
	box and earthing the point with 1.5 sq.mm. FRLS PVC				
	insulated copper conductor single core cable etc as				
85.4	required.				
75.1	Group A	624	Point		
75.2	Group B	58	Point		
76	Wiring for light/ power plug with 2X4 sq. mm FRLS				
	PVC insulated copper conductor single core cable in				
	surface/ recessed steel conduit along with 1 No 4 sq. mm				
	FRLS PVC insulated copper conductor single core cable	2500	Mater		
	for loop earthing as required.	3500	Metre		

	I		1	1	
77	Wiring for light/ power plug with 4X4 sq. mm FRLS				
	PVC insulated copper conductor single core cable in				
	surface/ recessed steel conduit along with 2 Nos 4 sq. mm				
	FRLS PVC insulated copper conductor single core cable	1100	34.		
=0	for loop earthing as required.	1100	Metre		
78	Wiring for circuit/ submain wiring along with earth wire				
	with the following sizes of FRLS PVC insulated copper				
	conductor, single core cable in surface/ recessed steel				
78.1	conduit as required	2000	3.6		
	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	2900	Metre		
78.2	2 X 4 sq. mm + 1 X 4 sq. mm earth wire	400	Metre		
78.3	2 X 10 sq. mm + 1 X 6 sq. mm earth wire	1150	Metre		
78.4	4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire	1170	Metre		
79	Supplying and drawing following sizes of FRLS PVC				
	insulated copper conductor, single core cable in the				
	existing surface/ recessed steel/ PVC conduit/ PVC				
50.1	truncking as required.	_			
79.1	3 x 2.5 sq. mm	60	Metre		
79.2	3 x 4 sq. mm	60	Metre		
79.3	6 x 4 sq. mm	60	Metre		
80	Supplying and fixing of following sizes of steel conduit				
	along with accessories in surface/recess including				
	painting in case of surface conduit, or cutting the wall				
	and making good the same in case of recessed conduit as				
00.1	required.	_			
80.1	25 mm	60	Metre		
80.2	32 mm	60	Metre		
81	Supplying and fixing of following sizes of medium class				
01	DITC 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
01	PVC conduit along with accessories in surface/recess				
01	including cutting the wall and making good the same in				
01					
81.1	including cutting the wall and making good the same in	70	Metre		
	including cutting the wall and making good the same in case of recessed conduit as required.				
81.1	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm	70 70	Metre Metre		
81.1 81.2	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm				
81.1 81.2	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket				
81.1 81.2 82	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.	70	Metre		
81.1 81.2 82 82.1	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch	70 320	Metre Each		
81.1 81.2 82 82.1 82.2	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch	70 320 40	Metre Each Each		
81.1 81.2 82 82.1 82.2 82.3	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet	320 40 300	Metre Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch	320 40 300 296	Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet	320 40 300 296 296	Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet	320 40 300 296 296 38	Each Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6 82.7	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet Bell push	320 40 300 296 296	Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet Bell push Supplying and fixing following size/ modules, GI/PVC	320 40 300 296 296 38	Each Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6 82.7	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet Bell push Supplying and fixing following size/ modules, GI/PVC box alongwith modular base & cover plate for modular	320 40 300 296 296 38	Each Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6 82.7	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet Bell push Supplying and fixing following size/ modules, GI/PVC	320 40 300 296 296 38	Each Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6 82.7	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet Bell push Supplying and fixing following size/ modules, GI/PVC box alongwith modular base & cover plate for modular	320 40 300 296 296 38	Each Each Each Each Each Each		
81.1 81.2 82 82.1 82.2 82.3 82.4 82.5 82.6 82.7	including cutting the wall and making good the same in case of recessed conduit as required. 20 mm 25 mm Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. 5/6 amp switch 2 way 5/6 amp switch 3 pin 5/6 amp socket outlet 15/16 amp switch 6 pin 15/16 amp socket outlet Telephone socket outlet/ jack outlet Bell push Supplying and fixing following size/ modules, GI/PVC box alongwith modular base & cover plate for modular switches in recess etc as required.	320 40 300 296 296 38 38	Each Each Each Each Each Each Each		

83.3	6 Module (200mmX75mm)	122	Each	
83.4	8 Module (125mmX125mm)	40	Each	
83.5	12 Module (200mmX150mm)	92	Each	
84	Supplying and fixing modular blanking plate on the	92	Lacii	
04	existing modular plate & switch box excluding modular			
	plate as required.	156	Each	
85	Supplying and fixing 3 pin, 5 A ceiling rose on the	100	2001	
	existing junction box/ wooden block including			
	connections etc. as required.	672	Each	
86	Supplying and fixing brass batten/ angle holder	072	Lacii	
	including connection etc. as required.	158	Each	
87	Supplying and fixing call bell/ buzzer suitable for single	138	Each	
07	phase, 230 V, complete as required.	20	ъ 1	
	1	38	Each	
88	Supplying and installation of Surface mounting LED			
	batten light fixture with energy efficient electronic driver with following features:- Suitable for operating voltage			
	and frequency: 130-300 Va.c, 50 Hz.; wattage 20 Watts;			
	Length 1200mm(+/-6%); Output lumens not less than			
	2000 lm; CCT 6500K; Nominal surge protection 2.5			
	kV;Power factor not less than 0.9, IP 54.	146	Each	
89	Supplying and installation of Surface mounting LED			
	batten light fixture with energy efficient electronic driver			
	with following features:- Suitable for operating voltage			
	and frequency: 130-300 Va.c, 50 Hz.; wattage 10 Watts;			
	Length 600mm(+/-6%); Output lumens not less than			
	1000 lm; CCT 6500K; Nominal surge protection 2.5	40	Each	
90	kV;Power factor not less than 0.9, IP 54. Supplying and installation of Surface wall mounting	40	Eacii	
70	bracket LED bulk head with energy efficient electronic			
	driver with following features:- Suitable for operating			
	voltage and frequency: 130-300 Va.c, 50 Hz.; wattage			
	10 Watts;Output lumens not less than 1000 lm; CCT			
	6500K; Nominal surge protection 2.5 kV; Power factor			
	not less than 0.9, IP 66.	40	Each	
91	Supplying and installation of Recess/Surface mounting			
	round LED luminaire equipped with die-cast aluminium			
	/ CRCA housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following			
	features:-Suitable for operating voltage and frequency:			
	130-300 Va.c, 50 Hz.; wattage not more than 12			
	Watts;Output lumens not less than 650 lm; CCT 6000K;			
	Nominal surge protection 2.5 kV;Power factor not less			
	than 0.9; Minimum IP protection 54;	40	Each	
92	Supplying, fixing, connecting, commissioning and			
	testing of the following luminaries light fixtures			
	complete with all accessories and without lamp as			
	required complete.			
92.1	Wall bracket fitting suitable for 9-20W LED B-22 Base	80	Each	
93	Supply and fixing and connecting & commissioning			
	following LED lamps in existing fitting as reqd.			
93.1	LED bulb 5W to 10 W	80	Each	

94	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush			
	Less Direct Current (BLDC) Motor, class of insulation:			
	B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies,			
	shackle kit, safety rope, copper winding, Power Factor			
	not less than 0.9, Service Value (CMM/W) minimum			
	6.85, Air delivery minimum 215 CMM, 350 RPM			
	(tolerance as per IS : 374- 2019), THD less than 10%, remote or electronic regulator unit for speed control and			
	all remaining accessories including safety pin, nut bolts,			
	washers, temperature rise=75 degree C (max.),			
	insulation resistance more than 2 mega ohm, suitable for			
	230 V, 50 Hz, single phase AC Supply, earthing etc.			
	complete as required.	116	Each	
95	Supplying and fixing two module stepped type			
	electronic fan regulator on the existing modular plate			
	switch box including connections but excluding modular plate etc. as required.	116	Each	
96	Providing and fixing M.S fan hook for ceiling fan	110	Lacii	
70	including digging in RCC & making good the same			
	complete as required.	30	Each	
97	Supplying and fixing following way, single pole and			
	neutral, sheet steel, MCB distribution board, 240 V, on			
	surface/ recess, complete with tinned copper bus bar,			
	neutral bus bar, earth bar, din bar, interconnections,			
	powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)			
97.1	12 way, Double door	34	Each	
97.2	16 way, Double door	2	Each	
98	Supplying and fixing 5 amps to 32 amps rating, 240/415		Laci	
	volts, "C" curve, miniature circuit breaker suitable for			
	inductive load of following poles in the existing MCB			
	DB complete with connections, testing and			
00.1	commissioning etc. as required.	4.40	-	
98.1	Single pole	440	Each	
98.2	Double pole	36	Each	
99	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit			
	breaker (RCCB), having a sensitivity current 300 mA in			
	the existing MCB DB			
	complete with connections, testing and commissioning			
	etc. as required.			
99.1	63 Amp	36	Each	
100	Supplying and fixing DP sheet steel enclosure on			
	surface/ recess along with 25/32amps 240 volts "C"			
	curve DP MCB complete with connections, testing and	26	E. I	
	commissioning etc. as required.	36	Each	

101	Supplying and fixing 20 A, 240 V, SPN Industrial type			
	socket outlet, with 2 pole and earth, metal enclosed plug			
	top alongwith 20 A "C" curve, SP, MCB, in sheet steel			
	enclosure, on surface or in recess, with chained metal			
	cover for the socket out let and complete with			
	connections, testing and commissioning etc. as required.	110		
105		110	Each	
102	Dismantling, disconnecting old damaged unserviceable			
	fl fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with	100		
105	bracket etc. as reqd.	100	Each	
103	Dismantling of switch / socket /regulator etc. with			
	wooden board as reqd.	200	Each	
104	Dismantling damaged DB/TPN Switches/ loose wire			
	boxes along with all accessories as req	34	Each	
105	Supplying and drawing telephone cable of 2 pair 0.5		Buch	
100	mm dia FRLS PVC insulated annealed copper			
	conductor, unarmored telephone cable in the existing			
	surface/ recessed steel/ PVC conduit as required.			
		500	Mtr.	
106	Supplying and fixing of RJ 45 input and output jack in			
	the existing plate including termination.	36	Each	
107	Supplying and fixing of 250 mm size exhaust fan			
	complete with suitable size louvers with all accessories			
	suitable for use on 230 V, 50 Hz supply in the existing			
	opening, including connection with 1.5 sq. mm FRLS			
	PVC insulated, copper conductor single/ multi core cable			
	and making good the damage, testing and			
	commissioning etc. as required.	72	Each	
108	Supplying and fixing of 300 mm size exhaust fan			
	complete with suitable size louvers with all accessories			
	suitable for use on 230 V, 50 Hz supply in the existing			
	opening, including connection with 1.5 sq. mm FRLS			
	PVC insulated, copper conductor single/ multi core cable			
	and making good the damage, testing and			
	commissioning etc. as required.	36	Each	
109	Supplying and drawing of UTP 4 pair CAT 6 LAN Cable			
	in the existing surface/ recessed Steel/ PVC conduit as			
4.0.5	required. 1 Pair	500	Metre	
110	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia			
	including accessories, and providing masonry enclosure			
	with cover plate having locking arrangement and			
	watering pipe etc. with charcoal/ coke and salt as	10	Б.	
111	required	12	Each	
111	Supplying and laying 25 mm X 5 mm G.I strip at 0.50			
	metre below ground as strip earth electrode, including			
	connection/ terminating with G.I. nut, bolt, spring,			
	washer etc. as required. (Jointing shall be done by			
	overlapping and with 2 sets of G.I. nut bolt & spring	0.0	3.44	
112	washer spaced at 50mm)	80	Mtr.	
112	Providing and fixing 6 SWG dia G.I. wire on surface or			
	in recess for loop earthing as required.	200	Mtr.	

113	Installation, testing and commissioning of pre-wired,			
	fluorescent fitting / compact fluorescent fitting of all			
	types, complete with all accessories and tube etc. directly			
	on ceiling/ wall, including connection with 1.5 sq. mm			
	FR PVC insulated, copper conductor, single core cable			
	and earthing etc. as required.	10	Each	
114	[] Less Credit for Dismantled Materials.(These are			
	tentative, may vary as per actual.)			
114.1	Less buyback of T5/ tube light etc. on as is where is			
	basis.	30	Nos.	
114.2	Less buyback of 5/15 Amp Switch etc. on as is where is			
	basis.	50	Nos.	
114.3	Less buyback of 5/15 Amp Socket etc. on as is where is			
	basis.	50	Nos.	
114.4	Less buyback of old aluminium wiring on as is where is			
	basis.	1	Lot.	
	TOTAL			

Special Conditions:

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- **2.** The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- **4.** Site shall be available as per directions of Engineer in Charge.
- **5.** Quoted rates of participating agencies shall be inclusive of GST.