Notice Inviting Tender

A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24. Sub Head: - Civil Maintenance Work.



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI (Works Department)

1 CORRECTION : NIL DELETION: NIL

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016 IITD/WORKS(SP-4288)/2023

INDEX

Name of work: - A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24.

Sub Head: - Civil Maintenance Work.

Sl. No.	Description	Page No.
1	Index	2
2.	Notice Inviting e-tender	3
3.	Part A	
	Information and instructions for bidders for e-tendering	4-7
	IITD-6 for e-Tendering and Terms & Conditions	8-22
	Integrity Pact	23-29
	Form of Earnest Money (Bank Guarantee)	30
	Performance Guarantee	31
	Form-F	32
	Annexure- I, II, III	33-35
4.	Part B	
	IITD 7/8 e-Tendering	36-38
	Schedule A-F	39-44
	Special Condition of Contract	45-46
	Guarantee Bond for Water Proofing	47-48
	List of Approved/Acceptable Make	49-52
	Online Bid Submission	53
5.	Part C	
	Schedule of Quantity	54-70

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 70.

Executive Engineer (CD-IV)

NIT approved for Rs. 3,24,87,859.00 (Rupees Three Crore Twenty Four Lakhs Eighty Seven Thousand Eight Hundred Fifty Nine only)

Institute Engineer

2 CORRECTION : NIL DELETION: NIL

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Notice Inviting e -Tender

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Percentage rate tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Composite/ Civil (B/B&R) Civil works for the following work:

NIT No.	:	09/IITD/EE(CD-IV)/2022-23.
Name of Work	:	A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at
		IIT Delhi during the year 2023-24.
Sub Head	:	Civil Maintenance Work.
Estimated cost	:	Rs. 3,24,87,859/-
Earnest Money	:	Rs. 6,49,757/-
Performance Guarantee	:	5% of Tendered value
Security Deposit	:	2.5% of Tendered Value
Warranty	:	1 Year for other work & 5 Years for water proofing work.
Period for completion	:	12 Months
Last date & time for	:	10/08/2023 upto15.00 Hrs.
submission of bids		
Date & Time of opening	:	11/08/2023 at 15.00 Hrs.
of Bids		

The bid forms and other details can be obtained from the website **wwww.iitd.ac.in or e-procure.gov.in** For more clarifications you may visit on above website.

> **Executive Engineer (CD-IV),** For & on Behalf of BOG, IIT Delhi

Budget Head: Operation And Maintenance Of Building Services/31.06.30 (2021/007/0119)

Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (C) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of uploaded documents at 3:00 PM on 11/08/2023 in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, IITD.

PART 'A'

INDIAN INSTITUTE OF TECHNOLOGY: DELHI HAUZ KHAS: NEW DELHI – 110016

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice)

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Percentage rate tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Composite/ Civil (B/B&R) Civil works for the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Tender Fees (in Rs.)	Time for Completion
1	09/IITD/EE(CD- IV)/2022-23.	Name of work: - A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24. Sub Head: - Civil Maintenance Work.	3,24,87,859/-	6,49,757/- (To be returned after deposition of PG)	1500/-	12 Months

Last date and time of submission of financial & Technical bid: - 10/08/2023 up to 3:00 pm (online)

Date and time of opening of Technical bid: - 11/08/2023 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 10 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- 2. Contractors who fulfil the following requirements shall be eligible to apply. Joint ventures are not accepted.

Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs. 2,59,91,000.00/-** or Two similar works each of value not less than **Rs. 1,94,93,000.00/-** or three similar works each of value not less than **Rs 1,29,96,000.00/-** during last 7 years ending previous day of last date of submission of bid.

- **3. Earnest money of Rs. 6,49,757/-** in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favour of **Registrar, I.I.T. Delhi**. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 4. Similar work shall mean Civil works.
- **5.** The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 6. Information and Instructions for bidders posted on website shall form part of bid document.

- 7. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/app.in
- **8.** Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- **9.** Work means only work under Government/ Central Public Sector Undertaking / State Public Sector under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- **10.** The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion to previous day of last date of submission of bid.
- **11.** IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- **12.** Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- **13.** The intending bidder must have valid class-III digital signature to submit the bid.
- **14.** On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- **15.** Contractor can upload documents in the form of JPG format and PDF format.
- **16.** Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- **17.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- **18.** In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of percentage rate and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- **19.** The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favour of **Registrar IIT Delhi** to be deposited with http://eprocure.gov.in/eprocure/app / NEFT facility.
- **20.** The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 21. The following undertaking in this regard shall be up-loaded by the intending bidders: "The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 22. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD uploaded within a week

physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.

- 23. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- **24.** When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.

25. The bid submitted shall become invalid if:

- a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.
- b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
- c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- d. The lowest bidder does not deposit physical EMD within a week of opening of tender.

e. The Bidder does not upload ESI & PF Registration.

- 26. Bid validity shall be 75 days from the last date of submission of bid.
- **27.** Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD/ Online submission of tender fee & refund of EMD other then lowest.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST if any.
- 5. Affidavit as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 21 on page No. 5' on firm's letter head.

The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.

- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. Tender Fee of Rs. 1500/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid.
- 11. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 12. Annexure-I (duly filled & signed by the bidders)

- 13. Annexure-II (duly filled & signed by the bidders)
- 14. Annexure-III (duly filled & signed by the bidders)

Note: - All Documents mentioned S.N-1 to 10 are mandatory for technically qualifying and document mentioned 11 to 14 are not mandatory.

Executive Engineer (CD-IV), For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016

Budget Head: Operation And Maintenance Of Building Services/31.06.30 (2021/007/0119)

Copy to: -

- 1. The Institute Engineer.
- 2. Executive Engineer (C) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of tenders on 11/08/2023 at 3:00 PM in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, IITD
- 8. NIT: Publicity on Website on Institute as well as on CPP portal <u>http://eprocure.gov.in</u> may be ensured as per instruction issued.
- 9. E-tendering Web. http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in

INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS: NEW DELHI – 110016 IITD-6 FOR e-TENDERING AND TERM & CONDITIONS

Percentage rate tender is invited on behalf of Board of Governors from contractors/firms engaged in the field of Civil work in appropriate category for the **work** as per tender notice.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- **1.1** The work is estimated to cost **as per tender notice** This estimate, however, is given merely as a rough guide.
- **1.2** Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- **3.** The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.

4. The site is available to start the work.

- **5.** Tender Fee of Rs. 1500/- in favour of IITD to be deposited in IITD Canara Bank or IITD SBI Bank & receipt copy to be scanned & uploaded in tender (technical bid) or this fees can be directly RTGS to Registrar IITD and its proof to be uploaded in technical bid.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- **9.** Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e-tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be

deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-IV), IIT Delhi, Hauz Khas, New Delhi**

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission: <u>http://eprocure.gov.in/eprocure/app</u>.

- **10.** The bid submitted shall become invalid if:
 - (i) The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.
 - (ii) The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
 - (v) The Bidder does not upload ESI & PF Registration.
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 5% (Five Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- **13.** Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

9 CORRECTION : NIL DELETION: NIL

- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- **15.** Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- **16.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.
- **18.** No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- 19. The tender for the works shall remain open for acceptance for a period of Seventy Five (75) days from the last date of submission of bid, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- **20.** This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form 7 or other Standard IITD Form as mentioned.
- **21.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-IV) IIT Delhi, Hauz Khas, New Delhi - 110016

Notice Inviting Tender

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 6,49,757/-
Warranty	As per Tender Notice, NIT & IITD form 7
Performance security	As per Tender Notice, NIT & IITD form 7

Documents Tender downloaded from Central Public Procurement Portal may be http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in eprocurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app . The portal enrolment is Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <u>http://eprocure.gov.in/eprocure/app</u> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

	Sc	hedule	
Name of Organization		Indian Institute of Technology, Delhi	
Tender Type (Open/Limited/EOI/Auction/Single)		Open	
Tender Category (Services/G	oods/works)	Works	
Type/Form of Contract (Wor Auction/Service/Buy/Empan		Works	
Product Category (Civil Wor Works/Fleet Management/ C		Civil works	
Source of Fund (Institute/Pro	ject)	Operation And Maintenance Of Building Services/31.06.30 (2021/007/0119)	
Is Multi Currency Allowed		No	
Date of Issue/Publishing		02/8/2023 (16.00 Hrs)	
Document Download/Sale St	art Date	02/8/2023 (16.00 Hrs)	
Document Download/Sale En	nd Date	10/08/2023 (15.00 Hrs)	
Date for Pre-Bid Conference		Nil	
Venue of Pre-Bid Conference	2		
Last Date and Time for Uplo	ading of Bids	10/08/2023 (15.00 Hrs)	
Date and Time of Opening of	f Technical Bids	11/08/2023 (15.00 Hrs)	
Tender Fee	Rs. 1500/-	(To be paid through RTGS/NEFT. IIT Delhi Bank	
EMD	Rs. 6,49,757/-	details are as under:Name of the Bank A/C : Registrar IIT DelhiSBI A/C No.: 10773572622Name of the Bank: State Bank of India, IITDelhi,Hauz Khas, New Delhi-110016IFSC Code: SBIN0001077MICR Code: 110002156Swift No.: SBININBB547(This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)or as per NIT/ Tender notice	
No. of Covers (1/2/3/4)		02	
Bid Validity days (180/120/90/75/60/30)		75 days (From the last date of submission of bid)	
Address for Communication		EE(CD-IV), MZ-129, Main Building, IIT Delhi	
Contact No.		011-26548714	
Fax No.		Nil	
Email Address		tripathiks@admin.iitd.ac.in	

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:<u>http://eprocure.gov.in/eprocure/app</u>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of

each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.

- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.3).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal <u>http://eprocure.gov.in/eprocure/app</u>. In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the esubmission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

Terms & Conditions Details

S.No.	Specification
1.	Due date : The tender has to be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate percentage bid rate for the items mentioned in the technical bid in the given format i.e BOQ_XXXX.
	OR
	Financial Bids to be submitted in Excel.
	The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
4.	Refund of EMD :- As per NIT
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 7
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.
7.	Pre-qualification criteria: - Mentioned in Tender notice
8.	Performance Security:-Mentioned in Tender notice
9.	Force Majeure :- As per IITD form 7
10.	Risk & Cost Clause : As per IITD form 7
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 7
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 7
13.	Prices: As per Tender Notice & NIT & IITD form 7
14.	Progress of Work : As per Tender Notice & NIT & IITD form 7
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 7
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 7
17.	Applicable Law: As per Tender Notice & NIT & IITD form 7
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 7
19.	Training : As per Tender Notice & NIT & IITD form 7
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 7
21.	Incidental services: As per Tender Notice & NIT & IITD form 7
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 7
23.	Governing Language : As per Tender Notice & NIT & IITD form 7
24.	Applicable Law : As per Tender Notice & NIT & IITD form 7
25.	Notices : As per Tender Notice & NIT & IITD form 7
26.	Taxes : As per Tender Notice & NIT & IITD form 7
27.	Termination for Default : As per Tender Notice & NIT & IITD form 7
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 7
29.	Completion certificate: As per Tender Notice & NIT & IITD form 7

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Document – 1			
	(Following do	ocuments to be provided as single PDF file)	
Sl. No.	Documents	Content	File Types
1.		Compliance Sheet as per Annexure – I	.PDF
2.		Organization Declaration Sheet as per Annexure – II	.PDF
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF
4.		Technical supporting documents in support of all claims made at Annexure-I.	.PDF
		Bid Document – 2	
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in Excel format.	.xls

IITD - 6 FOR e-TENDERING

INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

NOTICE INVITING TENDER

The Executive Engineer (CD-IV), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26548714) on behalf of Board of Governors invites online Percentage rate tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Composite/ Civil (B/B&R) Civil works for the following work of A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24. Sub Head: - Civil Maintenance Work.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
 - 1.1 The work is estimated to cost Rs. 3,24,87,859/- This estimate, however, is given merely as a rough guide.
- 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

Similar work shall mean Civil works.

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

IITD – 6 FOR e-TENDERING

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IITD Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- **3.** The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.

4. The site is available to start the work.

- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <u>www.iitd.ac.in</u> or e-procure.gov.in.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order.

The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- **9.** The contractor whose bid is accepted will be required to furnish **performance guarantee of 5%** (**Five Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed.

Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if

IITD - 6 FOR e-TENDERING

any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

- **10.** Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **12.** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- **13.** The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- **15.** No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- 16. The bid for the works shall remain open for acceptance for a period of Seventy Five (75). If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

IITD – 6 FOR e-TENDERING

IITD

- **17.** This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 10 days from the stipulated date of start of the work, sign the contract consisting of:-
- (a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- (b) Standard IITD Form -7/8 or other Standard IITD Form as mentioned.
- **18.** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.

19. For Composite Bid

19.1 The **Executive Engineer [CD-IV]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.

19.2 The bid document will include following three components: -

- **Part A-** IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2020 as corrected/modified upto date.
- **Part B** General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.
- **Part C :-** Schedule A to F for minor component of the work I.E. (Institute Engineer/EE Engineer-incharge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/ specific conditions, specifications and schedule of quantities applicable to minor component(s) of the work.
- **19.3** The bidder must associate himself, with experienced agencies of the appropriate class eligible of bid for each of the minor component individually.
- **19.4** The eligible bidders shall quote rated for all items of major component as well as for all items of minor component of work.
- **19.5** After acceptance of the bid by Competant authority, the **EE** [**CD-IV**] in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, After the work is awarded, the main contractor will have to enter into one agreement with **EE** [**CD-IV**] and has also to sign two or more copies of agreement.
- **19.6** Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- **19.7** Security Deposit will be worked out separately for each component corresponding to the estimated cost of the respective component of works. The Earnest Money will become part of security deposit of the major component of work.
- **19.8** The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-

charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).

- **19.9** In case the main contractor to change any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of Engineer-in-charge of minor component. The new agency/agencies shall also have agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- **19.10** The main contractor has to enter into agreement with contractor(s) associated by him for execution of minor components(s) work in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE [CD-IV] in charge of work. In case of change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- **19.11** Running payment for the major component shall be processed by EE [CD-IV] of major discipline to the main contractor.
- **19.12**A The work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 19.12B Final bill of whole work shall be finalized and paid by the EE [CD-IV] of major component.

To,

·····,

Subject:- NIT No. 09/IITD/EE(CD-IV)/2022-23 for the work of A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24. Sub Head: - Civil Maintenance Work.

Dear Sir,

It is here by declared that IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IITD.

Yours faithfully

Executive Engineer (CD-IV)

(To be signed by bidder and upload the scanned copy)

To,

Executive Engineer (CD-IV), IIT Delhi, Hauz Khas, New Delhi – 110016.

Subject: - Submission of Bid for the of A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24. Sub Head: - Civil Maintenance Work.

Dear Sir,

I/We acknowledge that IITD is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IITD. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, IITD shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of IITD.

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of..... 20.....

BETWEEN

The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (CD-IV) IIT Delhi.

....., (Hereinafter referred as the(Address of Division)

'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

WHEREAS the Principal / Owner has floated the Tender (NIT No.) (Hereinafter referred to as "**Tender/Bid**") and intends to award, under laid down organizational procedure, contract for

(Name of work)hereinafter referred to as the "Contract".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

IITD

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
- (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
- (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
- (c) The Principal/Owner shall endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- 1) It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or Coercion or Collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
- a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
- b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner as part of the business relationship, regarding plans, technical proposals and business details,

including information contained or transmitted electronically.

- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.

3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/subvendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, IITD.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium

members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.

- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/Owner)

(For and on behalf of Bidder/Contractor)

WITNESSES:

1.

(signature, name and address)

2. (signature, name and address)

Place:

Dated :

BANK GUARANTEE BOND

Form of Earnest Money Deposit Bank Guarantee Bond

KNOW ALL PEOPLE by these presents that we.....(name of bank) having our registered office at.....(hereinafter called "the Bank") are bound unto....

(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs.) for which payment well and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.

SEALED with the Common Seal of the said Bank thisday of 20....

THE CONDITIONS of this obligation are:

- (1) If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
- (2) If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
- (a) fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;

OR

(b) fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,

OR

(c) fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,

OR

(d) fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.

We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.

This Guarantee will remain in force up to and including the date* after the deadline for submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date. DATE

WITNESSSEAL

SIGNATURE OF THE BANK

(SIGNATURE, NAME AND ADDRESS)

*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

DELETION: NIL

PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 5% (Five percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv) In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

FORM "F" STRUCTURE & ORGANISATION

- 1. Name & Address of the bidder
- 2. Telephone no./ Telex no./ Fax no.
- 3. Legal status of the bidder (attach copies of original document defining the legal status)
 - a. An Individual
 - b. A proprietary firm
 - c. A firm in partnership
 - d. A limited company or Corporation
- 4. Particulars of registration with various Government Bodies (attach attested photocopy)

Organization/ Place of registration

Registration No.

- 1.
- 2.
- 3.

5. Name and tiles of Directors & Officers with designation to be concerned with this

work.....!

- 6. Designation of individuals authorized to act for the organization.....!
- 7. Has the bidder or any constituent partner in case of partnership firm, ever abandoned the awarded work before its completion? If so, give name of the project and reasons for abandonment......!
- 8. Has the bidder or any constituent partner in case of partnership firm, ever been debarred/ blacklisted for tendering in any organization at any time? If so, give details.....!
- 9. Past work experience in IIT Delhi will be considered in deciding the Technical bid.....!

Signature of Bidder(S)

COMPLIANCE SHEET

TECHNICAL SPECIFICATION:

S.No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 7	Compliance Y/N
1	Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	
2	Enlistment order of contractor.	
3	Certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
7	Undertaking as per page-5 / Sl. No. 21 ' on firm's letter head. "The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8	ESI & EPF registration.	
9	FORM "F" (Duly filled with all required details).	
10	Tender Fee of Rs. 1500/- to be deposited through RTGS to Registrar IIT Delhi as per detail given in schedule page-12 and its proof to be uploaded with technical bid	
11	Annexure-1 (Dully Filled & signed by the bidders)	
12	Annexure 2 (Dully Filled & signed by the bidders)	
13	Annexure 3 (Dully Filled & signed by the bidders)	
14	In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
15	Any other documents given in NIT	
16	BOQ	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

Signature of Bidder

Name: _____

Designation: _____

Organization Name: _____

Contact No. : _____

<< Organization Letter Head >> DECLARATION SHEET

We, _______hereby certify that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

This is certified that our organization has been registered as per Tender Notice & NIT & IITD form 7Tender.We further certified that our organization meets all the conditions of eligibility criteria laid down in this tender document.

We, further specifically certify that our	NAME & ADDRESS of the Vendor/ Manufacturer / Agent
organization has not been Black Listed/De	
Listed or put to any Holiday by any	
Institutional Agency/ Govt. Department/	
Public Sector Undertaking in the last three	
years.	
1. Phone	
2. Fax	
3. E-mail	As per Tender Notice & NIT
	-
4. Contact Person Name	
5. Mobile Number	
6. GST Number	
7. PAN Number	
8.(In case of on-line payment of Tender	
Fees) UTR No. (For Tender Fee)	
9.(In case of on-line payment of EMD)	
UTR No. (For EMD)	

(Signature of the Tenderer)

Name:

Seal of the Company

List of Govt. Organization/Deptt.

List of Government Organizati Tender Notice & NIT & IITD form		r has undertaken s	uch work As per
Name of the organization	Name of (Contact Person	Contact No.
As pe	r Tender No	otice & N	

Signature of Bidder

Name: _____ Designation: _____ Organization Name: _____

Contact No. : _____

PART 'B'

IITD – 7/8 e-TENDERING

IITD

INDIAN INSTITUTE OF TECHNOLOGY HAUZ KHAS, NEW DELHI - 110016

Percentage rate Tender & Contract for Civil Work

Tender for the work of: Name of work: - A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24. Sub Head: - Civil Maintenance Work.

(i) To be submitted by **as per tender notice** to

(ii)	To be opened in presence of bidders who may be present at as per tender notice
	in the office of D.R. (Store)
	Issued to
	Signature of officer issuing the documents
	Designation
	Date of Issue

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for Seventy Five (75) days from last date of submission of bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

IITD-7/8 e-TENDERING

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is
accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New
Delhi - 16 for a sum of
(Rupees
).
The letters referred to below shall form part of this contract agreement: -
(a)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi

Signature

Dated: Designation

PROFORMA OF SCHEDULES

SCHEDULES (A to F)

(For Civil Component)

SCHEDULE 'A'

Schedule of quantities for Civil work as attached.

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

S.No.	Description of item	Quantity	Rates in figures &	Place of	
			words at which the	issue	
			material will be		
			charged to the		
			contractor		
1	2	2	4		
1	2	3	4	5	
	NIL				

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue	
1	2	3	4	
NIL				

SCHEDULE 'D'

Extra schedule for specific requirement/document for the work, if any.

SCHEDULE 'E'

Reference to General Conditions of contract :

GCC for Maintenance work 2020 issued by CPWD along with correction slips/amendments issued upto last date of submission of bid.

Nil.

Name of V	Work	:	A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24.
Sub Head		:	Civil Maintenance Work.
Estimated	l cost of work:	:	Rs.3,24,87,859/-
Earnest M	Ioney:	:	Rs.6,49,757/-
Performar	nce Guarantee	:	5% of tendered Value
Security d	leposit	:	2.5 % of tendered value
SCHEDU	JLE 'F'		
GENERA	AL RULES & DIRECTIONS:		
1. Offi	icer inviting tender :		Executive Engineer [CD-IV]
items of which ra	num percentage for quantity of : work to be executed beyond tes are to be determined in ce with Clauses 12.2 & 12.5	1	Clause 12
Definition	ns:		
2(i)	Engineer-in-Charge	:	Executive Engineer [CD-IV]
2(ii)	Accepting Authority	:	Institute Engineer
2(iii)	Percentage on cost of materials and Labour to cover all overheads and profits:	:	15%
2(iv)	Standard Schedule of Rates:	:	: DSR 2021 for Civil works with 7 % cost index including 6% (multiplying factor 0.0633) additional GST with corrected up to last date of submission of bid & Market Rate.
2(v)	Department:		: Works department at I.I.T Delhi
2(vi)	Standard IITD Form & CPWD GCC	۲ fo	r Maintenance work 2020 modified & Corrected up

2(vi) Standard IITD Form & CPWD GCC for Maintenance work 2020, modified & Corrected up to last date of submission of bid.

Clause 1

(i)	Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	:	10 days
(ii)	Maximum allowable extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above,	:	5 days
	e 2 rity for fixing compensation clause 2:	:	Institute Engineer
Clause	e 5		
of let	ber of days from the date of issue tter of acceptance for reckoning of start:	:	10 days

MILE STONE CHART

SI. No.	Description of mile stone (financial terms)	Period for completion from date of start in	Withheld amount for non- achievement of
1	Completion of 10% of work done	days/months 1/4 th (of the whole work)	mile stone. In the event of not achieving
2	Completion of 48% of more done - N I L	= = = = = = = = = = = = = = = = = = =	the necessary
3	Completion of 75% of work done	whole work) 3/4 th (of the whole work)	progress as assessed from the running
4	Completion of 100% of work done	12 Months	payment, 1% of the Tender value of work will be withheld for failure of each milestone.

Allowed for execution of work

: 12 Months

Authority to decide:

(i) Extension of time

: Institute Engineer

ADDITION: NIL OVERWRITING: NIL 41 CORRECTION : NIL DELETION: NIL

(ii) Rescheduling of mile stones	:	Institute Engineer
(iii) Shifting of Date of start in case of delay in handing over of site	:	Institute Engineer
Clause 6	:	Applicable (Computerized MB)
Clause 7		
Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment:	:	Minimum Rs. 30.00 Lakhs
Clause -7A	:	As per Institute Policy
No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer- in-Charge		
Clause 10A		
List of testing equipment to be provided by the contractor at site lab	:	Not Applicable
Clause 10B	:	Not Applicable

Clause 10C

Component of labour expressed as percent of value of work: 25% for Civil work

:

Clause 10CA

Not Applicable

S.No.	Material Covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA* (July 2022)
1.	Cement		
2.	Cement		
3.	Reinforcement bars	Not Applic	able
4.	Structural steel		

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

Clause 11

Specifications to be followed for execution of work

CPWD specifications 2019 Vol I and Vol II for civil work with upto date correction slips & manufacturers Specifications upto the last date of bid submission/uploading of tender. Detailed nomenclature of items& specifications for market rate items as per Engineer-in-charge

Not Applicable

Clause 12

Type of wor	rk :	Maiı	ntenance/Upgradation work	
12.2&12.5	Deviation limit beyond which clauses 12 & 12.5 shall apply for building work	.2 :	100%	
12.5 (I)	Deviation Limit beyond which clauses 12 & 12.5 shall applicable for foundation work (Except items mentioned earthwork subhead of DSR and related items)	on in	100%	
12.5 (II)	Deviation Limit for Items in earth wor subhead of DSR and related items	rk :	100%	
Clause 16				
Competent Au	thority for deciding reduced rates	:	Institute Engineer	
Clause 18				
List of mandat	ory machinery tools & plants to As r	or ro	quirement	

:

List of mandatory machinery, tools & plants to : As per requirement be deployed by the contractor at site

Clause 32

Cost of Work (Rs. In Crore)	Requirement of T Staff Qualification	Sechnical	Minimum Experience (Years)	Designation	Rate at which recovery shall be made from the Contractor in the event of not fulfilling
More than 1.5 to 5 (For Civil Work)	Graduate Engineer or Diploma Engineer	1+1	2 or 5 respectively	Project Manager Cum planning/ Quality/ Site/ billing Engineer	Rs. 15,000/- per month per person

Requirement of Technical Staff(s) & Recovery Rate

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineers.

SPECIAL CONDITIONS

- 1.0 Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2.0 No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3.0 The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- 4.0 The work shall be carried out as per CPWD specifications for civil and electrical work with upto date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5.0 The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- 6.0 Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- 7.0 Articles manufactured by the reputed firms as per approved make list and as approved by Engineerin-charge shall only be used at work.
- 8.0 The sample of material required in the work brought at site shall be submitted prior technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- **9.0** The sample of material required for Testing shall be provided at free of cost by the contractor. All other expenditure to be incurred for taking sample, conveyance, packing and testing charges etc. shall be borne by the contractor.
- 10.0 The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer – in- Charge can modify the program and the contractors have to work accordingly.
- 11.0 The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- 12.0 No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13.0 Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour& material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- 14.0 The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- 15.0 The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD and all statutory approvals from local bodies shall be a sole responsibility of contractor.

- 16.0 The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 17.0 Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
- 18.0 Income tax and other taxes as applicable shall be deducted from the bills of contractor.
- 19.0 1% labour cess or as applicable will be deducted from the bills of contractor.
- 20.0 Water charges @1% (if applicable) and Electricity charges @0.50% (if applicable) of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- 21.0 Agency has to take proper safety major during the execution of work.
- 22.0 GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2020 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- 23.0 The contractor shall submit the programme of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- 24.0 Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- 25.0 GST shall be considered as inclusive in quoted rate of agency.
- 26.0 Electrical work will be executed only through the agency who is having valid electrical license and the copy of valid electrical license will be submitted before start of work.
- 27.0 The duration of the contract shall be one year further extended to monthly / quarterly / half yearly/ yearly and can be terminated even earlier by giving notice in writing on account of any of the following reasons:-
 - (i) On account unsatisfactory performance.
 - (ii) Breach of contract clauses.
 - (iii) Persistently neglect to carry out his obligations under the contract.

28.0 Specialized Work:

28.1. The following works are considered as specialized work.

(a) Water Proofing Treatment.

(b) Aluminum work.

- 28.2. The above specialized work shall be carried by specialized agencies/ agency on their own if they have experience of
 - (a) 03 similar work of 40% value of specialized work component of Tendered amount.
 - (b) 02 similar work of 60% value of specialized work component of Tendered amount.
 - (c) 01 similar work of 80% value of specialized work component of Tendered amount.

Integral Cement Based Water Proofing Treatment

- The brickbats shall be from well-burnt bricks. The proprietary waterproofing compound shall conform to IS: 2645-1975. Before execution of work, water proofing compound has to be brought to site from which random sample would be got tested and a certificate of it's conforming to IS Code should be produced. The proprietary waterproofing compound shall be added at the rate recommended by the specialized firm but not exceeding 8% (Eight percent) by weight of cement.
- 2) The finished surface after waterproofing treatment shall have minimum slope of 1 in 80. At no point shall the thickness of waterproofing treatment be less than 65mm.
- 3) While treatment of roof surface is done it shall be ensured that the outlet drain pipes have been fixed and mouths at the entrance have been added and rounded off properly for easy flow of water.
- 4) The surface where the waterproofing is to be done shall be thoroughly cleaned with wire brushes. All loose scales shall be removed and dusted off. The surface shall be treated with neat cement slurry admixed with proprietary water proofing compound to penetrate into crevices and fill up all the pores in the surface. This cement slurry shall be applied at the junction of parapet and terrace slab by injection process.
- 5) After the slurry coat is laid, layer of well burnt brick bats shall be laid in cement mortar of mix as specified by the specialist firm but not leaner than 1:5(1 cement: 5 coarse sand) admixed with proprietary water proofing compound to required gradient and joints filled to half the depth. The brick bat of various thickness shall be used to achieve the specified gradient. This layer shall be rounded at the junction with the parapet and tapered towards top for a height of 300 mm. Curing of this layer shall be done for three days.
- 6) After curing, the surface shall be applied with a coat of cement slurry admixed with proprietary water proofing compound.
- 7) Joints of brick bat layer shall be filled fully with cement mortar of mix as specified by the specialized firm but not leaner than 1:4 (1 cement: 4 coarse sand) admixed with proprietary waterproofing compound and finally top finished with average 20mm thick layer of same mortar and finished smooth with cement slurry admixed with proprietary water proofing compound. The finished surface shall have marking of 300 x 300 mm false squares to give the appearance of tiles.
- 8) Curing of water proofing treatment shall be done for a minimum of ten days.
- 9) The Measurement shall be taken along with the finished surface of treatment including the rounded and trap portion of junction of parapet wall.

FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

Whereas this agreement is supplementary to the contract (hereinafter called the Contract) dated...... made between the Guarantor of the one part and Govt. of the other part, whereby the contractor inter alia, undertook to render the Buildings and structures in the said contract recited completely water and leak proof.

And whereas the Guarantor agreed to give a guarantee to the effect that the said structure will remain waterproof for **Five years** to be reckoned from the date after the maintenance period prescribed in the contract expires.

During this period of guarantee the Guarantor shall make good all defects and for that matter, shall replace at his risk and cost such members as may be damaged by water and in case of any other defect being found he shall render the building waterproof at his cost to the satisfaction of the Engineer-in-Charge and shall commence the works of such rectification within seven days from the date of issuing notice from the Engineer-in-Charge calling upon him to rectify the defects failing which the work shall be got done by the Department by some other contractor at the Guarantor's cost and risk and in the latter case the decision of the Engineer-in-charge as to the cost, recoverable from the Guarantor shall be final and binding.

That if the Guarantor fails to execute the waterproofing or commits breaches hereunder then the Guarantor will indemnify principal and his successors against all loss, damage, cost, expense or otherwise which may be incurred by him by reason of any default on the part of the Guarantor in performance and observance of this supplemental agreement. As to the amount of loss and/or damage and/or cost incurred by the Government the decision of the Engineer-in-charge will be final and binding on the parties.

In witness whereof of these presents have been executed by the Obligor.....and by.....and on behalf of the BOG IIT Delhi on the day, month and year first above written.

SIGNED, SEALED and delivered by OBLIGOR in presence of-

- 1.
- 2.

SIGNED for and on behalf of BOG IIT Delhi by in the presence of-

1.

2.

Blanks to be filled by Contractor/EE(CD-IV)

S.NO	Description	Approved Makes
1	EWC seat covers	HINDWARE/ PARRYWARE/ CERA/ KEROVIT
2	C.P brass fittings/ Accessories	JAQUAR/ MARC/ KOHLAR /KEROVIT
3	PVC Seat Cover	PRAYAG/ POLYTUF/SHAKTI/ PEARL
4	PVC Fittings/ Accessories	PRAYAG/ PRIMA/SHAKTI/ PEARL
5	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/J.K/ BIRLA/ULTRA TECH/ VIKRAM
6	Cement (White)	J.K/ BIRLA
0	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY
_	Remoteement Steel	MINISTRY OF STEEL/ SECONDARY
7		MANUFACTURERS HAVING VALID BIS LICENSE (to
		be as per latest BIS provisions)
	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY
8		MINISTRY OF STEEL/ SECONDARY
		MANUFACTURERS HAVING VALID BIS LICENSE (to
9	Stainlage Steel (Crede 204)	be as per latest BIS provisions) JINDAL/ SAIL/ SALEM
9 10	Stainless Steel (Grade 304) Bricks	COMMERCIALLY AVAILABLE OR REQUIRED
10	DIICKS	STRENGTH
11	Aluminium Sections	HINDALCO/ JINDAL/ MAHAVIR
12	Flush doors	CENTURY/ MERINO/ DURO BOARD/ GREEN/ARCHID
12	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/ CENTURY
13	Glass	SAINT GOBAIN/ MODI FLOAT/ ASAHI FLOAT
15	Ceramic Glazed tiles/ Border tiles	1ST QUALITY KAJARIA/ NITCO/ JOHNSON/
10	Corumic Grazica area, Doraci area	ORIENT/ SOMANY
16	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY
17	Interlocking Precast paver blocks/ Kerb Stone	HINDUSTAN TILES/ SWASTIK/ DALAL/ KK
18	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASJ/ SUPREME
19	Stainless Steel Nuts/ Bolts/ Screws	KUNDAN/ PUJA/ ATUL/ GKW
20	Paint/ primer/ oil bound distemper/ Acrylic paint/	1ST QUALITY PAINTS OF ASIAN/ BERGER/
	plastic paint	NEROLAC/ SHALIMAR /DULUX
21	Water Proof Cement Paint/ Exterior Paint	1ST QUALITY PAINTS OF ASIAN PAINTS/ BERGER/
		NEROLAC/ SHALIMAR /DULUX
22	Sanitary ware (Vitreous China) (European Seats.	HINDWARE/ PARRYWARE/ CERA/ KEROVIT/
	Urinals, Wash Basins, etc.)	JAGUAR
23	G.I Pipes	TATA/ JINDAL(HISSAR/ BHUSHAN/ APL APPOLO
24	G.I Fittings	UNIK/ZOLOTO/AM
25	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)/ NIRALI
26	Commercial Board/ PLY	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
27	C.I Pipes/ Fittings	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF
28	C.I Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH
29	Floor Spring	DORMA/ GODREJ/ HAFELE/ GEZE/ OZONE
30	Door Closer	SANDHU/ HARDWIN/ DORMA/ GODREJ/ HAFELE/
		GEZE/ OZONE
31	Mirror	ATUL/ MODIGUARD / SAINT GOBAIN/ AASHI
32	Vertical Blinds	VISTA/ MAC/ MARVEL DECOR/ SAINT GOBAIN
33	False Ceiling	/DECK DÉCOR ARMSTRONG/ SAINT GOBAIN/ META WORTH
34	Water proofing compound Particle Board	SIKA/ FOSROC/ PIDILITE/ ASIAN/ BASF/CICO
35	Adhesive	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
36	Adhesive	FEVICOL/ VAMICOL/ DUNLOP/ VAM ORGANIC/ KAJARIA
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLENDURA/CICO
38	Wall Putty	BIRLA/JK/ SARA
39	Epoxy Grout	BALLENDURA/ KERAKOLL/ FERROUSCRETE
40	P.VC Water storage tank [ISI marked)	SINTEX/ UNI PLAST/ POLYWELL
+0	1. V V aler storage tallk [151 marked)	SHVIEA/ UNITEAST/ FUET WELL

LIST OF APPROVED MAKES FOR CIVIL & ELECTRICAL WORKS

4.1	PVC insulated Water storage tank Heavy Duty 4/5	SINTEX/ UNIPLAST/ POLYWELL/ EURO
41	layer	
42	Brass Ball Valve/ Gate Valve/ Float Valve/ Butterfly valve	ZOLOTO/ AM/ LEADER/ SANT
43	Aluminium Door fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic paint	CBM/ CMS/ S.N INDUSTRIES
46	Plaster of Paris Putty	ADHASHREE/ SHREE RAM/ J.K/ BIRLA
47	RCC Pipe	LAKSHMI/ SOOD & SOOD/ JAIN & Co./ DIWAN SPUN PIPES
48	PVC Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	KAKTUS/ ZEP/ E- PACK/ LLOYD
50	WPC Board and MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self- Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN/ POLYGAL/TUFLITE
54	ACP Panel	ALSTRONG / ALUCOBOND / EUROBOND/ ALUDECOR
55	Acoustic Wooden/Fabric Paneling	ARMSTRONG/ ANUTONE/ CREDENCE/ TOPAKUSTIK
56	Polyvinyl Flooring	ARMSTRONG/ POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR/ 3M/ DARK EYE/ EVERY DENNISON
58	Laminate Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation (Mineral/ rock wool)	UP TIWAGA LTD/ ROCKWOOL IND./ F.G.P.
61	Fire Door	NAVAIR/ SHAKTI/ RADIANT /SIGNUM/ PROMAT
62	Flush door Shutters of various thickness	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
63	Open cell false ceiling	ARMSTRONG /CREDENCE /HUNTER DOUGLAS
64	Calcium silicate false ceiling	AEROLITE, RAMCO, HILUX, USG BORAL
65	Gypsum Board	GYPROC BY SAINT GOBAIN, USG BORAL, ARMSTRONG
66	Fibre Cement Board	EVEREST/ USG BORAL / VISAKA
67	CPVC Pipe Fitting & Solvent	SUPREME/ ASTRAL/ ASHIRWAD / PRINCE/ PRAKASH
68	UPVC Pipes & Fittings	SFMC / SUPREME/ FINOLEX
69	UPVC Window	FENESTA/ REHAU/ ENCRAFT/ (NCL Wintech)/ SAINT GOBAIN
70	Friction Stay Hinges	EARL- BIHARI/ EBCO/HETTICH
71	M.S Pipes	JINDAL/ APPOLO/ SWASTIK/ TATA/ SURYA
72	Gypsum Plaster	FERROUS CRETE [FERRO-500)/ GYPROC (ELITE-100/ KERAKOL (K-100)
73	GRC Wall Tile/ Jali	UNISTONE/ DALAL/ SWASTIK ALWAR/ ULTRA
74	HDMR Board	CENTURY/ GREEN/ ACTION TESSA
75	High Pressure Laminate [HPL]	CENTURY/ GREEN/ MERINO/ TRESPA/ FUNDERMAX
76	Anchor Fastener [Mechanical/ Chemical)	HILTI/ MUNGO/CANON/ FISCHER/ WUERTH
77	Cupboard Lock	PLAZA/ GODREJ/ HETTICH/ HAFLEY
78	Rust remover/ Rust converting primer /paint	FOSROC/ SIKA/ BASF/ PIDILITE
79	polymer based zinc rich primer	FOSROC/ SIKA/ BASF/ PIDILITE
80	anticorrosive paint	FOSROC/ SIKA/ BASF/ PIDILITE
81	Concrete penetrating HI-TECH Corrosion inhibitor	FOSROC/ SIKA/ BASF/ PIDILITE
82	Thixotropic Epoxy repair mortar	FOSROC/ SIKA/ BASF/ PIDILITE
83	Latex/ SBR Polymer Compound	FOSROC/ SIKA/ BASF/ PIDILITE
84	Low viscous epoxy resin grout	FOSROC/ SIKA/ BASF/ PIDILITE
85	Epoxy resin for Concrete bond coat	FOSROC/ SIKA/ BASF/ PIDILITE
86	Pre-batched non-shrink polymer modified mortar	FOSROC/ SIKA/ BASF/ PIDILITE
87	Pre-batched Pre Mixed Non- Shrink Micro Concrete	FOSROC/ SIKA/ BASF/ PIDILITE
88	Pre-batched Pre Mixed Non- metallic composite fiber wrapping system	FOSROC/ SIKA/ BASF/ PIDILITE

89	Epoxy for rebar/shear anchor	FOSROC/ SIKA/ BASF/ HILTI		
90	Modular kitchen basket and accessories (SS-304	HETTICH/ KITCH/ PLUM /PECOCK		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Grade)			
91	Manhole cover /Grating	KK MANHOLE/ DALAL/ SWASTIK/ HINDUSTAN		
92	laminate wooden flooring	VISTA/ ARMSTRONG/ ACTION TESSA		
93	Engineered wood Flooring	PERGO / JUNKERS/ BOEN / SQUARFOOT		
94	SS Pipe (304 grade) FOR WATER SUPLY	JINDAL/ TATA/ ALFA PRESS/ VIEGA		
95	Epoxy flooring	FOSROC/ SIKA/ BASF		
	FURNITURE			
	Work Station	GODREJ INTERIO/ HAWORTH/ STEEL CASE/		
96		WIPRO/ FEATHERLITE/ HERMAN MLLER		
.	Executive Table/ other table	GOOREJ INTERIO/ HAWORTH/ STEEL CASE/		
97		WIPRO/ FEATHERLITE/ HERMAN MLLER		
98	Chair/ Audi Chair	GODREJ INTERIO/ HAWORTH/ STEEL CASE/		
		WIPRO/ FEATHERLITE/ HERMAN MLLER		
99	Lab Furniture's	KEWANEE/ WALDNER/ GODREJ/ WIPRO/		
		FEATHERLITE		
100	Hostel beds and cots	ZUARI / EVOK / GODREJ / WIPRO/ FEATHERLITE		
101	Hospital beds	HUNTLEY/ STRIKER /GODREJ /WIPRO		
		/FEATHERLITE		
102		ERLIZATION / SPECIAL LAB FURNITURE		
102	Clean room Wall, Ceiling panel, coving Clean room Garment cabinet, shoe rack	IClean/ Nicomac/ Clestra/ Channel Systems		
103		IClean/ Kleainzaids/ Channel Systems		
104	Clean room Doors, Return air riser	IClean/ Nicomac/ Clestra/ Channel Systems		
105	Pass box, Air Shower	IClean/ Kleainzaids / Channel Systems		
106	Utility Gas piping valves and Fittings (for clean room]	Shavo Technologies/ Excel Gas/ GDS STARLING/ Broen/ Ratnamani		
107	Utility Gas Pipe SS 304 Seamless (for clean room]	Excel Gas/ Scoda / Venus/ Dockweller		
108	SS 316 L Electo polished tubing	Dockweller / Valex/ Sandvik/ Ratnamani		
109	Chilled water pump	Grundfos/ KBL/ Beacon/ Wilo		
110	Insulation for pipe and valves	Armaflex/ K Flex/ A flex/ Supreme		
111	Auto Air vent, Y strainer	Anergy / Zoloto / Lehry		
112	3 way modulating valve, Flow switch	Siemens/ Honeywell		
113	Humidistat, Thermostat, DP Sensor	Siemens/ Honeywell		
114	Magnehalic gauge	Dwyer/ Sensocon / Micro precision		
115	Temperature Pressure gauge	H Guru / Wika / Febig		
116	Pre Insulated Ducting	RR Engineers/ Asawa / Paul		
117	Thermal Insulation for GI ducting	Supreme/K. Flex/A Flex/ Armaflex		
118	HEPA Filters, HEPA terminal. BIBO unit	AAF/Camfil/ Thermadyne / Mechmaark		
119	Building Management System	Honeybell / Siemens/ Johnson		
120	Biometric Access System	Siemens/ Vantage/ ExcelLex		
121	Door Interlock	Honeywell/Vantage/ Drishti / Ozone		
122	Thyristor Heater	KEPL/ Intercool/ Rapid Cool		
123	Compressed Dry Air (Oil free type)	Atlas Copco/ Chicago Pneumatics Ingersol Rand/ Elgi		
124	Antivibration mounting	Resistoflex/ Gerb / Polybond		
125	Variable Frequency Drive	ABB/ Danfos / Fuji		
126	Lab Casework	Kewaunee/GO-Waldner/Godrej/Citizen/ Lab India / lab guard		
127	Fume Hoods	Kewaunee/GO-Waldner/Godrej/Citizen/ Lab India / lab guard		
128	Utility Valves	Broen/Water Saver/FAR		
129	VAV Controls	TEL		
130	Spot Extractor	Fumex/ Alsident		
131	Exaust blower	Colasit/ Plastifier/ Seat		
132	Acid storage	Kewaunee/ Justrite/ Asecos		
133	Solvent storage [FM)	Kewaunee/ Justrite/ Asecos		
134	Chemical storages	Kewaunee/GD-Waldner/Godrej/Citizen		
135	Document Storages	Kewaunee/GD-Waldner/Godrej/Citizen/ Lab India / lab guard		

136	Bio safety cabinet	Kewaunee/ Klenzaids/ Esco/ Fisher
137	Laminar air flow	Kewaunee/ Klenzaids/ Esco/ Fisher
138	Laboratory chairs (SS]	Kewaunee/GD-Waldner/Godrej/Citizen
139	Lab Stools [SS)	Kewaunee/ Godrej/ Citizen/ Filtotech/ Universal
	Electrical	
140	MCB(10KA) & MCB DB	Legrand /Havells/ Siemens/ Standard/Crompton/ L&T / GM/ C&S
141	МССВ	Legrand /Havells/ Siemens/Crompton/ L&T / C&S/ GE Power Control
142	MCCB BOX	Legrand /Havells/ Siemens/Crompton/ L&T / C&S/ GE Power Control
143	Modular type switch/ socket, TV socket,	Havells Crabtree / L&T/ MDS/ Wipro North West/ Legrand/GM / Polycab/ Schneider
144	Steel conduit pipe and Accessories (ISI)	BEC/ AKG/ NIC
145	PVC conduit pipe and Accessories(ISI)	BEC/ AKG/ NIC
146	Junction Boxes/ MS Boxes	Havells Crabtree / Anchor / North West / Legrand
147	Bushes	PVC/ Nylon
148	FRLS PVC insulated copper conductor cable	Polycab / Finolex / Havells/ KEI
149	Light Fixture	Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix
150	Ceiling Fans (Double ball bearing) & Wall Fan	Havells/ Atomberg/ Bajaj/ Usha/ Orient/ Halonix.
151	Exhaust Fan (Double Ball Bearing)	Crompton Greaves / GE / Almonard / Usha/ Havells/ Orient
152	Industrial type socket	Schneider / L&T/ ABB / Legrand
153	DLP U-PVC channel & accessories	Schneider / Legrand
154	Modular Plate & Cover Plate	Havells Crabtree / L&T/ MDS/ Wipro North West/ Legrand/GM / Polycab/ Schneider
155	Distribution Board	Legrand /Havells/ Siemens/ Standard/Crompton/ L&T / GM/ C&S
156	XLPE Aluminum/ Copper conductor Armored cable	Havells/ Gloster/ Polycab/ RR kabel/ KEI/ Universal
157	Multifunction Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
158	Ammeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
159	Voltmeter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
160	Frequency Meter	L&T/ AE/ Universal/ ABB/ Siemens/ Kirloskar
161	CT's	L&T/AE/ KAPPA/ Pragati
162	Selector Switches	L&T/AE/ KAPPA/ Pragati
163	Contractors	L&T/ GR power controls/ Crompton/ Havells/ Legrand
164	Push button & Pilor lamps	L&T/ Vishnoo/ BCH
165	LED indicating Lights	L&T/ Siemens/ Kaycee/ Crompton/ Vaishno
166	GI Pipe	Jindal Steel/ Jindal Hisar
167	DW HDPE Pipe	Reliance/ Duraline/ Hasti
168	LED Lights	Philips/ Panasonic/ Bajaj/ Osram/ Havells/ Halonix
169	Panel Manufacturers (Panel Shall be CPRI approved)	Eva engineering/Milestone/Tricolite/Edlac/ L&T
170	Cat 6 LAN Cable	D-Link
171	AC	As per BOQ

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all resp	pect) must be uploaded online in two Envelops as exp	plained below: -

	(Followin	g documents to be provided as single PDF file)	
Sl. No.	Documents	Content	File Types
1.	Technical Bid	Demand Draft/Pay order or Banker's Cheque /Deposit at	.PDF
		Call Receipt/FDR of any Scheduled Bank against EMD.	
2.		Enlistment order of contractor.	.PDF
3.		Attested certificate of work experience.	.PDF
4.		Certificate of Registration of GST and acknowledgment of up to date field return of GST.	.PDF
5.		Affidavit as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Affidavit shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit.).	.PDF
6.		Acceptance to execute INTEGRITY PACT.	.PDF
7.		Undertaking as per on firm's letter head.	.PDF
		"the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8.		ESI and EPF Registration.	PDF
9.		FORM "F" (Duly filled with all required details	.PDF
10.		Proof of tender fees	.PDF
11		In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	PDF
12		Annexure-I (duly filled & signed by the bidders)	PDF
13		Annexure-II (duly filled & signed by the bidders)	PDF
14		Annexure-III (duly filled & signed by the bidders)	PDF
15		Any other documents specified in NIT	PDF
		Envelope – 2	
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

All above documents shall be as per Tender Notice.

PART 'C'

SCHEDULE OF QUANTITY

Name of work: - A.R. & M.O. to Buildings in Boys Hostel Maintenance Area at IIT Delhi during the year 2023-24.

Sub Head: -Civil Maintenance Work.

SLNo	Description	Qty	Unit	Rate	Amount
1	Carriage of Materials				
1.1	By Mechanical Transport including loading, unloading and stacking				
1.1.1	Disposal of moorum/building rubbish/ malba/ similar unserviceable, dismantled or waste material by mechanical transport including loading, transporting, unloading to approved municipal dumping ground for lead upto 10 km for all lifts, complete as per directions of Engineer-in-charge.	100	cum	411.30	41130.00
	Sub-Total				41130.00
2	EARTH WORK				
2.1	Supplying chemical emulsion in sealed containers including delivery as specified.				
2.1.1	Chlorpyriphos emulsifiable concentrate of 20%	200	litre	200.90	40180.00
2.2	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti-termite treatment (excluding the cost of chemical emulsion):				
2.2.1	Treatment at points of contact of wood work by chemical emulsion Chlorpyriphos (in oil or kerosene based solution) @ 0.5 litres per hole by drilling 6 mm dia holes at downward angle of 45 degree at 150 mm centre to	200	metre	257.55	51510.00
	centre and sealing the same. Sub-Total	200	mette	237.33	91690.00
3	CEMENT CONCRETE (CAST IN SITU)				91090.00
3.1	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :				
3.1.1	1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	15	cum	7365.15	110477.00
3.1.2	1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)				
	Sub Total	15	cum	6326.05	94891.00
	Sub-Total				205368.00

4	REINFORCED CEMENT CONCRETE				
4.1	Reinforced cement concrete work in walls				
4.1	(any thickness), including attached pilasters,				
	buttresses, plinth and string courses, fillets,				
	columns, pillars, piers, abutments, posts and				
	struts etc. above plinth level up to floor five level, excluding cost of centering,				
4 1 1	shuttering, finishing and reinforcement :				
4.1.1	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III)				
	derived from natural sources : 3 graded				
	stone aggregate 20 mm nominal size derived from natural sources)	5	011100	10185.05	50925.00
4.2	Reinforced cement concrete work in beams,	5	cum	10185.05	30923.00
4.2					
	suspended floors, roofs having slope up to				
	15° landings, balconies, shelves, chajjas,				
	lintels, bands, plain window sills, staircases				
	and spiral stair cases above plinth level up to				
	floor five level, excluding the cost of				
	centering, shuttering, finishing and				
	reinforcement with 1:1.5:3 (1 cement : 1.5				
	coarse sand(zone-III) derived from natural				
	sources : 3 graded stone aggregate 20 mm	F		10710.20	52507.00
4.2	nominal size derived from natural sources).	5	cum	10719.30	53597.00
4.3	Centering and shuttering including strutting,				
	propping etc. and removal of form for				
4.3.1	Suspended floors, roofs, landings, balconies				
	and access platform	80	sqm	766.55	61324.00
4.3.2	Lintels, beams, plinth beams, girders,				
	bressumers and cantilevers	80	sqm	608.35	48668.00
4.3.3	Columns, Pillars, Piers, Abutments, Posts				
	and Struts	40	sqm	804.25	32170.00
4.4	Steel reinforcement for R.C.C. work				
	including straightening, cutting, bending,				
	placing in position and binding all complete				
	above plinth level.				
4.4.1	Thermo-Mechanically Treated bars of grade				
	Fe-500D or more.	200	kg	89.65	17930.00
	Sub-Total		6		264614.00
5	MASONRY WORK				201017.00
5.1	Brick work with common burnt clay F.P.S.				
5.1	(non modular) bricks of class designation				
	7.5 in foundation and plinth in:				
5.1.1	Cement mortar 1:6 (1 cement : 6 coarse				
J.1.1	sand)	10	01177	6658.25	66583.00
5.2	· · · · · · · · · · · · · · · · · · ·	10	cum	0030.23	00363.00
5.2	Brick work with common burnt clay F.P.S.				
	(non modular) bricks of class designation				
	7.5 in superstructure above plinth level up to				
501	floor V level in all shapes and sizes in :				
5.2.1	Cement mortar 1:6 (1 cement : 6 coarse	1 7		0000.05	104005.00
	sand)	15	cum	8288.35	124325.00

5.3	Holf brief magoner with common burnt alor]
5.5	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class				
	designation 7.5 in superstructure above				
	plinth level up to floor V level.				
5.3.1	Cement mortar 1:4 (1 cement :4 coarse sand)	25	sqm	1018.05	25451.00
5.4	Extra for providing and placing in position 2				
	Nos 6mm dia. M.S. bars at every third				
	course of half brick masonry.	25	sqm	86.45	2161.00
	Sub-Total				218520.00
6	CLADDING WORK				
6.1	Providing and fixing 18 mm thick gang saw				
	cut, mirror polished, premoulded and				
	prepolished, machine cut for kitchen				
	platforms, vanity counters, window sills,				
	facias and similar locations of required size, approved shade, colour and texture laid over				
	20 mm thick base cement mortar 1:4 (1				
	cement : 4 coarse sand), joints treated with				
	white cement, mixed with matching				
	pigment, epoxy touch ups, including				
	rubbing, curing, moulding and polishing of				
	edges to give high gloss finish etc. complete				
	at all levels.				
6.1.1	Granite stone slab of colour black,				
	Cherry/Ruby red				
6.1.1.1	Area of slab upto 0.50 sqm	30	sqm	4679.35	140381.00
6.2	Providing edge moulding to 18 mm thick				
	marble stone counters, Vanities etc.,				
	including machine polishing to edge to give				
	high gloss finish etc. complete as per design				
(01	approved by Engineer-in-Charge.				
6.2.1	Granite work	50	metre	418.85	20943.00
6.3	Extra for providing opening of required size				
	& shape for wash basin/ kitchen sink in				
	kitchen platform, vanity counter and similar location in marble/ Granite/ stone work,				
	including necessary holes for pillar taps etc.				
	including moulding, rubbing and polishing				
	of cut edges etc. complete.	15	each	808.15	12122.00
6.4	Mirror polishing on marble work/Granite	10		000.15	12122.00
	work/stone work where ever required to give				
	high gloss finish complete.	500		117 60	200000
		500	sqm	417.60	208800.00

6.5	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in				
	white cement mixed with pigment of matching shade complete.	300	sam	1063.45	319035.00
	Sub-Total	300	sqm	1003.43	701281.00
7	WOOD AND P. V. C. WORK				701281.00
7.1	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :				
7.1.1	300x16 mm	40	each	260.30	10412.00
7.1.2	250x16 mm	40	each	234.90	9396.00
7.2	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
7.2.1	200x10 mm	40	each	90.80	3632.00
7.2.2	150x10 mm	40	each	75.55	3022.00
7.2.3	100x10 mm	40	each	58.65	2346.00
7.3	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
7.3.1	125 mm	40	each	60.05	2402.00
7.3.2	100 mm	40	each	53.25	2130.00
7.4	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
7.4.1	Twin rubber stopper	50	each	62.25	3113.00

7.5	Providing and fixing factory made door				
	frame (single rebate) made out of solid				
	foam PVC extruded profile of minimum				
	60mm width and minimum 30 mm				
	thickness, having homogenous fine cellular				
	structure and integral smooth outer skin.				
	The frame's vertical and horizontal				
	members to be mitered cut and joined				
	together with PVC solvent adhesive /				
	cement and both corners strengthened				
	with fully threaded steel screws (of				
	required size) fixed diagonally. The door				
	frame is to be fixed to door jambs using 6				
	Nos. SS 304 grade minimum 8 mm dia				
	CSK Phillips stainless steel self tapping				
	screws/fasteners with PA6 grade				
	polyamide sleeves both of required				
	size, and gap if any between the door frame				
	and the jamb must be filled with				
	clear silicon, complete as per direction				
	of the Engineer-in- Charge.	204	metre	614.00	125256.00
7.6	Providing and fixing factory made PVC	204	mette	014.00	123230.00
7.0	door shutter made of solid foam PVC				
	profiles of thikness 5mm and 15mm at edges				
	integrally extruded for vertical style and				
	horizontal (top/ bottom/ lock) rails of				
	minimum cross section of 70mmx 28mm,				
	of shape and design as per				
	manufacturer's specifications having				
	homogenous fne cellular structure and				
	smooth integral outer skin, inserted with G.I.				
	'C section/ rectangular tube profile of				
	minimum 0.30mm thickness with 120 gsm				
	coating as stiffeners as per manufacturer's				
	specifications Mitred cut joints for styles				
	and rails provided with telescopic polymeric				
	'L' corners are jointed together using solvent				
	adhesive and strenghtened with fully				
	threaded stainless steel screws (of required				
	size) through reinforced stitfener with				
	paneling of specified solid foam PVC board/				
	high pressure laminate of required thickness				
	and of approved design and shade (matching				
	the styles and rails), secured within styles				
	and rails with specially designed solid				
	foam PVC moulded beadings of required				
	size using PVC solvent adhesive/ cement.				
	The fnished door shutter including SS				
	hardware, 1 no. ss sliding bolt 200 x 10mm,				
	1 no. SS tower bolt 200 x 10mm and 2 nos.				
	SS handles 125mm, shall be fxed to frame				
	with 3 nos. stainless steel hinges of				

	minimum size 100x58x1.9mm and stainless				
	steel screws of required size complete as				
	per direction of the Engineer-in- Charge.				
	(Cost of above hardware is inclusive in				
	rates)				
7.6.1	5mm thick solid foam PVC panel of				
	required size with moulded/ extruded				
	beading of appropriate design shape and				
	size as per manufacturer's specifications (
	to secure the panel insert tight in place				
	within the style and rails of shutter)				
	matching the color and shade of shutter				
	frame. Decorative type.				070704.00
		75.6	metre	3687.75	278794.00
7.7	Providing and fixing factory made				
	Fiberglass Reinforced plastics (F.R.P.)				
	chajja 4 mm thick of required colour, size				
	and design made by Resin Transfer				
	Moulding (RTM) Machine Technology,				
	resulting in void free compact laminate in				
	single piece, having smooth gradual slope				
	curvature for easy drainage of water and				
	duly reinforced by 2 nos vertically and 1 nos				
	horizontally 50x2 mm thick M.S. flat with				
	12 mm in built hole for grouting on the				
	existing wall along with the 50 mm flanges				
	duly inserted and sealed in the wall complete				
	in one single piece casted monolithically,				
	including all necessary fittings . The FRP				
	Chajja should be manufactured using				
	unsaturated Polyester resin as per IS: 6746,				
	duly reinforced with fibre glass chopped				
	strand mat (CSM) as per IS: 11551 complete				
	with protective Gel coat U/V coating on Top				
	for complete resistance from the extreme of				
	1				
	temperature, weather & sunlight (Only plan				
	area of chajjas shall be measured for making	. .			
	payment).	24	sqm	4901.50	117636.00
7.8	Providing and fixing bright /matt finished				
	Stainless Steel handles of approved quality				
	& make with necessary screws etc all				
	complete.				
7.8.1	125 mm	30	each	100.45	3014.00
7.8.2	100mm	30	each	75.70	2271.00

7.9	Providing and fixing cupboard shutter with				
1.7	19mm thick one side decorative and other				
	side balancing lamination factory pressed				
	BWP grade marine ply as per IS 710 of				
	approved brand including 2mm thick PVC				
	edge banding tape with hot glue by edge				
	bending machine etc. with auto closing				
	spring loaded hinges (hydraulic type) etc.				
	complete as per direction of Engineer- in-				
	charge.(Payment of providing and fixing				
	auto closing hinges shall be paid separately)	460	sqm	2563.75	1179325.00
7.1	Providing and fixing 19mm thick both side				
	balancing lamination factory pressed BWP				
	grade marine ply as per IS 710 of approved				
	brand boxes, shelves, racks, almirah, cupboard				
	and drawer etc. including necessary				
	nails, screws etc. complete as per direction				
	of Engineer-in-charge.	1310	sqm	2339.60	3064876.00
7.11	Providing and fixing stainless steel fancy				
	handle of approved make fixed with SS				
	screws etc. complete as per direction of				
7.11.1	Engineer-in-charge. 200 mm	150	1	150.15	22072.00
		150	each	153.15	22973.00
7.12	Providing and fixing stainless steel soft				
	closing spring hinges at 0 degree hinges				
	(hydraulic type) of approved make/brand to cupboard shutters with full threaded steel				
	screws including making necessary recess in				
	board and finished etc. complete as per				
	direction of Engineer-in-charge.	1960	each	226.75	444430.00
7.13	Providing and fixing stainless steel soft	1700	Cacil	220.13	
1.15	closing heavy type telescopic drawer				
	channels of approved make 500 mm long				
	with screws etc. complete as per directions		one		
	of Engineer- in-charge.	100	set	749.70	74970.00

60

	1				
7.14	Providing and fixing ready made 304 grade				
	stainless steel Modular kitchen basket and				
	accessories such as right angle basket (Plain				
	Cup & Saucer, plant, Partition, Bottle rack,				
	Thali, Cutlery) kitchen utensil basket,				
	Dinner set basket, kitchen grain basket,				
	Multipurpose basket as per site requirement				
	including finishing (wherever required) and				
	fittings. The same shall be fixed with				
	necessary stainless steel nuts & bolts,				
	Stainless Steel screws & telescopic channel				
	1				
	etc. as per direction of Engineer-in-charge.				
	(For payment purpose only weight of				
	Stainless steel basket shall be considered				
	excluding weight of all fixing accessories				
	such as nuts, bolts, fasteners telescopic				
	basket channels etc. Payment of providing				
	and fixing telescopic channel shall be paid				
	separately)	35	kg	423.70	14830.00
7.15	Providing and fixing 2mm thick 16 to 19mm				
	wide PVC edge binding tape of approved				
	quality for cupboard/wardrobe shutters				
	including necessary synthetic resin hot				
	pressed to edges on binding machine etc.				
	complete as per directions of Engineer- in-				
	charge.	3760	metre	38.45	144572.00
	Sub-Total				5509400.00
8	STEEL WORK				
8.1	Steel work welded in built up sections/				
0.11	framed work, including cutting, hoisting,				
	fixing in position and applying a priming				
	coat of approved steel primer using				
	structural steel etc. as required.				
8.1.1	In gratings, frames, guard bar, ladder,				
0.1.1	railings, brackets, gates and similar works	1000		1 4 2 2 2	1 40000 000
0.5		1000	kg	142.30	142300.00
8.2	Providing and fixing stainless steel (Grade				
	304) railing made of Hollow tubes,				
	channels, plates etc., including welding,				
	grinding, buffing, polishing and making				
	curvature (wherever required) and fitting the				
	same with necessary stainless steel nuts and				
	bolts complete, i/c fixing the railing with				
	necessary accessories & stainless steel dash				
	fasteners , stainless steel bolts etc., of				
	required size, on the top of the floor or the				
	side of waist slab with suitable arrangement				
	as per approval of Engineer-in- charge, (for				
	payment purpose only weight of stainless				
	steel members shall be considered excluding				
	fixing accessories such as nuts, bolts,				
	fasteners etc.).	50	kg	612.25	30613.00
	14501015 000.7.	50	<u>~</u> 5	012.23	50015.00

0.0			1	T	
8.3	Providing & fixing fly proof wire gauze to				
	windows, clerestory windows & doors with				
	M.S. Flat 15x3 mm and nuts & bolts				
	complete.				
8.3.1	Stainless steel (grade 304) wire gauze of 0.5				
	mm dia wire and 1.4 mm aperture on both				
	sides	300	sqm	971.55	291465.00
	Sub-Total				464378.00
9	FLOORING				
9.1	Kota stone slab flooring over 20 mm				
7.1	(average) thick base laid over and jointed				
	with grey cement slurry mixed with pigment				
	to match the shade of the slab, including				
	rubbing and polishing complete with base of				
	cement mortar 1 : 4 (1 cement : 4 coarse				
0.1.1	sand):	• • • •		1 - 0 0	
9.1.1	25 mm thick	200	sqm	1706.60	341320.00
9.2	Providing and laying Vitrified tiles in floor				
	in different sizes (thickness to be specified				
	by the manufacturer) with water absorption				
	less than 0.08% and conforming to				
	IS:15622, of approved brand &				
	manufacturer, in all colours and shade, laid				
	on 20 mm thick cement mortar 1:4 (1				
	cement: 4 coarse sand) jointing with grey				
	cement slurry @3.3 kg/sqm including				
	grouting the joints with white cement and				
	matching pigments etc. The tiles must be cut				
	with the zero chipping diamond cutter only .				
	Laying of tiles will be done with the notch				
	trowel, plier, wedge, clips of required				
	thickness, leveling system and rubber mallet				
	for placing the tiles gently and easily.				
9.2.1	Glazed Vitrified tiles Matt/Antiskid finish of				
	size				
9.2.1.1	Size of Tile 600 x 600 mm	100	sqm	1311.05	131105.00
9.3	Providing and laying Vitrified tiles in floor	100	5qm	1011100	101100.00
7.5	with different sizes (thickness to be				
	specified by the manufacturer), with water				
	absorption less than 0.08% and conforming				
	to IS:15622, of approved brand &				
	manufacturer, in all colours and shade, laid				
	with cement based high polymer modified				
	quick set tile adhesive (water based)				
	conforming to IS : 15477, in average 6 mm				
	thickness, including grouting of joints				
	(Payment for grouting of joints to be made				
0.2.1	separately).	•••		1505 10	007400.00
9.3.1	Size of Tile 600x600 mm	200	sqm	1537.40	307480.00
	Sub-Total				779905.00
10	ROOFING				

10.1	Providing gola 75x75 mm in cement				
10.1	concrete 1:2:4 (1 cement : 2 coarse sand : 4				
	stone aggregate 10 mm and down gauge),				
	including finishing with cement mortar 1:3				
	(1 cement : 3 fine sand) as per standard				
	design :				
10.1.1	In 75x75 mm deep chase	100	metre	260.20	26020.00
10.2	Providing and fixing tiled false ceiling of				
	specified materials of size 595x595 mm in				
	true horizontal level, suspended on inter				
	locking metal grid of hot dipped galvanized				
	steel sections (galvanized @ 120 grams/				
	sqm, both side inclusive) consisting of main				
	"T" runner with suitably spaced joints to get				
	required length and of size 24x38 mm made				
	from 0.30 mm thick (minimum) sheet,				
	spaced at 1200 mm center to center and				
	cross "T" of size 24x25 mm made of 0.30				
	mm thick (minimum) sheet, 1200 mm long				
	spaced between main "T" at 600 mm center				
	to center to form a grid of 1200x600 mm				
	and secondary cross "T" of length 600 mm				
	and size $24x25$ mm made of 0.30 mm thick				
	(minimum) sheet to be interlocked at middle				
	of the 1200x600 mm panel to form grids of				
	600x600 mm and wall angle of size				
	24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including,				
	required cutting/making, opening for				
	services like diffusers, grills, light fittings,				
	fixtures, smoke detectors etc. Main "T"				
	runners to be suspended from ceiling using				
	GI slotted cleats of size 27 x 37 x 25 x1.6				
	mm fixed to ceiling with 12.5 mm dia and				
	50 mm long dash fasteners, 4 mm GI				
	adjustable rods with galvanised butterfly				
	level clips of size 85 x 30 x 0.8 mm spaced				
	at 1200 mm center to center along main T,				
	bottom exposed width of 24 mm of all T-				
	sections shall be pre-painted with polyester				
	paint, all complete for all heights as per				
	specifications, drawings and as directed by				
	Engineer-in-charge.				

10.2.1	GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 gms/sqm (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coefficient) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation, and backed with a black Glass fiber acoustical fleece.	500	sqm	1746.25	873125.00
	Sub-Total	200	5qm	1710.20	899145.00
11	FINISHING				077115.00
11.1	12 mm cement plaster of mix :				
11.1.1	1:6 (1 cement: 6 fine sand)	200	sqm	282.00	56400.00
11.2	15 mm cement plaster on the rough side of single or half brick wall of mix :	200	- Sqiii	202.00	
11.2.1	1:6 (1 cement: 6 fine sand)	6 (1 cement: 6 fine sand) 200 sqm		324.30	64860.00
11.3	6 mm cement plaster of mix :		-		
11.3.1	1:3 (1 cement : 3 fine sand)	100	sqm	253.05	25305.00
11.4	Neat cement punning.	100	sqm	67.80	6780.00
11.5	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.				
11.5.1	Two or more coats on new work	6951	sqm	92.75	644705.00
11.6	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :				
11.6.1	Water thinnable cement primer	6951	sqm	64.45	447992.00
11.7	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	6951	sqm	123.85	860881.00
11.8	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	6951	sqm	20.85	144928.00
11.9	Wall painting with plastic emulsion paint of approved brand and manufacture to give an even shade:				
11.9.1	One or more coats on old work	200	sqm	90.85	18170.00

					1
11.1	Painting with synthetic enamel paint of				
	approved brand and manufacture of required				
	colour to give an even shade :				
11.10.1	One or more coats on old work	20749	sqm	86.55	1795826.00
11.11	French spirit polishing :				
11.11.1	One or more coats on old work	50	sqm	185.40	9270.00
11.12	Distempering with 1st quality acrylic				
	distemper (ready made) having VOC content				
	less than 50 gm per ltr. of approved				
	manufacturer and of required shade and				
	colour complete. as per manufacturer's				
	specification.				
11.12.1	One or more coats on old work	130405	sqm	50.60	6598493.00
11.13	Finishing walls with Premium Acrylic				
	Smooth exterior paint with Silicone				
	additives of required shade				
11.13.1	Old work (Two or more coats applied @				
	1.43 ltr/ 10 sqm) over existing cement paint				
	surface	3000	sqm	108.60	325800.00
11.13.2	Old work (one or more coats applied @ 0.83				
	ltr/10 sqm).	72762.00	sqm	74.10	5391664.00
	Sub-Total				16391074.00
12	REPAIRS TO BUILDING				
12.1	Repairs to plaster of thickness 12 mm to 20				
	mm in patches of area 2.5 sq.meters and				
	under, including cutting the patch in proper				
	shape, raking out joints and preparing and				
	plastering the surface of the walls complete,				
	including disposal of rubbish to the dumping				
	ground, all complete as per direction of				
	Engineer-in-Charge.				
12.1.1	With cement mortar 1:4 (1cement: 4 coarse				
	sand)	1000	sqm	478.00	478000.00

12.2	Providing and fixing double scaffolding				
12.2	system (cup lock type) on the exterior side,				
	up to seven story height made with 40 mm				
	dia M.S. tube 1.5 m centre to centre,				
	horizontal & vertical tubes joining with cup				
	& lock system with M.S. tubes, M.S. tube				
	challies, M.S. clamps and M.S. staircase				
	system in the scaffolding for working				
	platform etc. and maintaining it in a				
	serviceable condition for the required				
	duration as approved and removing it there				
	after .The scaffolding system shall be				
	stiffened with bracings, runners, connection				
	with the building etc wherever required for				
	inspection of work at required locations with				
	essential safety features for the workmen				
	etc. complete as per directions and approval				
	of Engineer- in-charge .The elevational area				
	of the scaffolding shall be measured for				
	payment purpose .The payment will be made				
	once irrespective of duration of scaffolding.				
	Note: - This item to be used for maintenance				
	work judicially, necessary deduction for			205.00	1 10 4 10 00
	scaffolding in the existing item to be done.	504	sqm	285.00	143640.00
	Sub-Total				621640.00
13	ROAD WORK				
13.1	Providing and fixing G.I. chain link fabric				
	fencing of required width inmesh size 50x50				
	mm including strengthening with 2 mm dia				
	wire ornuts, bolts and washers as required				
	complete as per the direction of Engineer-in-				
	charge.				
13.1.1	Made of G.I. wire of dia 4 mm	500	sqm	859.50	429750.00
	Sub-Total				429750.00
14	ALUMINIUM WORK				

14.1	Providing and fixing aluminium work for				
	doors, windows, ventilators and partitions				
	with extruded built up standard tubular				
	sections/ appropriate Z sections and other				
	sections of approved make conforming to				
	IS: 733 and IS: 1285, fixing with dash				
	fasteners of required dia and size, including				
	necessary filling up the gaps at junctions, i.e.				
	at top, bottom and sides with required				
	EPDM rubber/ neoprene gasket etc.				
	Aluminium sections shall be smooth, rust				
	free, straight, mitred and jointed				
	mechanically wherever required including				
	cleat angle, Aluminium snap beading for				
	glazing / paneling, C.P. brass / stainless steel				
	screws, all complete as per architectural				
	drawings and the directions of Engineer-in-				
	charge. (Glazing, paneling and dash				
	fasteners to be paid for separately) :				
14.1.1	For fixed portion				
	1				
14.1.1.1	Powder coated aluminium (minimum				
	thickness of powder coating 50 micron)	1000	kg	466.30	466300.00
14.1.2	For shutters of doors, windows & ventilators				
	including providing and fixing hinges/				
	pivots and making provision for fixing of				
	fittings wherever required including the cost				
	of EPDM rubber / neoprene gasket required				
	(Fittings shall be paid for separately)				
14.1.2.1	Powder coated aluminium (minimum				
	thickness of powder coating 50 micron)	1000	kg	564.80	564800.00
14.2	Providing and fixing glazing in aluminium	1000	×5	501.00	501000.00
14.2					
	door, window, ventilator shutters and				
	partitions etc. with EPDM rubber / neoprene				
	gasket etc. complete as per the architectural				
	drawings and the directions of engineer-in-				
	charge . (Cost of aluminium snap beading				
	shall be paid in basic item):				
14.2.1	With float glass panes of 5 mm thickness				
	(weight not less than 12.50 kg/sqm)	200		1205 55	265110.00
14.0		200	sqm	1325.55	265110.00
14.3	Providing and fixing double action hydraulic				
	floor spring of approved brand and				
	manufacture conforming to IS : 6315,				
	having brand logo embossed on the body /				
	plate with double spring mechanism and				
	door weight upto 125 kg, for doors,				
	including cost of cutting floors, embedding				
	• • • •				
	in floors as required and making good the				
	same matching to the existing floor finishing				
	and cover plates with brass pivot and single				
	piece M.S. sheet outer box with slide plate				
	etc. complete as per the direction of				
	Engineer-in-charge.				
L			1	· · · · · · · · · · · · · · · · · · ·	

1421	With stainlass starl array plate minimum				
14.3.1	With stainless steel cover plate minimum				
	1.25 mm thickness	30	each	2448.85	73466.00
14.4	Providing and fixing Brass 100mm mortice				
	latch and lock with 6 levers without pair of				
	handles (best make of approved quality) for				
	aluminium doors including necessary cutting				
	and making good etc. complete.	10	each	449.55	4496.00
	Sub-Total				1374172.00
15	WATER PROOFING				
15.1	Providing and laying water proofing				
	treatment in sunken portion of WCs,				
	bathroom etc., by applying cement slurry				
	mixed with water proofing cement				
	compound consisting of applying : (a) First				
	layer of slurry of cement @ 0.488 kg/sqm				
	mixed with water proofing cement				
	compound @ 0.253 kg/ sqm. This layer will				
	be allowed to air cure for 4 hours. (b)				
	Second layer of slurry of cement @ 0.242				
	kg/sqm mixed with water proofing cement				
	compound @ 0.126 kg/sqm. This layer will				
	be allowed to air cure for 4 hours followed				
	with water curing for 48 hours. The rate				
	includes preparation of surface, treatment				
	and sealing of all joints, corners, junctions of				
	pipes and masonry with polymer mixed				
	slurry.	500	sqm	516.60	258300.00

15.2	Providing and laying integral cement based				
	water proofing treatment including				
	preparation of surface as required for				
	treatment of roofs, balconies, terraces etc				
	consisting of following operations: (a)				
	Applying a slurry coat of neat cement using				
	2.75 kg/sqm of cement admixed with water				
	proofing compound conforming to IS. 2645				
	and approved by Engineer-in-charge over				
	the RCC slab including adjoining walls upto				
	300 mm height including cleaning the				
	surface before treatment. (b) Laying brick				
	bats with mortar using broken bricks/brick				
	bats 25 mm to 115 mm size with 50% of				
	cement mortar 1:5 (1 cement : 5 coarse				
	sand) admixed with water proofing				
	compound conforming to IS : 2645 and				
	approved by Engineer- in-charge over 20				
	mm thick layer of cement mortar of mix 1:5				
	(1 cement :5 coarse sand) admixed with				
	water proofing compound conforming to IS :				
	2645 and approved by Engineer- in-charge				
	to required slope and treating similarly the				
	adjoining walls upto 300 mm height				
	including rounding of junctions of walls and				
	slabs. (c) After two days of proper curing				
	applying a second coat of cement slurry				
	using 2.75 kg/ sqm of cement admixed with				
	water proofing compound conforming to IS :				
	2645 and approved by Engineer-in-charge.				
	(d) Finishing the surface with 20 mm thick				
	jointless cement mortar of mix 1:4 (1 cement				
	:4 coarse sand) admixed with water proofing				
	compound conforming to IS : 2645 and				
	approved by Engineer-in-charge including				
	laying glass fibre cloth of approved quality				
	in top layer of plaster and finally finishing				
	the surface with trowel with neat cement				
	slurry and making pattern of 300x300 mm				
	square 3 mm deep. (e) The whole terrace so				
	finished shall be flooded with water for a				
	minimum period of two weeks for curing				
	and for final test."All above operations to be				
	done in order and as directed and specified				
	by the Engineer-in-Charge :				
15.2.1	With average thickness of 120 mm and				
	minimum thickness at khurra as 65 mm.	200	sqm	1522.95	304590.00
	Sub-Total	200	<u>9</u> 411	1544.75	562890.00
	Total				28554957.00
	Add for revised GST @18% in place of 12%				20337737.00
	ie 6.33% on SR&DR Total 2,85,54,957.00				1807528.78
	Total				30362485.78
			1		JUJU2-TUJ./U

Add Cost Index @7% on SR& 3,03,62,485.78	DR Total	2	125374.00
Total			487859.78
Say		324	487859.00

Special Conditions:

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- 2. The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- 4. Site shall be available as per directions of Engineer in Charge.
- 5. Quoted percentage rates of participating agencies shall be inclusive of GST.