

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI - 110016

NOTICE INVITING E-TENDER

IITD/WORKS (SP-4399)/2023

Executive Engineer (Electrical), Indian Institute of Technology Delhi, Hauz Khas, New Delhi – 110016, Ph. No. 011-2654 8437 on behalf of Board of Governors invites online Item Rate Tender from OEM Blue Star or their Authorised Service Agent as per details given below.

1	Name of work	:	Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi
2	NIT No.	:	73/0391/IITD/AC/2023-24
3	Estimated Cost (Rs.)	:	26,10,210.00
4	Earnest Money Deposit (Rs.)	:	52,205.00
5	Period of completion	:	60 days (plus CAMC for 1 + 5 Years)
6	Last date & time of bid submission	:	Upto 3 PM of 03-11-2023
7	Performance Bank Guarantee	:	5 percent of the tendered amount

The bid forms and other details may be downloaded from Central Public Procurement Portal (<u>http://eprocure.gov.in/eprocure/app</u>). Aspiring bidders who have not enrolled / registered in e-procurement should enrol / register themselves before participating through web site <u>http://eprocure.gov.in/eprocure/app</u>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at "Instructions for online bid submission."

Bidders can access quotation / tender documents on the website (for searching in the NIC site), kindly go to quotation search option and type 'IIT'. Thereafter, click on "GO" button to view all IIT quotations. Select the appropriate quotation / tender and fill them with all relevant information and submit the completed Quotation / Tender document online on the website <u>http://eprocure.gov.in/eprocure/app</u> as per the schedule given in the next page.

No manual bids will be accepted. All bids (both Technical & Financial) should be submitted in the e-procurement portal.

Executive Engineer (Electrical) For & on behalf of BOG, IIT Delhi

Ch. Head : 31.06.30 Work Code : 2021/006/0391 & 0392

Copy to:-

C ... Nil I Nil O Nil

Page 1 of 46



1. Assistant Executive Engineer (AC)

- 2. D.A. (Works Accounts)
- 3. D.R. (A/C)
- 4. D.R. (Store Purchase Section)
- 5. Notice Board
- 6. Website Administrator, IIT Delhi
- 7. Office copy

INDEX

Sr.	Description	Pa	ge
No.	-	From	То
1	Notice	01	02
2	Schedule of NIT	03	04
3	Instruction for online bid submission	04	07
4	Information & instruction to bidders	08	10
5	List of Documents to be uploaded	11	12
6	IITD 6 Form	13	16
7	Integrity Pact	17	23
8	IITD – 7/8 Form	24	25
9	Proforma of Schedule	26	30
10	Commercial & Additional conditions	31	37
11	Declaration (Annexure – 1)	37	37
12	Schedule of CAMC (Annexure – 2)	38	41
13	Recovery Rates	41	42
14	Technical Specifications	42	42
15	Bid Submission Check List	43	43
16	Schedule of Quantity	44	46

SCHEDULE

1 Name of organisation

: Indian Institute of Technology Delhi

C ... Nil I Nil O Nil

Page 2 of 46



2	Tender / Quotation type (open / limited	:	Open
	/ EOI / auction / single)		
3	Tender / Quotation category (services /	:	Goods & Works
	goods / works)		
4	Type of Contract (work / supply /	:	Work & Supply
	auction / service / buy / empanelment /		
	sell)		
5	Form of contract (IITD – 7/8)	:	
6	Work Category (civil / electrical / fleet	:	Electrical
	management / computer systems)		
7	Is multi-currency allowed?	:	No
8	Date of publishing / issue / start	:	27-10-2023 at 16.00 Hrs.
9	Document download start date	:	27-10-2023 at 16.00 Hrs.
10	Document download end date	:	03-11-2023 at 15.00 Hrs.
11	Date & time of pre-bid meeting	:	No pre-bid meeting be held
12	Venue of pre-bid meeting	:	Not applicable
13	Last date & time of uploading of bids	:	03-11-2023 at 15.00 Hrs.
14	Date & time of opening of Technical	:	06-11-2023 at 15.00 Hrs.
	bids	-	
15	Tender fee	:	Free of cost
16	Earnest Money Deposit (EMD) Rs.	:	52,205.00
17	Mode of payment of EMD	:	Can be paid through RTGS/NEFT. IIT Delhi
			Bank details are as under:
			Name of the Bank A/C : IITD Revenue Account
			SBI A/C No. : 10773572622
			Name of the Bank : State Bank of
			India, IIT Delhi,
			Hauz Khas, New
			Delhi-110016
			IFSC Code : SBIN0001077
			MICR Code : 110002156
			Swift No. : SBININBB547
			(This is mandatory that UTR Number is
			provided in the on-line quotation/bid. (Kindly
			refer to the UTR Column of the Declaration
			Sheet at Annexure-II)
			OR
			Demand Draft / FDR favouring Registrar, IIT
			Delhi Payable at SBI, IIT Delhi Branch.
			Scanned copy of DD / FDR needs to be
		1	uploaded alongwith the Technical Bid.
			Original DD shall have to be submitted to the
			tender inviting authority by the bidder as and
17	Bid without EMD / Non-submission of	:	when required after opening of bid. To be considered as UNRESPONSIVE
17		•	and bid shall summarily be rejected
	original DD	1	and blu shall summarily be rejected

C ... Nil I Nil O Nil

Page 3 of 46



18	No. of bids / covers (1 / 2 / 3 / 4)	•••	2
19	Address for communication	•••	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			Works Department, AC Division, IIT Delhi,
			Hauz Khas, New Delhi – 110016
20	Contact No.	•••	011 2654 8437 / 011 2659 1746
21	e-mail address for communication	:	a26984@admin.iitd.ac.in;
			Ashish.Kumar.Vinodiya@admin.iitd.ac.in

INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this quotation / tender document has been published on the Central Public Procurement Portal (URL: <u>http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit softcopies of their bids electronically on the CPP portal, using valid Digital Signature Certificates (DSC). The instructions given below are meant to assist the bidders in registering on the CPP portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP portal.

More information useful for submitting online bids on the CPP portal may be obtained at <u>http://eprocure.gov.in/eprocure/app</u>

REGISTRATION

- 1. Bidders are required to enrol on the e-procurement module of the Central Public Procurement portal (URL: <u>http://eprocure.gov.in/eprocure/app</u>) by clicking on the link, "click here to enrol". Enrolment on the CPP portal is free of charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
- 3. Bidders are advised to register their valid e-mail address and mobile number as part of the registration process. These would be used for any communication from the CPP Portal.
- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (class 2 or class 3 certificates with signing key usage) issued by any certifying authority recognised by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.) with their profile.

C ... Nil I Nil O Nil



- 5. Only one valid DSC should be registered by a bidder. Please note that bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs into the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- There are various search options built in the CPP portal to facilitate bidders to search active tenders by several parameters. These parameters could include tender ID, organisation name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organisation name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP portal.
- 2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. The tenders can be moved to the respective "My Tenders" folder. This would enable the CPP portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each other, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bids. Please note the number of covers in which the bid documents have to be submitted. Any deviations from these may lead to rejection of the bids.
- Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black & white option.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor's certificates, etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

C ... Nil I Nil O Nil



SUBMISSION OF BIDS

- 1. Bidder should log into the site well in advance for bid submission so that he / she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3. Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page no. 3)
- 4. A standard BOQ Format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the white coloured [unprotected] cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases financial bids can be submitted in PDF format as well (in lieu of BOQ).

- 5. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorised persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7. The uploaded tender documents become readable only after the tender opening by the authorised bid openers.
- 8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.



ASSISTANCE TO BIDDERS

- 1. Any queries relating to tender document and the terms and conditions contained therein should be addressed to the tender inviting authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP portal in general may be directed to the 24 x 7 CPP Portal Help Desk. The contact number of the helpdesk is 18002337315.

GENERAL INSTRUCTIONS TO THE BIDDERS

- 1. The tenders will be received online through portal <u>https://eprocure.gov.in/eprocure/app</u>. In the technical bids, the bidders are required to upload all the documents in PDF format.
- 2. Possession of a valid class II / III Digital Signature Certificate (DSC) in the form of smart card / e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorised certifying agencies, details of which are available in the website <u>https://eprocure.gov.in/eprocure/app</u> under the link "Information about DSC".
- 3. Tenderers are advised to follow the instructions provided in the "Instructions to the tenderer" for the e-submission of the bids online through the Central Public Procurement Portal for e-procurement at https://eprocure.gov.in/eprocure/app.

INFORMATION & INSTRUCTION TO BIDDERS FOR E-TENDERING

Executive Engineer (Electrical), Indian Institute of Technology Delhi, Hauz Khas, New Delhi – 110016, Ph. No. 011-2654 8437 on behalf of Board of Governors invites online Item Rate Tender from OEM Blue Star or their Authorised Service Agent as per details given below:

Page 7 of 46

C ... Nil I Nil O Nil



Sr. No.	NIT No.	Name of Work & Location	Estimated cost put to bid (Rs.)	Earnest money (Rs.)	Period of completion	Last date & time of submission of bid	Time & date of opening of Technical Bid	Time & date of opening of Financial Bid
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1	73/0391/IITD/AC/2023-24	Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi	26,10,210.00	52,205.00	60 days (plus CAMC for 1 + 5 Years)	Upto 3 PM of 03-11-2023	06-11-2023 after 3 PM	To be decided after assessing Technical Bids

- 1. The successful bidder shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized / Scheduled Bank within fifteen days of issue of letter of intent before award of work. In case of failure by the Contractor to submit the performance guarantee within the specified period, full earnest money will be forfeited by the Institute and the tender shall be treated as null and void. EMD shall be refunded after submission of PBG. The performance guarantee shall be initially valid up to the stipulated date of completion (i.e. 60 days) plus sixty days beyond that.
- 2. Contractors who fulfil the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - a. Should have satisfactorily completed the works as mentioned below during the last Seven years ending **previous day of last date of submission of bids**.
 - i. Three similar works each costing not less than Rs.10,44,084.00, or two similar works each costing not less than Rs.15,66,126.00, or one similar work costing not less than Rs.20,88,168.00.
 - 3. Earnest money (EMD) shall have to be deposited / submitted as stipulated in the schedule.
 - 4. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum by compounding; calculated from the date of completion to last date of submission of financial bid.
 - 5. Similar work means SITC or Repairing of Chiller AC Unit in buildings.
 - 6. Work means work done with some Central Government Department / State Government Department / Central Autonomous Body / State Autonomous Body / Central Public Sector Undertaking / State Public Sector Undertaking / City Development Authority / Municipal

Page 8 of 46

C ... Nil I Nil O Nil



Corporation of City formed under any Act by Central / State Government and published in Central / State Gazette.

- 7. Completion certificates are required to be got issued by an officer not below the rank of Executive Engineer of similar works completed by the Firm. The work experience certificates submitted by the bidders shall clearly indicate that:
 - a. The similar work executed shall be as per '5' above
 - b. The completed cost of the work
 - c. Actual date of completion of the work
- 8. IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid, each bidder should sign integrity pact at respective places and submit the bid. If duly signed integrity pact is not submitted by bidder, such bid shall not be considered.
- The intending bidder must read the terms and conditions [both commercial & Additional]
 & IITD 6 carefully which will be the part of the Contract. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- **10.** Information and Instructions for bidders posted on website shall form part of bid document.
- **11.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website e-procure.gov.in free of cost.
- **12.** But the bid can only be submitted after submission of EMD as prescribed in the schedule.
- 13. Copy of all mandatory documents as desired in the NIT shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents shall have to be submitted by the lowest bidder only within a week physically in the office of e-tendering authority, if so desired, by the tender inviting authority. During scrutiny of technical bids, if required, bidders may be asked to submit original documents for cross checking.
- 14. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has submitted prescribed EMD, and other documents scanned and uploaded are found in order.
- **15.** Those contractors not registered on the website mentioned above, are required to get registered beforehand. Bidders should refer "Instruction for Online Bid Submission" given earlier for further assistance.
- **16.** When bids are invited in two / three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted, then the bid submitted earlier shall become invalid.
- **17.** The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- **18.** Contractors must ensure to quote rate of each item.



19. The bid submitted shall become invalid if:

- a. The bidder is found ineligible.
- b. The bidder does not upload all the documents (including GSTIN registration) as stipulated in the bid document including the undertaking / declaration if any.
- c. EMD not deposited as specified.
- d. Not registered with EPFO & ESIC
- 20. 'Class 1 Local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement has local content equal to or more than 50% as defined under Order No. P-45021/2/2017-PP(BE-II) dated 04-06-2020 issued by Department for Promotion of Industry and Internal Trade (Public Procurement Section), Ministry of Commerce and Industry, Govt of India.
 - a. 'Local Content' means the amount of value added in India which shall unless and otherwise prescribed by the nodal ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all domestic duties) as a proportion of the total value, in percent.
 - b. For the purpose of verification of 'Local Content', the Class-1 Local Supplier / Service Provider at the time of bidding, tender or solicitation shall be required to indicate percentage of local content and provide self-certification that the items offered meet the local content requirement for Class 1 Local Supplier. They shall also give details of the location(s) at which the local value addition is made.
 - c. In cases of procurement for a value in excess of 10 crore, the Class 1 Local Supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in case of the companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.
 - d. Nodal Ministries may constitute committees with internal and external experts for independent verification of self-certifications and auditor's / accountant's certificates on random basis and in the case of complaints.
 - e. False declarations will be in breach of Code of Integrity under rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for upto two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

List of Mandatory Documents to be scanned and uploaded within the period of bid submission:

- **1.** Annexure 1 duly filled in and got signed.
- 2. Proof of EMD deposit / Scanned copy of DD / FDR submission (favouring 'Registrar, IIT Delhi')
- **3.** OEM authorisation certificate specific to the bid (if the bidder is other than OEM)
- **4.** Certificate of work experience as desired (vide clause 2, 5 & 6 above)
- **5.** Certificate of GST Registration of the State in which the work is to be taken up, if already obtained by the bidder. If the bidder has not obtained GST registration in the State in which

C ... Nil I Nil O Nil



the work is to be taken up, or as required by GST authorities then in such a case the bidder shall scan and upload following undertaking along with other bid documents.

"if work is awarded to me, I/we shall obtain GST registration certificate of the State, in which work is to be taken up within one month from the date of receipt of award letter or before release of any payment by IIT Delhi, whichever is earlier, failing which I/we shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by IIT Delhi or GST department in this regard."

- 6. Affidavit as per provision of the clause 1.1.2 of IITD-6 [To be submitted on stamp paper and date of affidavit and purchase of stamp paper shall not be earlier than the publication of NIT. NIT number, name of work shall invariably be written on the 1st page of the Affidavit. Any deviation will lead to rejection of bid without further notice]
- 7. Acceptance to execute INTEGRITY PACT [see integrity pact]
- 8. IITD 7 / 8 duly signed.
- 9. EPFO & ESIC Registration proof
- **10.** Valid Electrical Licence in the name of the contractor. *if the bidder does not possess electrical licence in his own name, he shall have to submit an undertaking on their letter head and* the bidder shall scan and upload following undertaking along with other bid documents.

"I/We undertake that, if I/we do not possess in my/our name a valid electrical license as required, I/we shall associate an agency having such a licence for execution of work which requires such a licence".

11. Any other document as specified in the NIT.

Note: Original copies are to be submitted as per clause 9.1 of IITD-6

Executive Engineer [Electrical]

Page 11 of 46

C ... Nil I Nil O Nil



For & on Behalf of BOG, IIT Delhi

PWD/IITD – 6

INDIAN INSTITUTE OF TECHNOLOGY DELHI NOTICE INVITING E-TENDER

- 1.0 Item rate tenders are invited on behalf of The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 110016 from OEM Blue Star or their Authorised Service Agent as per details given below for the work of **Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi**
- 1.1 The work is estimated to cost **Rs.26,10,210.00.** This estimate, however, is given merely as a rough guide.
- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -
- 1.2.1 Criteria of eligibility for submission of bid documents: Conditions for intending bidders / contractors



- 1.2.1.1 **Three** similar works each costing not less than **Rs.10,44,084.00**, or **two** similar works each costing not less than **Rs.15,66,126.00**, or one similar work costing not less than **Rs.20,88,168.00** in last 7 years ending previous day of last date of submission of bids. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
- **1.2.2** To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under: "I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back-to-back basis. Further that, if such a violation comes to the notice of Department, then I / we shall be debarred for bidding in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)"
- **2.0** Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IIT Delhi Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- **3.0** The time allowed for carrying out the work will be **60 days (plus CAMC for 1 + 5 Years)** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- **4.0** The site for the work is available.
- **5.0** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site **e-procure.gov.in**.
- 6.0 After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- **7.0** While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- **8.0** If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- **9.0** EMD shall have to be deposited / submitted as stipulated in the schedule of the NIT.
- 9.1 Copy of all 'mandatory documents' and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice shall have to be submitted by the lowest bidder only within a week physically in the office of tender opening authority.
- **10.0** The bid submitted shall become invalid, if:
- 10.1 The bidder is found ineligible.



- 10.2 The bidder does not upload all the documents (including GSTIN registration) as stipulated in the bid document including the undertaking / declaration if any.
- 10.3 EMD not deposited as specified
- 10.4 Not registered with EPFO & ESIC
- 10.5 If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted *physically by the lowest bidder* in the office of the bid opening authority.
- **11.0** The contractor whose bid is accepted will be required to furnish **performance guarantee** of 5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank / Banker' cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 12.0 Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- **13.0** The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- **14.0** Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- **15.0** The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- **16.0** The contractor shall not be permitted to bid for works in the IITD responsible for award and

Page 14 of 46

C ... Nil I Nil O Nil



execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.

- **17.0** No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract liable to be cancelled, if, either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- **18.0** The bid for the works shall remain open for acceptance for a period of **ninety days from the last date of submission of bids**, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
- **19.0** This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within fifteen days from the stipulated date of start of the work, sign the contract consisting of:-
- 19.1 The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- 19.2 Standard IITD Form –7/8 or other Standard IITD Form as applicable.
- **20.0** In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as to be submitted physically in IIT Delhi, if so desired by the accepting authority, then the bid submitted shall become invalid and the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the bidding process of the work.
- **21.0** GST or any other tax applicable in respect of inputs procured by the contractor for this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same. However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including extension if any.

C ... Nil I Nil O Nil

Page 15 of 46



INTEGRITY PACT

То

·····,

Sub: NIT No. 73/0391/IITD/AC/2023-24 for the work of "Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi"

Dear Sir,

It is hereby declared that IIT Delhi (IITD) is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the Integrity Agreement, which is an integral part of the tender/bid documents, failing which the tender/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IITD.

Page 16 of 46

C ... Nil I Nil O Nil



Yours faithfully,

Executive Engineer

[TO BE SUBMITTED DULY SIGNED BY THE BIDDER ALONGWITH BID DOCUMENTS]

То

Executive Engineer (Electrical), IIT Delhi, Hauz Khas, New Delhi – 110016

Subject: Submission of Bid for the work of "Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi"

Dear Sir,

I / We acknowledge that IIT Delhi is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I / We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I / We will stand disqualified from the tendering process. I / We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I / We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IITD. I / We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I / We acknowledge that in the event of my/our failure to sign and accept the Integrity

C ... Nil I Nil O Nil

Page 17 of 46



Agreement, while submitting the tender/bid, IITD shall have unqualified, absolute and unfettered right to disqualify the tenderer /bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully,

(Duly signed by authorized signatory of the Bidder)

[To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of IITD]

INTEGRITY AGREEMENT

This	Integrity	Agreement	is	made	at	 on	this	 day	of
20									

BETWEEN

The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (Electrical), IIT Delhi (Hereinafter

referred as the '**Principal/Owner**', (Address of Division) '**Principal/Owner**', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND (Name and Address of the Individual/firm/Company) Through. (Details of duly authorized signatory) to as the "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

PREAMBLE

C ... Nil I Nil O Nil



WHEREAS the Principal / Owner has floated the Tender (NIT No. 73/0391/IITD/AC/2023-24) (hereinafter referred to as "**Tender/Bid**") and intends to award, under laid down organizational procedure, contract for "**Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab**, LHC, IIT Delhi" (Name of work) hereinafter referred to as the "**Contract**".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s) AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

ARTICLE 1: COMMITMENT OF THE PRINCIPAL / OWNER

- 1. The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - **1.1.** No employee of the Principal / Owner, personally or through any of his / her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - **1.1.1.** The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - **1.1.2.** The Principal/Owner shall Endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

ARTICLE 2: COMMITMENT OF THE BIDDER(S) / CONTRACTOR(S)

- 1. It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or coercion or collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2. The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - **2.1.** The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or



execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.

- **2.2.** The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
- 2.3. The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PoC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal / Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- 2.4. The Bidder(s) / Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s) / Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- **2.5.** The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- **3.** The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practices means a wilful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

ARTICLE 3: CONSEQUENCES OF BREACH

Without prejudice to any rights that may be available to the Principal / Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

1. If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the



severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.

- 2. Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- **3. Criminal Liability**: If the Principal/Owner obtains knowledge of conduct a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal / Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

ARTICLE 4: PREVIOUS TRANSGRESSION

- 1. The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- **3.** If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

ARTICLE 5: EQUAL TREATMENT OF ALL BIDDERS/CONTRACTORS/SUBCONTRACTORS

- 1. The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2. The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- **3.** The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

ARTICLE 6: DURATION OF THE PACT

- 1. This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 6 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.
- 2. If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority of IIT Delhi.

ARTICLE 7: OTHER PROVISIONS



- 1. This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Division of the Principal/Owner, who has floated the Tender.
- 2. Changes and supplements need to be made in writing. Side agreements have not been made.
- **3.** If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by Board Resolution.
- **4.** Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.
- 5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

ARTICLE 8: LEGAL AND PRIOR RIGHTS

 All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal / Owner)

(For and on behalf of Bidder / Contractor)

WITNESSES:

1.

(signature, name and address)

2. (signature, name and address)

Place:



Dated :

Page 23 of 46

C ... Nil I Nil O Nil

PWD/IITD - 7/8



INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016

Percentage Rate Tender / Item Rate Tender & Contract for Works

Tender for the work of "Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi"

1. To be submitted online by Upto 3 PM of 03-11-2023

2. To be opened on 06-11-2023 after 3 PM online

e-TENDER

I / We have read and examined the Notice Inviting Tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I / We hereby tender for the execution of the work specified for the Board of Governors, IIT Delhi within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (**strike out as the case may be**) and not to make any modification in its terms and conditions.

A sum of **Rs. 52,205.00** is hereby deposited in IIT Delhi Revenue Account No. 10773572622 as earnest money / **A Demand Draft / FDR of Rs.52,205.00** favouring Registrar, IIT Delhi has been scanned and uploaded with the Technical Bid. If I / We, fail to furnish the prescribed performance guarantee within prescribed period I / We agree that the said The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / We fail to commence the work as specified, I / We agree that The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid I / We shall be debarred for participation in the retendering process of the work.

I / We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice

Page 24 of 46

C ... Nil I Nil O Nil



of Department, then I / We shall be debarred for tendering in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I / We hereby declare that I / We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I / We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, IIT Delhi, Hauz Khas, New Delhi -110016 for а sum of (Rupees.....). The letters referred to below shall form part of this contract agreement:-(a) (b) (c) For & on behalf of Board of Governors, IIT Delhi Signature Dated: Designation

PROFORMA OF SCHEDULES

C ... Nil I Nil O Nil

Page $25 ext{ of } 46$



SCHEDULE "A"

Schedule of Quantities (PWD-3)

SCHEDULE "D"

Extra schedule for specific requirements / documents for the work, if any.



SCHEDULE "E"

Reference to General Conditions of Contract: GCC of Maintenance Work 2023 published by CPWD as amended up to last date of submission of bid.

1	Name of work	:	Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi
2	Estimated cost of work (Rs.)	:	26,10,210.00
3	Earnest Money (Rs.)	:	52,205.00
4	Performance Guarantee	:	5 percent of tendered value
5	Security Deposit	:	2.5 percent of tendered value

SCHEDULE "F"

GENERAL RULES & DIRECTIONS:

Officer inviting tender	:	Executive Engineer (Electrical)
Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2 & 12.3		See Clause 12 below

DEFINITIONS:

2 (V)	Engineer-in-charge	:	Executive Engineer (Electrical)
2 (viii)	Accepting authority	•••	Executive Engineer (Electrical)
2 (x)	Percentage on cost of materials and labour to cover all overheads and profits	••	15 percent
2 (xi)	Standard Schedule of Rates	•••	Market (non-DSR)
2 (xii)	Department	•••	Estate & Works, IIT Delhi
9 (ii)	Standard IITD Contract Form	:	PWD / IITD Form 7 / 8 as modified and corrected upto date, GCC 2023 for Maintenance work of CPWD with latest modifications

C ... Nil I Nil O Nil

Page 26 of 46



i)	Time allowed for submission of	:	15 days
	Performance Guarantee from the		
	date of issue of letter of acceptance		
ii)	Maximum allowable extension beyond the period provided in (i) above with late fees @0.1% per day of performance guarantee	:	10 days

CLAUSE 2

(i)	Authority for fixing	compensation	:	Institute Engineer
	under Clause 2			

CLAUSE 2A

(i)	Whether	Clause	2A	shall	be	:	No
	applicable						

CLAUSE 5

(i)	Number of days from the date of	:	10 days
	issue of letter of acceptance for		
	reckoning date of start		

TABLE OF MILE STONE(S):

Sr. No.	Description of Milestone (physical)	Time allowed in days (from date of start)	Amount to be with-held in case of non- achievement of milestone
(1)	(2)	(3)	(4)
	NOT SPECIFIED		

Time allowed for execution of work:60 days (plus CAMC for 1 + 5 Years)

	Extension of time	:	Engineer-in-charge
Authority to	Rescheduling of milestones	:	Institute Engineer
decide:	Shifting of date of start in case	:	Engineer-in-charge

C ... Nil I Nil O Nil

Page 27 of 46



of delay in handing over of site	
	·

Clause applicable 5 / 5A I: 5

CLAUSE 6

MB	applicable:	Computerised	:	СМВ
Measu	rement Book (CMB) / Electronic		
Measu	rement Book (E	EMB)		
	~ = =			·

CLAUSE 7

Gross work to be done together with net payment /	
adjustment of advances for materials collected, if any, since	5 Lakhs
the last such payment for being eligible to interim payment	

CLAUSE 7A

Whether Clause 7A shall be applicable	: No	
---------------------------------------	------	--

CLAUSE 10A

	List of testing equipment to be provided by the contractor at site					
1	1 500 Volt Megger 2 Digital Multimeter 3 Anemometer				Anemometer	
4	Psychrometer	5	NIL	6	NIL	

CLAUSE 10B (ii)

Whether Clause 10 B (ii) shall be applicable (Yes /	:	No
No)		

CLAUSE 10 C

Component of labour expressed as percent of value of	:	25 Percent
work		

CLAUSE 10CC

Whether Clause 10CC shall be applicable	: Not applicable
---	------------------

CLAUSE 11

Specification to be followed for :	CPWD General Specifications for Electrical
------------------------------------	--

C ... Nil I Nil O Nil

Page 28 of 46



execution of work	Works for HVAC Work with other relevant parts
	as amended upto date

12.2	Deviation limit beyond which clauses 12.2 shall apply for building work /	:	100%
	HVAC work		

CLAUSE 16

Competent authority for deciding reduced rates	: Institute Engineer	
--	----------------------	--

CLAUSE 18

	List of mandatory machine	ery,	, tools & plants to be deploye	d b	y the contractor at site
1	NIL	2	NIL	3	NIL
4	NIL	5	NIL	6	NIL

CLAUSE 19C

Authority to decide penalty for each default	:	Engineer-in-charge
--	---	--------------------

CLAUSE 19D

Authority to decide penalty for each default	:	Engineer-in-charge
	-	

CLAUSE 19G

Authority to decide penalty for each default	: Engineer-in-charge	
--	----------------------	--

CLAUSE 19K

Authority to decide penalty for each default	:	Not applicable
--	---	----------------

CLAUSE 25

Constitution of Dispute Redressal Committee (DRC)

Conciliator	:	Associate Dean Infra
Arbitrator Appointing Authority	:	Institute Engineer

C ... Nil I Nil O Nil

Page 29 of 46



Place of Arbitration	:	IIT Delhi

Requirement of Technical Representative(s) and recovery rate

Sr. No.	Minimum qualification of Technical Representative	Discipline	Designation (Principal Technical / Technical representative)	Minimum experience	Number	made from the event of not fu	recovery shall be contractor in the Ilfilling provision ise 36 (i) Words		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)		
	Not Applicable								

Assistant Engineers retired from Govt. / IIT Delhi services that are holding Diploma will be treated at par with Graduate Engineers. Diploma holder with minimum 10 year relevant experience with a reputed construction co. can be treated at par with Graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50% of requirement of degree engineers.

CLAUSE 38

Applicability of Clause 38	: Not applicable

COMMERCIAL AND ADDITIONAL CONDITIONS

1. GENERAL

- 1.1. This specification covers supply and delivery of materials at site as required, all preparatory work assembly and installation, repairing, servicing, testing, commissioning and putting into operation of Air-Cooled Chiller type AC system & their CAMC upto 5 years beyond DLP.
- 1.2. Location: The equipments are installed at the Ground Floor back side of LHC at IIT Delhi
- **1.3.** The work shall be executed as per CPWD General Specifications for Electrical Works Part-I (Int.) 2013, Part-II (Ext.) 1994, HVAC Work 2017, as amended upto date, relevant I.E. Rules,

C ... Nil I Nil O Nil

Page **30** of **46**



BIS/IEC and as per directions of Engineer-in- Charge. These additional specifications/conditions are to be read in conjunction with above and in case of variations; specifications given in these additional conditions shall apply. However, nothing extra shall be paid on account of these additional specification and conditions, as the same are to be read along with schedule of quantities for the work.

- **1.4.** The tenderer should in his own interest visit the site and get familiarize with the site conditions before tendering.
- **1.5.** No T&P shall be issued by the Department and nothing extra shall be paid on account of this.

2. COMMERCIAL CONDITIONS:

2.1. Type of contract: The work to be awarded by this tender shall be treated as indivisible works contract.

2.2. Submission and opening of Tenders:

- **2.2.1.** The tender is in two parts:
 - **2.2.1.1.** Part-I -Technical cum Un-priced commercial Bid
 - **2.2.1.2.** Part-II-Price Bid
- **2.3.** The tender shall be submitted online, duly completed as per NIT conditions within period of bid submission.
- **2.4.** The tenderers are advised not to deviate from the technical specifications / item, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- **2.5.** Technical cum un-priced commercial bid only shall be opened on the due date and time in the presence of tenderers or their authorized representative who wish to remain present.
- **2.6.** Scrutiny/evaluation of the technical-cum-commercial bid shall be done by the department. In case, it is found that the technical-cum-commercial bid of a tenderer is not in line with NIT specifications/requirements and/or contains too many deviations, the department reserves the right to reject the technical bid of such firms(s) without making any reference to the tenderer(s).
- **2.7.** Necessary clarifications required by the department shall have to be furnished by the tenderer within the time given by the department for the same. The tenderer will have to depute his representative to discuss with the officer(s) of the department as and when so desired. In case, in the opinion of the department a tenderer is taking undue long time in furnishing the desired clarifications, his bid will be rejected without making any reference.
- **2.8.** After obtaining clarification from all the tenders, the department will intimate the tenders whose technical cum commercial bids are acceptable.
- **2.9.** The price bids of only those tenderers shall be opened whose technical bids are found to be technically acceptable. The time and date of opening of price bid shall be fixed after the technical cum unpriced commercial bid is accepted and intimated to them by post/Fax/e-mail.

C ... Nil I Nil O Nil



2.10. The department reserves the right to reject any or all the price bids and call for fresh prices/tenders as the case may be without assigning any reason.

3. TERMS OF PAYMENTS

3.1. Running Account Payment may be processed only after submission of bill after supply and installation of items to the extent of only 70% of the tendered amount. Rest of the 30% shall be released after successful testing and commissioning. Bidder should note that necessary documents (PAN card, Cancelled cheque, GST Reg. proof and RTGS mandate form as per prescribed proforma of IIT Delhi) be submitted as soon as the work is awarded to them. Separate Contractor's Code shall be generated in IIT Delhi if the bidder is a new contractor to IIT Delhi ('Code' is perpetual in nature). Payment shall be processed after submission of Invoice and necessary documents / certificates (as mentioned in the NIT). There is a prevailing practice of pre-audit (for total tendered amount more than 6 lakhs) at IIT Delhi before releasing payment. Bidder shall have to comply all necessary documents as outlined in the Contract as to be desired by the Auditor and or by the accountant. It may take one to two months in the whole process (from submission / acceptance of bill in CMB / MB by the contractor upto processing by Accounts section) to release payment subject to quick compliance of all submittals by the contractor. Applicable Taxes shall be got deducted from the bill as per prevailing orders of the Government. 'GST part of the bill' shall be released after submission of proof of payment of GST, i.e. B2B challan, etc. by the contractor.

4. AWARD OF WORK

4.1. Work shall be awarded to the successful bidder only after concurrence of the **Auditor of the Internal Audit Section** of the IIT Delhi as per extant Rules of the Institute.

5. SECURITY DEPOSIT

5.1. Security Deposit shall be deducted from each running bill to the extent of 5% of the gross amount payable till the total security deposit becomes 2.5% of the tendered amount. The security deposit shall be released after Defect Liability Period is over i.e. 1 year after date of commissioning after submission of fresh PBG for AMC work. Separate SD shall be deducted from each running bill of CAMC.

6. PERFORMANCE GUARANTEE

6.1. The successful tenderer shall submit an irrevocable performance guarantee of 5% of the tendered amount in addition to other deposit mentioned elsewhere in the contract for his proper performance of the contract agreement within 15 days of issue of letter of acceptance of tender. This guarantee shall be in the form of Demand Draft/Pay order of irrevocable bank guarantee bond of any schedule bank or the State Bank of India in the specified perform a of Government Security, fixed deposit receipt pledged in favour of **Registrar, IIT Delhi** or as specified in the letter of acceptance of tender. The performance guarantee shall be initially valid up to the stipulated date of completion plus sixty days. This bank guarantee shall be kept valid till the recording of completion certificate for the work by the competent authority. This shall be released after submission of fresh bank guarantee for the comprehensive

Page 32 of 46

C ... Nil I Nil O Nil



maintenance. Fresh bank guarantee shall have to be submitted @5% of the contract amount of comprehensive maintenance for the whole period of maintenance plus sixty days beyond.

6.2. Income tax, GST, labour cess & other statutory deduction etc. shall be made at source as per the prevalent laws. The deduction of Security Deposit, Income Tax, etc., shall be done after calculation for the above due payment as per clause 3 above and net payment shall reduce accordingly.

7. RATES

7.1. The work shall be treated as on works contract basis and the rates tendered shall be for complete items of work (except the materials, if any, stipulated for supply by the department) inclusive of all taxes, GST (including works contract tax, if any), duties, and levies etc. and all charges for items contingent to the work, such as, packing, forwarding, insurance, freight and delivery at site for the materials to the supplied by the contractor, watch and ward of all materials (including those, if any, supplied by the department), post installation services till defect liability period etc. for the work at site etc.

8. COMPLETENESS OF TENDER

8.1. All sundry equipments, fitting, unit assemblies, accessories, hardware items, foundation bolts, termination lugs for electrical connections and all other items which are useful and necessary for efficient assembly and installation of equipment and components of the work shall be deemed to have been included in the tender irrespective of the fact whether such items are specially mentioned in the tender documents or not.

9. STORAGE AND CUSTODY OF MATERIAL

9.1. The agency has to make his own arrangement for storage. No separate storage accommodation shall be provided by the department Watch and ward of the storage and their safe custody shall be responsibility till the final taking over of the installation by the department.

10. CARE OF THE BUILDING

10.1. Care shall be taken by the contractor while handling and installing the various equipment and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

11. COMPLETION PERIOD

11.1. The completion period indicated in the tender documents is for the entire work of planning, designing, approval of drawings etc., arrangement of materials & equipments, delivery at site including transportation, installation, testing, commissioning and handing over of the entire system to the satisfaction of the Engineer-in-charge.

12. GUARANTEE



- 12.1. The contractor shall guarantee all new items under supply as per specifications both for components and for system as a whole. All equipments shall be guaranteed for **one year** from the date of completion of the work against unsatisfactory performance and / or breakdown due to defective design, workmanship or material. The equipment or component, or any part thereof, so found defective during guarantee period shall be forthwith replaced free of cost to the satisfaction of the Engineer-in-Charge. In case, it is felt by the department that undue delay is being caused by the contactor in doing this, the same will be got done by the department at the risk and cost of the contractor. The decision of Engineer-in-Charge in this regard shall be final & binding on the contractor.
- 12.2. The tenderer shall guarantee among other things, the following:
- 12.2.1. Quality, strength and performance of the material used as per manufacturer's standards.
- 12.2.2. Safe mechanical and electrical stress on all part under all specified conditions of operation.
- 12.2.3. Satisfactory operation during the maintenance period.

13. POWER SUPPLY

13.1. Power supply shall be made available by the department at one point near the site free of cost, if required. Further, the arrangement for tapping power supply from this point shall be made by the contractor.

14. EXTENT OF WORK

- 14.1. The work shall comprise of entire labour including supervision and all material necessary to make a complete installation and such tests and adjustment and commissioning as may be required by the department. The term complete installation shall not only mean major items of the plant and equipments covered by the specification but all incidental sundry components necessary for complete execution and satisfactory performance of installation with all layout charts whether or not those have been mentioned in details in the tender documents in connection with this contract as this is a turnkey job.
- 14.2. In addition to repairing of chiller type AC system, following works shall be deemed to be included with the scope of work to be executed by the tenderer-
- 14.2.1. Minor building works necessary for installation of equipments, foundation making of opening in walls or in floors and restoring them to their original condition / finish and necessary grouting etc. as required.

15. VALIDITY

15.1. Tenders shall be valid for acceptance for a period 90 days from the last date of submission of bid.

16. COMPLIANCE WITH REGULATIONS AND INDIAN STANDARDS

16.1. All works shall be carried out in accordance with relevant regulation both statutory and those specified by the Indian Standards related to the works covered by this specification in particular, the equipment and installation will comply with the following:



- 16.1.1. Factories Act
- 16.1.2. Indian Electricity Rules
- **16.1.3.** B.I.S. & other standards as applicable
- **16.1.4.** Workmen's compensation Act
- **16.1.5.** Statutory norms prescribed by local bodies like fire department, CEA, Power Supply Co. etc.

17. INDEMNITY

17.1. The successful tenderer shall at all times indemnify the department, consequent on this works contract. The successful tenderer shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause and the contractor shall be responsible for any accident or damage incurred or claims arising there from during the period of erection, construction and putting into operation the equipments and ancillary equipment under the supervision of the successful tenderer in so far as the latter is responsible. The successful tenderer shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the successful tenderer on account of the above.

18. ERECTION TOOLS

18.1. No tools and tackles either for unloading or for shifting the equipments for erection purposes would be made available by the department. The successful tender shall make his arrangement for all these facilities.

19. COOPERATION WITH OTHER AGENCIES AND OCCUPANTS OF THE BUILDING

19.1. The successful tenderer shall co-ordinate with other working contractors, if any and other occupants of different offices / Labs, etc., and exchange freely all technical information so as to make the execution of this work / contract smooth. No remuneration should be claimed from the department for such technical cooperation. If any unreasonable hindrance is caused to other agencies and any completed portion of the work has to be dismantled and re-done for want or cooperation and coordination by the tenderer during the course of work, such expenditure incurred will be recovered from the successful tenderer if the restoration work to the original condition or specification of the dismantled portion of work was not under taken by the tenderer himself.

20. MOBILIZATION ADVANCE

20.1. No mobilization advance shall be paid for this work.

21. INTERPRETING SPECIFICATION

- **21.1.** In interpreting the specification, the following order of decreasing importance shall be followed in case of contradictions:
- **21.1.1.** Schedule of quantities
- **21.1.2.** Technical Specification
- **21.1.3.** Drawing (if any)

Page 35 of 46

C ... Nil I Nil O Nil



- **21.1.4.** General Specification for Electrical Works of CPWD (relevant Parts)
- **21.1.5.** Relevant BIS or other international code in case BIS code is not available.

22. POLICY OF THE INSTITUTE

22.1. Institute has a policy against **sexual harassment** and is committed to providing an environment free from **sexual harassment of women** at the workplace. Contractor shall have to abide by the policy of the Institute with due diligence. Any violation on the part of the contractor shall be dealt with the extant rules of the Institute.

23. QUALITY OF MATERIALS

23.1. All materials and equipment supplied by the contractor shall be new. They shall be of such design, size and materials as to satisfactorily function under the rated conditions of operation and to withstand the environmental conditions at site. None of the material/ items/ equipment etc supplied shall be more than six months old from date of supply at site. Copy of GST Gate Pass/ Invoice/ Shipment / Custom Clearance certificate/ details (in case of imported equipment) shall be submitted to prove the date of manufacture & genuineness of the equipment/ machines supplied.

24. OPERATION & MAINTENANCE

24.1. The general guidance has been given for the comprehensive maintenance as per Annexure - 2 of the NIT and as per CPWD General Specifications for HVAC work 2017 as amended up to date. A separate supplementary agreement shall be made with the successful tenderer for sub head "CAMC *including* Routine, Preventive & Breakdown Maintenance" (for 5 years after one year guarantee period) of schedule of work. The payment of maintenance may be made yearly after successful maintenance.

ANNEXURE - 1

<< Organization Letter Head >> DECLARATION

I / We, ______ hereby declare that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I / we have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

1	Name & Address of the bidder	:	
2	Phone	:	
3	E-mail	:	
4	Contact person name	:	
5	Mobile number	:	
6	GSTIN number	:	
7	PAN number	:	

C ... Nil I Nil O Nil

Page 36 of 46



8	UTR no. [if deposited online] for	:	
	EMD		
9	DD / FDR / Banker's Cheque No. [if	:	
	uploaded scanned copy] for EMD		
	BANK DETAILS of the Bidder		
10	Bank name	:	
11	Branch address	:	
12	Branch telephone no.	:	
13	MICR Code of the bank	:	
14	IFSC code	:	
15	Bank Account no.	:	
16	Type of account	:	
17	PI attach one cancelled cheque	:	

We further declare that our organization has not been blacklisted / delisted or put to any holiday by any Institutional agency / Govt. Department / Public Sector Undertaking in the last three years.

(Signature& name of the bidder) Seal of the bidder

<u> Annexure - 2</u>

COMPREHENSIVE MAINTENANCE

This section covers the maintenance schedule during guarantee period and 5 years subsequent to guarantee period.

The maintenance provided during the guarantee period and 5 years beyond that shall be fully comprehensive and shall include but not limited to all equipments, labour part and emergency calls providing and site response within 24 hours. However during the maintenance period, the spare parts shall be arranged by the contractor, if any replacement is warranted. Contractor shall provide all cleaning materials for regular cleaning of coils, filters and necessary manpower to clean them periodically.

The maintenance shall also include a minimum 12 monthly preventive maintenance visits by qualified personnel who are thoroughly familiar with the type of equipment and system provided for this project.

Chiller	Monthly	1.	Check refrigerant level, leak test with electronic leak detector. If
	inspection and		abnormal, trace and rectify as necessary, inform department in
	service		writing on the rectification.

C ... Nil I Nil O Nil

Page 37 of 46



		 Inspect level and condition of oil. If abnormal, trace fault and rectify as necessary. Inform department in writing on the rectification. Check the liquid line sight glasses for proper flow Check all operating pressure and temperature. Inspect and adjust, if required, all operating safety controls. Check capacity control, adjust if necessary. Lubricate vane / linkage / bearings. Visually inspect machine and associated components, and listen for unusual sound or noise for evidence of unusual conditions. Check lock bolts and chiller spring mount. Review daily operating log maintained by department's operating personnel. Providing written report to department, outlining services carried out, adjustment made, rectification carried out and if the deficiency is of a major nature, arrange with department for shutdown to rectify equipment.
Chiller	Annual inspection	 Statutowin to receive equipment. Perform all functions for monthly check Check all flanges for tightness Change oil in oil sump Replace filter Check oil temperature control Check motor terminals Check connections in starter Please note that oil filter gasket replacement shall deem to be included in the contract. Check motor temperature cut-out, tighten motor terminals Check motor temperature cut-out, tighten motor terminals Check motor temperature cut-out, tighten motor terminals Check dashpot oil, clean dashpot and replace oil when necessary Test and calibrate overload setting Inspect, calibrate and adjust to original specifications all gauges, safety and operating controls including low temperature and high pressure cut-out, oil pressure switch, load limit relay and electrical interlocks For water cooled condenser systems, inspect condenser tubes for fouling. If fouling exceeds original specifications, the contractor shall carry out cleaning of the tubes at his own expense For air cooled condenser coils, dust should not be allowed to accommodate on the condenser coil surfaces. Cleaning shall be as often as necessary [approximately every three months] to keep coil clean. Exercise care when cleaning the coil, so that the coil fins are not damaged. Under no circumstances this unit be cleaned with acid based cleaner.

C ... Nil I Nil O Nil



Water pumps Monthly inspection 1. Inspect all water pumps 2. Check all seals, glands and pipelines for leaks and rectify as necessary 3. Re-pack and adjust pump glands as necessary 4. Check all pump bearings and lubricate with oil or grease as necessary 5. Check the alignment and condition of all rubber couplings between pumps and drive motors and rectify as necessary Water pumps Annual inspection 1. 1. Perform all functions for monthly check 2. Check starter contacts 5. Test and calibrate overload setting Annual inspection 1. 1. Inspect all air flaters and clean or change filters as necessary Air har 1. har 1. hardling units 1. Air 1. har 1.			
pumps inspection 2. Check all seals, glands and pipelines for leaks and rectify as necessary 3. Re-pack and adjust pump glands as necessary 4. Check all pump bearings and lubricate with oil or grease as necessary 4. Check all pump bearings and lubricate with oil or grease as necessary 5. Check the alignment and condition of all rubber couplings between pumps and drive motors and rectify as necessary Water Annual 1. Perform all functions for monthly check 2. Check all bolts and nuts for tightness and tighten as necessary 6. Check all bolts and nuts for tightness and tighten as necessary Water Annual 1. Perform all functions for monthly check 2. Check ball obts contacts 5. Test and calibrate overload setting 3. Tighten motor terminals 4. Check starter contacts 4. Thandling inspection 1. Inspect expansion tank, drain, clean and flush out tanks as necessary 3. Check all air influers and clean or change filters as necessary 3. Check all air influers and clean or change filters as necessary 4. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary 4. Check and re-calibrate modulating valves and decessary 5. Purge air from all water coils 6. Check all air bearings and lubricate with grease as necessary 6. Check all and bearings and lubricate with grease as necessary 5. Purge air from all water coils 6. Che	Water	Monthly	1. Inspect all water pumps
3. Re-pack and adjust pump glands as necessary 4. Check all pump bearings and lubricate with oil or grease as necessary 5. Check the alignment and condition of all rubber couplings between pumps and drive motors and rectify as necessary 6. Check all bolts and nuts for tightness and tighten as necessary 7. Check all bolts and nuts for tightness and tighten as necessary 8. Check all bolts and nuts for tightness and tighten as necessary 9. Check all bolts and nuts for tightness and tighten as necessary 9. Check all bolts and nuts for tightness and tighten as necessary 9. Check all a functions for monthly check 2. Check all ad in handling and fan coil units 1. Inspect expansion tank, drain, clean and flush out tanks as necessary 1. Inspect all air handling and fan coil units 2. Check all ad if filters and clean or change filters as necessary 3. Check all ar re-calibrate modulating valves and controls. Adjust an necessary 4. Check all ar re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check the tension of all bet drives and adjust as necessary 8. Check and are calibrate overload setting 9. Check, neasure and re-calibrate all sensors if necessary	pumps	•	2. Check all seals, glands and pipelines for leaks and rectify as
4. Check all pump bearings and lubricate with oil or grease as necessary 5. Check the alignment and condition of all rubber couplings between pumps and drive motors and rectify as necessary 6. Check all bolts and nuts for tightness and tighten as necessary 6. Check all bolts and nuts for tightness and tighten as necessary 8. Annual inspection 1. Perform all functions for monthly check 2. Check motor earthing, megger motor and connection wiring on each leg 3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Air Monthly 1. Inspect all air handling and fan coil units 2. Check and re-calibrate modulating valves and pipelines for leaks and rectify as necessary 3. Check all ere-calibrate modulating valves and controls. Adjust an necessary 4. Check and re-calibrate modulating valves and drain on the original specifications 5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check he tension of all belt drives and adjust as necessary 7. Check and clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will rip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary. 10. Check, ries and calibrate cortacts 2. Check and clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will rip the AHUs			•
Air Annual 1. Inspect expansion Air Monthly 1. Inspection 1. Inspect all air filters and clean or change filters as necessary Air Annual 1. Inspect expansion tank, drain, clean and flush out tanks as necessary Air Monthly 1. Inspect expansion tank, drain, clean and flush out tanks as necessary Air Monthly 1. Inspect expansion tank, drain, clean and flush out tanks as necessary Air Monthly 1. Inspect expansion tank, drain, clean and flush out tanks as necessary Air Monthly 1. Inspect all air handling and fan coil units Scheck all water coils, seals and pipelines for leaks and rectify as necessary 3. Check all water coils Check all air filters and clean or change filters as necessary 4. Check and re-calibrate modulating valves and controls. Adjust an rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check the ensure and re-calibrate all sectors. Carry out system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary. Air Annual 1. Perform all functions for monthly check 2. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding			
Solution 5. Check the alignment and condition of all rubber couplings between pumps and drive motors and rectify as necessary Water pumps Annual inspection 1. Perform all functions for monthly check 2. Check all bolts and nuts for tightness and tighten as necessary 8. Check all control earthing, megger motor and connection wiring on each leg 3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Air handling units 1. Inspect all air handling and fan coil units 2. Check all of water coils, seals and pipelines for leaks and rectify as necessary 3. Check all water coils, seals and pipelines for leaks and rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check all are bearings and lubricate with grease as necessary 7. Check all are bearings and lubricate with grease as necessary 8. Check all bearings and lubricate with grease as necessary 9. Check clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure tont theminal service from thydrograph. Balance air			
Between pumps and drive motors and rectify as necessary 6. Check all bolts and nuts for tightness and tighten as necessary yumps inspection 2. Check motor earthing, megger motor and connection wiring on each leg 3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Air handling units Air handling units 2. Check all air filters and clean or change filters as necessary 3. Check all air filters and clean or change filters as necessary 3. Check all air filters and clean or change filters as necessary 3. Check all are re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check the tension of all belt drives and adjust as necessary 8. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary. 12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 ps] [b] with chemical spray if necessary			•
Water pumps Annual inspection 6. Check all bolts and nuts for tightness and tighten as necessary Water pumps Annual inspection 1. Perform all functions for monthly check 2. Check motor earthing, megger motor and connection wiring on each leg 3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Expansion tank Annual inspection 1. Inspect expansion tank, drain, clean and flush out tanks as necessary Air handling units Monthly 1. Inspect all air handling and fan coil units 2. Check all water coils, seals and pipelines for leaks and rectify as necessary 3. Check all water coils 4. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check the tension of all bet drives and adjust as necessary 8. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 9. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test on calibrate overload settings Air handling units<			
Water pumps Annual inspection 1. Perform all functions for monthly check 2. Check motor earthing, megger motor and connection wiring on each leg 3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Air handling units Monthly 1. Inspect all air handling and fan coil units 2. Check all air filters and clean or change filters as necessary 3. Check all air filters and clean or change filters as necessary 3. Check all air nandling and fan coil units 2. Check all air filters and clean or change filters as necessary 3. Check all air nandling and fan coil units 2. Check all air filters and clean or change filters as necessary 3. Check all air filters and clean or change filters as necessary 3. Check all water coils, seals and pipelines for leaks and rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check and clean all the condensate pans, trays and drain 9. Check, measure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke			
each leg 3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Expansion tank Air handling units Air handling units Air Air handling units Air Air Air Air Air Air Air Air Air <t< td=""><td>Water</td><td>Annual</td><td>1. Perform all functions for monthly check</td></t<>	Water	Annual	1. Perform all functions for monthly check
3. Tighten motor terminals 4. Check starter contacts 5. Test and calibrate overload setting Expansion tank Annual inspection Air handling units Monthly 1. Inspect all air handling and fan coil units 2. Check all air filters and clean or change filters as necessary 3. Check all water coils, seals and pipelines for leaks and rectify as necessary 4. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications 5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check neating and re-calibrate modulating valves and drain 9. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary. 12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessary 13. Check starter contacts 4. Test and calibrate overload settings Air distribution system 1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space te	pumps	inspection	2. Check motor earthing, megger motor and connection wiring on
4. Check starter contacts 5. Test and calibrate overload setting Expansion tank Annual inspection Air handling units Monthly 1. Inspect expansion tank, drain, clean and flush out tanks as necessary 2. Check all air filters and clean or change filters as necessary 3. Check all air filters and clean or change filters as necessary 4. Check all air filters and clean or change filters as necessary 4. Check all air filters and clean or change filters as necessary 5. Purge air from all water coils 6. Check and learnings and lubricate with grease as necessary 7. Check the tension of all belt drives and adjust as necessary 8. Check, measure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system 11. Check starter contacts 12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessary 13. Check starter contacts 4. Test and calibrate overload settings Air handling units Monthly and Annual inspection 1. 14. Perform all functions for monthly check <tr< td=""><td></td><td></td><td></td></tr<>			
Expansion tankAnnual inspection1.Inspect expansion tank, drain, clean and flush out tanks as necessaryAir handling unitsMonthly inspection1.Inspect all air handling and fan coil units2.Check all air filters and clean or change filters as necessary 3.Check all water coils, seals and pipelines for leaks and rectify as necessary4.Check all water coils, seals and pipelines for leaks and rectify as necessaryS.5.Purge air from all water coils6.Check all fan bearings and lubricate with grease as necessary 7.7.Check the tension of all belt drives and adjust as necessary 8.8.Check, measure and re-calibrate all sensors if necessary 10.9.Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11.11.Check starter contacts 4.Air handling unitsAnnual inspectionAir distribution systemMonthly and Annual inspectionAir handling unitsMonthly and Annual inspectionAir handling unitsMonthly and Annual inspectionAir handling unitsCheck starter contacts 4.Air handling unitsCheck starter contacts 4.Air handling unitsCheck operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2.Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to<			
Expansion tankAnnual inspection1.Inspect expansion tank, drain, clean and flush out tanks as necessaryAir handling unitsMonthly inspection1.Inspect all air filters and clean or change filters as necessary 3.Check all air filters and clean or change filters as necessary 3.Check all water coils, seals and pipelines for leaks and rectify as necessary to ensure compliance to the original specificationsand rectify as necessary4.Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications5.Purge air from all water coils 6.Check and lair bearings and lubricate with grease as necessary 7.6.Check and clean all the condensate pans, trays and drain 9.Check, measure and re-calibrate all sensors if necessary 10.10.Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11.11.Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspection1.Air distribution systemMonthly and Annual inspection1.Air distribution systemMonthly and1.Air distribution systemMonthly and Annual inspection1.Air distribution systemMonthly and Annual inspection1.Air distribution systemCarry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary and linkages as necessary			
tankinspectionnecessaryAir handling unitsMonthly1.Inspect all air handling and fan coil units2.Check all air filters and clean or change filters as necessary3.Check all vater coils, seals and pipelines for leaks and rectify as necessary4.Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications5.Purge air from all water coils6.Check all fan bearings and lubricate with grease as necessary7.Check all fan bearings and lubricate with grease as necessary8.Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs11.Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemCheck operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2.Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			5. Test and calibrate overload setting
tankinspectionnecessaryAir handling unitsMonthly1.Inspect all air handling and fan coil units2.Check all air filters and clean or change filters as necessary3.Check all vater coils, seals and pipelines for leaks and rectify as necessary4.Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications5.Purge air from all water coils6.Check all fan bearings and lubricate with grease as necessary7.Check all fan bearings and lubricate with grease as necessary8.Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs11.Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemCheck operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2.Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
Air handling unitsMonthly inspection1. Inspect all air handling and fan coil units2. Check all vater coils, seals and pipelines for leaks and rectify as necessary3. Check all water coils, seals and pipelines for leaks and rectify as necessary3. Check all water coils, seals and pipelines for leaks and rectify as necessary4. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications5. Purge air from all water coils6. Check all fan bearings and lubricate with grease as necessary 8. Check and clean all the condensate pans, trays and drain 9. Check, measure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These	•		
handling unitsinspection2. Check all air filters and clean or change filters as necessary 3. Check all water coils, seals and pipelines for leaks and rectify as necessary 4. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications5. Purge air from all water coils 6. Check all fan bearings and lubricate with grease as necessary 7. Check the tension of all belt drives and adjust as necessary 8. Check and clean all the condensate pans, trays and drain 9. Check, measure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary compliance with requirements of original specifications. These			
units3. Check all water coils, seals and pipelines for leaks and rectify as necessary4. Check and re-calibrate modulating valves and controls. Adjust and rectify as necessary to ensure compliance to the original specifications5. Purge air from all water coils6. Check all fan bearings and lubricate with grease as necessary 7. Check the tension of all belt drives and adjust as necessary 8. Check and clean all the condensate pans, trays and drain 9. Check, neasure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspectionAir distribution systemMonthly and Annual inspection1. Perform all functions for monthly check a. Tighten motor terminals 3. Check spring of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary			1 5
Air handling unitsAnnual inspection1.Check operation of all functions for mothly check and centroling significations1.Check operation of all modulating and fixed dampers controling air flow through unit. Lubricate all damper bearings and linkages as necessary			
Air handling unitsAnnual inspection1.Perform all functions for monthly check 2.1.Perform all functions for monthly check 2.2.Test and calibrate overload settingsAir distribution systemMonthly and and inspection1.Check starter contacts 4.1.Check starter contacts 4.2.Tighten motor terminals 3.3.Check starter contacts 4.2.Tighten motor terminals 3.3.Check starter contacts 4.3.Check			
specifications5. Purge air from all water coils6. Check all fan bearings and lubricate with grease as necessary7. Check the tension of all belt drives and adjust as necessary8. Check and clean all the condensate pans, trays and drain9. Check, measure and re-calibrate all sensors if necessary10. Check, clean and service smoke detectors. Carry out a system11. Check spring vibration isolators for abnormal vibration. Rectify12. Coil to be cleaned by [a] spray of high pressure clean waterInot exceeding 30 psi] [b] with chemical spray if necessary1. Perform all functions for monthly check1. Tighten motor terminals3. Check starter contacts4. Test and calibrate overload settingsAir distribution systemAir distribution systemAir unitsAir distribution systemAir other to an unclassionAir distribution systemAir other to an unclassionAir other to an unclassionAir distribution systemAir other to an unclassionAir other to an unclassionAir			4. Check and re-calibrate modulating valves and controls. Adjust
5. Purge air from all water coils6. Check all fan bearings and lubricate with grease as necessary7. Check the tension of all belt drives and adjust as necessary8. Check and clean all the condensate pans, trays and drain9. Check, measure and re-calibrate all sensors if necessary10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling unitsAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir distribution systemAir compliance with thermo hydrograph. Balance air flow as necessary with thermo hydrograph. Balance air flow as necessary compliance with requirements of original specifications. These			and rectify as necessary to ensure compliance to the original
6. Check all fan bearings and lubricate with grease as necessary 7. Check the tension of all belt drives and adjust as necessary 8. Check and clean all the condensate pans, trays and drain 9. Check, measure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary. 12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			specifications
7.Check the tension of all belt drives and adjust as necessary 8.8.Check and clean all the condensate pans, trays and drain 9.9.Check, measure and re-calibrate all sensors if necessary 10.10.Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11.11.Check spring vibration isolators for abnormal vibration. Rectify if necessary.12.Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling unitsAnnual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspectionAir distribution systemMonthly and Annual inspection2.Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			•
8. Check and clean all the condensate pans, trays and drain9. Check, measure and re-calibrate all sensors if necessary10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling unitsAir distribution systemAir distribution systemMonthly unitsAir distribution systemMonthly unitsAnnual inspection1. Check operation of all unitsMonthly unitsAir distribution systemAir distrib			
9. Check, measure and re-calibrate all sensors if necessary 10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
10. Check, clean and service smoke detectors. Carry out a system test to ensure that the smoke detectors will trip the AHUs 11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.Air handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
test to ensure that the smoke detectors will trip the AHUs11. Check spring vibration isolators for abnormal vibration. Rectify if necessary.12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling units1. Perform all functions for monthly check2. Tighten motor terminals3. Check starter contacts3. Check starter contacts4. Test and calibrate overload settingsAir distribution system1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
Air handling unitsAnnual inspection1. Check spring vibration isolators for abnormal vibration. Rectify if necessary. 12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
if necessary.12. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessaryAir handling unitsAnnual inspection1. Perform all functions for monthly check2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
Air handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
AirAnnual inspection1. Perform all functions for monthly checkunits1. Perform all functions for monthly checkunits3. Check starter contactsAirMonthly and distribution system1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
Air handling unitsAnnual inspection1. Perform all functions for monthly check 2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
handling unitsinspection2. Tighten motor terminals 3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These	Air	Annual	
units3. Check starter contacts 4. Test and calibrate overload settingsAir distribution systemMonthly and Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
AirMonthly and distribution system1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These	•	1 -	8
Air distribution systemMonthly Annual inspection1. Check operation of all modulating and fixed dampers controlling air flow through unit. Lubricate all damper bearings and linkages as necessary2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These			
 system inspection and linkages as necessary 2. Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These 	Air	Monthly and	
 Carry out space temperature checks on air conditioned areas with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These 	distribution		
with thermo hydrograph. Balance air flow as necessary to compliance with requirements of original specifications. These	system	inspection	•
compliance with requirements of original specifications. These			
checks include the calibration of sensors, thermostat etc.			
3. Check noise level of discharged air from diffusers			3. Check noise level of discharged air from diffusers

C ... Nil I Nil O Nil



Ventilation	Monthly check and Annual inspection	 Check adjust as necessary the air flow of all fans are in compliance with the original specifications Check the tension of all belt drives and adjust as necessary Check and lubricate all fan bearings Tighten motor terminals Check starter contacts Test and calibrate overload settings A system check shall be carried out for all Mechanical Ventilation [MV], Pressurisation and Exhaust system to verify the performance of the systems
Switch board	Six-monthly and Annual inspection	 Clean and adjust all switchgear, contactors, relays and associated electrical equipment at intervals not exceeding six months Check and prove operation of thermal overload and protection devices Check and ensure tightness of all equipment fastenings and cable terminations within switch boards Vacuum clean all switch board cubicles
Piping system	Monthly and Annual inspection	 Check all piping system for leaks and repair these where they have occurred Check for damage & deterioration of insulation or sheathings. Rectify as necessary.
	Consumable materials	 The contractor shall supply the following consumable materials as and when required:- 1. All greases and oils required for lubrication of compressors, fan bearings, motor bearings, pivots and other moving parts 2. All refrigerant required for topping up. Refrigerant loss if due to due to negligence shall be made good by the contractor 3. All consumable filter elements / rolls 4. All chemicals for the correct chemical treatment of the cooling tower and chilled water system 5. All carbon brushes required to replace worm brushes in electric motors 6. All electric contact points required to replace worm electric contact points in switchgears, motor starter gears, electronic control gears and electric relays 7. All electric fuses required to replace blown fuses
	AFTER CAMC	The contractor shall have to handover all the Chiller unit in proper running condition after CAMC is over.

RECOVERY RATES FOR NON-COMPLIANCES DURING CAMC PERIOD

The various amounts as mentioned below are the recovery rates to be deducted from the bills payable to the contractor. Activities of maintenance shall be recorded in **maintenance register** and to be verified by E-in-C or his representative.

C ... Nil I Nil O Nil

Page 40 of 46



Sr. No.	Description of non-compliance	:	Amount to be recovered (Rs.)			
1	Not cleaning of condenser with cleaning agent unit once in 3 months in a year (All necessary arrangements for conducting de- scaling / cleaning to be done by the contractor, however, specific period of shut down to facilitated by the department)	:	Rs. 10,000.00 (ten thousand) per each missing for all units (to be done in presence of Engineer-in-charge or his representative and to be recorded in maintenance register)			
2	Not servicing and cleaning of AHUU / indoor unit's coils, cleaning of filters at least 3 times per year during the contract period	: Rs.7500.00 (Seven thousand Fiv Hundred) per FCU / indoor unit per yea irrespective of size				
3	Not repairing / replacing of any other spare parts within 3 days after occurrence	:	After having been notified of the defects / service requirement during warranty as well as CAMC period, Contractor has to complete the required Service / Rectification within 3 days' time limit. If the Contractor fails to complete service / rectification with defined time limit, a penalty of 0.5% of the contract amount shall be charged as penalty for each week of delay from the Contractor. Engineer-in- charge shall have a right to recover all such penalty amount from the bill payable to the contractor or from Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the E-in-C shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Contractor besides forfeiture of PBG.			

SPECIFICATIONS

1.0 The work shall be carried out as per CPWD General Specifications for HVAC works 2017 as amended upto date alongwith the following changes, CPWD general Specifications for Electrical Works Part – I, II & IV as amended upto date, relevant IE Rules and as per directions of Engineer-in-Charge.

 $C \hdots Nil \qquad I \hdots Nil \qquad O \hdots Nil$

Page 41 of 46



For electrical panels, CPWD General Specifications for Electrical Works Part-IV shall be applicable.

Page 42 of 46

C ... Nil I Nil O Nil



BID SUBMISSION CHECK LIST

ONLINE BID SUBMISSION:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

	(Following do	Envelope – 1 cuments to be provided as single PDF file)		
SI. No.	SI. No. Documents Content			
1	Technical Bid	Annexure - 1	.PDF	
2		EMD submission proof	.PDF	
3		OEM authorisation specific to the bid (when bidder is other than OEM)	.PDF	
4		Certificate of work experience as desired (other than OEM)	.PDF	
5		Certificate of GST Registration		
6	Affidavit as per provision of the clause 1.1.2 of IITD-		.PDF	
7	Acceptance to execute INTEGRITY PACT		.PDF	
8		IITD 7 / 8 duly signed	.PDF	
9		EPFO & ESIC Registration proof	.PDF	
10		Valid Electrical Licence / Undertaking	.PDF	
11		Any other document as specified in the NIT	.PDF	
		Envelope – 2		
SI. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in BOQ format.	.EXL	

SCHEDULE OF QUANTITY

C ... Nil I Nil O Nil

Page 43 of 46



Name of work: Repairing of 3 x 45.0 TR Aircooled Chiller AC Plant & CAMC of Chemistry Lab, LHC, IIT Delhi

Item	Description of items	Qty.	Rate	Unit	Amount
No.		Qty.	Nate	Onic	Amount
	Sub Head - 1 [Repairing and replacement]				
1	Testing, checking, servicing, leak repairing, pressure testing with dry nitrogen / carbon dioxide gas, vacuumising, purging, flushing of 45.0 TR air- cooled scroll chiller [Blue Star make] refrigerant circuit including making the system completely leak-proof etc. complete as required.	3		Job	
2	Supply, Installation, Testing and Commissioning of hermetically sealed Scroll Compressor [Model SZ185, 3-phase, Danfoss] suitable for operation on 400 V, 50 Hz ac supply in existing position after dismantling and removing the existing faulty one etc. as required.	4		Each	
3	Supplying and charging of refrigerant R-407C in the completely leak proof vacuumised system including running of compressors for proper operation as required.	90		Kg	
4	Supply, Installation, Testing and Commissioning of Display Unit of 45.0 air-cooled scroll chiller complete with controller, connections etc, including making the system normal, running units with command, removing the existing faulty one etc. as required.	2		Each	
5	SITC of dial type similar type pressure gauge as existing in the field with syphon and cock valve including removing the existing faulty one etc. as required.	6		Each	
6	SITC of similar type pressure meter as existing in the field with necessary fixing arrangement including removing the existing faulty one etc. as required.	6		Each	
7	Through cleaning of condenser coils of air-cooled scroll chiller with approved acidic based chemical coil cleaner, thorough washing with high pressure jet pump, applying of alkaline spray on the coils as required.	3		Job	

 $C \dots Nil \quad I \dots Nil \quad O \dots Nil$



8	Providing and applying of 'Clear Glossy' coating on the condenser coil "U-bends" and other vulnerable areas for all the three chiller's condenser etc. to protect the areas from weathering and enhancing life of the coils as required.	27	Litre	
9	Complete servicing including thorough cleaning of following capacity double circuit AHU with chemical, thorough cleaning with high pressure water jet, alkaline based chemical applying including cleaning of pre-filters, checking and lubricating motor, blower, servicing of blower, balancing, replacement of V-belts, complete cleaning of AHU and the room, providing torn out insulation etc, as required.			
9.01	16,000 CFM	1	Job	
10	Complete servicing, cleaning of the entire chiller AC electrical control panel, replacement of rusted out nuts and bolts, servicing of all contactors, replacement of kits wherever necessary, all connections, end terminations, servicing and cleaning of VF drive, replacement of fuses, burnt out contactors, replacement of damaged wires, testing the panel for auto as well as manual, servicing and cleaning of make up water pumps in the cubicle, its testing complete as required. (Main incomer, 3 outgoing contactors and MCCBs for chiller pumps, 3 outgoing and contactors for chiller units, VF drive and accessories for AHU, other associated control and circuits.)	1	Job	
11	Draining out, system cleaning, flushing, purging of the chilled water line including refilling of fresh water into the system, de-rusting and descaling of valves, parts wherever required etc. complete as required.	1	Job	
	Sub Head - 2 [Comprehensive Maintenance] Supplementary agreement shall be formed			



12	Comprehensive maintenance of 3 x 45.0 TR chiller units complete with refrigerant and chilled water circuits, AHU, Filters, time to time servicing and cleaning of coils, filters, attending and rectification of any kind of fault etc for smooth running of the entire system. [Security Deposit shall be released after successful completion of DLP & CAMC of 01 year. Necessary deductions are to be proposed in the contract event of non-compliance or non- performing] as per maintenance schedule. N.B 01 Job means for a period of 01 year (starting from the date of completion of work)	1	Job	
	units complete with refrigerant and chilled water circuits, AHU, Filters, time to time servicing and cleaning of coils, filters, attending and rectification of any kind of fault etc for smooth running of the entire system. [Necessary deductions are to be proposed in the contract event of non-compliance or non-performing] as per maintenance schedule			
13.01	2nd Year	1	Job	
13.02	3rd Year	1	Job	
13.03	4th Year	1	Job	
13.04	5th Year	1	Job	
13.05	6th Year	1	Job	
14	(-) Less buyback of old faulty compressor [Reserve price per each compressor is Rs.12,000.00. Bidder cannot quote below Rs.12,000.00 per each compressor]	4	Each	
	TOTAL (Rs.)			

T.S. Plg.

AEE (AC)

EE (E)

C ... Nil I Nil O Nil

Page 46 of 46