

# **Notice Inviting Tender**

Name of Work: - AR & Mo building in Academic area at IIT Delhi Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and other misc. works at IIT Delhi.

Civil work amount : Rs. 1,47,69,904 /
Electrical Work Amount : Rs. 5,55,432/Total Amount : Rs. 1,53,25,336/

(WORKS DEPARTMENT)

# INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI

C----NIL I---NIL O---NIL EE (CD-III) AEE (E) JE (E) JE (C)

# INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

## **INDEX**

Name of work: - AR & Mo building in Academic area at IIT Delhi

Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop , 'Nescafe shop central library to others locations and other misc. works at IIT Delhi.

| Sl. No. | Description  | Page No. |
|---------|--|----------|
| 1       | Index  | 2        |
| 2.      | Notice Inviting e-tender                                 | 3        |
| 3.      | Part A   |          |
|         | Information and instructions for bidders for e-tendering | 4-7      |
|         | IITD-6 for e-Tendering and Terms & Conditions            | 8-23     |
|         | Integrity Pact   | 24-30    |
|         | Form of Earnest Money (Bank Guarantee)                   | 31       |
|         | Performance Guarantee                                    | 32       |
|         | Form-F   | 33       |
|         | Annexure- I, II, III                                     | 34-36    |
| 4.      | Part B   |          |
|         | IITD 7/8 e-Tendering                                     | 37-39    |
|         | Schedule A-F   | 40-46    |
|         | Special Condition of Contract                            | 47-48    |
|         | Guarantee Bond for Water Proofing                        | 49       |
|         | List of Approved/Acceptable Make                         | 50-54    |
|         | Online Bid Submission                                    | 55       |
| 5.      | Part C   |          |
|         | Schedule of Quantity                                     | 56-66    |

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 66.

**Assistant Executive Engineer (E)** 

**Executive Engineer (CD-III)** 

NIT approved for Rs. 1, 53, 25,336/- (One Corers Fifty Three Lakh Twenty Five Thousand Three Hundred Thirty Six only)

**Institute Engineer** 

# INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

## **Notice Inviting e - Tender**

The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Civil work /Building works/ Building & Roads/Composite works of the following work:

NIT No. : ..... IITD/EE(CD-III)/2025-26

Name of Work : AR & Mo building in Academic area at IIT Delhi

Sub Head: -Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and

other misc, works at IIT Delhi.

Estimated cost : Rs. 1,53,25,336/Earnest Money : Rs. 3,06,507 /-

Performance Guarantee : 5 % of Tendered value
Security Deposit : 2.5% of Tendered Value

Warranty : 1 Year for all Civil and Electrical works.

5 Years for Specialized work i.e. water Proofing, and

**LED Lighting Fixtures.** 

Period for completion : **08 Months** 

Late date & time for submission : 19/06 /2025 upto 15.00 Hrs.

of bids

Date & Time of opening of Bids : 20/06 /2025 at 15.00 Hrs.

The bid forms and other details can be obtained from the website <u>www.iitd.ac.in</u> or e-Procure.gov.in free of cost. For more clarification you may visit on above website.

Executive Engineer (CD-III), For & on Behalf of BOG, IIT Delhi

Budget Head: Operation and maintenance of building services/ 31.06.30 / (2021/007/0509)

#### Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (CD-III) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of uploaded documents at 3:00 PM on 20/06/2025 in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D.

C----NIL I---NIL O---NIL EE (CD-III) AEE (E) JE (E)

# PART 'A'

# INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD/WORKS (SP-5027)/2025

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice) The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Civil work /Building works/ Building & Roads/Composite works of the following work:

| SL.<br>No. | NIT<br>No.               | Name of Work  | Estimated<br>Cost<br>(in Rs.) | Earnest<br>Money (in<br>Rs.) | Time for<br>Completion |
|------------|--------------------------|---|-------------------------------|------------------------------|------------------------|
| 1          | /IITD/EE(CD-III)/2025-26 | Name of work: AR & Mo building in Academic area at IIT Delhi Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and other misc. works at IIT Delhi. | 1,53,25,336/-                 | 3,06,507/-                   | 08 Months              |

Last date and time of submission of financial & Technical bid

: 19/06/2025 upto 3:00 pm (on line)

Date and time of opening of Technical bid : 20/06/2025 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 5 % of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- **2.** Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
  - Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs.** 1,22,61,000/-or Two similar works each of value not less than **Rs.** 91,96,000/-or three similar works each of value not less than **Rs.**61,31,000/-during last 7 years ending on previous day of last day of submission of bids.
  - ii) **Earnest money of Rs. 3,06,507**/-in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favor of **Registrar, I.I.T. Delhi**. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 3. Similar work means Composite work consisting of Civil and E&M.
- 4. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 5. Information and Instructions for bidders posted on website shall form part of bid document.

- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website <a href="http://eprocure.gov.in/eprocure/app.in">http://eprocure.gov.in/eprocure/app.in</a> free of cost.
- 7. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- **8.** Work means only work under Government/ Central Public Sector Undertaking / State Public Sector Under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- 9. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion on previous day of last day of submission of bids.
- 10. IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- 11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- 12. The intending bidder must have valid class-III digital signature to submit the bid.
- 13. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- **14.** Contractor can upload documents in the form of JPG format and PDF format.
- 15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- 16. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- 17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- 18. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favor of **Registrar IIT Delhi** to be deposited with <a href="http://eprocure.gov.in/eprocure/app/">http://eprocure.gov.in/eprocure/app/</a> / NEFT facility.
- 19. The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders: "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD

- uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- 23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.
- 24. The bid submitted shall become invalid if:
  - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.
  - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
  - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
  - d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
  - e. The Bidder does not upload ESI & EPF Registration.
- 25. Bid validity shall be 75 days from last date of submission of bid.
- **26.** Rate of bidders shall be considered inclusive of GST.

#### List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit on Rs. 100/- Non judicial Stamp paper as per Notice Inviting Tender Condition 1.3 at page 8 of NIT. (Stamp Paper shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 20 on page No. 5' on firm's letter head.
  - The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.
- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 11. Annexure-I (duly filled & signed by the bidders)
- 12. Annexure-II (duly filled & signed by the bidders)
- 13. Annexure-III (duly filled & signed by the bidders)

Note: - All Documents mentioned S.N-1 to 10 are mandatory for technically qualifying and document mentioned 11 to 13 are not mandatory.

Executive Engineer (CD-III), For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016

JE (C)

<u>Budget Head: : Operation and maintenance of building services/ 31.06.30 / (2021/007/0509)</u> Copy to: -

- 1. Executive Engineer (CD-III) for information.
- 2. D.A. (Works Accounts)
- 3. D.R. (A/Cs) for opening of tenders on 20/06/2025 at 3:00 PM in the office of D.R. Store
- 4. Notice Boards.
- 5. Office Copy
- 6. Web site Administrator, I.I.T.D
- 7. NIT: Publicity on Website on Institute as well as on CPP portal <a href="http://eprocure.gov.in">http://eprocure.gov.in</a> may be ensured as per instruction issued.
- **8.** E-tendering Web. <a href="http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in">http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in</a>

## INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD-6 FOR e-TENDERING ANDTERM&CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged/ register in appropriate category having completed work in appropriate category for the **work** as per tender notice.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost **as per tender notice** this estimate, however, is given merely as a rough guide.
- 1.2 Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e- TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-
  - I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)
  - 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
  - 3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
  - 4. The site for the work shall be made available in parts as and when site will be available.
  - 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site <a href="http://eprocure.gov.in/eprocure/appor iitd.ac.in">http://eprocure.gov.in/eprocure/appor iitd.ac.in</a> or e-procure.gov **free** of cost.
  - 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
  - 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
  - 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
  - 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/ Nationalized Bank and shall be scanned & uploaded to the e- tendering website within the period of tender submission or through RTGS/ NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of **Executive Engineer (CD-III)**, **IIT Delhi, Hauz Khas, New Delhi**

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

http://eprocure.gov.in/eprocure/app.

- 10. The bid submitted shall become invalid if:
  - (i) The bidders are found not eligible.
  - (ii) The bidders do not upload all the documents (including GST registration/ other documents as per Tender Notice) as stipulated in the bid document.
  - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
  - (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
  - (v) The Bidder does not upload ESI & EPF Registration
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 5 % (Five Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- 15. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 16. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- 19. The tender for the works shall remain open for acceptance for a period of **Seventy Five (75)** days from last date of submission of bid, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
  - a) The Notice Inviting Tender, all the documents including additional conditions, specifications, and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
  - b) Standard IITD Form 8 or other Standard IITD Form as mentioned.
- 21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-III) IIT Delhi, Hauz Khas New Delhi - 110016

## NOTICE INVITING TENDER

#### INDIAN INSTITUTE OF TECHNOLOGY DELHI

## HAUZ KHAS, NEW DELHI-110016

#### **Terms & Conditions**

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

| Details of the item                   | As per Tender Notice                    |
|---------------------------------------|---|
| Earnest Money Deposit to be submitted | Rs. 3,06,507/-                          |
| Warranty                              | As per Tender Notice, NIT & IITD form 8 |
| Performance security                  | As per Tender Notice, NIT & IITD form 8 |

Tender Documents may be downloaded from Central Public Procurement Portal <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

# **Schedule**

| Name of Organization  |                   | Indian Institute of Technology, Delhi   |  |  |  |  |  |  |
|---|-------------------|---|--|--|--|--|--|--|
| Tender Type (Open/Limited/EO                                  | I/Auction/Single) | Open  |  |  |  |  |  |  |
| Tender Category (Services/Good                                | ds/works)         | Works   |  |  |  |  |  |  |
| Type/Form of Contract (Work/S<br>Auction/Service/Buy/Empaneln |                   | Works   |  |  |  |  |  |  |
| Product Category (Civil Works/<br>Works/Fleet Management/ Com |                   | Civil Works.  |  |  |  |  |  |  |
| Source of Fund (Institute/Projec                              | t)                | Operation and maintenance of building services/ 31.06.30 / (2021/007/0509)  |  |  |  |  |  |  |
| Is Multi Currency Allowed                                     |                   | No  |  |  |  |  |  |  |
| Date of Issue/Publishing                                      |                   | 12/06/2025 (15.00 Hrs)  |  |  |  |  |  |  |
| Document Download/Sale Start                                  | Date              | 12/06/2025 (15.00 Hrs)  |  |  |  |  |  |  |
| Document Download/Sale End                                    | Date              | 19/ 06 /2025 (15.00 Hrs)  |  |  |  |  |  |  |
| Date for Pre-Bid Conference                                   |                   | Nil   |  |  |  |  |  |  |
| Venue of Pre-Bid Conference                                   |                   |   |  |  |  |  |  |  |
| Last Date and Time for Uploadi                                | ng of Bids        | 19/ 06 /2025 (15.00 Hrs)  |  |  |  |  |  |  |
| Date and Time of Opening of To                                | echnical Bids     | 20 / 06 /2025 (15.00 Hrs)   |  |  |  |  |  |  |
| Tender Fee  | NIL               | (To be paid through RTGS/NEFT/Offline Mode. IIT Delhi Bank details are as under:  |  |  |  |  |  |  |
| EMD   | Rs. 3,06,507/-    | Name of the Bank A/C: Registrar IIT Delhi SBI A/C No. 10773572622  Name of the Bank : State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II) or as per NIT/ Tender notice |  |  |  |  |  |  |
| No. of Covers (1/2/3/4)                                       |                   | 02  |  |  |  |  |  |  |
| Bid Validity days (180/120/90/7                               | 5/60/30)          | 75 days (From last date of Submission of bid)   |  |  |  |  |  |  |
| Address for Communication                                     |                   | Office of the Executive Engineer (Civil Division-III),<br>Room No- MZ-137, Main Building, IIT Delhi, Hauz Khas,<br>New Delhi-110016   |  |  |  |  |  |  |
| Contact No.   |                   | 011-26596237  |  |  |  |  |  |  |
| Fax No.   |                   | Nil   |  |  |  |  |  |  |
| Email Address   |                   | a26516@admin.iitd.ac.in   |  |  |  |  |  |  |

#### **Instructions for Online Bid Submission:**

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app</u>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>

#### **REGISTRATION**

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a>) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

# **SEARCHING FOR TENDER DOCUMENTS**

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

#### **PREPARATION OF BIDS**

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

#### **SUBMISSION OF BIDS**

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time
  - i.e., on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) The bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

#### OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

# **ASSISTANCE TO BIDDERS**

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

#### **General Instructions to the Bidders**

- 1) The tenders will be received online through portal <a href="http://eprocure.gov.in/eprocure/app">http://eprocure.gov.in/eprocure/app</a> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e- submission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

JE (E)

# **Terms & Conditions Details**

| S.No. | Specification  |
|-------|--|
| 1.    | <b>Due date</b> : The tender must be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.   |
| 2.    | <b>Preparation of Bids</b> : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX. |
|       | OR   |
|       | Financial Bids to be submitted in Excel.   |
|       | The Technical bid and the financial bid should be submitted Online.  |
| 3.    | EMD (if applicable): As per NIT  |
| 4.    | Refund of EMD :- As per NIT  |
| 5.    | Opening of the tender: As per Tender Notice, NIT & IITD form 8   |
| 6.    | Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.   |
| 7.    | Pre-qualification criteria: - Mentioned in Tender notice   |
| 8.    | Performance Security:-Mentioned in Tender notice   |
| 9.    | Force Majeure :- As per IITD form 8  |
| 10.   | Risk & Cost Clause : As per IITD form 8  |
| 11.   | Delivery and Documents: As per Tender Notice & NIT & IITD form 8   |
| 12.   | Delayed delivery: As per Tender Notice & NIT & IITD form 8   |
| 13.   | Prices: As per Tender Notice & NIT & IITD form 8   |
| 14.   | Progress of Work :As per Tender Notice & NIT & IITD form 8   |
| 15.   | Inspection and Tests: As per Tender Notice & NIT & IITD form 8   |
| 16.   | Resolution of Disputes: As per Tender Notice & NIT & IITD form 8   |
| 17.   | Applicable Law: As per Tender Notice & NIT & IITD form 8   |
| 18.   | Supplier Integrity : As per Tender Notice & NIT & IITD form 8  |
| 19.   | Training : As per Tender Notice & NIT & IITD form 8  |
| 20.   | Installation & Demonstration : As per Tender Notice & NIT & IITD form 8  |

| 21. | Incidental services: As per Tender Notice & NIT & IITD form 8       |
|-----|---|
| 22. | Defect liability Period : As per Tender Notice & NIT & IITD form 8  |
| 23. | Governing Language : As per Tender Notice & NIT & IITD form 8       |
| 24. | Applicable Law: As per Tender Notice & NIT & IITD form 8            |
| 25. | Notices : As per Tender Notice & NIT & IITD form 8                  |
| 26. | Taxes: As per Tender Notice & NIT & IITD form 8                     |
| 27. | Termination for Default : As per Tender Notice & NIT & IITD form 8  |
| 28. | Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8 |
| 29. | Completion certificate: As per Tender Notice & NIT & IITD form 8    |

# **Bid Submission**

# **Online Bid Submission:**

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

| Bid Docu   | ment – 1            |  |       |
|------------|---------------------|--|-------|
| (Following | g documents to be p | provided as single PDF file)   |       |
| Sl. No.    | Documents           | Content  | File  |
|            |                     |  | Types |
| 1.         |                     | Compliance Sheet as per Annexure – I   | .PDF  |
| 2.         |                     | Organization Declaration Sheet as per Annexure – II  | .PDF  |
| 3.         | Technical Bid       | List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III) | .PDF  |
| 4.         |                     | Technical supporting documents in support as per Page-6 of NIT   | .PDF  |
| Bid Docu   | ment – 2            |  |       |
| Sl. No.    | TYPES               | Content  |       |
| 1.         | Financial<br>Bid    | Price bid should be submitted in Excel format.   | .xls  |

#### I.I.T.D- 6 FOR e-TENDERING

I.I.T.D

## INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS, NEW DELHI -110016 NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S., BSNL and Railway** dealing with **Civil work / Building work/ Building & Road / Composite works** for the work of **AR & Mo building in Academic area at IIT Delhi Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop , 'Nescafe shop central library to others locations and other misc. works at IIT Delhi.** 

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders.

  In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost Rs. 1,53,25,336/-This estimate, however, is given merely as a rough guide.
- **1.1.1** The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.
  - For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.
- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -

#### Criteria of eligibility for submission of bid documents.

#### 1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

#### I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

# 1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer- in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site for the work shall be made available in parts as and when site will be available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order. The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
- (v) The Bidder does not upload ESI & EPF Registration

#### I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

- 9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5%** (**Five Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/
  - Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1, 00,000/-) or Government Securities or Fixed.
  - Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed

#### I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.

- 16. The bid for the works shall remain open for acceptance for a period of **Seventy Five (75) days** from the last date of submission of bid, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

- b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
- 18. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 19. **For Composite Bid**
- 19.1 The **Executive Engineer [CD-III]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.
- 19.2 The bid document will include following three components: -

**Part A-** IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2020 as corrected/modified up to date.

**Part B** – General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.

**Part C: -** Schedule A to F for minor component of the work I.E. (Institute Engineer/EE in-charge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/ specific conditions, specifications, and schedule of quantities applicable to minor component(s) of the work.

- 19.3 The bidder must associate himself with experienced agencies of the appropriate class eligible for bid for each of the minor component individually.
- 19.4 The eligible bidders shall quote rates for all items of major component as well as for all items of minor component of work.

JE (E)

#### I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

- After acceptance of the bid by Competent authority, the **EE** [**CD-III**] **i.e** Engineer in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, after the work is awarded, the main contractor will have to enter into one agreement with **EE** [**CD-III**] and has also to sign two or more copies of agreement. On such signed set of agreement shall be handed over to EE (Elect) in charge of minor component. EE of major component will operate part A and EE(Elect) in charge of minor component shall operate part B along with Part A of the agreement.
- 19.6 Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- 19.7 The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).
- In case the main contractor changes any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of the Engineer-in-charge of minor component. The new agency/agencies shall also have an agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- 19.9 The main contractor has to enter into agreement with contractor(s) associated by him for execution of minor components(s) in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE[E] and EE(CD-III), in charge of major and minor component. In case of a change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- **19.11** Running payment for the major component shall be processed by EE of major discipline to the main contractor. Running payment of minor components shall be made by EE [E], discipline of minor component directly to the main contractor.
- 19.12A The composite work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 19.12B Final bill of whole work shall be finalized and paid by the EE of major component. EE (E), in charge of minor component(s) will prepare and pass the final bill for their respective component of work and pass on the same to the EE of major component for including in the final bill for composite contractor.

|                            | _ |         |
|----------------------------|---|---------|
| INTEGRATY PACT e-TENDERING |   | I.I.T.D |
|                            |   |         |

| To, |     |   |   |   |   |   |   |   |   |   |   |   |   |     |   |   |   |   |   |   |   |   |   |   |   |   |    |
|-----|-----|---|---|---|---|---|---|---|---|---|---|---|---|-----|---|---|---|---|---|---|---|---|---|---|---|---|----|
|     | • • | • | • | • | • | • | • | • | • | • | • | • | • | • • | • | • | • | • | • | • | • | • | • | • | • | • | ,  |
|     |     |   |   |   |   |   |   |   |   |   |   |   |   |     |   |   |   |   |   |   |   |   |   |   |   |   |    |
|     | • • | • | • | • | • | • | • | • | • | • | • | • | • |     | • | • | • | • | • | • | • | • | • | • | • | • | ٠, |
|     |     |   |   |   |   |   |   |   |   |   |   |   |   |     |   |   |   |   |   |   |   |   |   |   |   |   |    |

Subject: - AR & Mo building in Academic area at IIT Delhi

Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and other misc. works at IIT Delhi.

. NIT No. /IITD/EE (CD-III)/2024-25

Dear Sir,

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity, and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

**Executive Engineer (CD-III)** 

#### ACCEPTANCE TO EXECUTE INTEGRITY PACT

I.I.T.D

(To be signed by bidder and upload the scanned copy)

To,

Executive Engineer (CD- III) IIT Delhi, Hauz Khas, New Delhi – 110016.

Subject: - AR & Mo building in Academic area at IIT Delhi

Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and other misc. works at IIT Delhi.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

## **INTEGRATY PACT e-TENDERING**

I.I.T.D

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of I.I.T.D.

## **INTEGRITY AGREEMENT**

| This Integrity Agreement is made at on this day of 20   |
|---|
| BETWEEN   |
| The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (E) IIT Delhi.   |
|   |
| ' <b>Principal/Owner</b> ', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)  |
| AND   |
| (Name and Address of the Individual/firm/Company) through (Hereinafter referred to as the (Details of duly authorized signatory) "Bidder/Contractor" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns?  Preamble |
| WHEREAS the Principal / Owner has floated the Tender (NIT No) (Hereinafter referred to as   |
| "Tender/Bid") and intends to award, under laid down organizational procedure, contract for  |
| (Name of work) hereinafter referred to as the "Contract".   |
| AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land rules, regulations, economic use of resources and of fairness/transparency in its relation with its   |

Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid

C----NIL I---NIL O---NIL EE (CD-III)

documents and Contract between the parties.

# INTEGRATY PACT e-TENDERING

Now, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

#### **Article 1: Commitment of the Principal/Owner**

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
  - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
  - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
  - (c) The Principal/Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

#### Article 2: Commitment of the Bidder(s)/Contractor(s)

- It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
  - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
  - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

#### INTEGRATY PACT e-TENDERING

I.I.T.D

- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner aspart of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action, or influencing a decision through intimidation, threat, or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tenderingprocess).

#### **Article 3: Consequences of Breach**

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of

- Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

## **Article 4: Previous Transgression**

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

#### **Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors**

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

#### **Article 6- Duration of the Pact**

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, I.I.T.D.

#### **Article 7- Other Provisions**

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

JE (E)

# INTEGRATY PACT e-TENDERING I.I.T.D

5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

# **Article 8- LEGAL AND PRIOR RIGHTS**

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

| (For and on behalf of Principal/Owner) |
|--|
| (For and on behalf of                  |
| Bidder/Contractor)                     |
| WITNESSES:                             |
| 1                                      |
| (signature, name and address)          |
| 2(signature, name and address)         |
| Place:                                 |
| Date:                                  |

# **BANK GUARANTEE BOND**

I.I.T. D

# Form of Earnest Money Deposit Bank Guarantee Bond

|      | contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")   |
|------|--|
|      | KNOW ALL PEOPLE by these presents that we  |
|      | (Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs   |
|      | and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.   |
|      | SEALED with the Common Seal of the said Bank thisday of  |
| (1)  | If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;  |
| (2)  | If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:  |
| (a)  | fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required;  OR  |
| (b)  | fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,  |
| (c)  | OR fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,   |
| (d)  | OR fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.  |
|      | We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions. |
|      | This Guarantee will remain in force upto and including the date* after the deadline for  |
|      | submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.  |
|      | DATE   |
|      | SIGNATURE OF THE BANK WITNESSSEAL  |
|      | (SIGNATURE, NAME AND ADDRESS)  |
| Doto | to be worked out on the basis of validity period of 6 months from last data of receipt of tender   |

\*Date to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

#### PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 5% (Five percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1, 00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 180 Days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv). In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

JE (E)

1. Name & Address of the bidder

# FORM "F"

# STRUCTURE & ORGANISATION

| 2. | Telephone no./ Telex no./ Fax no.   |  |  |  |
|----|---|--|--|--|
| 3. | Legal status of the bidder (attach copies of original document defining the legal status)   |  |  |  |
| a. | An Individual   |  |  |  |
| b. | A proprietary firm  |  |  |  |
| c. | A firm in partnership   |  |  |  |
| d. | A limited company or Corporation  |  |  |  |
| 4. | Particulars of registration with various Government Bodies (attach attested photocopy) Organization/ Place of registration and Registration No. |  |  |  |
|    | 1.  |  |  |  |
|    | 2.  |  |  |  |
|    | 3.  |  |  |  |
| 5. | Name and tiles of Directors & Officers with designation to  |  |  |  |
|    | be concerned with this work   |  |  |  |
|    | !   |  |  |  |
| 6. | Designation of individuals authorized to act for the organization   |  |  |  |
| 7. | Has the bidder or any constituent partner in case of partnership firm, ever abandoned the   |  |  |  |
|    | awarded work before its completion?   |  |  |  |
|    | If so, give name of the project and reasons for abandonment   |  |  |  |
|    | !   |  |  |  |
| 8. | Has the bidder or any constituent partner in case of partnership  |  |  |  |
|    | firm, ever been debarred/ blacklisted for tendering in any organization   |  |  |  |
|    | at any time? If so, give details  |  |  |  |
| 9  | Past work experience in IIT Delhi will be considered in deciding the Technical bid!   |  |  |  |

Signature of Bidder(S)

# ANNEXURE-I COMPLIANCE SHEET

# **TECHNICAL SPECIFICATION:**

| Technical Bid Requirement As per Tender Notice & NIT & IITD form 8   | Compliance<br>Y/N   |
|--|---|
| Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.  |   |
| Enlistment order of contractor.  |   |
| Certificate of work experience.  |   |
| Certificate of Registration for GST and acknowledgement of up to date filed return of GST.   |   |
| Affidavit on Rs. 100/- Non Judicial Stamp paper as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Stamp Paper shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the Affidavit.).        |   |
| Acceptance to execute INTEGRITY PACT.  |   |
| "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" |   |
|  |   |
| FORM "F" (Duly filled with all required details).  |   |
| In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.   |   |
| Annexure-1 (Dully Filled & signed by the bidders)  |   |
| Annexure 2 (Dully Filled & signed by the bidders)  |   |
| Annexure 3 (Dully Filled & signed by the bidders)  |   |
| Any other documents given in NIT   |   |
| BOQ  |   |
|  | Demand Draft/Pay order or Banker's Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.  Enlistment order of contractor.  Certificate of work experience.  Certificate of Registration for GST and acknowledgement of up to date filed return of GST.  Affidavit on Rs. 100/- Non Judicial Stamp paper as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Stamp Paper shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the Affidavit.).  Acceptance to execute INTEGRITY PACT.  Undertaking as per Page-5/ Sl. No. 20' on firm's letter head.  "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"  ESI & EPF registration.  FORM "F" (Duly filled with all required details).  In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.  Annexure 1 (Dully Filled & signed by the bidders)  Annexure 2 (Dully Filled & signed by the bidders)  Annexure 3 (Dully Filled & signed by the bidders) |

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

|                 | Signature of Bidder |
|-----------------|---------------------|
| Name:           |                     |
| Designation:    |                     |
| Organization Na | ame:                |
| Contact No. :   |                     |

## **ANNEXURE-II**

# << Organization Letter Head >> DECLARATION SHEET

We, \_\_\_\_\_hereby certify that all the information and data

|  | furnished by our organization with regard to the  | nis tender specification are true and complete to the best of |  |  |  |  |
|--|---|---|--|--|--|--|
|  | our knowledge. I have gone through the specification, conditions and stipulations in details and agree to     |   |  |  |  |  |
|  | comply with the requirements and intent of specification.   |   |  |  |  |  |
| This is certified that our organization has been registered as per Tender Notice & NIT & IITD form |   |   |  |  |  |  |
|  | 8Tender.We further certified that our organization meets all the conditions of eligibility criteria laid down |   |  |  |  |  |
|  | in this tender document.  |   |  |  |  |  |
|  |   |   |  |  |  |  |
|  | We, further specifically certify that our   | NAME & ADDRESS of the Vendor/ Manufacturer / Agent            |  |  |  |  |
|  | organization has not been Black Listed/De   |   |  |  |  |  |
|  | Listed or put to any Holiday by any   |   |  |  |  |  |
|  | Institutional Agency/ Govt. Department/   |   |  |  |  |  |
|  | Public Sector   |   |  |  |  |  |
|  | Undertaking in the last three years.  |   |  |  |  |  |
|  | 1. Phone  |   |  |  |  |  |
| l  | 2. Fax  |   |  |  |  |  |
|  | 2. I dA   |   |  |  |  |  |
| İ  | 3. E-mail   | A TO I NI C O NITTO   |  |  |  |  |
| ļ  |   | As per Tender Notice & NIT                                    |  |  |  |  |
|  | 4. Contact Person Name  |   |  |  |  |  |
| I  | 5. Mobile Number  |   |  |  |  |  |
|  | of the first transcer   |   |  |  |  |  |
| ĺ  | 6. GST Number   |   |  |  |  |  |
| I  | 7. PAN Number   |   |  |  |  |  |
|  | /. PAN Number   |   |  |  |  |  |
|  | 8.(In case of on-line payment of Tender Fees)   |   |  |  |  |  |
|  | UTR No. (For Tender Fee)  |   |  |  |  |  |
| İ  | 9.(In case of on-line payment of EMD)   |   |  |  |  |  |
|  | UTR No. (For EMD)   |   |  |  |  |  |
|  |   |   |  |  |  |  |

(Signature of the Tenderer)

Name:

**Seal of the Company** 

# Annexure-III

# List of Govt. Organization/Dept.

| List of Government Organizations for whom the I      | Bidder has undertaken such work | As per Tender |
|--|---------------------------------|---------------|
| Notice & NIT & IITD form 8  Name of the organization | Name of Contact Person          | Contact No.   |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
| AS PER TE  | NDER NOTICE                     |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 |               |
|  |                                 | C: 4 6        |
|  |                                 | Signature of  |
|  | Bidder Name:_                   |               |
|  | <b>Designation:</b>             |               |
|  | Organization Name:              |               |
|  | Contact No.:                    |               |

| I.I.T.D – 7/8 e-TENDERING | I.I.T.D |
|---------------------------|---------|

#### **PART-B**

#### INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016 Item Rate Tender & Contract for Composite Work

Tender for the work of AR & Mo building in Academic area at IIT Delhi

Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and other misc. works at IIT Delhi.

| To be sul  | omitted by         | y as per t |           |         |    |         |      |      |      |        |        |
|------------|--------------------|------------|-----------|---------|----|---------|------|------|------|--------|--------|
| (i)        | To be              | opened     |           |         |    | bidders |      |      |      | tender | notice |
| in the off | ice of <b>D.</b> l | R. (Store  | )         |         |    |         |      |      |      |        |        |
| Issued to  |                    |            |           |         |    |         | <br> | <br> | <br> | <br>   |        |
| Signature  | e of office        | er issuing | the       | documen | ts |         | <br> | <br> | <br> |        |        |
| Designati  | ion                |            |           |         |    |         | <br> | <br> | <br> |        |        |
| Date of I  | ssue               |            | • • • • • |         |    |         |      |      |      |        |        |

#### **TENDER**

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents, and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for Seventy-Five (75) days from last date of submission of bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors,

I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

| I.I.T.D – 7/8 e-TENDERING |
|---------------------------|
|---------------------------|

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

| Dated | ٠ |
|-------|---|
| Daicu |   |

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

I.I.T.D

# **ACCEPTANCE**

| The above tender (as modified by you as provided in the letters mentioned hereunder) is |  |  |  |  |  |
|---|--|--|--|--|--|
| accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New |  |  |  |  |  |
| Delhi - 16 for a sum of   |  |  |  |  |  |
| (Rupees   |  |  |  |  |  |
| ).  |  |  |  |  |  |
| The letters referred to below shall form part of this contract agreement: -             |  |  |  |  |  |
| (a)   |  |  |  |  |  |
| (b)   |  |  |  |  |  |
| (c)   |  |  |  |  |  |
| For & on behalf of Board of Governors, IIT Delhi Signature                              |  |  |  |  |  |
|   |  |  |  |  |  |
| Dated:  |  |  |  |  |  |
| Designation   |  |  |  |  |  |

# PROFORMA OF SCHEDULES I.I.T.D

## **SCHEDULES** (A to F)

## (For Civil and Electrical Component)

#### **SCHEDULE 'A'**

Schedule of quantities for Civil and Electrical Works as attached.

#### SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

| S.No. | Description of item | Quantity | Rates in figures & words at which the material will be charged to the contractor | Place of issue |  |
|-------|---------------------|----------|--|----------------|--|
| 1     | 2                   | 3        | 4  | 5              |  |
| NIL   |                     |          |  |                |  |

#### **SCHEDULE 'C'**

Tools and plants to be hired to the contractor.

| S.No. | Description | Hire charges per day | Place of Issue |  |  |  |
|-------|-------------|----------------------|----------------|--|--|--|
|       |             |                      |                |  |  |  |
| 1     | 2           | 3                    | 4              |  |  |  |
| NIL   |             |                      |                |  |  |  |

#### SCHEDULE 'D'

Extra schedule for specific Nil. requirement/document for the work, if any.

#### **SCHEDULE 'E'**

Reference to General Conditions of : contract

GCC for Maintenance work 2023 for CPWD works along with correction on slips/amendments issued up to last date of submission of bid.

Name of Work : AR & Mo building in Academic

area at IIT Delhi.

See Clause-12

Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and other misc, works at IIT Delhi.

locations and other misc, works at 11

Estimated cost of work: : Rs. 1,53,25,336/-

Earnest Money: : **Rs. 3,06,507/-**

Performance Guarantee : 5 % of tendered Value

Security deposit : 2.5 % of tendered value

#### SCHEDULE 'F'

#### **GENERAL RULES & DIRECTIONS:**

1. Officer inviting tender : Executive Engineer [CD-III]

2. Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with

Clauses 12.2 & 12.5

#### **Definitions:**

2(i) Engineer-in-Charge : Executive Engineer [CD-III]

2(ii) Accepting Authority : Institute Engineer

2(iii) Percentage on cost of materials and :

Labour to cover all overheads and

profits:

2(iv) Standard Schedule of Rates: : DSR-2023 for Civil work - GST

Correction Factor 0.973 + 3% cost Index and DSR-2022 for Electrical work - GST Correction Factor 0.973 + 3% with up-to-date correction slip on date of submission of bid &

Market Rate.

15%

2(v) Department: : Works department at I.I.T Delhi

<sup>2(vi)</sup> IITD Form & CPWD GCC for Maintenance work 2023, modified & corrected up to last date of submission of bid.

(i) Time allowed for submission of : 15 days

Performance Guarantee from the date of issue of letter of

acceptance

(ii) Maximum allowable : 1 to 15 days

extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above,

Clause 2

Authority for fixing compensation under : Institute Engineer

Delay:

Clause 5

Number of days from the date of issue : 10 (Ten) days

of letter of acceptance for reckoning date of start:

#### **MILE STONE CHART**

| Sl.<br>No. | Description of mile<br>stone (financial<br>terms) | Period for completion from<br>date of start in<br>days/months | Withheld amount<br>for non-<br>achievement of<br>milestone. |
|------------|---|---|---|
| -          |   |   |   |
|            | NIL   |   |   |
|            |   |   |   |
|            |   |   | •   |

08 Months

Time Allowed for execution of work :

Authority to decide:

(i) Extension of Time : Institute Engineer(ii) Rescheduling of mile stones : Institute Engineer

(iii) Shifting of Date of start in case of

Delay in handing over of site : Executive Engineer (CD-III)

Clause 6 : Clause 6

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment: Minimum Rs. 20.00 Lakhs

Clause -7A : As per Institute Policy

No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

#### Clause 10A

List of testing equipment to be provided by : **Not Applicable** 

the contractor at site lab

Clause 10B : Applicable

#### Clause 10C

Component of labour expressed as percent of value of work: 25% for civil work & 15% for Electrical work

Clause 10CA : Not Applicable

| S. No. | Material<br>Covered<br>under this<br>clause | Nearest Materials (other than<br>cement, reinforcement bars<br>and the structural steel) for<br>which All India Wholesale<br>Price Index to be<br>followed | Base Price of all Materials<br>covered under clause 10 CA*<br>(July 2022) |  |  |
|--------|---|--|---|--|--|
| 1.     | Cement                                      |  |   |  |  |
| 2.     | Reinforcement bars                          | Not Applicable   |   |  |  |
| 3.     | Structural steel                            |  |   |  |  |

JE (E)

#### Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

: Not Applicable

#### Clause 11

Specifications to be followed for execution of work

CPWD specifications 2019 Vol I and Vol II and Electrical General Specification for electrical 2013 (internal and external) Corrected slips & manufacturers Specifications up to the last date of bid submission/uploading of tender. Detailed nomenclature of items & specifications for market rate items as per Engineer-incharge

#### Clause 12

Type of work

Maintenance work including works of up-gradation, aesthetic, special repair, addition/alteration

100%

100%

12.2 & 12.5 Deviation limit beyond

which clauses

12.2 & 12.5 shall apply for building work

12.5 (I) Deviation Limit beyond which clauses

12.2 & 12.5 shall applicable for foundation work (Except items mentioned in earthwork subhead of DSR

and related items)

Deviation Limit for Items in earth work subhead of DSR and related items

12.5 (II)

Competent Authority for deciding reduced rates : Institute Engineer

#### Clause 18

List of mandatory machinery, tools & : As per requirement plants to be deployed by the contractor at site

#### Clause 25

| Constitution of Dispute Redressal Committee (DRC) |     |  |  |  |  |
|---|-----|--|--|--|--|
| Chairman  |     |  |  |  |  |
| Member  | NIL |  |  |  |  |
| Member  |     |  |  |  |  |

Note: The above constitution of the Dispute Redressal Committee is subject to change, for which necessary notification shall be issued by the competent authority of the department, if required.

Clause 32

Requirement of Technical Staff(s) & Recovery Rate

| Cost of<br>Work<br>(Rs. In<br>Crore) | Requirement of Sta                                |       | Minimum<br>Experience<br>(Years) | Designation   | Rate at which recovery shall be made from the Contractor in the event of not fulfilling provision of clause 32 |
|--------------------------------------|---|-------|----------------------------------|---|--|
| More than 1.5 Cr to 5 cr.            | Graduate<br>Engineer<br>or<br>Diploma<br>Engineer | 01+01 | or 5 Respectively                | Project Manager<br>cum planning /<br>quality/<br>Site/billing<br>Engineer | Rs. 15,000/- per month per person  |

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineer.

| i)  | Schedule/statement for determining theoretical quantity of cement & bitumen on the   |                           |  |  |  |  |  |
|-----|--|---------------------------|--|--|--|--|--|
|     | basis of Delhi Schedule of Rates 2023 with up-to-date correction printed by C.P.W.D. |                           |  |  |  |  |  |
| ii) | Variations permissible on theoretical quantities                                     |                           |  |  |  |  |  |
| a)  | Cement:  |                           |  |  |  |  |  |
|     | For works with estimated cost put to tender not more                                 | 3% plus/minus. (Three     |  |  |  |  |  |
|     | than Rs.5 lakh. percent)   |                           |  |  |  |  |  |
|     | For works with estimated cost put to tender more than 2% plus/minus. (Two            |                           |  |  |  |  |  |
|     | Rs.5 lakh  | percent)                  |  |  |  |  |  |
| b)  | Bitumen all works.   | 2.5% plus & only & nil on |  |  |  |  |  |
|     |  | minus side                |  |  |  |  |  |
| c)  | Steel Reinforcement and structural steel sections for                                | 2% plus/minus (Two        |  |  |  |  |  |
|     | each diameter, section and category  | percent)                  |  |  |  |  |  |
| d)  | All other materials  |                           |  |  |  |  |  |
| e)  | Schedule for determining theoretical consumption of Brick work on the basis of DSR   |                           |  |  |  |  |  |
|     | 2023   |                           |  |  |  |  |  |

JE (E)

#### **SPECIAL CONDITIONS**

- 1. Non Judicial stamp paper worth **Rs. 100/-(Hundred Rupees only)** will be submitted by contractor which will have to be signed as token of acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- **3.** The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- **4.** The work shall be carried out as per CPWD specifications for civil and electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- **6.** Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- **7.** Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-in-charge shall only be used at work.
- **8.** The sample of material required in the work brought at site shall be submitted prior Technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- **9.** All expenditure to be incurred for testing of samples e.g. packaging, sealing, transportation, loading, unloading etc. including testing charges shall be borne by the contractor.
- **10.** The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- **11.** The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- **12.** No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour & material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- **14.** The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- **15.** The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed of by the contractor to the approved dumping site of MCD

- and all statutory approvals from local bodies shall be a sole responsibility of contractor.
- **16.** The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- **17.** Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
- 18. Income tax and other taxes as applicable shall be deducted from the bills of the contractor.
- 19. 1% labor cess or as applicable will be deducted from the bills of the contractor.
- **20.** Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- 21. Agency has to take proper safety major during the execution of work.
- 22. GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2023 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- **23.** The contractor shall submit the program of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- **24.** Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- **25.** GST shall considered as inclusive in quoted rate of agency.
- **26.** Electrical work will be executed only through the agency who is having valid electrical license, and the copy of valid electrical license will be submitted before start of work
- **27.** For item of water proofing Guarantee Bond shall be submitted by contractor as per format provided by IIT Delhi.
- 28. A separate amount @ 10% of the cost of water proofing work shall be retained as a security for the performance of water proofing work. This withheld amount shall be released Five years after the expiry of maintenance period, if the performance of the work done is found satisfactory. If any defect is noticed during the guarantee period, it shall be rectified by the contractor within 7 days of receipt of intimation of defects in the water proofing work. If the defects pointed out not attended within the specified period, the same will be got done from other agency at the risk & cost of contractor. This amount shall be in addition to the security deposit mentioned elsewhere in the contract form. The amount withheld may be released in full against bank Guarantee of equivalent amount in favor of the **Registrar Indian Institute of Technology Delhi** of the prescribed period as mentioned above.

JE (E)

## FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

|     | This thousand  | agreement  | made  | this  | day  | of  | two   |
|-----|--|--|---|---|--|---|---|
|     |  |  | *   | alled the Guaranto of the other part)   |  | part) and the   | ••••  |
|     | datedthe contracto   | Made betwee  | n the Guarantor<br>dertook to rend  | to the contract ( of the one part and er the Buildings  | nd Govt. of th   | e other part, wh  | ereby   |
|     | remain water   |  | years to be re  | a guarantee to the  |  |   |   |
|     | shall replace<br>other defect<br>the Engineer<br>from the date<br>failing which<br>Guarantor's | at his risk and being found he in- Charge and of issuing notion the work shalost and risk ar   | cost such memleshall render the deshall commence from the Engill be got done and in the latter of | ntor shall make go<br>bers as may be da<br>building waterpr<br>ce the works of s<br>neer-in-Charge ca<br>by the Department<br>case the decision<br>be final and binding | imaged by ware of at his cost at his cost at his cost alling upon hir nt by some of the Engine | ter and in case of<br>t to the satisfact<br>ion within sever<br>in to rectify the d<br>other contractor | of any<br>ion of<br>a days<br>defects<br>at the |
|     | Guarantor wootherwise who performance damage and/  | ill indemnify pr<br>nich may be inc<br>and observanc   | rincipal and his<br>urred by him by<br>e of this supple<br>I by the Goverr                        | aterproofing or co<br>successors agains<br>reason of any de-<br>emental agreement<br>ament the decision   | st all loss, dan<br>fault on the pa<br>nt. As to the a   | nage, cost, expense<br>art of the Guarar<br>amount of loss a  | nse or<br>ntor in<br>and/or                     |
|     | Obligor  |  | -   | been executed l   |  |   |   |
|     | and  | For and  |   | ne BOG IIT Delhi  |  |   | irst  |
|     | SIGNED, SE presence of-2.  |  | vered by OBLI   | GOR in  |  |   |   |
| Bla | 1.<br>2.   | and on behalf of and on behalf of and on behalf of an and on behalf of an and on the analysis of the and on behalf of an and on behalf of an and on behalf of an and on behalf of an and on behalf of an and on behalf of an and on behalf of an analysis of an analy |   | hi by   | in th  | e presence of-  |   |

## LIST OF APPROVED MAKES FOR CIVIL & ELECTRICAL WORKS

# A:- Civil Items

| S. No. | Description                                   | Approved Makes  |
|--------|---|---|
| 1      | EWC seat covers                               | HINDWARE/ PARRYWARE/ CERA/ KEROVIT                        |
| 2      | C.P brass fittings/ Accessories               | JAQUAR/ MARC/ KOHLAR /KEROVIT                             |
| 3      | PVC Seat Cover                                | PRAYAG/ POLYTUF/SHAKTI/ PEARL                             |
| 4      | PVC Fittings/ Accessories                     | PRAYAG/ PRIMA/SHAKTI/ PEARL                               |
| 5      | Cement (Grey) OPC/ PPC Grade-43               | ACC/ L&T/J.K/ BIRLA/ULTRA TECH/ VIKRAM                    |
| 6      | Cement(White)                                 | J.K/ BIRLA  |
|        | Reinforcement Steel                           | PRIMARY MANUFACTURERS APPROVED BY                         |
| 7      |   | MINISTRY OF STEEL/ SECONDARY                              |
| ,      |   | MANUFACTURERS HAVING VALID BIS LICENSE                    |
|        |   | (to be as per latest BIS provisions)                      |
|        | Structural Steel                              | PRIMARY MANUFACTURERS APPROVED BY                         |
| 8      |   | MINISTRY OF STEEL/ SECONDARY                              |
|        |   | MANUFACTURERS HAVING VALID BIS LICENSE                    |
| 0      | Ctainless Ctasl (Crade 204)                   | (to be as per latest BIS provisions)  JINDAL/ SAIL/ SALEM |
| 9      | Stainless Steel (Grade 304) Bricks            |   |
| 10     | ВПСКЅ   | COMMERCIALLY AVAILABLE OR REQUIRED STRENGTH               |
| 11     | Aluminum Sections                             | HINDALCO/ JINDAL/ MAHAVIR                                 |
| 12     | Flush doors                                   | CENTURY/ MERINO/ DURO BOARD/ GREEN                        |
|        | Laminates                                     | GREENLAM/ DURO/ ARCHID/ MERINO/                           |
| 13     | Lummacs                                       | CENTURY   |
| 14     | Glass   | SAINT GOBAIN/ MODI FLOAT/ ASAHI FLOAT                     |
|        | Ceramic Glazed tiles/ Border tiles            | 1ST QUALITY KAJARIA/ NITCO/ JOHNSON/                      |
| 15     | Columno Glazed thesi Bolder thes              | ORIENT/ SOMANY  |
| 16     | Vitrified Tiles                               | JOHNSON/ KAJARIA/ ORIENT/ SOMANY                          |
| 17     | Interlocking Precast paver blocks/ Kerb Stone | HINDUSTAN TILES/ SWASTIK/ DALAL                           |
| 18     | Stainless Steel Hinges                        | JOLLY/ GARG/ AMIT/ ASJ/ SUPREME                           |
| 19     | Stainless Steel Nuts/ Bolts/ Screws           | KUNDAN/ PUJA/ ATUL/ GKW                                   |
| 20     | Paint/ primer/ oil bound distemper/ Acrylic   | 1ST QUALITY PAINTS OF ASIAN/ BERGER/                      |
| 20     | paint/ plastic paint                          | NEROLAC/ SHALIMAR /DULUX                                  |
| 21     | Water Proof Cement Paint/ Exterior Paint      | 1ST QUALITY PAINTS OF ASIAN PAINTS/                       |
| 21     |   | BERGER/ NEROLAC/ SHALIMAR /DULUX                          |
| 22     | Sanitary ware (Vitreous China) (European      | HINDWARE/PARRYWARE/CERA/KEROVIT                           |
|        | Seats, Urinals, Wash Basins, etc.)            |   |
| 23     | G.I Pipes                                     | TATA / JINDAL(HISSAR)/ BHUSHAN/ APL                       |
|        | CIEW  | APPOLO INNE ANA   |
| 24     | G.I Fittings                                  | UNIK/ZOLOTO/AM  |
| 25     | Stainless Steel Sink                          | NEELKANTH/ JAINA/ KINGSTON (COBRA)                        |
| 26     | Commercial Board/ PLY                         | MERINO/ DURO/ GREEN/ CENTURY/ KIT<br>(SWASTIK)            |
| 27     | CI Pipes/ Fittings                            | RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF                     |
| 28     | CI Pipes/ Fittings CI Pipes "Class LA"        | NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH                   |
| 29     | Floor Spring                                  | DORMA/ GODREJ/ HAFELE/ GEZE/ OZONE                        |
|        | Door Closer                                   | SANDHU/ HARDWIN/DORMA/ GODREJ/ HAFELE/                    |
| 30     | DOOL CIUSOL                                   | GEZE/ OZONE   |
| 31     | Mirror  | ATUL/ MOIGUARD / SAINT GOBAIN/ AASHI                      |
|        | Vertical Blinds                               | VISTA/ MAC/ MARVEL DÉCOR/ SAINT                           |
| 32     |   | GOBAIN/DECK DÉCOR   |
| 33     | False Ceiling                                 | ARMSTRONG/ SAINT GOBAIN/ META WORTH                       |
| 34     | Water proofing compound                       | SIKA/FOSROC/PIDILITE/ASIAN/BASF/CICO                      |
| 35     | Particle Board                                | NOVA PAN/ BHUTAN BOARD/ ECO BOARD                         |
|        | Adhesive                                      | FEVICOL/ VAMICOL/ DUNLOP/ VAM ORGANIC /                   |
| 36     |   | kajaria   |
| 37     | Tile Adhesive                                 | PIDILITE/ FERROUSCRETE/ BALLENDURA/ CICO                  |
| 38     | Wall Putty                                    | BIRLA /JK/ SARA   |
|        | -   |   |

| 39 | Epoxy Grout  | BALLENDURA / KERAKOLL/ FERROUSCRETE                            |
|----|--|--|
| 40 | PVC Water storage tank (ISI marked)                            | SINTEX/ UNI PLAST/ POLYWELL                                    |
| 41 | PVC insulated Water storage tank Heavy<br>Duty 4/5 layer       | SINTEX/ UNIPLAST/ POLYWELL/ EURO                               |
| 42 | Brass Ball Valve/ Gate Valve/ Float Valve /<br>Butterfly valve | ZOLOTO/ AM/ LEADER/ SANT                                       |
| 43 | Aluminium Door fittings  | CLASSIC/ EVEREST/ ARGENT                                       |
| 44 | Brass Bib/ Stop cock   | AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA                        |
| 45 | Thermoplastic paint  | CBM/ CMS/ S.N. INDUSTRIES                                      |
| 46 | Plaster of Paris Putty   | ADHASHREE/ SHREE RAM/ J.K/ BIRLA                               |
| 47 | RCC Pipe   | LAKSHMI/ SOOD & SOOD/ JAIN &Co./ DIWAN SPUN PIPES              |
| 48 | PVC Pipe   | PRAKASH/ PRINCE/ SUPREME                                       |
| 49 | Sandwich Roof Panel (Puff Panel)                               | KAKTUS/ ZEP/ E- PACK/ LLOYED                                   |
| 50 | WPC Board and MPC Board  | FLORESTA, ECOSTE, RAJ SHREE                                    |
| 51 | WPC Door Frame   | FLORESTA, ECOSTE, RAJ SHREE                                    |
| 52 | Self- Closing Hinges   | HETTICH, KITCH, PLUM   |
| 53 | Poly Carbonate Sheet   | GE LEXAN/ POLYGAL/TUFLITE                                      |
| 54 | ACP Panel  | ALSTRONG /ALUCOBOND / EUROBOND/<br>ALUDECOR                    |
| 55 | Acoustic Wooden/Fabric Paneling                                | ARMSTRONG / ANUTONE/ CREDENCE / TOPAKUSTIC                     |
| 56 | Polyvinyl Flooring   | ARMSTRONG / POLY FLOR/ TARKETT                                 |
| 57 | Glow Stud, Solar Power Stud                                    | ROAD STAR/ 3M/ DARK EYE/ EVERY DENNISON                        |
| 58 | Laminate Wooden Flooring                                       | VISTA/ ACTION TESA/ ARMSTRONG/ PERGO                           |
| 59 | Sun Control Film   | 3M/ GARWARE/ SAINT GOBAIN                                      |
| 60 | Insulation (Mineral / rock wool )                              | UP TIWAGA LTD / ROCKWOOL IND./ F.G.P.                          |
| 61 | Fire Door  | NAVAIR/ SHAKTI/ RADIANT/SIGNUM/PROMAT                          |
| 62 | Flush door Shutters of various thickness                       | MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)                    |
| 63 | Open cell false ceiling  | ARMSTRONG/CREDENCE/HUNTER DOUGLAS                              |
| 64 | Calcium silicate false ceiling                                 | AEROLITE, RAMCO, HILUX, USG BORAL                              |
| 65 | Gypsum Board   | GYPROC BY SAINT GOBAIN, USG BORAL,<br>ARMSTRONG                |
| 66 | Fiber Cement Board   | EVEREST/ USG BORAL / VISAKA                                    |
| 67 | CPVC Pipe Fitting & Solvent                                    | SUPREME/ ASTRAL/ ASHIRWAD / PRINCE /<br>PRAKASH                |
| 68 | UPVC Pipes & Fittings  | SFMC / SUPREME/ FINOLEX  |
| 69 | UPVC Window  | FENESTA / REHAU/ ENCRAFT/ (NCL Wintech)/<br>SAINT GOBAIN       |
| 70 | Friction Stay Hinges   | EARL-BIHARI/EBCO/HETTICH                                       |
| 71 | M.S Pipes  | JINDAL/ APPOLO/ SWASTIK / TATA / SURYA                         |
| 72 | Gypsum Plaster   | FERROUS CRETE (FERRO-500)/ GYPROC (ELITE-100)/ KERAKOL (K-100) |
| 73 | GRC Wall Tile / Jali   | UNISTONE/ DALAL/ SWASTIK ALWAR / ULTRA                         |
| 74 | HDMR Board   | CENTURY/ GREEN/ ACTION TESSA                                   |
| 75 | High Pressure Laminate(HPL)                                    | CENTURY/ GREEN / MERINO/TRESPA/<br>FUNDERMAX                   |
| 76 | Anchor Fastener( Mechanical/ Chemical)                         | HILTI/ MUNGO/CANON/ FISCHER/ WUERTH                            |
| 77 | Cupboard Lock  | PLAZA/ GODREJ/ HETTICH/ HAFLEY                                 |
| 78 | Rust remover / Rust converting primer /paint                   | FOSROC/SIKA/BASF/PIDILITE                                      |
| 79 | polymer-based zinc rich primer                                 | FOSROC/SIKA/BASF/PIDILITE                                      |
| 80 | anticorrosive paint  | FOSROC/SIKA/BASF/PIDILITE                                      |
| 81 | Concrete penetrating HI-TECH Corrosion inhibitor               | FOSROC/SIKA/BASF/PIDILITE                                      |
| 82 | Thixotropic Epoxy repair mortar                                | FOSROC/SIKA/BASF/PIDILITE                                      |
| 83 | Latex / SBR Polymer Compound                                   | FOSROC/SIKA/BASF/PIDILITE                                      |
| 84 | Low viscous epoxy resin grout                                  | FOSROC/SIKA/BASF/PIDILITE                                      |
|    |  |  |
| 85 | Epoxy resin for Concrete bond coat                             | FOSROC/SIKA/BASF/PIDILITE                                      |

|     | 1   |   |
|-----|---|---|
|     | mortar  |   |
| 87  | Pre-batched Pre Mixed Non- Shrink Micro<br>Concrete                 | FOSROC/SIKA/BASF/PIDILITE   |
| 88  | Pre-batched Pre Mixed Non- metallic composite fiber wrapping system | FOSROC/SIKA/BASF/PIDILITE   |
| 89  | Epoxy for rebar/shear anchor  | FOSROC/SIKA/BASF/HILTI  |
| 90  | Modular kitchen basket and accessories (SS-304 Grade)               | HETTICH/ KITCH/ PLUM / PECOCK   |
| 91  | Manhole cover /Grating  | KK MANHOLE / DALAL / SWASTIK / HINDUSTAN  |
| 92  | laminate wooden flooring  | VISTA / ARMSTRONG / ACTION TESSA  |
| 93  | Engineered wood Flooring  | PERGO / JUNKERS / BOEN / SQUARFOOT  |
| 94  | SS Pipe (304 grade) FOR WATER SUPLY                                 | JINDAL / TATA / ALFA PRESS / VIEGA  |
| 95  | Epoxy flooring  | FOSROC / SIKA / BASF  |
| 96  | Aluminum Factory Made System Window                                 | Schueco Aluminum System Window, ETERNIA (HINDALCO), and NCL Alluro System (NCL Buildteck Ltd. |
|     | FURNITU   | RE  |
|     |   |   |
| 97  | Workstation   | GODREJ INTERIO/ HAWORTH / STEEL CASE/   |
|     | D   | WIPRO/ FEATHERLITE/ HERMAN MLLER  |
| 98  | Executive Table/ other table  | GODREJ INTERIO/ HAWORTH / STEEL CASE/<br>WIPRO/ FEATHERLITE/ HERMAN MLLER                     |
| 99  | Chair / Audi Chair  | GODREJ INTERIO/ HAWORTH / STEEL CASE/<br>WIPRO/ FEATHERLITE/ HERMAN MLLER                     |
| 100 | Lab Furniture's   | KEWANEE / WALDNER / GODREJ/ WIPRO /<br>FEATHERLITE  |
| 101 | Hostel beds and cots  | ZUARI / EVOK / GODREJ / WIPRO / FEATHERLITE   |
| 102 | Hospital beds   | HUNTLEY / STRIKER /GODREJ /WIPRO<br>/FEATHERLITE  |
|     | ITEMS FOR CLEAN ROOM / BSL / SRTE                                   | RLIZATION / SPECIAL LAB FURNITURE   |
| 103 | Clean room Wall, Ceiling panel, coving                              | IClean/ Nicomac/ Clestra/ Channel Systems   |
| 104 | Clean room Garment cabinet, shoe rack                               | IClean/ Kleainzaids/ Channel Systems  |
| 105 | Cleanroom Doors, Return air riser                                   | IClean/ Nicomac/ Clestra/ Channel Systems   |
| 106 | Pass box, Air Shower  | IClean/ Kleainzaids / Channel Systems   |
| 107 | Utility Gas piping valves and Fittings (for clean room)             | Shavo Technologies / Excel Gas/ GDS STARLING /<br>Broen / Ratnamani                           |
| 108 | Utility Gas Pipe SS 304 Seamless (for clean room)                   | Excel Gas / Scoda / Venus / Dockweller  |
| 109 | SS 316 L Electo polished tubing                                     | Dockweller / Valex / Sandvik / Ratnamani  |
| 110 | Chilled water pump  | Grundfos/ KBL / Beacon / Wilo   |
| 111 | Insulation for pipe and valves                                      | Armaflex/ K Flex/ A flex/ Supreme   |
| 112 | Auto Air vent, Y strainer   | Anergy / Zoloto / Lehry   |
| 113 | 3 way modulating valve, Flow switch                                 | Siemens / Honeywell   |
| 114 | Humidistat, Thermostat, DP Sensor                                   | Siemens / Honeywell   |
| 115 | Magnehalic gauge  | Dwyer / Sensocon / Micro precision  |
| 116 | Temperature Pressure gauge  | H Guru / Wika / Febig   |
| 117 | Pre Insulated Ducting   | RR Engineers /Asawa / Paul  |
| 118 | Thermal Insulation for GI ducting                                   | Supreme/K. Flex/A Flex/Armaflex   |
| 119 | HEPA Filters, HEPA terminal, BIBO unit                              | AAF/Camfil/ Thermadyne / Mechmaark  |
| 120 | Building Management System  | Honeybell / Siemens / Johnson   |
| 121 | Biometric Access System   | Siemens / Vantage / ExcelLex  |
| 122 | Door Interlock  | Honeywell/Vantage / Drishti / Ozone   |
| 123 | Thyristor Heater  | KEPL/Intercool/ Rapid Cool  |
| 124 | Compressed Dry Air (Oil free type)                                  | Atlas Copco / Chicago Pneumatics Ingersol Rand / Elgi   |
| 125 | Antivibration mounting  | Resistoflex/ Gerb / polybond  |
| 126 | Variable Frequency Drive  | ABB / Danfos / Fuji  Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab                      |
| 127 | Lab Casework  | guard   |
| 128 | Fume Hoods  | Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab   |

|     |                        | guard   |
|-----|------------------------|---|
| 129 | Utility Valves         | Broen/Water Saver/FAR                                     |
| 130 | VAV Controls           | TEL   |
| 131 | Spot Extractor         | Fumex/ Alsident   |
| 132 | Exaust blower          | Colasit / Plastifier/ Seat                                |
| 133 | Acid storage           | Kewaunee/ Justrite/Asecos                                 |
| 134 | Solvent storage (FM)   | Kewaunee/ Justrite/Asecos                                 |
| 135 | Chemical storages      | Kewaunee/GD-Waldner/Godrej/Citizen                        |
| 136 | Document Storages      | Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab guard |
| 137 | Bio safety cabinet     | Kewaunee/ Klenzaids/ Esco / Fisher                        |
| 138 | Laminar air flow       | Kewaunee/ Klenzaids/ Esco / Fisher                        |
| 139 | Laboratory chairs (SS) | Kewaunee/GD-Waldner/Godrej/Citizen                        |
| 140 | Lab Stools (SS)        | Kewaunee/Godrej/Citizen/Filtotech/Universal               |

# **B:- E & M Items**

| S. No | Description                                 | Approved Makes  |
|-------|---|---|
| 01    | MCB(10KA)/ Isolators & MCB DB with End      | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider   |
|       | Box.  | č   |
| 02    | MCCB  | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider   |
| 03    | MCCB BOX                                    | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider   |
| 04    | Modular type switch/ socket, TV socket, Fan | Lauritz knudsen / ABB/ Wipro North West/ Legrand (    |
|       | Regulator.                                  | Arteor/ Myrius)/ Schneider (Zencelo).                 |
| 05    | Steel conduit pipe and Accessories (ISI)    | BEC/ AKG/ NIC / Steel Krafts                          |
| 04    | PVC conduit pipe and Accessories(ISI)       | BEC/ AKG/ NIC   |
| 05    | Junction Boxes/ MS Boxes                    | Havells Crabtree / Anchor / North West / Legrand      |
| 06    | Bushes                                      | PVC/ Nylon  |
| 07    | FRLS PVC insulated copper conductor cable / | Polycab / Finolex / Havells                           |
|       | Wire  |   |
| 08    | LED Light Fixture                           | Philips/ Trilux/ LT / Wipro/ Havells                  |
| 09    | Ceiling Fans (BLDC) & Wall Fan              | Havells/ Atomberg/ Bajaj/ Crompton.                   |
| 10    | Exhaust Fan/ Fresh Air Fan                  | Havells/ Bajaj/ Crompton.                             |
| 11    | Industrial type socket                      | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider   |
| 12    | DLP U-PVC channel & accessories             | Schneider / Legrand or Equivalent                     |
| 13    | Modular Plate & Cover Plate                 | Lauritz knudsen / ABB/ Wipro North West/ Legrand (    |
|       |   | Arteor/ Myrius)/ Schneider (Zencelo).                 |
| 14    | Distribution Board                          | Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider.  |
| 15    | XLPE Alumium/ Copper conductor Armoured     | Havells/ Polycab/ RR kabel/ KEI/ Universal            |
|       | cable                                       |   |
| 16    | Multifunction Meter                         | Lauritz knudsen / AE/ Schneider/ Rishabh/ Siemens /   |
|       |   | ABB   |
| 17    | Ammeter                                     | Lauritz knudsen / AE/ Rishabh/ Schneider / ABB /      |
|       |   | Siemens   |
| 18    | Voltmeter                                   | Lauritz knudsen / AE/ Rishabh/ Schneider / ABB /      |
|       |   | Siemens   |
| 19    | Frequency Meter                             | Lauritz knudsen / AE/ Rishabh/ Schneider / ABB /      |
|       |   | Siemens   |
| 20    | CT's  | AE/ KAPPA/ Pragati                                    |
| 21    | Selector Switches                           | AE/ KAPPA/ Pragati                                    |
| 22    | Contractors                                 | Lauritz knudsen / Seimens/ GE power/ Legrand/ ABB /   |
| 2.0   | D 11  | Siemens   |
| 23    | Push button & Pilor lamps                   | Lauritz knudsen / Seimens / Schneider / Siemens / ABB |
| 24    | LED indicating Lights                       | Lauritz knudsen / Seimens/ Schneider / Siemens / ABB  |
| 25    | GI Pipe                                     | Jindal Steel/Jindal Hisar/Sail/Tata                   |
| 26    | DW HDPE Pipe                                | Reliance/ Duraline/ Hasti                             |
| 27    | Cat 6 LAN Cable                             | Legrand/ Molex/ Amp                                   |
| 28    | Air conditioners                            | Mitsubishi / Hitachi/ Daikin/ Blue Star/ Panasonic/   |
|       |   | Voltas  |
| 29    | Access Control System                       | Bosch/ Honeywell/ HID/ Nextwatch                      |

| 30 | Intruder Alarm Systerm                         | Ademco/ bosch/ DSC/ Honeywell                       |
|----|--|---|
| 31 | Cable raceway floor/ wall mounted &            | Legrand/ AKG/ BEC/ ESSAR/ Honeywell/ Godrej.        |
|    | Accessories(MS/G.I)                            |   |
| 32 | Sandwitch Bus trunking/Rising Main             | C&S/ Lauritz knudsen / Schneider/ ABB / Siemens     |
| 33 | Telephone wire                                 | Delton/ Finolex/ Havells/ Skytone                   |
| 34 | Occupancy Sensor                               | Wipro/ Schneider/ Honeywell/ Seimens/ Bosch         |
| 35 | Gooseneck Microphone                           | Televic/ Beyerdynamic/ Bosch/ Bose/ Sennheiser      |
| 36 | Amplifier                                      | Crown/ Extrom/ Crestron                             |
| 37 | 24 Port Switch                                 | Cisco/ Netgear/ Hp/ Juniper                         |
| 38 | 8 Port LIU                                     | Legrand/ AMP/ Molex                                 |
| 39 | 16 Port Gigabit POE Switch                     | Netgear/ Juniper/ Cisco                             |
| 40 | HDMI/ USB Cable                                | AMX/ Crestron/ Manhatten                            |
| 41 | AV Speaker                                     | JBL/ Bosch/ Bose/ Sony                              |
| 42 | CCTV Camera                                    | Pelco/ Bosch/ Honeywell                             |
| 43 | DVR ( Digital Video Recorder)                  | Bosch/ Honeywell/ Pelco                             |
| 44 | Fire Suppression System                        | Minimax/ Ceasefire/ Ansul                           |
| 45 | Fire Panel                                     | Johnson Control (IFC)/ Notifier (UL) / Bosch (UL) / |
|    |  | Mircom (UL) / Fike (UL).                            |
| 46 | PA System                                      | Notifier/ Johnson Control/ Fike/ Cooper/ Bosch/     |
|    |  | Honeywell   |
| 47 | Addressable Heat/ Smoke detector/ Hooter/ RI/  | Johnson Control (IFC)/ Notifier (UL) / Bosch (UL) / |
|    | Pullstation/                                   | Mircom (UL) / Fike (UL).                            |
| 48 | Conventional Heat/ Smoke detector/ Hooter/ RI/ | System Sensor/ Cooper/ GST/ Ravel/ Fike/ Essar/     |
|    | Pullstation/                                   | Honeywell/ Bosch/ Bosch                             |
| 49 | Cable joint Kit                                | Raychem/ M-Seal/ Densons/ 3M                        |

# **BID SUBMISSION**

## **ONLINE BID SUBMISSION**

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: -

| OHOWIH     | g documents to be | provided as single PDF file)   |              |
|------------|-------------------|--|--------------|
| Sl. No.    | Documents         | Content  | File         |
|            |                   |  | <b>Types</b> |
| 1.         | Technical Bid     | Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.  | .PDF         |
| 2.         |                   | Enlistment order of contractor.  | .PDF         |
| 3.         |                   | Attested certificate of work experience.   | .PDF         |
| 4.         |                   | Certificate of Registration of GST and acknowledgment of up to date filed return of GST.   | .PDF         |
| 5.         |                   | Affidavit on Rs. 100/- Non-judicial Stamp paper as per Notice  | .PDF         |
|            |                   | Inviting Tender Condition 1.3 at page 8 of NIT. (Stamp Paper   |              |
|            |                   | shall be purchased/ notarized between date of publishing and   |              |
|            |                   | last date of submission of bids beside this NIT/Tender ID and  |              |
|            |                   | name of work must be mentioned on the affidavit).  |              |
| 6.         | -                 | Acceptance to execute INTEGRITY PACT.  | .PDF         |
| 7.         | -                 | Undertaking as per on firm's letter head.  | .PDF         |
| , <b>.</b> |                   | "the physical EMD shall be deposited by me / us with   | 21           |
|            |                   | the Authority inviting the tender, in case I / we become   |              |
|            |                   | the lowest tenderer, within a week of the opening of   |              |
|            |                   | financial bid, otherwise, department may reject the  |              |
|            |                   | tender and also take action to debar me / us from  |              |
|            |                   | tendering in any form in IIT Delhi"  |              |
| 8.         | •                 | ESI and EPF Registration.  | PDF          |
| 9.         |                   | FORM "F" (Duly filled with all required details  | .PDF         |
| 10         |                   | In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents. | PDF          |
| 11         | -                 | Annexure-I (duly filled & signed by the bidders)   | PDF          |
| 12         | -                 | Annexure-II (duly filled & signed by the bidders)  | PDF          |
| 13         | -                 | Annexure-III (duly filled & signed by the bidders)   | PDF          |
| 14         | -                 | Any other documents specified in NIT   | PDF          |
| Envelope   | -2                | 5  |              |
| Sl. No.    | TYPES             | Content  |              |
| 1.         | Financial Bid     | Price bid should be submitted in BOQ format.   | .Xls         |

All the above documents shall be as per Tender Notice.

## PART 'C' SCHEDULE OF QUANTITY

Name of work: - AR & Mo building in Academic area at IIT Delhi

Sub Head: - Repair and Reconstruction works of Corridor in SeNSE Dept and Converting of the triage area into parking, making a temporary store, extension of the Apollo pharmacy & shifting of Photocopy shop, 'Nescafe shop central library to others locations and others Misc. Works at IIT Delhi.

| SL. | Nescafe shop central library to others locations and other   |       |      |      | <u> </u> |
|-----|--|-------|------|------|----------|
| No  | Description  | Qty   | Unit | Rate | Amount   |
| 1   | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as  |       |      |      |          |
| 2   | directed, within a lead of 50 m. All kinds of soil.  | 55.27 | Cum  |      |          |
|     | Providing and laying in position cement concrete of  | 33.27 | Cum  |      |          |
| 3   | specified grade excluding the cost of centering and shuttering - All work up to plinth level:  |       |      |      |          |
| 4   | 1:2:4 (1 cement : 2 coarse sand (zone-Ill) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)  | 18.91 | Cum  |      |          |
| 5   | Providing and laying damp-proof course 50 mm thick with cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-Ill) derived from natural sources: 4 graded stone aggregate 20 mm nominal size derived from natural sources).   | 17.5  | Sqm  |      |          |
| 6   | Providing and laying in position ready mixed or site batched design mix cement concrete for plain cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana/ Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering and finishing as per direction of the engineer-in-charge; for the following grades of concrete. Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the minimum specified cement content, the contractor shall have discretion to either re-design the mix or bear the cost of extra cement. |       |      |      |          |
| 7   | All works upto plinth level :  |       |      |      |          |
| 8   | Concrete of M10 grade with minimum cement content of 220 kg/cum  | 22.23 | Cum  |      |          |
| 9   | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:  |       |      |      |          |
| 10  | 1:1.5:3(1 cement: 1.5 coarse sand (zone-Ill) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)  | 19.62 | Cum  |      |          |
| 11  | Centering and shuttering including strutting, propping etc. and removal of form for  |       |      |      |          |
| 12  | Foundations, footings, bases of columns, etc. for mass concrete  | 63.82 | Sqm  |      |          |
| 13  | Lintels, beams, plinth beams, girders, bressumers and cantilevers  | 38.33 | Sqm  |      |          |
| 14  | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete  |       |      |      |          |

|    | 5/   |        |       |      |
|----|--|--------|-------|------|
| 15 | Thermo-Mechanically Treated bars of grade Fe-500D or more.   | 741.24 | Kg    |      |
| 16 | Brick work with common burnt clay F.P.S. (non modular) bricks  |        |       |      |
| 10 | of class designation 7.5 in foundation and plinth in:  |        |       |      |
| 17 | Cement mortar 1:4(1 cement :4 coarse sand)   | 67.07  | Cum   |      |
| 18 | Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :   |        |       |      |
| 19 | Cement mortar 1:4(1 cement :4 coarse sand)   | 44.19  | Cum   |      |
| 20 | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.   |        |       |      |
| 21 | Granite stone slab of colour black, Cherry/Ruby red  |        |       |      |
| 22 | Area of slab over 0.50 sqm   | 25.56  | Sqm   | <br> |
| 23 | Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineerin-Charge.  |        |       |      |
| 24 | Granite work   | 81.2   | Metre |      |
| 25 | Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:  |        |       |      |
| 26 | 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws   | 5.04   | Sqm   |      |
| 27 | Providing and fixing ISI marked, IS: 1341, M.S. heavy weight bright finished butt hinges with necessary screws etc. complete:  |        |       |      |
| 28 | 125x90x4.00 mm   | 10     | Each  |      |
| 29 | Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete (Copper oxidised as per IS 1378)   |        |       |      |
| 30 | 300x16 mm  | 2      | Each  |      |
| 31 | Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete (Copper oxidised as per IS 1378)   |        |       |      |
| 32 | 125 mm   | 4      | Each  |      |
| 33 | Supplying and fixing rolling shutters of approved make, made of required size M.S. laths, interlocked together through their entire length and jointed together at the end by end locks, mounted on specially designed pipe shaft with brackets, side guides and arrangements for inside and outside locking with push and pull operation complete, including the cost of providing and fixing necessary 27.5 cm long wire springs manufactured from high tensile steel wire of adequate strength conforming to IS: 4454 - part 1 and M.S. top cover of required thickness for rolling shutters. |        |       |      |
| 34 | 80x1.25 mm M.S. laths with 1.25 mm thick top cover   | 55.35  | Sqm   |      |
| 35 | Providing and fixing ball bearing for rolling shutters.  | 14     | Each  |      |
| 36 | Extra for providing mechanical device chain and crank operation for operating rolling shutters.  |        |       |      |
| 37 | Exceeding 10.00 sqm and upto 16.80 sqm in the area   | 55.36  | Sqm   |      |
| 38 | Steel work in built up tubular (round, square or rectangular   |        |       |      |
| 38 | hollow tubes etc.) trusses etc., including cutting, hoisting, fixing   |        |       |      |

C----NIL I--- NIL O--- NIL EE (CD-III) AEE (E) JE (E)

|            | 38  | 1       |          | 1 |  |
|------------|---|---------|----------|---|--|
|            | in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. |         |          |   |  |
|            | complete.   |         |          |   |  |
| 39         | Hot finished welded type tubes  | 21180.4 | Kg       |   |  |
|            | Steel work welded in built up sections/ framed work, including  |         | <u> </u> |   |  |
| 40         | cutting, hoisting, fixing in position and applying a priming coat   |         |          |   |  |
|            | of approved steel primer using structural steel etc. as required.   |         |          |   |  |
| 41         | In gratings, frames, guard bar, ladder, railings, brackets,   | 1913.32 | Kg       |   |  |
| 41         | gates and similar works   |         |          |   |  |
|            | Providing and laying vitrified floor tiles in different sizes   |         |          |   |  |
|            | (thickness to be specified by the manufacturer) with water  |         |          |   |  |
| 42         | absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20 mm thick        |         |          |   |  |
| 72         | cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey  |         |          |   |  |
|            | cement slurry @ 3.3 kg/ sqm including grouting the joints with  |         |          |   |  |
|            | white cement and matching pigments etc., complete.  |         |          |   |  |
| 43         | Size of Tile 600x600 mm   | 83.9    | Sqm      |   |  |
|            | Providing and laying Polished Granite stone flooring in required  |         |          |   |  |
|            | design and patterns, in linear as well as curvilinear portions of   |         |          |   |  |
|            | the building all complete as per the architectural drawings with  |         |          |   |  |
| 44         | 18 mm thick stone slab over 20 mm (average) thick base of cement mortar 1:4 (1 cement : 4 coarse sand) laid and jointed         |         |          |   |  |
| ''         | with cement slurry and pointing with white cement slurry  |         |          |   |  |
|            | admixed with pigment of matching shade including rubbing,   |         |          |   |  |
|            | curing and polishing etc. all complete as specified and as  |         |          |   |  |
|            | directed by the Engineer-in-Charge.   | 107.00  | <u> </u> |   |  |
| 45         | Polished Granite stone slab of colour Black, Cherry/Ruby Red  | 197.08  | Sqm      |   |  |
|            | or equivalent  Draviding and fixing an wall face unpleasized Divid DVC rain   |         |          |   |  |
| 4.5        | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing   |         |          |   |  |
| 46         | with seal ring conforming to IS: 5382, leaving 10 mm gap for  |         |          |   |  |
|            | thermal expansion, (i) Single socketed pipes.   |         |          |   |  |
| 47         | 110 mm diameter   | 52      | Metre    |   |  |
|            | Providing and fixing on wall face unplasticised - PVC moulded   |         |          |   |  |
| 48         | fittings/ accessories for unplasticised Rigid PVC rain water  |         |          |   |  |
| 40         | pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal   |         |          |   |  |
|            | expansion.  |         |          |   |  |
| 49         | Coupler   |         |          |   |  |
| 50         | 110 mm  | 10      | Each     |   |  |
| 51         | Single tee with door  |         |          |   |  |
| 52         | 110x110x110 mm  | 10      | Each     |   |  |
| 53         | Bend 87.5°  | _       |          |   |  |
| 54         | 110 mm bend   | 20      | Each     |   |  |
| 34         |   | 20      | Lacii    |   |  |
|            | Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of       |         |          |   |  |
| 55         | 50x50x50 mm hard wood plugs, screwed with M.S. screws of  |         |          |   |  |
| 33         | required length, including cutting brick work and fixing in   |         |          |   |  |
|            | cement mortar 1:4 (1 cement : 4 coarse sand) and making good  |         |          |   |  |
| <i>E</i> < | the wall etc. complete.   | 30      | Each     |   |  |
| 56         | 110 mm  | 30      | Lacii    |   |  |
|            | Providing and fixing precoated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of      |         |          |   |  |
|            | minimum 0.45 mm thickness with total coating thickness of 0.05  |         |          |   |  |
| 57         | mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240   |         |          |   |  |
|            | mpa steel grade, 5-7 microns epoxy primer on both side of the   |         |          |   |  |
|            | sheet and polyester top coat 15-18 microns using self drilling/   |         |          |   |  |
| 50         | self tapping screws complete:   | 85.5    | Metre    |   |  |
| 58         | Ridges plain (500- 600mm)   | 05.5    | INTELLE  |   |  |

|    |  |         |       | ,    |
|----|--|---------|-------|------|
| 59 | Gutter (600 mm over all girth)   | 120     | Metre |      |
| 60 | Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanized steel sections (galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like difusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanised butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along main T, bottom exposed width of 24 mm of all T-sections shall be pre-painted with polyester paint, all complete for all heights as per specifications, drawings and as directed by Engineer-in-charge. |         |       |      |
| 61 | GI Metal Ceiling Lay in perforated Tegular edge global white color tiles of size 595x595 mm and 0.5 mm thick with 8 mm drop; made of GI sheet having galvanizing of 100 grns/sqrn (both sides inclusive) and 20% perforation area with 1.8 mm dia holes and having NRC (Noise Reduction Coeficient ) of 0.5, electro statically polyester powder coated of thickness 60 microns (minimum), including factory painted after bending and perforation and backed with a black Glass fiber acoustical fleece.  | 285.85  | Sqm   |      |
| 62 | 12 mm cement plaster of mix:   |         |       |      |
| 63 | 1:4(1 cement: 4 fine sand)   | 248.48  | Sqm   |      |
| 64 | 15 mm cement plaster on the rough side of single or half brick wall of mix:  |         |       |      |
| 65 | 1:4(1 cement: 4 fine sand)   | 248.48  | Sqm   |      |
| 66 | Pointing on brick work or brick flooring with cement mortar 1:3 (1 cement : 3 fine sand):  |         |       |      |
| 67 | Flush / Ruled/ Struck or weathered pointing  | 116.79  | Sqm   |      |
| 68 | Finishing walls with Acrylic Smooth exterior paint of required shade:  |         |       |      |
| 69 | New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)   | 2567.68 | Sqm   |      |
| 70 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade:  |         |       |      |
| 71 | Two or more coats on new work  | 687.58  | Sqm   |      |
| 72 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.  | 2484.44 | Sqm   |      |
| 73 | Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.   |         |       |      |
| 74 | Two coats  | 2861.54 | Sqm   |      |
|    |  |         |       | <br> |

| 75 | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.   | 2627.26 | Sqm  |  |
|----|--|---------|------|--|
| 76 | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.  |         |      |  |
| 77 | With cement mortar 1:4 (1 cement : 4 fine sand)  | 100.00  | Sqm  |  |
| 78 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.   |         |      |  |
| 79 | Nominal concrete 1:4:8 or leaner mix (including equivalent design mix)   | 62.07   | Cum  |  |
| 80 | Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - incharge.   | 37.10   | Cum  |  |
| 81 | Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.   |         |      |  |
| 82 | In cement mortar   | 4.35    | Cum  |  |
| 83 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:   |         |      |  |
| 84 | Of area 3 sq. metres and below   | 10.00   | Each |  |
| 85 | Of area beyond 3 sq. metres  | 10.00   | Each |  |
| 86 | Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.   |         |      |  |
| 87 | For thickness of tiles above 25 mm and up to 40 mm   | 186.56  | Sqm  |  |
| 88 | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.   | 119.73  | Cum  |  |
| 89 | Painting road surface marking with adequate nos of coats to give uniform finish with ready mixed road marking paint conforming to IS: 164, on bituminous surface in white/yellow shade, including cleaning the surface of all dirt, scales, oil, grease and foreign material etc. complete.  |         |      |  |
| 90 | New work (Two or more coats)   | 90.00   | Sqm  |  |
| 91 | Taking out existing CC interlocking paver blocks from footpath/central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge.  | 26.25   | Sqm  |  |
| 92 | Providing and laying factory made chamfered edge Cement Concrete paver blocks in footpath, parks, lawns, drive ways or light traffic parking etc, of required strength, thickness & size/shape, made by table vibratory method using PU mould, laid in required colour & pattern over 50 mm thick compacted bed of sand, compacting and proper embedding/laying of inter locking paver blocks into the sand bedding layer through vibratory compaction by using plate vibrator, filling the joints with sand and cutting of paver blocks as per required size and pattern, |         |      |  |

|     | finishing and avvocating autre cond, complete all as non direction   |        | l l   |      |
|-----|--|--------|-------|------|
|     | finishing and sweeping extra sand. complete all as per direction of Engineer-in-Charge.  |        |       |      |
| 93  | 80 mm thick C.C. paver block of M-35 grade with approved colour design and pattern.  | 201.33 | Sqm   |      |
| 94  | Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required:  |        |       |      |
| 95  | Kitchen sink without drain board   |        |       |      |
| 96  | 470x420 mm bowl depth 178 mm   | 2.00   | Each  |      |
| 97  | Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.  |        |       |      |
| 98  | Flexible pipe  |        |       |      |
| 99  | 32 mm dia  | 2.00   | Each  |      |
| 100 | Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work   |        |       |      |
| 101 | 15 mm dia nominal bore   | 50.00  | Metre |      |
| 102 | 20 mm dia nominal bore   | 50.00  | Metre | <br> |
| 103 | Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:   |        |       |      |
| 104 | 25 to 40 mm nominal bore   | 2.00   | Each  |      |
| 105 | Providing and fixing brass bib cock of approved quality:   |        |       |      |
| 106 | 15 mm nominal bore   | 2.00   | Each  |      |
| 107 | Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):   |        |       |      |
| 108 | 25 mm nominal bore   | 2.00   | Each  |      |
| 109 | Supplying and fixing C.I. cover 300x300 mm without frame for gully trap (standard pattern) the weight of cover to be not less than 4.5 kg  | 4.00   | Each  |      |
| 110 | Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): |        |       |      |
| 111 | For fixed portion  |        |       |      |
| 112 | Powder coated aluminium (minimum thickness of powder coating 50 micron)  | 328.95 | Kg    |      |
| 113 | For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)  |        |       |      |
| 114 | Powder coated aluminium (minimum thickness of powder coating 50 micron)  | 264.06 | Kg    |      |
| 115 | Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade 1 Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.  |        |       |      |

|     | 62  |         |           |   |
|-----|---|---------|-----------|---|
| 116 | Pre-laminated particle board with decorative lamination on both sides   | 17.04   | Sqm       |   |
| 117 | Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):  |         |           |   |
| 118 | With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)  | 18.72   | Sqm       |   |
| 119 | Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer-in-charge complete.  |         |           |   |
| 120 | 355 X 19 mm   | 16.00   | Each      |   |
| 121 | Providing and fixing Brass 100 mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.   | 3.00    | Each      |   |
| 122 | Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).   | 100.00  | Kg        |   |
| 123 | Filling the gap in between aluminium/ stone/ wood frame and adjacent RCC/Brick/ Stone/ wood/ Ceramic/ Gypsum work by providing weather/ structural non sag elastomeric PU sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete, complying to ASTM C920, DIN 18540-F & ISO 11600   |         |           |   |
| 124 | Upto 5 mm depth and 5 mm width  | 70.00   | Metre     |   |
| 125 | Providing and applying fibre reinforced elastomeric liquid water proofing membrane with resilient acrylic polymers having Sun Reflectivity Index (SRI) of 105 on top of concrete roof in three coats @10.76 litre/ 10 sqm. One coat of self-priming of elastomeric waterproofing liquid (dilution with water in the ratio of 3:1) and two coats of undiluted elastomeric waterproofing liquid (dry film thickness of complete application/system not less than 500 microns). The operation shall be carried out after scrapping and properly cleaning the surface to remove loose particles with wire brushes, complete in all respect as per the direction of Engineer- in-Charge. | 3286.90 | Sqm       |   |
| 126 | Providing and fixing Stainless door lock of Ozone make (Model-OPL-4A/4B-K2N STD SSS) or Equivalent for glass door to be fixed at cenetr of door i/c necessary cutting and making good the floor etc complete.   | 1.00    | Each      |   |
| 127 | Providing and fixing H type handle of Ozone make (MODEL-OGH-55S) or Equivalent 32 mm dia 457 mm long with necessary screws etc complete.  | 4.00    | Each Pair |   |
| 128 | Providing and fixing wall to Glass connector of Ozone make (OGC-4A) or Equivalent Complete as per Direction of Engineer-in-charge   | 10.00   | Each Pair |   |
| 129 | Providing and fixing 12 mm thick frameless toughened glass in partition of approved brand and manufacture, including making necessary holes etc for fixing the fittings but excluding the cost of fittings all complete as per direction of Engineer-in-charge.   | 10.50   | Sqm       |   |
|     |   |         |           | • |

| 130 | Providing and fixing Floor Spring of Ozone make (MODEL-FS-8400 STD)) or Equivalent Complete as per Direction of Engineer-in-charge.  | 2.00   | Each  |        |       |
|-----|--|--------|-------|--------|-------|
| 131 | Fixing precoated galvanised iron profile sheets. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.( precoated galvanised iron profile sheets provided by department)   | 16.00  | Sqm   |        |       |
| 132 | Providing and fixing 50 mm thick sandwich roof puff panel (factory made only) as per specification as follow. A) trapezoidal steel sheet having minimum 30mm crest depth, polyester top coat & alkyd backer. Zinc coating shall be 120g/sqm as per IS-277. Top coat polyester 15- 18 microns over 5-7 micron epoxy primer. b) Insulation: High density puff insulation. c) Inner sheet: Colour coated galvanized slightly ribbed. Thickness 0.50mm (TCT) minimum 15-18 micron top coat polester coation, zinc coating 120g/sqm as per IS-277 Grade of steel: Minimum 240 Mpa(both sheets). sheet should have protective guard film of 25 micron minimum to avoid scretches during transportations and should be supplied in single lenght upto 12 meter or as desired by Engineer-In Charge, the sheet shall be fixed using self drilling/self tapping screws with EPDM seal, completed upto any pitch in horizontal/ vertical or curved surfaces exceluding the cost purlins, rafters and trusses and including cutting to size and shape wherever required. work to be executed as per the instructions of Engineer-In-Charge.   | 427.50 | Sqm   |        |       |
| 133 | Providing & fixing prefab Porta Cabins of any size with a height of 11'-0" at one end and 9'-0" at opposite end. These shall be fixed to panels using necessary screws and channels as required. The ceiling panel shall have a projection of 2'-0" on the rear side and 4-'-0" on the front side. The roof and walls consists of panels of thickness 75 mm with insulation material (Thermocoal) sandwiched between 2 nos. G.I sheet of thickness 0.67 mm fixed with EPS core solution (Expended Polystyrene Resin). The sandwiched panel of G.I sheet shall be protected with one layer of polyresin on the inner side of G.I sheets. The panels shall be fixed on platform of bricks/cement concrete base with G.I channel of U- shape and of size 75x50 mm with threaded screws/ Dash fasteners. The ridge and velley areas shall be covered using G.I sheets of 0.67 mm thickness. The provision for fixing flush door and window / ventilators (Doors & window shall be paid in separate Items.) shall be made in the panels by providing suitable sections. The entire work shall be completed as per direction and instruction of Engineer-in-charge. (Note:-For payment purpose total area of sandwiched panels in walls and roofs will be measured.) | 204.00 | Sqm   |        |       |
| 134 | Supplying and Laying and fixing of one number PVC insulated and PVC sheathed / XLPE Aluminium armoured power cable of 1.1 KV grade of following size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc. as required. (Acceptable make: Havells / Polycab / Finolex / Gloster / Skytone / RR Kabel / Universal)  |        |       |        |       |
| 135 | 2 Core x 10 sqmm armoured  | 100.00 | Metre |        |       |
| 136 | Supplying and making end termination with brass compression gland and tinned copper lugs for following size of pvc insulated and pvc sheathed / XLPE copper conductor cable of 1.1 kV grade as required.   |        |       |        |       |
| 137 | 2 Core x 10 sqmm   | 12.00  | Each  |        |       |
| 138 | Providing and Fixing single phase energy meter (5-30 amp) with LCD Display, optical port and box. Accuracy: class 1 As per IS  | 3.00   | Each  |        |       |
|     | NII I NIII O NIII EE (CD III) AEE  | (F)    |       | IE (E) | IE (C |

|     | 64   |        |       | 1 |
|-----|--|--------|-------|---|
|     | 13779 , with 50 Hz frequency complete with connection etc. complete as required. (Acceptable make: L&T / Universal / Rishabh / AE)   |        |       |   |
| 139 | Supplying and fixing DP sheet steel enclosure on surface/ recess along with 25/32 A 240 V "C" curve DP MCB complete with connections, testing and commissioning etc. as required   | 4.00   | Each  |   |
| 140 | Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)   |        |       |   |
| 141 | 6 Way, Double door   | 3.00   | Each  |   |
| 142 | Supplying and fixing 5 amps to 32 amps rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. (Acceptable make: Havells / Siemens / L&T / C&S / Crompton / Legrand / HPL / Hager / Schneider)  |        |       |   |
| 143 | Single pole  | 12.00  | Each  |   |
| 144 | Double Pole  | 3.00   | Each  |   |
| 145 | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.   |        |       |   |
| 146 | 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire   | 300.00 | Metre |   |
| 147 | 2 X 6 sq. mm + 1 X 6 sq. mm earth wire   | 50.00  | Metre |   |
| 148 | Wiring for light/ power plug with 2X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required.   | 300.00 | Metre |   |
| 149 | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.  |        |       |   |
| 150 | Group C  | 62.00  | Point |   |
| 151 | Supplying and fixing of following sizes of medium class ISI marked CPVC conduit heavy duty along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required for running telephone wire. (Acceptable make: Astral / Georg Fischer / Prakash / Prince / Supreme with proper gauge) N.B. Normal ordinary PVC pipe shall not be accepted for external use. |        |       |   |
| 152 | 50 mm  | 50.00  | Metre |   |
| 153 | Supplying and laying of ISI marked LT flexible PVC pipe of 20 mm dia for wiring including providing tee, joints, elbows, supports, etc. wherever required etc. complete as required.   | 20.00  | Metre |   |
| 154 | Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.   |        |       |   |
| 155 | 6 Module (200 mm X 75 mm)  | 8.00   | Each  |   |
| 156 | 8 Module (125mmX125mm)   | 4.00   | Each  |   |
| 157 | 12 Module (200 mm X 150 mm)  | 3.00   | Each  |   |
| 158 | Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.  | 0.00   |       |   |
| 159 | 6 Module   | 8.00   | Each  |   |
| 160 | 8 Module   | 4.00   | Each  |   |
| 161 | 12 Module  | 3.00   | Each  |   |

|            | Supplying and fixing following modular switch/ scaled on the   |       |       |  |
|------------|--|-------|-------|--|
| 162        | Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required. [Acceptable make: Legrand / Havells / L&T / MDS / Wipro / GM / Polycab /  |       |       |  |
| 1.62       | Schneider]   | 56.00 | Each  |  |
| 163        | 5/6 A switch   | 20.00 | Each  |  |
| 164<br>165 | 15/16 A switch   | 20.00 | Each  |  |
| 103        | 6 pin 15/16 A socket outlet  | 20.00 | Lacii |  |
| 166        | LED Down lighter (SMD Type) (System lumen efficacy ≥ 105 < 120 lm/Watt ) Supplying, installation, Testing & Commissioning of LED Recessed/ surface Down lighter (Round/ square/ Rectangular) SMD type of following body material with PMMA and prismatic diffuser and construction as per IS: 10322 with driver as per the requirement with Driver efficiency >85%, Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection ,THD < 10%, P. F.≥0.95, IP20, CRI >80, UGR (Unified Glare Rating) < 19, Flicker free (flicker should be below 5%), life time (LED,Driver & electrical circuitary), of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends ,CCT 3000°K / 4000°K / 5700°K / 6000°K / 6500°K (As per ANSI Bin), SDCM (Standard Deviation Color Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be confirming to relevant BIS standards and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing Complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 and <120 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C). Powder coated die cast /Extruded aluminum Body including trim (N.B. : Make of LED shall got approved by Engineer-In-charge) |       |       |  |
| 167        | 18 Watt  | 55.00 | Each  |  |
| 168        | Supply, Installation, Testing and Commissioning of ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. metal (Aluminum alloy) blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, steel/Al body Power Factor not less than 0.9, Service Value (CM/M/W) minimum as below, 350 RPM (tolerance as per IS: 374-2019), THD (Total Harmonic Distortion) less than 10%, remote (preferably mobile app based) for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Ceiling Fan compliant to IS 374:2019 fan Supply, earthing etc. complete as req. (N.B.: Make of Fan shall got approved by Engineer-In-charge)   | 4.00  | Each  |  |
| 169        | 900mm, service value ≥ 5.1 CM/Min/Watt, air delivery 130 CM/Min (Minimum)  | 4.00  | Each  |  |

| 170 | Supplying and fixing extra down rod of 10 cm length G.I. pipe ,15 mm dia, heavy gauge including painting etc. as required. (Note: More than 5 cm length shall be rounded to the nearest 10 cm and 5 cm or less shall be ignored) | 4.00    | Each  |  |
|-----|--|---------|-------|--|
|     | Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.   | 300.00  | Metre |  |
| 172 | Credit of old iron scrap like steel windows/door frame, MS grills ,MS bars , GI pipe and fitting etc   | 1000.00 | Kg    |  |
|     | Total  |         |       |  |

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- **2.** The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- **4.** Site shall be available as per directions of Engineer in Charge.
- **5.** Quoted rates of participating agencies shall be inclusive of GST.

JE (C)