

Notice Inviting Tender

Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.

Sub Head: - Civil & Electrical works.

Civil work amount : Rs. 5,75,05,518/Electrical Work Amount : Rs. 89,69,955/Total Amount : Rs. 6,64,75,473/-

(WORKS DEPARTMENT)

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

INDEX

Name of work: - Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.

Sub Head: - Civil & Electrical works.

Sl. No.	Description	Page No.
1	Index	2
2.	Notice Inviting e-tender	3
3.	Part A	
	Information and instructions for bidders for e-tendering	4-7
	IITD-6 for e-Tendering and Terms & Conditions	8-23
	Integrity Pact	24-30
	Form of Earnest Money (Bank Guarantee)	31
	Performance Guarantee	32
	Form-F	33
	Annexure- I, II, III	34-36
4.	Part B	
	IITD 7/8 e-Tendering	37-39
	Schedule A-F	40-46
	Special Condition of Contract	47-48
	Guarantee Bond for Water Proofing	49
	List of Approved/Acceptable Make	50-54
	Online Bid Submission	55
5.	Part C	
	Schedule of Quantity	56-83

It is certified that this document contains three parts i.e. Part A, Part B & Part C containing page no. 1 to 83.

Executive Engineer (ED-I)

Executive Engineer (CD-III)

NIT approved for Rs. 6,64,75,473/- (Rupees Six Crore Sixty-Four Lakh Seventy-Five Thousand Four Hundred Seventy-Three only)

Institute Engineer

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI-110016

Notice Inviting e - Tender

The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Civil work /Building works/ Building & Roads/Composite works of the following work:

NIT No. : IITD/EE(CD-III)/2022-23

Name of Work : Renovation, modifications, Recasting of roof slab &

Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.

Sub Head: - Civil and Electrical Work.

Estimated cost : **Rs.** 6,64,75,473/-Earnest Money : **Rs.** 13,29,510/-

Performance Guarantee : 5 % of Tendered value
Security Deposit : 2.5% of Tendered Value

Warranty : 1 Year for all Civil and Electrical works.

5 Years for Specialized work i.e. water waterproofing, and LED Lighting Fixtures.

Period for completion : 20 Months

Late date & time for submission : 01 / 07 /2025 up to upto 15.00 Hrs.

of bids

Date & Time of opening of Bids : 02 / 07 /2025 at 15.00 Hrs.

The bid forms and other details can be obtained from the website www.iitd.ac.in or e-Procure.gov.in free of cost. For more clarification you may visit on above website.

Executive Engineer (CD-III), For & on Behalf of BOG, IIT Delhi

Budget Head: New Construction/services/Equipment/ 35.01.01 / (2021/007/0505)

Copy to: -

- 1. Institute Engineer
- 2. Executive Engineer (CD-III) for information.
- 3. D.A. (Works Accounts)
- 4. D.R. (A/Cs) for opening of uploaded documents at 3:00 PM on 02/07/2025 in the office of D.R. Store
- 5. Notice Boards.
- 6. Office Copy
- 7. Web site Administrator, I.I.T.D.

C-----NIL I----NIL O--- NIL EE (CD-III) EE (ED-1) JE (E) JE (C)

PART 'A'

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD/WORKS (SP-5028)/2025

INFORMATION AND INSTRUCTIONS FOR BIDDERS FOR e-TENDERING (Tender Notice) The Executive Engineer (CD-III), IIT DELHI, HAUZ KHAS, New Delhi-16 (Phone No 011-26596237) on behalf of Board of Governors invite online Item Rate Tender from Firms/ Contractors Registered in appropriate class and category with CPWD, MES, BSNL, and Railways for Civil work /Building works/ Building & Roads/Composite works of the following work:

SL. No.	NIT No.	Name of Work	Estimated Cost (in Rs.)	Earnest Money (in Rs.)	Time for Completion
1	/IITD/EE(CD-III)/2025-26.	Name of work: Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi. Sub Head: - Civil & Electrical works.	6,64,75,473/-	13,29,510/-	20 Months

Last date and time of submission of financial

& Technical bid : 01 / 07 /2025 upto 3:00 pm (online)

Date and time of opening of Technical bid : 02 / 07 / 2025 at 3.00 pm (office of D.R Store) Price bids of eligible bidders as per NIT shall be opened at a later date after scrutiny of Technical bids.

- 1. The successful bidders shall be required to submit a performance guarantee of 5 % of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized/Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to supply the performance guarantee within the specified period, full earnest money will be forfeited, and the tender shall be treated as void. The performance guarantee shall be initially valid up to the date of completion plus 60 (Sixty) days beyond that.
- **2.** Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - Firms/Contractors must have completed satisfactorily one similar work of value not less than **Rs. 5,31,81,000**/-or Two similar works each of value not less than **Rs. 3,98,86,000**/-or three similar works each of value not less than **Rs. 2,65,91,000**/-during last 7 years ending on previous day of last day of submission of bids.
 - ii) **Earnest money of Rs. 13,29,510**/-in the form of Banker's cheque or Demand draft or fixed deposit receipt of a schedule bank drawn in favor of **Registrar, I.I.T. Delhi**. No relaxation in EMD will be allowed for MSMEs and MSEs as per CPWD Manual.
- 3. Similar work means Composite work consisting of Civil and E&M.
- 4. The intending bidder must read the terms and conditions of IITD-6 carefully. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- 5. Information and Instructions for bidders posted on website shall form part of bid document.

- **6.** The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website http://eprocure.gov.in/eprocure/app.in free of cost.
- 7. Completion certificates issued by an officer not below the rank of Executive Engineer of similar works completed by the Agency.
- **8.** Work means only work under Government/ Central Public Sector Undertaking / State Public Sector Under Central Autonomous bodies/ State Autonomous bodies/ City Development Authority/ Municipal Cooperation of City formed under any act by Central/ State Government and published in Central/ State Gazette.
- 9. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum calculated from the date of completion on previous day of last day of submission of bids.
- 10. IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid each bidder should sign integrity pact at respective places and submit the bid, if duly signed integrity pact is not submitted by bidder such bid shall not be considered.
- 11. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website
- 12. The intending bidder must have valid class-III digital signature to submit the bid.
- 13. On opening date, the contractor can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- **14.** Contractor can upload documents in the form of JPG format and PDF format.
- 15. Contractor must ensure to quote rate of each item, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO).
- 16. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- 17. In e-Tendering intending bidder can quote his rates in figures only. The rates in words against amount of each item and total is generated automatically. Therefore, the rate quoted by the bidder in figures will be taken as final.
- 18. The bid can only be submitted after uploading the mandatory scanned documents such as Demand Draft or Pay order or Banker's Cheque or Deposit at call Receipt or Fixed Deposit Receipts and towards cost of EMD in favor of **Registrar IIT Delhi** to be deposited with http://eprocure.gov.in/eprocure/app/ / NEFT facility.
- **19.** The physical EMD of the scanned copy of EMD uploaded shall be deposited by the lowest tenderer within a week after opening of financial bid failing which the tender shall be rejected.
- 20. The following undertaking in this regard shall be up-loaded by the intending bidders: "the physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"
- 21. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only along with physical EMD of the scanned copy of EMD

- uploaded within a week physically in the office of e-tendering authority and it shall be sole responsibility of lowest bidder.
- 22. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited EMD and other documents scanned and uploaded are found in order.
- 23. When bids are invited in two /three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid Not applicable.
- 24. The bid submitted shall become invalid if:
 - a. The bidder is found ineligible if he fails to upload documents from 1 to 10 on tender notice page 6.
 - b. The bidder does not upload all the documents (including GST registration) as stipulated in the bid document including the undertaking about deposition of physical EMD of the scanned copy of EMD uploaded etc.
 - c. If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
 - d. The lowest bidder does not deposit physical EMD within a week of opening of tender.
 - e. The Bidder does not upload ESI & EPF Registration.
- 25. Bid validity shall be 75 days from last date of submission of bid.
- **26.** Rate of bidders shall be considered inclusive of GST.

List of Documents to be scanned and uploaded within the period of bid submission:

- 1. Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.
- 2. Enlistment order of contractor.
- 3. Certificate of work experience.
- 4. Certificate of Registration for GST and acknowledgement of up to date filed return of GST.
- 5. Affidavit on Rs. 100/- Non judicial Stamp paper as per Notice Inviting Tender Condition 1.3 at page 8 of NIT. (Stamp Paper shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the affidavit).
- 6. Acceptance to execute INTEGRITY PACT.
- 7. Undertaking as per 'Sl. No. 20 on page No. 5' on firm's letter head.
 - The physical EMD shall be deposited by me / us with the Authority inviting the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi.
- 8. ESI & EPF registration.
- 9. FORM "F" (Duly filled with all required details).
- 10. In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.
- 11. Annexure-I (duly filled & signed by the bidders)
- 12. Annexure-II (duly filled & signed by the bidders)
- 13. Annexure-III (duly filled & signed by the bidders)

JE (E)

Note: - All Documents mentioned S.N-1 to 10 are mandatory for technically qualifying and document mentioned 11 to 13 are not mandatory.

Executive Engineer (CD-III), For & on Behalf of BOG, IIT Delhi Hauz Khas, New Delhi-110016

<u>Budget Head: New Construction/services/Equipment/ 35.01.01 / (2021/007/0505)</u> Copy to: -

- 1. Executive Engineer (CD-III) for information.
- 2. D.A. (Works Accounts)
- 3. D.R. (A/Cs) for opening of tenders on 02/07/2025 at 3:00 PM in the office of D.R. Store
- 4. Notice Boards.
- 5. Office Copy
- 6. Web site Administrator, I.I.T.D
- 7. NIT: Publicity on Website on Institute as well as on CPP portal http://eprocure.gov.in may be ensured as per instruction issued.
- **8.** E-tendering Web. http://eprocure.gov.in/eprocure/app or wwww.iitd.ac.in

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS: NEW DELHI – 110016 IITD-6 FOR e-TENDERING ANDTERM&CONDITIONS

Item rate tenders are invited on behalf of Board of Governors from contractors/firms engaged/ register in appropriate category having completed work in appropriate category for the **work** as per tender notice.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders. In case the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost **as per tender notice** this estimate, however, is given merely as a rough guide.
- 1.2 Details of criteria for eligibility As Indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e- TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"
- 1.3 To become eligible for issue of tender, the tenderer shall have to furnish an affidavit as under:-
 - I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for tendering in IITD in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee. (Scanned copy to be uploaded at the time of submission of bid)
 - 2. Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 8 (or other Standard Form as mentioned) which is available as a Govt. of India Publication. Bidders shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
 - 3. The time allowed for carrying out the work will be **as per tender notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the tender documents.
 - 4. The site for the work shall be made available in parts as and when site will be available.
 - 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site http://eprocure.gov.in/eprocure/appor iitd.ac.in or e-procure.gov **free** of cost.
 - 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
 - 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
 - 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
 - 9. Earnest Money in the form of Demand Draft or Pay order or Banker's Cheque or Deposit at Call Receipt (drawn in favour of Registrar IIT Delhi, Hauz Khas, New Delhi) as specified of any Scheduled/Nationalized Bank and shall be scanned & uploaded to the e- tendering website within the period of tender submission or through RTGS/NEFT with UTR details and original should be deposited by lowest bidder within a week after the opening of financial bid in office of Executive Engineer (CD-III), IIT Delhi, Hauz Khas, New Delhi

A part of earnest money is acceptable in the form of bank guarantee also. In such case, 50% of earnest money or Rs. 20 lakh, whichever is less, will have to be deposited in shape prescribed above, and balance in shape of Bank Guarantee of any scheduled bank which is to be scanned and uploaded by the intending bidders.

Interested contractor who wish to participate in the bid has also to make following payments in the form of Demand Draft/Pay order or Banker's Cheque of any Scheduled Bank and to be scanned and uploaded to the e-Tendering website within the period of bid submission:

http://eprocure.gov.in/eprocure/app.

- 10. The bid submitted shall become invalid if:
 - (i) The bidders are found not eligible.
 - (ii) The bidders do not upload all the documents (including GST registration/ other documents as **per Tender Notice**) as stipulated in the bid document.
 - (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically in the office of tender opening authority.
 - (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
 - (v) The Bidder does not upload ESI & EPF Registration
- 11. The time & date of submission & opening of financial bid of contractors qualifying the **criteria as per Tender Notice** shall be communicated to them at a later date.
- 12. The contractor whose bid is accepted, will be required to furnish performance guarantee of 5 % (Five Percent) of the tendered and accepted of the bided amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank of any scheduled bank (in case guarantee amount is less than Rs. 1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 13. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The tenderer shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a tenderer implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 14. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other tender and reserves to itself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the tenderer shall be summarily rejected.
- 15. Canvassing whether directly or indirectly, in connection with tenderers is strictly prohibited and the tenders submitted by the contractors who resort to canvassing will be liable to rejection.
- 16. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
- 17. The contractor shall not be permitted to tender for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the Central Public Works Department or in the Ministry of Urban Development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contractors of this Department.

- 18. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as afore said before submission of the tender or engagement in the contractor's service.
- 19. The tender for the works shall remain open for acceptance for a period of **Seventy Five (75)** days from last date of submission of bid, if any tenderer withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the department, then the Government shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 20. This notice inviting Tender shall form a part of the contract document. The successful tenderer / contractor, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a) The Notice Inviting Tender, all the documents including additional conditions, specifications, and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form 8 or other Standard IITD Form as mentioned.
- 21. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid.

Executive Engineer (CD-III) IIT Delhi, Hauz Khas New Delhi - 110016

NOTICE INVITING TENDER

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI-110016

Terms & Conditions

Indian Institute of Technology Delhi is in the process of purchasing following item(s) as per details as given as under.

Details of the item	As per Tender Notice
Earnest Money Deposit to be submitted	Rs. 13,29,510/-
Warranty	As per Tender Notice, NIT & IITD form 8
Performance security	As per Tender Notice, NIT & IITD form 8

Tender Documents may be downloaded from Central Public Procurement Portal http://eprocure.gov.in/eprocure/app. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission '.

Tenderers can access tender documents on the website (For searching in the NIC site, kindly go to Tender Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi tenders). Select the appropriate tender and fill them with all relevant information and submit the completed tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All quotes (both Technical and Financial should be submitted in the E-procurement portal).

Schedule

Name of Organization		Indian Institute of Technology, Delhi						
Tender Type (Open/Limited/	EOI/Auction/Single)	Open						
Tender Category (Services/G	oods/works)	Works						
Type/Form of Contract (Wor Auction/Service/Buy/Empan	* * *	Works						
Product Category (Civil Wor Works/Fleet Management/ C		Civil Works.						
Source of Fund (Institute/Pro	ject)	New Construction/services/Equipment/ 35.01.01 / (2021/007/0505)						
Is Multi Currency Allowed		No						
Date of Issue/Publishing		12/06/2025 (15.00 Hrs)						
Document Download/Sale St	art Date	12/06/2025 (15.00 Hrs)						
Document Download/Sale En	nd Date	01/07/2025 (15.00 Hrs)						
Date for Pre-Bid Conference		Nil						
Venue of Pre-Bid Conference	e							
Last Date and Time for Uplo	ading of Bids	01/ 07 /2025 (15.00 Hrs)						
Date and Time of Opening or	Technical Bids	02 / 07 /2025 (15.00 Hrs)						
Tender Fee EMD	NIL Rs. 13,29,510/-	(To be paid through RTGS/NEFT/Offline Mode. IIT Delhi Bank details are as under: Name of the Bank A/C: Registrar IIT Delhi SBI A/C No. 10773572622 Name of the Bank: State Bank of India, IIT Delhi, Hauz Khas, New Delhi-110016 IFSC Code: SBIN0001077 MICR Code: SBIN002156 Swift No.: SBININBB547 (This is mandatory that UTR Number is provided in the online quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II) or as per NIT/ Tender						
No. of Covers (1/2/3/4)		notice 02						
Bid Validity days (180/120/9	0/75/60/30)	75 days (From last date of Submission of bid)						
Address for Communication	/	Office of the Executive Engineer (Civil Division-III), Room No- MZ-137, Main Building, IIT Delhi, Hauz Khas, New Delhi-110016						
Contact No.		011-26596237						
Fax No.		Nil						
Email Address		a26516@admin.iitd.ac.in						

C-----NIL I----NIL O--- NIL EE (CD-III) EE (I

Instructions for Online Bid Submission:

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (<u>URL:http://eprocure.gov.in/eprocure/app)</u>. The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at: http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link "Click here to Enroll". Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2) Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective 'My Tenders' folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3) The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 2) Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents including the names and content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.

4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time
 - i.e., on or before the bid submission time. Bidder will be responsible for any delay due to other assues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3) The bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page No.2).
- 4) A standard BoQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BoQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

General Instructions to the Bidders

- 1) The tenders will be received online through portal http://eprocure.gov.in/eprocure/app . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3) Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e- submission of the bids online through the Central Public Procurement Portal for e-Procurement at https://eprocure.gov.in/eprocure/app.

Terms & Conditions Details

S.No.	Specification
1.	Due date : The tender must be submitted on-line before the due date. The offers received after the due date and time will not be considered. No manual bids will be considered.
2.	Preparation of Bids : The offer/bid should be submitted in two bid systems (i.e.) Technical bid and financial bid. The technical bid should consist of all technical details along with commercial terms and conditions. Financial bid should indicate item wise price for the items mentioned in the technical bid in the given format i.e BOQ_XXXX.
	OR
	Financial Bids to be submitted in Excel.
	The Technical bid and the financial bid should be submitted Online.
3.	EMD (if applicable): As per NIT
4.	Refund of EMD :- As per NIT
5.	Opening of the tender: As per Tender Notice, NIT & IITD form 8
6.	Acceptance/ Rejection of bids: The competent authority of IIT Delhi reserves the right to reject any or all offers without assigning any reason.
7.	Pre-qualification criteria: - Mentioned in Tender notice
8.	Performance Security:-Mentioned in Tender notice
9.	Force Majeure :- As per IITD form 8
10.	Risk & Cost Clause : As per IITD form 8
11.	Delivery and Documents: As per Tender Notice & NIT & IITD form 8
12.	Delayed delivery: As per Tender Notice & NIT & IITD form 8
13.	Prices: As per Tender Notice & NIT & IITD form 8
14.	Progress of Work :As per Tender Notice & NIT & IITD form 8
15.	Inspection and Tests: As per Tender Notice & NIT & IITD form 8
16.	Resolution of Disputes: As per Tender Notice & NIT & IITD form 8
17.	Applicable Law: As per Tender Notice & NIT & IITD form 8
18.	Supplier Integrity : As per Tender Notice & NIT & IITD form 8
19.	Training : As per Tender Notice & NIT & IITD form 8
20.	Installation & Demonstration : As per Tender Notice & NIT & IITD form 8

21.	Incidental services: As per Tender Notice & NIT & IITD form 8
22.	Defect liability Period : As per Tender Notice & NIT & IITD form 8
23.	Governing Language : As per Tender Notice & NIT & IITD form 8
24.	Applicable Law: As per Tender Notice & NIT & IITD form 8
25.	Notices : As per Tender Notice & NIT & IITD form 8
26.	Taxes: As per Tender Notice & NIT & IITD form 8
27.	Termination for Default : As per Tender Notice & NIT & IITD form 8
28.	Disputes and Jurisdiction: As per Tender Notice & NIT & IITD form 8
29.	Completion certificate: As per Tender Notice & NIT & IITD form 8

Bid Submission

Online Bid Submission:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Bid Docur		provided as single PDF file)	
Sl. No.	Documents	Content	File Types
1.		Compliance Sheet as per Annexure – I	.PDF
2.		Organization Declaration Sheet as per Annexure – II	.PDF
3.	Technical Bid	List of organizations/ clients where the same products have been supplied (in last two years) along with their contact number(s). (Annexure-III)	.PDF
4.		Technical supporting documents in support as per Page-6 of NIT	.PDF
Bid Docur	ment – 2		
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in Excel format.	.xls

I.I.T.D- 6 FOR e-TENDERING

I.I.T.D

INDIAN INSTITUTE OF TECHNOLOGY, DELHI HAUZ KHAS, NEW DELHI -110016 NOTICE INVITING TENDER

Item rate tenders are invited on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 from approved and eligible contractors of **CPWD** and those of appropriate class of **M.E.S.**, **BSNL** and **Railway** dealing with **Civil work / Building work/ Building & Road / Composite works** for the work of **Renovation**, **modifications**, **Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.**

Sub Head: - Civil & Electrical works.

- 1. The enlistment of the contractors should be valid on the last date of submission of tenders.

 In case only the last date of submission of tender is extended, the enlistment of contractor should be valid on the original date of submission of tenders.
- 1.1 The work is estimated to cost Rs. **6,64,75,473**/-This estimate, however, is given merely as a rough guide.
- **1.1.1** The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.
 - For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicates the estimated cost of each component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.
- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below: -

Criteria of eligibility for submission of bid documents.

1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (rounded to nearest Rs. 1000/-) during last 7 years ending on previous day of last day of submission of bids.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated during last 7 years ending on previous day of last day of submission of bids.

I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under:

I/We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/we shall be debarred for bidding in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer- in-Charge shall be free to forfeit the entire amount of Performance Guarantee.

- 2. Agreement shall be drawn with the successful bidders on prescribed Form No. I.I.T.D 7/8 which is available as I.I.T.D. Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3. The time allowed for carrying out the work will be **as per Tender Notice** from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- 4. The site for the work shall be made available in parts as and when site will be available.
- 5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site www.iitd.ac.in or e-procure.gov.in free of cost.
- 6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
- 7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.

Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice / web notice shall be scanned and uploaded to the tender website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice / web notice shall have to be submitted by the lowest bidder in the office of tendering authority.

Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited tender online fees with and earnest money deposit and other documents scanned and uploaded are found in order. The bid submitted shall become invalid &Tender fees shall not be refunded if:

- (i) The bidder is found ineligible.
- (ii) The bidder does not upload all the documents as stipulated in the bid documents.
- (iii) If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted physically by the lowest tenderer in the office of tender opening authority.
- (iv) The lowest bidder does not deposit physical EMD within a week of opening of tender.
- (v) The Bidder does not upload ESI & EPF Registration

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

- 9. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5%** (**Five Percent**) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of cash (in case guarantee amount is less than Rs. 10000/-) or Deposit at Call receipt of any scheduled bank/Banker's cheque of any scheduled bank/
 - Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1, 00,000/-) or Government Securities or Fixed.
 - Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- 10. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
- 11. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable to rejection.
- 13. The competent authority on behalf of Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- 14. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 15. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed

I.I.T.D – 6 FOR e-TENDERING

I.I.T.D

JE (C)

to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract is liable to be cancelled if either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.

- 16. The bid for the works shall remain open for acceptance for a period of **Seventy Five (75) days** from the last date of submission of bid, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 17. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-

The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.

- b) Standard IITD Form –7/8 or other Standard IITD Form as mentioned.
- 18. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as submitted physically in the office of Executive Engineer, then the bid submitted shall become invalid and the IIT Delhi shall without prejudice to any other right or remedy, the bidder shall debarred for tendering in IIT Delhi for a period of one year.
- 19. **For Composite Bid**
- 19.1 The **Executive Engineer [CD-III]** shall be Engineer-in-charge of the major component and will call the bids for the composite work, Earnest Money will be fixed with respect of the combined estimate cost put to tender for the composite bid.
- 19.2 The bid document will include following three components: -
 - **Part A-** IITD-6, IITD-7 including schedule A to F for the major component of the work. Standard General Conditions of contract for CPWD 2020 as corrected/modified up to date.
 - **Part B** General/Specific conditions, specifications and schedule of quantities applicable to major component of the work.
 - **Part C:** Schedule A to F for minor component of the work I.E. (Institute Engineer/EE in-charge of major component shall also be competent authority under clause 2 and clause 5 as mentioned as schedule A to F to major components), General/ specific conditions, specifications, and schedule of quantities applicable to minor component(s) of the work.
- 19.3 The bidder must associate himself with experienced agencies of the appropriate class eligible for bid for each of the minor component individually.
- 19.4 The eligible bidders shall quote rates for all items of major component as well as for all items of minor component of work.

I.I.T.D - 6 FOR e-TENDERING

I.I.T.D

- After acceptance of the bid by Competent authority, the **EE** [**CD-III**] **i.e** Engineer in charge of the work shall issue letter of award on behalf of the Board of Governors, IIT Delhi, after the work is awarded, the main contractor will have to enter into one agreement with **EE** [**CD-III**] and has also to sign two or more copies of agreement. On such signed set of agreement shall be handed over to EE (Elect) in charge of minor component. EE of major component will operate part A and EE(Elect) in charge of minor component shall operate part B along with Part A of the agreement.
- 19.6 Entire work under the scope of composite bid including major and all minor components shall be executed under one agreement.
- 19.7 The main contractor has to associate agency(s) for minor component (s) conforming to eligibility criteria as defined in the bid document and has to submit detail of such agency (s) to Engineer-in-charge of minor component(s) within prescribed time, Name of agency (s) to be associated shall be approved by Engineer-in-charge of minor component(s).
- In case the main contractor changes any of the above agency/agencies during the operation of the contract, he shall obtain prior approval of the Engineer-in-charge of minor component. The new agency/agencies shall also have an agency, he can direct the contractor to change the agency executing such items of work and this shall be binding on the contractor.
- 19.9 The main contractor has to enter into agreement with contractor(s) associated by him for execution of minor components(s) in case the main contractor does not have capability to execute the minor component work. Copy of such agreement shall be submitted to EE[E] and EE(CD-III), in charge of major and minor component. In case of a change of associate contractor, the main contractor has to enter into agreement with the new contractor associated by him.
- **19.11-** Running payment for the major component shall be processed by EE of major discipline to the main contractor. Running payment of minor components shall be made by EE [E], discipline of minor component directly to the main contractor.
- 19.12A The composite work shall be treated as completed when all the components of the work are complete and certified. The completion certificate of the composite work shall be recorded by Engineers-in-charge of major component after record of completion certificate of all other components.
- 19.12B Final bill of whole work shall be finalized and paid by the EE of major component. EE (E), in charge of minor component(s) will prepare and pass the final bill for their respective component of work and pass on the same to the EE of major component for including in the final bill for composite contractor.

To a second seco	
INTEGRATY PACT e-TENDERING	I.I.T.D

To,																														
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	• •	,
								-																		-		-	- 7	,

Subject: - Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.

Sub Head: - Civil and Electrical work. NIT No. /IITD/EE (CD-III)/2025-26

Dear Sir,

It is here by declared that I.I.T.D is committed to follow the principle of transparency, equity, and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the integrity Agreement, which is an integral part of tender/bid documents, failing which the tenderer / bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the I.I.T.D.

Yours faithfully

Executive Engineer (CD-III)

ACCEPTANCE TO EXECUTE INTEGRITY PACT

I.I.T.D

(To be signed by bidder and upload the scanned copy)

To,

Executive Engineer (CD- III) IIT Delhi, Hauz Khas, New Delhi – 110016.

Subject: - Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi. Sub Head: - Civil and Electrical work.

Dear Sir,

I/We acknowledge that I.I.T.D is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I/We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I/We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I/We will stand disqualified from the tendering process. I/We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I/We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by I.I.T.D. I/We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I/We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, I.I.T.D shall have unqualified, absolute and unfettered right to disqualify the tender / bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully

(Duly authorized signatory of the Bidder)

INTEGRATY PACT e-TENDERING

I.I.T.D

To be signed by the bidder and same signatory competent / authorized to

sign the relevant contract on behalf of I.I.T.D.

INTEGRITY AGREEMENT

This Integrity	Agreement is m	ade at	on this	d	ay of	20	
		BETWE	EN				
The Board of Go Engineer (E) IIT		elhi, Hauz Kh	as, New l	Delhi - 16	represente	d throu	gh Executive
Division)			, (Н	lereinafter	referred	as th	ne(Address o
'Principal/Owne include its succes	•		less repug	gnant to the	emeaning	or cont	ext hereof
			AND				
of the	•••••					(Nan	ne and Addres
Individual/firm/C referred to as the shall unless repug Preamble	(Details of duly	authorized sig	natory) "	Bidder/Co	ntractor"	and wh	nich expressio
WHEREAS the F (Hereinafter refer "Tender/Bid")		to award,					
(Name of work) I AND WHEREAS rules, regulations Bidder(s) and Co agreed to enter in the terms and co documents and C	nereinafter refer S the Principal/ , economic use ntractor(s).ANI to this Integrity nditions of whice	Owner values of resources OWHEREAS Agreement (he	Contract full com and of fa to meet t ereinafter	pliance wi nirness/tran he purpose referred to	th all relesparency aforesaid	in its re l both tl g rity Pa	elation with it he parties hav act" or "Pact"

INTEGRATY PACT e-TENDERING I.I.T.D

Now, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

Article 1: Commitment of the Principal/Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:
 - (a) No employee of the Principal/Owner, personally or through any of his/her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (b) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (c) The Principal/Owner shall endeavor to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s)/Contractor(s)

- It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or Coercion or Collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

INTEGRATY PACT e-TENDERING

I.I.T.D

- c) The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act. Further the Bidder(s)/Contract(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal/Owner aspart of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s)/Contractor(s) of foreign origin shall disclose the names and addresses of agents/representatives in India, if any. Similarly Bidder(s)/Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practice means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action, or influencing a decision through intimidation, threat, or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of Breach

Without prejudice to any rights that may be available to the Principal/Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit**: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of

- Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability**: If the Principal/Owner obtains knowledge of conduct of a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal/Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6- Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 09 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority, LLT.D.

Article 7- Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Headquarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by board resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intensions.

JE (E)

INTEGRATY PACT e-TENDERING

I.I.T.D

5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8- LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal/Owner)
(For and on behalf of
Bidder/Contractor)
WITNESSES:
1
(signature, name and address)
2. (signature, name and address)
Place:
Date:

BANK GUARANTEE BOND

I.I.T. D

Form of Earnest Money Deposit Bank Guarantee Bond

	WHEREAS, contractor(Name of contractor) (hereinafter called "the contractor") has submitted his tender dated (date) for the construction of(name of work) (hereinafter called "the Tender")
	KNOW ALL PEOPLE by these presents that we
	(Name and division of Executive Engineer) (hereinafter called "the Engineer-in-Charge") in the sum of Rs
	and truly to be made to the said Engineer-in-Charge the Bank binds itself, his successors and assigns by these presents.
	SEALED with the Common Seal of the said Bank thisday of
(1)	If after tender opening the Contractor withdraws, his tender during the period of validity of tender (including extended validity of tender) specified in the Form of Tender;
(2)	If the contractor having been notified of the acceptance of his tender by the Engineer-in-Charge:
(a)	fails or refuses to execute the Form of Agreement in accordance with the Instructions to contractor, if required; OR
(b)	fails or refuses to furnish the Performance Guarantee, in accordance with the provisions of tender document and Instructions to contractor,
(c)	OR fails or refuses to start the work, in accordance with the provisions of the contract and Instructions to contractor,
(d)	OR fails or refuses to submit fresh Bank Guarantee of an equal amount of this Bank Guarantee, against Security Deposit after award of contract.
	We undertake to pay to the Engineer-in-Charge either up to the above amount or part thereof upon receipt of his first written demand, without the Engineer-in-Charge having to substantiates his demand, provided that in his demand the Engineer-in-Charge will note that the amount claimed by his is due to him owing to the occurrence of one or any of the above conditions, specifying the occurred condition or conditions.
	This Guarantee will remain in force up to and including the date*
	submission of tender as such deadline is stated in the Instructions to contractor or as it may be extended by the Engineer-in-Charge, notice of which extension(s) to the Bank is hereby waived. Any demand in respect of this Guarantee should reach the Bank not later than the above date.
	DATE
	SIGNATURE OF THE BANK WITNESSSEAL
	(SIGNATURE, NAME AND ADDRESS)
*Date	e to be worked out on the basis of validity period of 6 months from last date of receipt of tender.

C----NIL I----NIL O--- NIL EE (CD-III) EE (ED-1) JE (E) JE (C)

PERFORMANCE GUARANTEE

- (i) The contractor shall submit an irrevocable Performance Guarantee of 5% (Five percent) of the tendered amount in addition to other deposits mentioned elsewhere in the contract for his proper performance of the contract agreement, (not withstanding and/or without prejudice to any other provisions in the contract) within period specified in Schedule 'F' from the date of issue of letter of acceptance. This period can be further extended by the Engineer-in-Charge up to a maximum period as specified in schedule 'F' on written request of the contractor stating the reason for delays in procuring the Performance Guarantee, to the satisfaction of the Engineer-in-Charge. This guarantee shall be in the form of Cash (in case guarantee amount is less than Rs. 10,000/-) or Deposit at Call receipt of any scheduled bank/Banker's Cheque of any scheduled bank/Demand Draft of any scheduled bank/Pay Order of any scheduled bank (in case guarantee amount is less than Rs. 1, 00,000/-) or Government Securities or Fixed Deposit Receipts or Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the form annexed hereto. In case a fixed deposit receipt of any Bank is furnished by the contractor to the Government as part of the performance guarantee and the Bank is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security to the Government to make good the deficit.
- (ii) The Performance Guarantee shall be initially valid up to the stipulated date of completion plus 180 Days beyond that. In case the time for completion of work gets enlarged, the contractor shall get the validity of Performance Guarantee extended to cover such enlarged time for completion of work. After recording of the completion certificate for the work by the competent authority, the performance guarantee shall be returned to the contractor, without any interest.
- (iii) The Engineer-in-Charge shall not make a claim under the performance guarantee except for amounts to which the BOG is entitled under the contract (not withstanding and/or without prejudice to any other provisions in the contract agreement) in the event of:
- (a) Failure by the contractor to extend the validity of the Performance Guarantee as described herein above, in which event the Engineer-in-Charge may claim the full amount of the Performance Guarantee.
- (b) Failure by the contractor to pay BOG any amount due, either as agreed by the contractor or determined under any of the Clauses/Conditions of the agreement, within 30 days of the service of notice to this effect by Engineer-in-Charge.
- (iv). In the event of the contract being determined or rescinded under provision of any of the Clause/Condition of the agreement, the performance guarantee shall stand forfeited in full and shall be absolutely at the disposal of the BOG.

1. Name & Address of the bidder

FORM "F"

STRUCTURE & ORGANISATION

2.	Telephone no./ Telex no./ Fax no.				
3.	Legal status of the bidder (attach copies of original document defining the legal status)				
a.	An Individual				
b.	A proprietary firm				
c.	A firm in partnership				
d.	A limited company or Corporation				
4.	Particulars of registration with various Government Bodies (attach attested photocopy) Organization/ Place of registration and Registration No.				
	1.				
	2.				
	3.				
5.	Name and tiles of Directors & Officers with designation to				
	be concerned with this work				
	!				
6.	Designation of individuals authorized to act for the organization				
7.	Has the bidder or any constituent partner in case of partnership firm, ever abandoned the				
	awarded work before its completion?				
	If so, give name of the project and reasons for abandonment				
	!				
8.	Has the bidder or any constituent partner in case of partnership				
	firm, ever been debarred/ blacklisted for tendering in any organization				
	at any time? If so, give details				

Signature of Bidder(S)

ANNEXURE-I COMPLIANCE SHEET

TECHNICAL SPECIFICATION:

Sr. No.	Technical Bid Requirement As per Tender Notice & NIT & IITD form 8	Compliance Y/N
1	Demand Draft/Pay order or Banker`s Cheque /Deposit at Call Receipt/FDR of any Scheduled Bank against EMD.	
2	Enlistment order of contractor.	
3	Certificate of work experience.	
4	Certificate of Registration for GST and acknowledgement of up to date filed return of GST.	
5	Affidavit on Rs. 100/- Non Judicial Stamp paper as per Notice Inviting Tender Condition 1.3 page 8 of NIT. (Stamp Paper shall be purchased/ notarized between date of publishing and last date of submission of bids beside this NIT/Tender ID and name of work must be mentioned on the Affidavit.).	
6	Acceptance to execute INTEGRITY PACT.	
	Undertaking as per Page-5/ Sl. No. 20' on firm's letter head. "the physical EMD shall be deposited by me / us with the Authority inviting	
	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
8	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI & EPF registration.	
9	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi"	
	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI & EPF registration.	
9 10	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI & EPF registration. FORM "F" (Duly filled with all required details). In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper	
9 10 11	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI & EPF registration. FORM "F" (Duly filled with all required details). In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents.	
9 10 11 12	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI & EPF registration. FORM "F" (Duly filled with all required details). In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents. Annexure-1 (Dully Filled & signed by the bidders)	
9 10	the tender, in case I / we become the lowest tenderer, within a week of the opening of financial bid, otherwise, department may reject the tender and also take action to debar me / us from tendering in any form in IIT Delhi" ESI & EPF registration. FORM "F" (Duly filled with all required details). In case of Partnership firm if all the papers of tender not signed by all the partners than a power of attorney authorizing the person who has signed the tender paper must be uploaded with the tender documents. Annexure-1 (Dully Filled & signed by the bidders) Annexure 2 (Dully Filled & signed by the bidders)	

I have also enclosed all relevant documents in support of my claims, (as above) in the following pages.

	Signature of Bidder
Name:	
Designation:	
Organization Na	me:
Contact No. :	

ANNEXURE-II

<< Organization Letter Head >> DECLARATION SHEET

hereby certify that all the information and data

our knowledge. I have gone through the specific comply with the requirements and intent of spectrum of the specific comply with the requirements and intent of spectrum or specific comply with the requirements and intent of spectrum or specific comply with the requirements and intent of specific comply with the specific comply with the requirements and intent of specific comply with the specific comply with the requirements and intent of specific comply with the specific complete c	nis tender specification are true and complete to the best of fication, conditions and stipulations in details and agree to ecification. registered as per Tender Notice & NIT & IITD form tion meets all the conditions of eligibility criteria laid down
We, further specifically certify that our	NAME & ADDRESS of the Vendor/ Manufacturer / Agent
organization has not been Black Listed/De	
Listed or put to any Holiday by any	
Institutional Agency/ Govt. Department/	
Public Sector	
Undertaking in the last three years.	
1. Phone	
2. Fax	
3. E-mail	As per Tender Notice & NIT
4. Contact Person Name	•
5. Mobile Number	
6. GST Number	
7. PAN Number	
8.(In case of on-line payment of Tender Fees)	
UTR No. (For Tender Fee)	
9.(In case of on-line payment of EMD)	
UTR No. (For EMD)	

(Signature of the Tenderer)

Name:

Seal of the Company

Annexure-III

List of Govt. Organization/Dept.

List of Government Organizations for whom the Bio Notice & NIT & IITD form 8	lder has undertaken such work	As per Tender
Name of the organization	Name of Contact Person	Contact No.
AS PER TENE	DER NOTICE	
		Signature of
	Bidder Name:_	
	Designation:	
	Organization Name:	
	Contact No.:	

I.I.T.D – 7/8 e-TENDERING

PART-B

INDIAN INSTITUTE OF TECHNOLOGY DELHI HAUZ KHAS, NEW DELHI - 110016 Item Rate Tender & Contract for Composite Work

Tender for the work of Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.

Sub Head	Sub Head: - Civil and Electrical work.											
To be sub	mitted b	y as per	tender		to							
(i)	To be	opened	in pre		f bidders						tender	notice
in the offi	ice of D .	R. (Store	e)									
Issued to											 	
Signature	of office	er issuing	the do	cuments								
Designati	on											
Date of Is	sue											

TENDER

I/We have read and examined the notice inviting tender, schedule, A, B, C, D, E & F Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, Special conditions, Schedule of Rate & other documents, and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for **Seventy-Five** (75) days from last date of submission of bid.

A sum of **as per tender notice** is hereby forwarded in Banker Cheque or Demand Draft or Fixed Deposit receipt of a schedule bank drawn in favour of IIT Delhi as earnest money. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the said The Board of Governors,

I.I.T. Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that The Board of Governors, I.I.T. Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.5 of the tender form. Further, I/We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid. I/We shall be debarred for participation in the re-tendering process of the work.

I.I.T.D – 7/8 e-TENDERING	I.I.T.D
---------------------------	---------

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I/We shall be debarred for tendering in I.I.T.D in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Signature of Contractor

Address:

Occupation:

Postal Address

I.I.T.D

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is
accepted by me for an on behalf of The Board of Governors, I.I.T. Delhi, Hauz Khas, New
Delhi - 16 for a sum of
(Rupees
).
The letters referred to below shall form part of this contract agreement: -
(a)
(b)
(c)
For & on behalf of Board of Governors, IIT Delhi Signature
Dated:
Designation

PROFORMA OF SCHEDULES I.I.T.D

SCHEDULES (A to F)

(For Civil and Electrical Component)

SCHEDULE 'A'

Schedule of quantities for Civil and Electrical Works as attached.

SCHEDULE 'B'

Schedule of materials to be issued to the contractor.

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue			
1	2	3	4	5			
	NIL						

SCHEDULE 'C'

Tools and plants to be hired to the contractor.

S.No.	Description	Hire charges per day	Place of Issue			
1	2	3	4			
	NIL					

SCHEDULE 'D'

Extra schedule for specific requirement/document for the work, if any.

Nil.

SCHEDULE 'E'

Reference to General Conditions of : contract

GCC for Maintenance work 2023 for CPWD works along with correction on slips/amendments issued up to last date

of submission of bid.

Name of Work : **Renovation**, **modifications**,

Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi. Sub Head: - Civil and Electrical

work.

See Clause-12

Estimated cost of work: : **Rs. 6,64,75,473**/-

Earnest Money: : **Rs. 13,29,510**/-

Performance Guarantee : 5 % of tendered Value

Security deposit : 2.5 % of tendered value

SCHEDULE 'F'

GENERAL RULES & DIRECTIONS:

1. Officer inviting tender : Executive Engineer [CD-III]

2.Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with

Clauses 12.2 & 12.5

Definitions:

2(i) Engineer-in-Charge : Executive Engineer [CD-III]

2(ii) Accepting Authority : Institute Engineer

2(iii) Percentage on cost of materials and : 15%

Labour to cover all overheads and

profits:

2(iv) Standard Schedule of Rates: : DSR-2023 for Civil work - GST

Correction Factor 0.973 + 3% cost Index and DSR-2022 for Electrical work - GST Correction Factor 0.973 + 3% with up-to-date correction slip

on date of submission of bid &

Market Rate.

2(v) Department: : Works department at I.I.T Delhi

^{2(vi)} IITD Form & CPWD GCC for Maintenance work 2023, modified & corrected up to last date of submission of bid.

C----NIL I----NIL O--- NIL EE (CD-III) EE (ED-1) JE (E) JE (C)

Clause 1

(i) Time allowed for submission of : 15 days

Performance Guarantee from the date of issue of letter of

acceptance

(ii) Maximum allowable : 1 to 15 days

extension with late fee @ 0.1 % per day of Performance guarantee amount beyond the period provided in (i) above,

Clause 2

Authority for fixing compensation under : Institute Engineer

Delay:

Clause 5

Number of days from the date of issue : 10 (Ten) days

of letter of acceptance for reckoning date of start:

MILE STONE CHART

Sl. No.	Description of mile stone (financial terms)	Period for completion from date of start in days/months	Withheld amount for non- achievement of milestone.
*			
	NIL		
			→

Time Allowed for execution of work : 20 Months

Authority to decide:

(i) Extension of Time : Institute Engineer(ii) Rescheduling of mile stones : Institute Engineer

(iii) Shifting of Date of start in case of

Delay in handing over of site : Executive Engineer (CD-III)

Clause 6 : Clause 6

:

Clause 7

Gross work to be done together with net payment /adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment: Minimum Rs. 25.00 Lakhs

Clause -7A : As per Institute Policy

No running account bill shall be paid for the work till the applicable labour licences, registration with EPFO, ESIC and BOCW Welfare Board, whatever applicable are submitted by the contractor to the Engineer-in-Charge.

Clause 10A

List of testing equipment to be provided by : **Not Applicable**

the contractor at site lab

Clause 10B : Applicable

Clause 10C

Component of labour expressed as percent of value of work: 25% for civil work & 15% for Electrical work

Clause 10CA : Not Applicable

S. No.	Material Covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA* (July 2022)		
1.	Cement				
2.	Reinforcement bars	Not Applicable			
3.	Structural steel				

JE (E)

Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column

: Not Applicable

Clause 11

Specifications to be followed for execution of work

cPWD specifications 2019 Vol I and Vol II and Electrical General Specification for electrical 2013 (internal and external) Corrected slips & manufacturers Specifications up to the last date of bid submission/uploading of tender. Detailed nomenclature of items & specifications for market rate items as per Engineer-incharge

Clause 12

Type of work

Maintenance work including works of up-gradation, aesthetic, special repair, addition/alteration

12.2 & 12.5 Deviation limit beyond

:

100%

which clauses

12.2 & 12.5 shall apply for building work

12.5 (I) Deviation Limit beyond which clauses

100%

12.2 & 12.5 shall applicable

for foundation work (Except items

mentioned in earthwork subhead of DSR

and related items)

Deviation Limit for Items in earth work

subhead of DSR and related items

12.5 (II) 100%

Clause 16

Competent Authority for deciding reduced rates : Institute Engineer

Clause 18

List of mandatory machinery, tools & : As plants to be deployed by the contractor at site

: As per requirement

Clause 25

Constitution of Dispute Redressal Committee (DRC)					
Chairman					
Member	NIL				
Member					

Note: The above constitution of the Dispute Redressal Committee is subject to change, for which necessary notification shall be issued by the competent authority of the department, if required.

Clause 32

Requirement of Technical Staff(s) & Recovery Rate

Cost of Work (Rs. In Crore)	Requirement Sta	Number (of Major + Minor component)	Minimum Experience (Years)	Designation	Rate at which recovery shall be made from the Contractor in the event of not fulfilling provision of clause 32
More than	Graduate Engineer	01	5 (and having experience of	Project Manager	Rs. 25,000/- per month
5 to 10.0 cr.	or Diploma Engineer	1+1	one similar nature of work) 2 or 5 respectively	Project planning/ quality/ Site/billing Engineer	Rs. 15,000/- per month per person

Assistant Engineers retired from Government services that are holding Diploma will be treated at par with Graduate Engineers.

Diploma Holder with minimum 10 years relevant experience with a reputed construction company can be treated at par with graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50 % of requirement of degree Engineer.

Clause 38

i)	Schedule/statement for determining theoretical quantity of cement & bitumen on the					
	basis of Delhi Schedule of Rates 2023 with up-to-date correction printed by C.P.W.D.					
ii)	Variations permissible on theoretical quantities					
a)	Cement:					
	For works with estimated cost put to tender not more	3% plus/minus. (Three				
	than Rs.5 lakh. percent)					
	For works with estimated cost put to tender more than	2% plus/minus. (Two				
	Rs.5 lakh	percent)				
b)	Bitumen all works.	2.5% plus & only & nil on				
		minus side				
c)	Steel Reinforcement and structural steel sections for	2% plus/minus (Two				
	each diameter, section and category	percent)				
d)	All other materials					
e)	Schedule for determining theoretical consumption of Brick w	ork on the basis of DSR				
	2023					

SPECIAL CONDITIONS

- 1. Non Judicial stamp paper worth Rs. 10/- (Ten Rupees only) will be submitted by contractor which will have to be signed as token of acceptance.
- 2. No T & P would be supplied by the Institute and contractor will have to make his own arrangement.
- 3. The contractors are advised to get acquitted with the proposed work including specifications & its site and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions and ignorance of specifications & additional conditions. The work shall be carried out as per the availability of site.
- **4.** The work shall be carried out as per CPWD specifications for civil and electrical work with up to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer-in-Charge shall be final and binding on contractor.
- 5. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e Royalty, Cartage, GST & stacking of material required at places etc. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
- **6.** Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
- **7.** Articles manufactured by the reputed firms as per approved make list and as approved by Engineer-in-charge shall only be used at work.
- **8.** The sample of material required in the work brought at site shall be submitted prior Technical specification of individual item and got approval of material from Engineer –in-Charge before use in execution of work.
- **9.** All expenditure to be incurred for testing of samples e.g. packaging, sealing, transportation, loading, unloading etc. including testing charges shall be borne by the contractor.
- **10.** The contractor shall submit a detailed program of work within 3 days of the date of award of work. The Engineer in- Charge can modify the program and the contractors have to work accordingly.
- **11.** The contractor shall make his own arrangement for getting the permission with respect to trucks from the Traffic Police.
- **12.** No payment shall be made to contractor for any damage caused by the rain, snowfall or any other natural causes what so ever during the execution of work.
- 13. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour & material. No labour camp/ huts shall be allowed in IIT Campus. The contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement godown and Chowkidar's hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
- **14.** The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing the work.
- **15.** The Malba / Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed of by the contractor to the approved dumping site of MCD

- and all statutory approvals from local bodies shall be a sole responsibility of contractor.
- **16.** The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipment's left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- **17.** Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items.
- 18. Income tax and other taxes as applicable shall be deducted from the bills of the contractor.
- 19. 1% labor cess or as applicable will be deducted from the bills of the contractor.
- **20.** Water charges @1% and Electricity charges @0.50% of gross work done shall be deducted from bills of contractor if electricity and water provided by IIT Delhi.
- **21.** Agency has to take proper safety major during the execution of work.
- 22. GCC form 7/8 shall form part of NIT and the bidder shall go through GCC 2023 CPWD before quoting rates and the same shall be deemed to be accepted by bidder if he participates in the tender.
- **23.** The contractor shall submit the program of execution of work as per clause 5 of GCC of IIT form 7/8 of NIT including list of workers to be deployed by contractor for this work.
- **24.** Contractor shall be responsible for keeping site free of any kind of mosquito breeding. If it is found that breeding is taking place the entire responsibility shall be of contractor to bear challan etc. done by local bodies.
- **25.** GST shall considered as inclusive in quoted rate of agency.
- **26.** Electrical work will be executed only through the agency who is having valid electrical license, and the copy of valid electrical license will be submitted before start of work
- **27.** For item of water proofing Guarantee Bond shall be submitted by contractor as per format provided by IIT Delhi.
- 28. A separate amount @ 10% of the cost of water proofing work shall be retained as a security for the performance of water proofing work. This withheld amount shall be released Five years after the expiry of maintenance period, if the performance of the work done is found satisfactory. If any defect is noticed during the guarantee period, it shall be rectified by the contractor within 7 days of receipt of intimation of defects in the water proofing work. If the defects pointed out not attended within the specified period, the same will be got done from other agency at the risk & cost of contractor. This amount shall be in addition to the security deposit mentioned elsewhere in the contract form. The amount withheld may be released in full against bank Guarantee of equivalent amount in favor of the **Registrar Indian Institute of Technology Delhi** of the prescribed period as mentioned above.

FORM OF WATER PROOFING WORKS GUARANTEE BOND ON STAMP PAPER

This thousand	agreement	made	this	day	of	two
	elhi (hereinafter c				art) and the	
datedthe contrac	nis agreement is Made between tor inter alia, und apletely water and	the Guaranto lertook to rend	r of the one part a	and Govt. of the	other part, v	vhereby
remain wat	as the Guarantor at the cerproof for Five in the contract exp	years to be re	_			
shall replace other defect the Engineer from the data failing white Guarantor's	s period of guarance at his risk and country to being found he ser-in- Charge and te of issuing notice of the work shall secost and risk and erable from the Guarance	cost such mem shall render the shall commen e from the Eng be got done d in the latter	bers as may be debuilding waterpace the works of sineer-in-Charge could by the Departmentage the decision	amaged by water roof at his cost of such rectification alling upon him ent by some other of the Engineer	er and in case to the satisfa on within sevento rectify the ner contracto	e of any ction of en days defects or at the
Guarantor votherwise v	Guarantor fails to will indemnify pri which may be incure and observance d/or cost incurred nding on the parti-	ncipal and his arred by him by of this supple by the Govern	successors again reason of any de emental agreement	st all loss, dama efault on the par nt. As to the an	age, cost, exp t of the Guar nount of loss	ense or antor in and/or
Obligor	whereof of these	•		•		
and	For and en.					
SIGNED, S presence of 2.	SEALED and deliv	vered by OBLI	GOR in			
1. 2.	or and on behalf of led by Contractor		hi by	in the	presence of-	

C-----NIL I----NIL O--- NIL EE (CD-III) EE (ED-1) JE (E) JE (C)

LIST OF APPROVED MAKES FOR CIVIL & ELECTRICAL WORKS

A:- Civil Items

S. No.	Description	Approved Makes
1	EWC seat covers	HINDWARE/ PARRYWARE/ CERA/ KEROVIT
2	C.P brass fittings/ Accessories	JAQUAR/ MARC/ KOHLAR /KEROVIT
3	PVC Seat Cover	PRAYAG/ POLYTUF/SHAKTI/ PEARL
4	PVC Fittings/ Accessories	PRAYAG/ PRIMA/SHAKTI/ PEARL
5	Cement (Grey) OPC/ PPC Grade-43	ACC/ L&T/J.K/ BIRLA/ULTRA TECH/ VIKRAM
6	Cement(White)	J.K/ BIRLA
	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY
7		MINISTRY OF STEEL/ SECONDARY
/		MANUFACTURERS HAVING VALID BIS LICENSE
		(to be as per latest BIS provisions)
	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY
8		MINISTRY OF STEEL/ SECONDARY
		MANUFACTURERS HAVING VALID BIS LICENSE
		(to be as per latest BIS provisions)
9	Stainless Steel (Grade 304)	JINDAL/ SAIL/ SALEM
10	Bricks	COMMERCIALLY AVAILABLE OR REQUIRED
		STRENGTH
11	Aluminum Sections	HINDALCO/ JINDAL/ MAHAVIR
12	Flush doors	CENTURY/ MERINO/ DURO BOARD/ GREEN
13	Laminates	GREENLAM/ DURO/ ARCHID/ MERINO/
	CI	CENTURY
14	Glass	SAINT GOBAIN/ MODI FLOAT/ ASAHI FLOAT
15	Ceramic Glazed tiles/ Border tiles	1ST QUALITY KAJARIA/ NITCO/ JOHNSON/
	X71. 101 1 (D)1	ORIENT/ SOMANY
16	Vitrified Tiles	JOHNSON/ KAJARIA/ ORIENT/ SOMANY
17	Interlocking Precast paver blocks/ Kerb Stone	HINDUSTAN TILES/ SWASTIK/ DALAL
18	Stainless Steel Hinges	JOLLY/ GARG/ AMIT/ ASJ/ SUPREME
19	Stainless Steel Nuts/ Bolts/ Screws	KUNDAN/ PUJA/ ATUL/ GKW
20	Paint/ primer/ oil bound distemper/ Acrylic	1ST QUALITY PAINTS OF ASIAN/ BERGER/
	paint/ plastic paint Water Proof Cement Paint/ Exterior Paint	NEROLAC/ SHALIMAR /DULUX
21	water Proof Cement Paint/ Exterior Paint	1ST QUALITY PAINTS OF ASIAN PAINTS/ BERGER/ NEROLAC/ SHALIMAR /DULUX
	Sanitary ware (Vitreous China) (European	HINDWARE/ PARRYWARE/ CERA/ KEROVIT
22	Seats, Urinals, Wash Basins, etc.)	HINDWARE/ FARK I WARE/ CERA/ REROVII
	G.I Pipes	TATA / JINDAL(HISSAR)/ BHUSHAN/ APL
23	G.I ripes	APPOLO
24	G.I Fittings	UNIK/ ZOLOTO/ AM
25	Stainless Steel Sink	NEELKANTH/ JAINA/ KINGSTON (COBRA)
	Commercial Board/ PLY	MERINO/ DURO/ GREEN/ CENTURY/ KIT
26		(SWASTIK)
27	CI Pipes/ Fittings	RIF/ NECO/ BENGAL IRON WORKS/ BC/ SKF
28	CI Pipes "Class LA"	NICO/ KESORAM/ ELECTRO STEEL/ KAPILANSH
29	Floor Spring	DORMA/ GODREJ/ HAFELE/ GEZE/ OZONE
	Door Closer	SANDHU/ HARDWIN/DORMA/ GODREJ/ HAFELE/
30		GEZE/ OZONE
31	Mirror	ATUL/ MOIGUARD / SAINT GOBAIN/ AASHI
	Vertical Blinds	VISTA/ MAC/ MARVEL DÉCOR/ SAINT
32		GOBAIN/DECK DÉCOR
33	False Ceiling	ARMSTRONG/ SAINT GOBAIN/ META WORTH
34	Water proofing compound	SIKA/ FOSROC/ PIDILITE/ ASIAN/BASF/CICO
35	Particle Board	NOVA PAN/ BHUTAN BOARD/ ECO BOARD
	Adhesive	FEVICOL/ VAMICOL/ DUNLOP/ VAM ORGANIC /
36		kajaria
37	Tile Adhesive	PIDILITE/ FERROUSCRETE/ BALLENDURA/ CICO
38	Wall Putty	BIRLA /JK/ SARA

JE (E)

39	Epoxy Grout	BALLENDURA / KERAKOLL/ FERROUSCRETE
40	PVC Water storage tank (ISI marked)	SINTEX/ UNI PLAST/ POLYWELL
41	PVC insulated Water storage tank Heavy Duty 4/5 layer	SINTEX/ UNIPLAST/ POLYWELL/ EURO
42	Brass Ball Valve/ Gate Valve/ Float Valve / Butterfly valve	ZOLOTO/ AM/ LEADER/ SANT
43	Aluminium Door fittings	CLASSIC/ EVEREST/ ARGENT
44	Brass Bib/ Stop cock	AGI/ ELITE/ SHAKTI/ SANT/ LEADER/ PRIMA
45	Thermoplastic paint	CBM/ CMS/ S.N. INDUSTRIES
46	Plaster of Paris Putty	ADHASHREE/ SHREE RAM/ J.K/ BIRLA
47	RCC Pipe	LAKSHMI/ SOOD & SOOD/ JAIN &Co./ DIWAN SPUN PIPES
48	PVC Pipe	PRAKASH/ PRINCE/ SUPREME
49	Sandwich Roof Panel (Puff Panel)	KAKTUS/ ZEP/ E- PACK/ LLOYED
50	WPC Board and MPC Board	FLORESTA, ECOSTE, RAJ SHREE
51	WPC Door Frame	FLORESTA, ECOSTE, RAJ SHREE
52	Self- Closing Hinges	HETTICH, KITCH, PLUM
53	Poly Carbonate Sheet	GE LEXAN/ POLYGAL/TUFLITE
	ACP Panel	ALSTRONG /ALUCOBOND / EUROBOND/
54		ALUDECOR
55	Acoustic Wooden/Fabric Paneling	ARMSTRONG / ANUTONE/ CREDENCE /
	D.1. '. 1Eleccion	TOPAKUSTIC
56	Polyvinyl Flooring	ARMSTRONG / POLY FLOR/ TARKETT
57	Glow Stud, Solar Power Stud	ROAD STAR/ 3M/ DARK EYE/ EVERY DENNISON
58	Laminate Wooden Flooring	VISTA/ ACTION TESA/ ARMSTRONG/ PERGO
59	Sun Control Film	3M/ GARWARE/ SAINT GOBAIN
60	Insulation (Mineral / rock wool)	UP TIWAGA LTD / ROCKWOOL IND./ F.G.P.
61	Fire Door	NAVAIR/ SHAKTI/ RADIANT/SIGNUM/PROMAT
62	Flush door Shutters of various thickness	MERINO/ DURO/ GREEN/ CENTURY/ KIT (SWASTIK)
63	Open cell false ceiling	ARMSTRONG /CREDENCE /HUNTER DOUGLAS
64	Calcium silicate false ceiling	AEROLITE, RAMCO, HILUX, USG BORAL
65	Gypsum Board	GYPROC BY SAINT GOBAIN, USG BORAL,
03		ARMSTRONG
66	Fiber Cement Board	EVEREST/ USG BORAL / VISAKA
67	CPVC Pipe Fitting & Solvent	SUPREME/ ASTRAL/ ASHIRWAD / PRINCE / PRAKASH
68	UPVC Pipes & Fittings	SFMC / SUPREME/ FINOLEX
<i>(</i> 0	UPVC Window	FENESTA / REHAU/ ENCRAFT/ (NCL Wintech)/
69		SAINT GOBAIN
70	Friction Stay Hinges	EARL- BIHARI/ EBCO/HETTICH
71	M.S Pipes	JINDAL/ APPOLO/ SWASTIK / TATA / SURYA
72	Gypsum Plaster	FERROUS CRETE (FERRO-500)/ GYPROC (ELITE-100)/ KERAKOL (K-100)
73	GRC Wall Tile / Jali	UNISTONE/ DALAL/ SWASTIK ALWAR / ULTRA
74	HDMR Board	CENTURY/ GREEN/ ACTION TESSA
75	High Pressure Laminate(HPL)	CENTURY/ GREEN / MERINO/TRESPA/
76	Anchor Fastener(Mechanical/ Chemical)	FUNDERMAX HILTI/ MUNGO/CANON/ FISCHER/ WUERTH
77	Cupboard Lock	PLAZA/ GODREJ/ HETTICH/ HAFLEY
78	Rust remover / Rust converting primer /paint	FOSROC/SIKA/BASF/PIDILITE
79	polymer-based zinc rich primer	FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE
80	anticorrosive paint	FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE
	Concrete penetrating HI-TECH Corrosion	FOSROC/SIKA/BASF/PIDILITE FOSROC/SIKA/BASF/PIDILITE
81	inhibitor	
82	Thixotropic Epoxy repair mortar	FOSROC/SIKA/BASF/PIDILITE
83	Latex / SBR Polymer Compound	FOSROC/SIKA/BASF/PIDILITE
84	Low viscous epoxy resin grout	FOSROC/SIKA/BASF/PIDILITE
85	Epoxy resin for Concrete bond coat	FOSROC/SIKA/BASF/PIDILITE
86	Pre-batched non-shrink polymer modified	FOSROC/SIKA/BASF/PIDILITE

	mortar	
87	Pre-batched Pre Mixed Non- Shrink Micro	FOSROC/SIKA/BASF/PIDILITE
8/	Concrete	
88	Pre-batched Pre Mixed Non- metallic	FOSROC/SIKA/BASF/PIDILITE
	composite fiber wrapping system	
89	Epoxy for rebar/shear anchor Modular kitchen basket and accessories (SS-	FOSROC/SIKA/BASF/HILTI HETTICH/ KITCH/ PLUM / PECOCK
90	304 Grade)	HETTICH/ KITCH/ FLUM / FECOCK
91	Manhole cover /Grating	KK MANHOLE / DALAL / SWASTIK / HINDUSTAN
92	laminate wooden flooring	VISTA / ARMSTRONG / ACTION TESSA
93	Engineered wood Flooring	PERGO / JUNKERS / BOEN / SQUARFOOT
94	SS Pipe (304 grade) FOR WATER SUPLY	JINDAL / TATA / ALFA PRESS / VIEGA
95	Epoxy flooring	FOSROC / SIKA / BASF
0.5	Aluminum Factory Made System Window	Schueco Aluminum System Window, ETERNIA
96		(HINDALCO), and NCL Alluro System (NCL
	FURNITU	Buildteck Ltd.
	FURNITU	KE
0.5	Workstation	GODREJ INTERIO/ HAWORTH / STEEL CASE/
97		WIPRO/ FEATHERLITE/ HERMAN MLLER
98	Executive Table/ other table	GODREJ INTERIO/ HAWORTH / STEEL CASE/
70		WIPRO/ FEATHERLITE/ HERMAN MLLER
99	Chair / Audi Chair	GODREJ INTERIO/ HAWORTH / STEEL CASE/
	T I T	WIPRO/ FEATHERLITE/ HERMAN MLLER
100	Lab Furniture's	KEWANEE / WALDNER / GODREJ/ WIPRO / FEATHERLITE
101	Hostel beds and cots	ZUARI / EVOK / GODREJ / WIPRO / FEATHERLITE
	Hospital beds	HUNTLEY / STRIKER /GODREJ /WIPRO
102	Hospital beds	/FEATHERLITE
	ITEMS FOR CLEAN ROOM / BSL / SRTE	RLIZATION / SPECIAL LAB FURNITURE
102	CI WILL CIT	
103	Clean room Wall, Ceiling panel, coving	IClean/Nicomac/Clestra/Channel Systems
104	Clean room Garment cabinet, shoe rack Cleanroom Doors, Return air riser	IClean/ Kleainzaids/ Channel Systems IClean/ Nicomac/ Clestra/ Channel Systems
105	Pass box, Air Shower	IClean/ Kleainzaids / Channel Systems
	Utility Gas piping valves and Fittings (for	Shavo Technologies / Excel Gas/ GDS STARLING /
107	clean room)	Broen / Ratnamani
108	Utility Gas Pipe SS 304 Seamless (for clean	Excel Gas / Scoda / Venus / Dockweller
	room)	
109	SS 316 L Electo polished tubing	Dockweller / Valex / Sandvik / Ratnamani
110	Chilled water pump	Grundfos/ KBL / Beacon / Wilo
111	Insulation for pipe and valves Auto Air vent, Y strainer	Armaflex/ K Flex/ A flex/ Supreme
112 113	3 way modulating valve, Flow switch	Anergy / Zoloto / Lehry Siemens / Honeywell
113	Humidistat, Thermostat, DP Sensor	Siemens / Honeywell
115	Magnehalic gauge	Dwyer / Sensocon / Micro precision
116	Temperature Pressure gauge	H Guru / Wika / Febig
117	Pre Insulated Ducting	RR Engineers /Asawa / Paul
118	Thermal Insulation for GI ducting	Supreme/K. Flex/A Flex/Armaflex
119	HEPA Filters, HEPA terminal, BIBO unit	AAF/Camfil/ Thermadyne / Mechmaark
120	Building Management System	Honeybell / Siemens / Johnson
121	Biometric Access System	Siemens / Vantage / ExcelLex
122	Door Interlock	Honeywell/Vantage / Drishti / Ozone
123	Thyristor Heater Compressed Dry Air (Oil free type)	KEPL/Intercool/ Rapid Cool Atlas Copes / Chicago Proumatics Ingersal Pand / Elgi
124 125	Antivibration mounting	Atlas Copco / Chicago Pneumatics Ingersol Rand / Elgi Resistoflex/ Gerb / polybond
126	Variable Frequency Drive	ABB / Danfos / Fuji
	·	Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab
177	Lab Casework	· ·
127	Euro Cuse Work	guard

		guard
129	Utility Valves	Broen/Water Saver/FAR
130	VAV Controls	TEL
131	Spot Extractor	Fumex/ Alsident
132	Exaust blower	Colasit / Plastifier/ Seat
133	Acid storage	Kewaunee/ Justrite/Asecos
134	Solvent storage (FM)	Kewaunee/ Justrite/Asecos
135	Chemical storages	Kewaunee/GD-Waldner/Godrej/Citizen
136	Document Storages	Kewaunee/GD-Waldner/Godrej/Citizen/ Lab india / lab guard
137	Bio safety cabinet	Kewaunee/ Klenzaids/ Esco / Fisher
138	Laminar air flow	Kewaunee/ Klenzaids/ Esco / Fisher
139	Laboratory chairs (SS)	Kewaunee/GD-Waldner/Godrej/Citizen
140	Lab Stools (SS)	Kewaunee/Godrej/Citizen/Filtotech/Universal

B:- E & M Items

S. No	Description	Approved Makes			
01	MCB(10KA)/ Isolators & MCB DB with End Box.	Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider			
02	MCCB	Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider			
03	MCCB BOX	Legrand / Siemens/ Lauritz knudsen / ABB/ Schneide			
04	Modular type switch/ socket, TV socket, Fan	Lauritz knudsen / ABB/ Wipro North West/ Legrand (
	Regulator.	Arteor/ Myrius)/ Schneider (Zencelo).			
05	Steel conduit pipe and Accessories (ISI)	BEC/ AKG/ NIC / Steel Krafts			
04	PVC conduit pipe and Accessories(ISI)	BEC/ AKG/ NIC			
05	Junction Boxes/ MS Boxes	Havells Crabtree / Anchor / North West / Legrand			
06	Bushes	PVC/ Nylon			
07	FRLS PVC insulated copper conductor cable / Wire	Polycab / Finolex / Havells			
08	LED Light Fixture	Philips/ Trilux/ LT / Wipro/ Havells			
09	Ceiling Fans (BLDC) & Wall Fan	Havells/ Atomberg/ Bajaj/ Crompton.			
10	Exhaust Fan/ Fresh Air Fan	Havells/ Bajaj/ Crompton.			
11	Industrial type socket	Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider			
12	DLP U-PVC channel & accessories	Schneider / Legrand or Equivalent			
13	Modular Plate & Cover Plate	Lauritz knudsen / ABB/ Wipro North West/ Legrand (
		Arteor/ Myrius)/ Schneider (Zencelo).			
14	Distribution Board	Legrand / Siemens/ Lauritz knudsen / ABB/ Schneider.			
15	XLPE Alumium/ Copper conductor Armoured cable	Havells/ Polycab/ RR kabel/ KEI/ Universal			
16	Multifunction Meter	Lauritz knudsen / AE/ Schneider/ Rishabh/ Siemens / ABB			
17	Ammeter	Lauritz knudsen / AE/ Rishabh/ Schneider / ABB / Siemens			
18	Voltmeter	Lauritz knudsen / AE/ Rishabh/ Schneider / ABB / Siemens			
19	Frequency Meter	Lauritz knudsen / AE/ Rishabh/ Schneider / ABB / Siemens			
20	CT's	AE/ KAPPA/ Pragati			
21	Selector Switches	AE/ KAPPA/ Pragati			
22	Contractors	Lauritz knudsen / Seimens/ GE power/ Legrand/ ABB / Siemens			
23	Push button & Pilor lamps	Lauritz knudsen / Seimens/ Schneider / Siemens / ABB			
24	LED indicating Lights	Lauritz knudsen / Seimens/ Schneider / Siemens / ABB			
25	GI Pipe	Jindal Steel/ Jindal Hisar/ Sail/ Tata			
26	DW HDPE Pipe	Reliance/ Duraline/ Hasti			
27	Cat 6 LAN Cable	Legrand/ Molex/ Amp			
28	Air conditioners	Mitsubishi / Hitachi/ Daikin/ Blue Star/ Panasonic/ Voltas			
29	Access Control System	Bosch/ Honeywell/ HID/ Nextwatch			
	1				

30	Intruder Alarm Systerm	Ademco/ bosch/ DSC/ Honeywell
31	Cable raceway floor/ wall mounted &	Legrand/ AKG/ BEC/ ESSAR/ Honeywell/ Godrej.
	Accessories(MS/G.I)	
32	Sandwitch Bus trunking/ Rising Main	C&S/ Lauritz knudsen / Schneider/ ABB / Siemens
33	Telephone wire	Delton/ Finolex/ Havells/ Skytone
34	Occupancy Sensor	Wipro/ Schneider/ Honeywell/ Seimens/ Bosch
35	Gooseneck Microphone	Televic/ Beyerdynamic/ Bosch/ Bose/ Sennheiser
36	Amplifier	Crown/ Extrom/ Crestron
37	24 Port Switch	Cisco/ Netgear/ Hp/ Juniper
38	8 Port LIU	Legrand/ AMP/ Molex
39	16 Port Gigabit POE Switch	Netgear/ Juniper/ Cisco
40	HDMI/ USB Cable	AMX/ Crestron/ Manhatten
41	AV Speaker	JBL/ Bosch/ Bose/ Sony
42	CCTV Camera	Pelco/ Bosch/ Honeywell
43	DVR (Digital Video Recorder)	Bosch/ Honeywell/ Pelco
44	Fire Suppression System	Minimax/ Ceasefire/ Ansul
45	Fire Panel	Johnson Control (IFC)/ Notifier (UL) / Bosch (UL) /
		Mircom (UL) / Fike (UL).
46	PA System	Notifier/ Johnson Control/ Fike/ Cooper/ Bosch/
		Honeywell
47	Addressable Heat/ Smoke detector/ Hooter/ RI/	Johnson Control (IFC)/ Notifier (UL) / Bosch (UL) /
	Pullstation/	Mircom (UL) / Fike (UL).
48	Conventional Heat/ Smoke detector/ Hooter/ RI/	System Sensor/ Cooper/ GST/ Ravel/ Fike/ Essar/
	Pullstation/	Honeywell/ Bosch/ Bosch
49	Cable joint Kit	Raychem/ M-Seal/ Densons/ 3M

BID SUBMISSION

ONLINE BID SUBMISSION

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below: -

	6	provided as single PDF file)	
Sl. No.	Documents	Content	File
			Types .PDF
1.	Technical Bid	Demand Draft/Pay order or Banker`s Cheque /Deposit at	.PDF
		Call Receipt/FDR of any Scheduled Bank against EMD.	
2.		Enlistment order of contractor.	.PDF
3.	-	Attested certificate of work experience.	.PDF
4.	-	Certificate of Registration of GST and acknowledgment	.PDF
		of up to date filed return of GST.	
5.	-	Affidavit on Rs. 100/- Non-judicial Stamp paper as per Notice	.PDF
		Inviting Tender Condition 1.3 at page 8 of NIT. (Stamp Paper	
		shall be purchased/ notarized between date of publishing and	
		last date of submission of bids beside this NIT/Tender ID and	
		name of work must be mentioned on the affidavit).	
6.	-	Acceptance to execute INTEGRITY PACT.	.PDF
7.	1	Undertaking as per on firm's letter head.	.PDF
		"the physical EMD shall be deposited by me / us with	
		the Authority inviting the tender, in case I / we become	
		the lowest tenderer, within a week of the opening of	
		financial bid, otherwise, department may reject the	
		tender and also take action to debar me / us from	
		tendering in any form in IIT Delhi"	
8.	-	ESI and EPF Registration.	PDF
9.		FORM "F" (Duly filled with all required details	.PDF
10		In case of Partnership firm if all the papers of tender not	PDF
		signed by all the partners than a power of attorney	
		authorizing the person who has signed the tender paper	
11	-	must be uploaded with the tender documents.	DDE
11	_	Annexure-I (duly filled & signed by the bidders)	PDF
12		Annexure-II (duly filled & signed by the bidders)	PDF
13		Annexure-III (duly filled & signed by the bidders)	PDF
14	2	Any other documents specified in NIT	PDF
nvelope			
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.Xls

All the above documents shall be as per Tender Notice.

PART 'C' SCHEDULE OF QUANTITY

Name of work: - Renovation, modifications, Recasting of roof slab & Retrofitting of 36-nos. B-Type houses (Block, B-2, B-7, & B-15) in the East campus area at IIT Delhi.

Sub Head: - Civil & Electrical works.

SLNo	Description	Qty	Unit	Rate	Amount
1	Civil Work				
2	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.				
3	All kinds of soil.	17.00	cum		
4	Excavating trenches by mechinical / manual means of required width for pipes, cables, etc including excavation for sockets, and dressing of sides, ramming of bottoms, for all depth, including getting out the excavated soil, and then returning the soil as required, in layers not exceeding 20 cm in depth, including consolidating each deposited layer by ramming, watering, etc. and disposing of surplus excavated soil as directed, within a lead of 50 m:				
5	All kinds of soil				
6	Pipes, cables etc. exceeding 80 mm dia. but not exceeding 300 mm dia	194.00	metre		
7	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lif.	237.00	cum		
8	Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m.				
9	All kinds of soil	1186.00	sqm		
10	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level:				
11	1:2:4 (1 cement : 2 coarse sand (zone-Ill) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)	28.00	cum		
12	1:4:8 (1 Cement : 4 coarse sand (zone-Ill) derived from natural sources: 8 graded stone aggregate 40 mm nominal size derived from natural sources)	97.00	cum		

13	Centering and shuttering including strutting, propping etc. and removal of form work for:			
14	Foundations, footings, bases for columns	32.00	sqm	
15	Providing and laying damp-proof course 40 mm thick with cement concrete 1:2:4 (1 cement: 2 coarse sand (zone-Ill) derived from natural sources: 4 graded stone aggregate 12.5 mm nominal size derived from natural sources)	5.00	sqm	
16	Providing & applying a coat of residual petroleum bitumen of grade of VG-10 of approved quality using 1.7 kg per square metre on damp proof course after cleaning the surface with brushes and finally with a piece of cloth lightly soaked in kerosene oil.	5.00	sqm	
17	Making plinth protection 50 mm thick of cement concrete 1:3:6 (1 cement: 3 coarse sand (zone-Ill) derived from natural sources: 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75 mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.	242.00	sqm	
18	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement:			
19	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	6.00	cum	
20	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement: 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources).	12.00	cum	
21	Centering and shuttering including strutting, propping etc. and removal of form for			
22	Suspended floors, roofs, landings, balconies and access platform	684.00	sqm	
23	Shelves (Cast in situ)	117.00	sqm	
24	Lintels, beams, plinth beams, girders, bressumers and cantilevers	362.00	sqm	

25	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.			
26	Thermo-Mechanically Treated bars of grade Fe-500D or more.	16302.00	kg	
27	Providing and laying in position ready mixed or site batched design mix cement concrete for reinforced cement concrete work; using coarse aggregate and fine aggregate derived from natural sources, Portland Pozzolana / Ordinary Portland /Portland Slag cement, admixtures in recommended proportions as per IS: 9103 to accelerate / retard setting of concrete, to improve durability and workability without impairing strength; including pumping of concrete to site of laying, curing, carriage for all leads; but excluding the cost of centering, shuttering, finishing and reinforcement as per direction of the engineer-in-charge, for the following grades of concrete.: Note: Extra cement up to 10% of the minimum specified cement content in design mix shall be payable separately. In case the cement content in design mix is more than 110% of the specified minimum cement content, the contractor shall have discretion to either redesign the mix or bear the cost of extra cement.			
28	All works above plinth level upto floor V level			
29	Concrete of M25 grade with minimum cement content of 330 kg /cum	149.00	cum	
30	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in:			
31	Cement mortar 1:6(1 cement :6 coarse sand)	7.00	cum	
32	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in:			
33	Cement mortar 1:4(1 cement :4 coarse sand)	106.00	cum	
34	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.			
35	Cement mortar 1:4(1 cement :4 coarse sand)	275.00	sqm	
36	Extra for providing and placing in position 2 Nos 6 mm dia. M.S. bars at every third course of half brick masonry.	275.00	sqm	

37	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.				
38	Raj Nagar Plain white marble/ Udaipur green marble/ Zebra black marble				
39	Area of slab upto 0.50 sqm	113.00	sqm		
40	Area of slab over 0.50 sqm	123.00	sqm		\exists
41	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	801.00	metre		
42	Extra for providing opening of required size & shape for wash basin/ kitchen sink in kitchen platform, vanity counter and similar location in marble/ Granite/ stone work, including necessary holes for pillar taps etc. including moulding, rubbing and polishing of cut edges etc. complete.	36.00	each		
43	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3(1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	2059.00	sqm		
44	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).				
45	Second class teak wood	0.40	cum		
46	Deduct for not providing hinges in doors, windows or clerestory window shutters with:				
47	ISI marked Stainless steel butt hinges with stainless steel screws:				
48	For 2nd class teak wood and other class of wood shutters	538.00	sqm		

49	Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:			
50	35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	538.00	sqm	
51	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete.			
52	Fixed to openings /wooden frames with rawl plugs screws etc.	2755.00	kg	
53	Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete (Copper oxidised as per IS 1378)			
54	250x16 mm	36.00	each	
55	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete.			
56	Size 65 mm	72.00	each	
57	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete:			
58	250x16 mm	288.00	each	
59	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:			
60	250x10 mm	288.00	each	
61	150x10 mm	288.00	each	
62	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:			
63	125 mm	576.00	each	
64	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.			
65	Twin rubber stopper	216.00	each	

66	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS: 2046 Type S, including cost of adhesive of approved quality.				
67	1.0 mm thick	381.00	sqm		
68	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete.				
69	With 12 mm mild steel U beading	367.00	sqm		
70	Providing and fixing bright/matt finished Stainless Steel handles of approved quality & make with necessary screws etc all complete.		•		
71	100mm	1152.00	each		
72	Providing and fixing stainless steel sof closing spring hinges at 0 degree hinges (hydraulic type) of approved make/brand to cupboard shutters with full threaded steel screws including making necessary recess in board and finished etc. complete as per direction of Engineer-in-charge.	1584.00	each		
73	Providing and fixing stainless steel soft closing heavy type telescopic drawer channels of approved make 500 mm long with screws etc. complete as per direction of Engineer- in-charge,	72.00	one set		
74	Providing and fixing 2 mm thick 16 to 19 mm wide PVC edge binding tape of approved quality for cupboard/wardrobe shutters including necessary synthetic resin hot pressed to edges on binding machine etc. complete as per direction of Engineer- in-charge.	2362.00	metre		
75	Providing and fixing T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.				
76	Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size).	2129.00	kg		
77	Steel work welded in built up sections/ framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer using structural steel etc. as required.				
78	In gratings, frames, guard bar, ladder, railings, brackets, gates and similar works	11166.00	kg		

79	Providing and fixing 1st quality ceramic glazed floor tiles conforming to IS: 15622 (thickness to be specified by the manufacturer) of approved make in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge in skirting, risers of steps and dados over 12 mm thick bed of cement Mortar 1:3 (1 cement: 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm including pointing in white cement mixed with pigment of matching shade complete.	418.00	sqm	
80	Providing and laying Vitrified tiles in diferent sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately).			
81	Size of Tile 600x600 mm	1446.00	sqm	
82	Providing gola 75x75 mm in cement concrete 1:2:4(1 cement :2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement: 3 fine sand) as per standard design :			
83	In 75x75 mm deep chase	644.00	metre	
84	Making khurras 45x45 cm with average minimum thickness of 5 cm cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate of 20 mm nominal size) over P.V.C. sheet 1 m x1 m x 400 micron, finished with 12 mm cement plaster 1:3 (1 cement : 3 coarse sand) and a coat of neat cement, rounding the edges and making and finishing the outlet complete.	12.00	each	
85	12 mm cement plaster of mix:			
86	1:4(1 cement: 4 fine sand)	963.00	sqm	
87	15 mm cement plaster on the rough side of single or half brick wall of mix:			
88	1:4(1 cement: 4 fine sand)	770.00	sqm	
89	12 mm cement plaster finished with a floating coat of neat cement of mix:			
90	1:4(1 cement: 4 fine sand)	417.00	sqm	
91	15 mm cement plaster on rough side of single or half brick wall finished with a floating coat of neat cement of mix:			
92	1:4(1 cement: 4 fine sand)	644.00	sqm	
93	6 mm cement plaster of mix:		*	
94	1:3(1 cement :3 fine sand)	1729.00	sqm	†

95	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	4207.00	sqm	
96	Pointing on tile brick work with cement mortar 1:3 (1 cement: 3 fine sand):			
97	Flush/ Ruled/ Struck or weathered pointing	585.00	sqm	
98	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour:		-	
99	New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	5480.00	sqm	
100	Finishing walls with Acrylic Smooth exterior paint of required shade:			
101	New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)	8490.00	sqm	
102	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :			
103	Two or more coats on new work	1576.00	sqm	
104	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	2878.00	sqm	
105	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content.			
106	With ready mixed pink or grey primer on wood work (hard and soft wood) having VOC content less than 50 grams/litre	1278.00	sqm	
107	With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre	5480.00	sqm	
108	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.	5480.00	sqm	
109	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.			
110	With cement mortar 1:4 (1 cement : 4 fine sand)	1429.00	sqm	

111	Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube challies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after. The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge. The elevational area of the scaffolding shall be measured for payment purpose. The payment will be made once irrespective of duration of scaffolding. Note: - This item to be used for maintenance work judicially, necessary deduction for scaffolding in the existing item to be done.	3718.00	sqm	
112	Disconnecting damaged overhead/terrace PVC water storage tank of any size from water supply line and removing from the terrace including shifting at ground level as per direction of Engineer-in-charge.	36.00	each	
113	Dismantling W.C. Pan of all sizes including disposal of dismantled materials including malba all complete as per directions of Engineer-in-Charge.	36.00	each	
114	Hacking of CC flooring including cleaning for surface etc. complete as per direction of the Engineer-in-Charge.	1446.00	sqm	
115	Dismantling 15 to 40 mm dia G.I. pipe including stacking of dismantled pipes (within 50 metres lead) as per direction of Engineer-in-Charge. (a) Internal Work-Exposed on wall	709.00	metre	
116	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.			
117	Nominal concrete 1:3:6 or richer mix (including equivalent design mix)	28.00	cum	
118	Nominal concrete 1:4:8 or leaner mix (including equivalent design mix)	96.00	cum	
119	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	171.00	cum	
120	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.			
121	In cement mortar	66.00	cum	

122	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:			
123	Of area 3 sq. metres and below	432.00	each	
124	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead:			
125	Of area 3 sq. metres and below	180.00	each	
126	Demolishing brick tile covering in terracing including stacking of serviceable material and disposal of unserviceable material within 50 metres lead.	684.00	sqm	
127	Demolishing mud phaska in terracing and disposal of material within 50 metres lead.	150.00	cum	
128	Dismantling C.I. or asbestos rain water pipe with fittings and clamps including stacking the material within 50 metres lead:			
129	75 to 80 mm dia pipe	252.00	metre	
130	100 mm dia pipe	83.00	metre	
131	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge:			
132	15 mm to 40 mm nominal bore	83.00	metre	
133	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.	36.00	each	
134	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	1991.00	sqm	
135	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.	361.00	cum	
136	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:			
137	W.C. pan with ISI marked white solid plastic seat and lid	36.00	each	

White Vitreous China Angle back wash basin size 400 x 400 mm with single 15 mm C.P. brass pillar tap White Vitreous China Flat back wash basin size 450x 300 mm with single 15 mm C.P. brass pillar tap Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and stainless steel plug 40 mm, including painting of fittings and flow flow flow flow flow flow flow flow	138	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:			
mm with single 15 mm C.P. brass pillar tap Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per ISI:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: 142 Kitchen sink without drain board 143 610x460 mm bowl depth 200 mm Providing and fixing CP Brass Single lever telephonic wall mcharge. (a) 15 mm nominal dia 144 mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia 145 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 146 Flexible pipe 147 32 mm dia Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 154 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 155 For 100 mm dia pipe Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:24 1:24 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	139		36.00	each	
kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required: 142 Kitchen sink without drain board 143 610x460 mm bowl depth 200 mm Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia 145 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 146 Flexible pipe 147 32 mm dia 148 Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 298 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 154 1:24 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 150 Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.	140		36.00	each	
143 610x460 mm bowl depth 200 mm Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge, (a) 15 mm nominal dia 145 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 146 Flexible pipe 147 32 mm dia Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 154 Centrifugally cast (spun) iron socketed pipe as per IS: 123 and 161 including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.	141	kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever			
Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 146 Flexible pipe 147 32 mm dia Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 150 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 151 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 152 75 mm diameter: 153 3989 154 Centrifugally cast (spun) iron socketed pipe as per IS: 148.00 metre 154 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	142	Kitchen sink without drain board			
Providing and fixing CP Brass Single lever telephonic wall mixer of quality & make as approved by Engineer in charge. (a) 15 mm nominal dia 145 Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. 146 Flexible pipe 147 32 mm dia Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 3989 154 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 154 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	143	610x460 mm bowl depth 200 mm	36.00	each	
basin including P.V.C. waste fittings complete. 146 Flexible pipe 147 32 mm dia Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 154 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.		mixer of quality & make as approved by Engineer in			
147 32 mm dia Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: Centrifugally cast (spun) iron socketed pipe as per IS: 3989 153 3989 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement: 2 coarse sand: 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	145				
Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 153 Ometre 154 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	146	Flexible pipe			
superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. 149 Providing and fixing soil, waste and vent pipes: 150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 154 Oronidary of the socketed pipe as per IS: 3989 155 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	147	32 mm dia	108.00	each	
150 100 mm dia 151 Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 148.00 metre Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc.: 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	148	superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P.	36.00	each	
Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 152	149	Providing and fixing soil, waste and vent pipes:			
151 as per IS: 3989 152 75 mm diameter: 153 Centrifugally cast (spun) iron socketed pipe as per IS: 3989 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	150	100 mm dia			
Centrifugally cast (spun) iron socketed pipe as per IS: 3989 Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	151		513.00	metre	
Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : 155 For 100 mm dia pipe 180.00 each Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	152	75 mm diameter :			
design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and making good the walls etc. : 155 For 100 mm dia pipe 180.00 each 156 For 75 mm dia pipe 45.00 each 157 Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	153		148.00	metre	
156 For 75 mm dia pipe Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158 100 mm dia 159 Sand cast iron S&S as per IS - 3989 9.00 each	154	design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting			
Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158	155	For 100 mm dia pipe	180.00	each	
door, insertion rubber washer 3 mm thick, bolts and nuts complete. 158	156	For 75 mm dia pipe	45.00	each	
159 Sand cast iron S&S as per IS - 3989 9.00 each	157	door, insertion rubber washer 3 mm thick, bolts and nuts			
•	158	100 mm dia			
160 Providing and fixing plain bend of required degree.	159	Sand cast iron S&S as per IS - 3989	9.00	each	
	160	Providing and fixing plain bend of required degree.			

161	100 mm dia			
162	Sand cast iron S&S as per IS: 3989	126.00	each	
163	75 mm dia			
164	Sand cast iron S&S as per IS - 3989	9.00	each	
165	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.			
166	100x100x100 mm			
167	Sand cast iron S&S as per IS - 3989	81.00	each	
168	75x75x75 mm			
169	Sand cast iron S&S as per IS - 3989	9.00	each	
170	Providing and fixing single unequal junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete:			
171	100x100x75 mm			
172	Sand cast iron S&S as per IS - 3989	9.00	each	
173	Providing and fixing terminal guard:			
174	100 mm			
175	Sand cast iron S&S as per IS - 3989	36.00	each	
176	75 mm			
177	Sand cast iron S&S as per IS - 3989	9.00	each	
178	Providing and fixing collar:			
179	100 mm			
180	Sand cast iron S&S as per IS - 3989	39.00	each	
181	75 mm			
182	Sand cast iron S&S as per IS - 3989	9.00	each	
183	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter:			
184	100 mm	648.00	each	
185	75 mm	36.00	each	
186	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors:			
187	100 mm inlet and 100 mm outlet			
188	Sand cast iron S&S as per IS: 3989	72.00	each	
189	100 mm inlet and 75 mm outlet			
190	Sand cast iron S&S as per IS - 3989	72.00	each	
191	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, including cutting and making good the walls etc. Internal work - Exposed on wall			
192	20 mm dia nominal bore	1422.00	metre	
193	32 mm dia nominal bore	130.00	metre	

194	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, including making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall:			
195	15 mm dia nominal bore	1174.00	metre	
196	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work			
197	25 mm dia nominal bore	140.00	metre	
198	Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete:			
199	25 to 40 mm nominal bore	108.00	each	
200	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end):			
201	20 mm nominal bore	72.00	each	
202	Providing and fixing ball valve (brass) of approved quality, High or low pressure, with plastic floats complete :			
203	20 mm nominal bore	36.00	each	
204	Providing and fixing brass ferrule with C.I. mouth cover including boring and tapping the main:			
205	20 mm nominal bore	9.00	each	
206	Providing and fixing uplasticised PVC connection pipe with brass unions:			
207	45 cm length			
208	15 mm nominal bore	60.00	each	
209	Painting G.I. pipes and fittings with synthetic enamel white paint with two coats over a ready mixed priming coat, both of approved quality for new work:			
210	20 mm diameter pipe	1422.00	metre	
211	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work):			
212	15 mm nominal bore	36.00	each	
213	20 mm nominal bore	108.00	each	
214	25 mm nominal bore	36.00	each	
215	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	18000.00	per litre	
216	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:			
217	15 mm nominal bore	36.00	each	
218	Providing and fixing C.P. brass long nose bib cock of approved quality conforming to IS standards and weighing not less than 810 gms.			

219	15 mm nominal bore	180.00	each	
220	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.			
221	15 mm nominal bore	36.00	each	
222	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931			
223	15 mm nominal bore	324.00	each	
224	Cutting holes up to 30x30 cm in walls including making good the same:			
225	With common burnt clay F.P.S. (non modular) bricks	120.00	each	
226	Cutting holes up to 15x15 cm in R.C.C. floors and roofs for passing drain pipe etc. and repairing the hole after insertion of drain pipe etc. with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including finishing complete so as to make it leak proof.	120.00	each	
227	Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement : 1 fine sand) including testing of joints etc. complete :			
228	100 mm diameter	73.00	metre	
229	Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design :			
230	100 mm diameter S.W. pipe	73.00	metre	
231	Providing and fixing square-mouth S.W. gully trap class SP-1 complete with C.I. grating brick masonry chamber with water tight C.I. cover with frame of 300 x 300 mm size (inside) the weight of cover to be not less than 4.50 kg and frame to be not less than 2.70 kg as per standard design:			
232	100x100 mm size P type			
233	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	27.00	each	
234	Dismantling of old S.W. pipes including breaking of joints and bed concrete stacking of useful materials near the site within 50 m lead and disposal of unserviceable materials into municipal dumps:			
235	100 mm diameter	27.00	metre	

236	Constructing brick masonry manhole in cement mortar 1:4 (1 cement : 4 coarse sand) with R.C.C. top slab with 1:1.5:3 mix (1 cement : 1.5 coarse sand (zone-III) : 3 graded stone aggregate 20 mm nominal size), foundation concrete 1:4:8 mix (1 cement : 4 coarse sand (zone-III) : 8 graded stone aggregate 40 mm nominal size), inside plastering 12 mm thick with cement mortar 1:3 (1 cement : 3 coarse sand) finished with floating coat of neat cement and making channels in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) finished with a floating coat of neat cement complete as per standard design :			
237	Inside size 90x80 cm and 45 cm deep including C.I. cover with frame (light duty) 455x610 mm internal dimensions, total weight of cover and frame to be not less than 38 kg (weight of cover 23 kg and weight of frame 15 kg):			
238	With common burnt clay F.P.S. (non modular) bricks of class designation 7.5	18.00	each	
239	Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :			
240	For pipes 100 to 250 mm diameter	27.00	each	
241	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately):			
242	For fixed portion			
243	Powder coated aluminium (minimum thickness of powder coating 50 micron)	5776.00	kg	

244	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)			
245	Powder coated aluminium (minimum thickness of powder coating 50 micron)	3243.00	kg	
246	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item):			
247	With float glass panes of 5 mm thickness (weight not less than 12.50 kg/sqm)	189.00	sqm	
248	Providing and fixing stainless steel (SS 304 grade) adjustable friction windows stays of approved quality with necessary stainless steel screws etc. to the side hung windows as per direction of Engineer-in-charge complete.			
249	355 X 19 mm	2592.00	each	
250	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying: (a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. (b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	417.00	sqm	

251	Providing and laying integral cement based water proofing treatment including preparation of surface as required for treatment of roofs, balconies, terraces etc consisting of following operations: (a) Applying a slurry coat of neat cement using 2.75 kg/sqm of cement admixed with water proofing compound conforming to IS. 2645 and approved by Engineer-in-charge over the RCC slab including adjoining walls upto 300 mm height including cleaning the surface before treatment. (b) Laying brick bats with mortar using broken bricks/brick bats 25 mm to 115 mm size with 50% of cement mortar 1:5 (1 cement : 5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge over 20 mm thick layer of cement mortar of mix 1:5 (1 cement :5 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge to required slope and treating similarly the adjoining walls upto 300 mm height including rounding of junctions of walls and slabs. (c) After two days of proper curing applying a second coat of cement slurry using 2.75 kg/sqm of cement admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge. (d) Finishing the surface with 20 mm thick jointless cement mortar of mix 1:4 (1 cement :4 coarse sand) admixed with water proofing compound conforming to IS : 2645 and approved by Engineer-in-charge including laying glass fibre cloth of approved quality in top layer of plaster and finally finishing the surface with trowel with neat cement slurry and making pattern of 300x300 mm square 3 mm deep. (e) The whole terrace so finished shall be flooded with water for a minimum period of two weeks for curing and for final test. "All above operations to be done in order and as directed and specified by the Engineer-in-Charge":				
252	With average thickness of 120 mm and minimum thickness at khurra as 65 mm.	684.00	sqm		
253	Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge				
254	25 mm average thickness	1358.00	sqm		
255	Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge.				
256	Bars upto 12 mm diameter	6380.00	metre		\dashv

257	Providing, erecting, maintaining and removing temporary protective screens made out of specified fabric with all necessary fixing arrangement to ensure that it remains in position for the work duration as required by the Engineer-in-charge.			
258	Wooven PVC cloth	3718.00	sqm	
259	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid board one side white color and other side of board laminted with PVC foil of minimum 14 micron thickness of approved design pasted with hot melt adhesive for cup boards, work stations and bathroom/ kitchen cabinet etc. of required sizes comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel piano hinges/soft close clip on concealed hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In- Charge. (Note: stainless steel piano hinges/soft close clip on concealed hinges and necessary S.S screws shall be paid separately)	3710.00	Sqiii	
260	18 mm thick	992.00	sqm	
261	Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid plain white color board for backing of cup boards and bathroom/kitchen cabinets etc. of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/ mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel screws etc. all as per direction of Engineer-In-Charge. (Note: stainless steel screws shall be paid separately)			
262	6 mm thick	237.00	sqm	

263	Providing and Fixing of C.P. Health Faucet with 1 Mtr long tube & Hook complete as per the direction of Enginerr in-charge. (Make - Jaquar/Marc/Kohler)	36.00	Each	
264	Providing and Fixing of C.P. brass shower head with arm complete as per the direction of Engineer in-charge. (Make: Jaquar/Marc/Kohler)	36.00	Each	
	15mm nominal bore			
265	Providing and Fixing of C.P. towel rod with brackets fixed to wooden cleats with C.P. brass screws complete.	36.00	Each	
266	Providing and Fixing of glass shelf 600 mm long of any size with necessary cleats and screws etc. complete as per the direction of Engineer in-charge. (Make: Jaquar/Marc/Kohler)	36.00	Each	
267	Providing and Fixing of glass corners of size upto 300mmx300mm with necessary cleats and screws etc. complete as per direction of engineer-in-charge.	36.00	Each	
268	Providing and fixing GI tank Nipple of approved make in PVC tanks as per directions of Engineer-In-Charge. 15 mm nominal bore	72.00	Each	
269	Providing and Fixing stainless steel jali (Grating) with or without hole for waste pipe for floar / Nahni trap. (Make - Chili / Hefle)	180.00	Each	
270	Providing and fixing cup board shutters with 18-19mm thick commercial block board as per IS: 1659 of approved make with necessary SS piano hinges of appropriate size etc. complete as per direction of Engineer In Charge.	381.00	Sqm	
271	Providing and fixing concealed handle for Aluminium window shutter of 128 mm conforming to IS: 733 and IS: 1285, fixingwith necessary screw, beading etc as per direction of Engineer in charge.	864.00	Each.	
272	Removing of old iron door shutters and refixing the same after alternation in size and replacing godown lock all complete as per the direction of Engineer in-charge.	72.00	Each	
273	Providing and fixing Curtain/Drapery Rod with finials and rings (28mm diameter Electric Resistance Welded MS pipe having a Plain virgin PVC extrusion on it. The finials and rings are made of ABS plastic in matching colours with an option of golden finish) in required position including Curtain Brackets/ End Knobs/ Pipe Holders etc. and including necessary cutting, tightening/fixing as required complete as per the instructions of Engineer-incharge. (Make: Vista-Soffio-II or equivalent of MAC). Note:- For payment purpose total end to end length of rod including End Globe will be measured and no extra payment will be made for Curtain Bracket, End Knob, Pipe Holder, Finials and rings.	403.00	Mtr	

274	Driling and fixing NRV nozzles in RC members, including (fixing material: Renderoc Plug of Fosroc / Sikadur-31 of Sika/ MasterBrace 2200 of BASF or equivalent of Pidilite & Krishna Conchem). Drilling Holes: Drilling 12 mm dia, 50 to 75 mm deep holes or upto required depth in structural members of the intervals of 350 mm in staggered manner or as directed by the Engineer-in-charge in RC structural elements. Cleaning of holes: Clean the holes by air blower prior to fixing nozzles.			
275	Cuttting of Nozzles: Cut the nozzles by chisel after completion of grouting without damaging structural elements:	4320.00	Each	
276	Providing mixing & applying pre-batched one component polymer modified dual shrinkage compensated thixotropic cementious patch repair mortar as per the manufacturer specifications and as per the direction the Engineer-incharge. The comperessive strength of polymer modified mortar shall be ≥ 45 Mpa (28 Days) according to ASTM C109. (Product: Renderock S2 of Fosroc/ SikaTop® 122 HS of Sika / MasterEmaco S 348 of BASF or equivalent of Pidilite)			
277	For 20 mm thickness over slab, beams, columns and stair case slabs	1127.00	Sqm	
278	Providing and laying ready to use non shrink. Cementious free flow micro concrete of Comressive strength ≥ 50 MPa (28 days) according to ASTM C 109 of approved make and manufacture complete as per direction of Engineer-incharge for replacing the carbonated part of concrete and repairing the damaged surface of concrete after fix the form work across the profile of damaged structural element. Pour the free flow non shrink. Cementious free flow micro concrete mix in the form work. Payment shall be made on the basis of consumed dry material of micro concrete mix. (Product: Renderock RG of Fosroc/SikaRep® Microcrete -4 of Sika / MasterEmaco S-346 of BASF or equivalent of Pidilite)			
279	b) With addition of 6 mm down aggregate in 3:1 (3 Micro concrete: 1 aggregate 6 mm & down)	12.15	Ton	

280	Injecting/Grouting shrinkage free low viscosity epoxy resin grout in structural cracks, wherever required by pressure and using mechanaized injector gun with accessories till nozzles refused to accept the grout. Epoxy grout material should be conforming to ASTM-881-87 type I, grade I, class B & C and compressive strength of the material shall be ≥ 55 Mpa, (7 Days), Tensile strength ≥ 20 Mpa (14 Days) & Bond strength 10 Mpa (14 Days). Mixing of material: Mixing material components in required quantities as per manufacture's instruction. Grouting: Fill the grouting gun with low viscosity epoxy resin. Maintain desired pressure in the gun by air compressor: maintain the required pressure at exit. Grout the material through prefixed nozzles in structural elements till its refusal, seal the nozzles with epoxy putty after the refusal, monitor leakages through other nozzles while grouting and seal them as per the requirement, repeat the process for all the nozzles. complete the operation within pot life of the material. Cleaning the gun and accessories: Clean the gun and accessories (valves, pipes and other fixture) with thinner after the operation to avoid jamming of the gun. (Low Viscous epoxy grout: conbextra EP10 of Fosroc/ Sikadur®-52 of Sika/ MasterInject 1315 of BASF or equivalent of Pidilite & Krishna Conchem).	1944.00	Kg.	
281	Providing and laying anticorrosive Treatment of Reinforcement by any approved make rebar corrosion protection system to existing reinforcement (The application shall be by brush). Process is to be complete as per the recommendation of manufacturer and direction of Engineer-in-charge. for payment exposed length of reinforcement will be measured. (Product - NITOZINC PRIMER of FOSROC / Sika MonoTop-1010 IN of Sika/ MasterEmaco P 130 of BASF or equivalent of pidilite & Krishna Conchem).			
282	Bars Upto 12 mm diameter	6380.00	Mtr	
283	Providing, mixing & applying two comonment Epoxy resin concrete Bonding coat on prepared RCC surface as per manufacture specification including prepartion of surface by chipping and throughly cleaning of surface complete wherever required and as per direction of Engineer-in-charge. Epoxy material should be conforming to A S T M-881-887 Type 1,Grade 1, class B or C (Prouduct: MasterBrace1414 of BASF/ Sikadur 32LP OF SIKA/Nitobond EP Of fosroc or equivalent of pidilite).	1358.00	Sqm.	

284	Providing and laying first quality 10mm thick polished vitrified floor tiles floor tiles of size 300X300mm (make: Durastone by somany tiles / Endura by jonsons/ Power Paver by Orient tiles) conferming to IS: 4457 in all colours and shades laid on 20 mm thick Cement Mortar 1:4 (1 Cement: 4 Coarse sand) including Pointing the jointes with white cement and matching pigments etc. complete as per direction of Engineer-In-Charge.	706.00	Sqm.		
285	Credit of Dismantled Items				
286	GI Pipe 15 mm to 40 mm dia	252.00	Mtr		
287	CI pipe upto 100 mm dia including fittings	243.00	Mtr		
288	PVC cistern of any size	36.00	Each		
289	MS iron frames and MS bars	3300.00	Kg		
290	Flush door shutter of various thickness with fittings	144.00	Each		
291	Brass stop cock of various size	108.00	Each		
292	old PVC tanks of various capaciary	12000.00	Ltr		
293	Electrical Work				
294	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.				
295	Group A	564	Point		
296	Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc .as required.	36	Point		
297	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	3240	Metre		
298	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	900	Metre		
299	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.				
300	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	3600	Metre		
301	2 X 6 sq. mm + 1 X 6 sq. mm earth wire	540	Metre		
302	2 X 10 sq. mm + 1 X 6 sq. mm earth wire	300	Metre		

303	4 X 2.5 sq. mm + 2 X 2.5 sq. mm earth wire	1080	Metre	
	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor,			
304	unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required.			
	•			
305	1 Pair	720	Metre	
306	Supplying and drawing co-axial TV cable RG-6 grade, 0.7 mm solid copper conductor PE insulated, shielded with fine tinned copper braid and protected with PVC sheath in the existing surface/ recessed steel/ PVC conduit as required.	720	Metre	
307	Supplying and fixing of following sizes of steel conduit along with accessories in surface/recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required.			
308	20 mm	250	Metre	
309	25 mm	250	Metre	
310	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.			
311	20 mm	300	Metre	
312	25 mm	300	Metre	
313	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.			
314	5/6 A switch	360	Each	
315	2 way 5/6 A switch	72	Each	
316	15/16 A switch	360	Each	
317	3 pin 5/6 A socket outlet	360	Each	
318	6 pin 15/16 A socket outlet	360	Each	
319	Telephone socket outlet	36	Each	
320	TV antenna socket outlet	36	Each	
321	Bell push	36	Each	
322	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	108	Each	
323	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	240	Each	
324	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.			
325	1 or 2 Module (75mmX75mm)	144	Each	
326	3 Module (100mmX75mm)	144	Each	

327	6 Module (200mmX75mm)	144	Each	
328	12 Module (200mmX150nnm)	72	Each	
329	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 A modular socket outlet and 5/6 A modular switch, connections etc. as required.	384	Each	
330	Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.	384	Each	
331	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.	432	Each	
332	Supplying and fixing brass batten/ angle holder including connection etc. as required.	192	Each	
333	Supplying and fixing call bell/ buzzer suitable for single phase, 230 V, complete as required.	36	Each	
334	Wiring for group controlled (looped) light point/fan point/exhaust fan point/ call bell point (without independent switch etc.) with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit, and earthing the point with 1.5 sq. mm FRLS PVC insulated copper conductor single core cable etc. as required.			
335	Group A	24	Point	
336	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)		7 5 110	
337	12 way , Double door	40	Each	
338	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MOB DB complete with connections, testing and commissioning etc. as required.			
339	Single pole	480	Each	
340	Double pole	40	Each	
341	Supplying and fixing following rating, double pole, (single phase and neutral), 240 V, residual current circuit breaker (RCCB), having a sensitivity current 30 mA in the existing MCB DB complete with connections, testing and commissioning etc. as required.			
342	63A	40	Each	

343	Supplying and fixing DP sheet steel enclosure on surface/recess along with 25/32 A 240 V "C" curve DP MCB complete with connections, testing and commissioning etc. as required.	40	Each	
344	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	192	Each	
345	Supplying and fixing Cable End Box (Loose Wire Box) suitable for following single pole and neutral, sheet steel, MCB distribution board, 240 Volts, on surface/ recess, complete with testing and commissioning etc. as required.			
346	For 10 way, Double door SPN MCBDB	40	Each	
347	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/coke and salt as required.	12	Each	
348	Supplying and laying 6 SWG G.I. wire at 0.50 metre below ground level for conductor earth electrode, including connection/ termination with GI thimble etc. as required.	100	Metre	
349	Providing and fixing 6 SWG dia GI. wire on surface or in recess for loop earthing along with existing surface/recessed conduit/subnnain wiring/cable as required.	500	Metre	
350	Supply, Installation, Testing and Commissioning of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLOC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply, earthing etc. complete as required.	108	Each	
351	LED Light Fixtures			

352	Supplying and installation of Recess/Surface mounting round LED luminaire equipped with die-cast aluminium / CRCA housing, anti glare polycarbonate diffuser with energy efficient electronic driver with following features:-Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage not more than 12 Watts;Output lumens not less than 650 lm; CCT 6000K; Nominal surge protection 2.5 kV;Power factor not less than 0.9; Minimum IP protection 54	96	Each	
353	Supplying and installation of Surface mounting LED Batten light with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 20 Watts; Length 1100-1200mm; Nominal surge protection 2.5 kV; IP 54.;	192	Each	
354	Supplying and installation of Surface mounting Mirror light with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 10 Watts; Length 450-600mm; Nominal surge protection 2.5 kV; IP 54.;	48	Each	
355	Supplying and installation of Surface wall mounting bracket LED bulk head with energy efficient electronic driver with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 10 Watts;Output lumens not less than 1000 lm; CCT 6500K; Nominal surge protection 2.5 kV;Power factor not less than 0.9, IP 66.	96	Each	
356	Supplying, fixing, connecting, commissioning and testing of the following luminaries light fixtures complete with all accessories and without lamp as required complete; Wall bracket fitting suitable for 9-20W LED B-22 Base.	96	Each	
357	Supply and fixing and connecting & commissioning following LED lamps in existing fitting as reqd.LED bulb 5W to 10 W.	192	Each	
358	Supplying and installation of LED street light with energy saving, environmental friendly, long life, exclusive innovative pressure die-cast aluminium IP66, IK08, lens embedded PC coversuitable for highlighting street and general purpose lighting with bracket complete as required with following features:- Suitable for operating voltage and frequency: 130-300 Va.c, 50 Hz.; wattage 45 Watts; Nominal surge protection 2.5 kV; IP 66. THD<10 %;	25	Each	
359	Supplying, installation DLP mini- trunking 32mm x 20mm with independent cover etc. complete as reqd.[Make Legrand]			
360	PVC mini trunking with independent cover of size 32mm x 20mm size.	100	Metre	
361	PVC mini trunking End cap left or right.	5	Metre	

362	Dismantling/ Disconnecting old damages services.			
363	Dismantling, disconnecting old damaged unserviceable fl fitting/ exhaust fan/ ceiling fan/ bulkhead fitting with bracket etc. as reqd.	100	Each	
364	Dismantling of switch / socket /regulator etc. with wooden board as reqd.	200	Each	
365	Dismantling damaged DB/TPN Switches/ loose wire boxes along with all accessories as required.	48	Each	
366	Fans.			
367	Supplying and fixing of 250 mm size fresh air fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the existing opening, including making good the damage , connection, testing and commissioning etc. as required.as required	72	Each	
368	Supplying and fixing of 250 mm size exhaust fan complete with suitable size louvers with all accessories suitable for use on 230 V , 50 Hz supply in the existing opening, including connection with 1.5 sq. mm FRLS PVC insulated, copper conductor single/ multi core cable and making good the damage , testing and commissioning etc. as required.	36	Each	
369	Electrical Panel board			
370	Design, Fabrication, Supplying, testing & commissioning of front operated cubicle type compartmentalized, front access wall mounted, dust and vermin proof (IP 54) panel board of 800x 800 x 300 mm size suitable for use at 415/230 volt, 3/1 phase, 4/3 wire, 50 hertz system suitable, made out of 2mm thick CRCA MS sheet with hinged, gasketed (metal based neoprene) and lockable doors having structural reinforcement for fixing energy meter inside the compartment including 3 mm thick gland plates on top and bottom and GI earth strip of required size with 2 nos. earthing terminal and powder coated paint finish of approved shade over metal surface cleaned and treated with seven tank process completey. [Note:- The panel should be IS 8623:93, IEC 61439 part-1 and II manufacturer has to produces the relevant test certificate as per IEC code for the same failing which panel shall be rejected) and CPRI Approved.]	12	Each	
371	[] Less Credit for Dismantled Materials.(These are tentative, may vary as per actual.)			
372	Less buyback of old light fixture etc. on as is where is basis.	100	Each	
373	Less buyback of 5/15 Amp Switch/ socket etc. on as is where is basis.	200	Each	
374	Less buyback of old aluminium wiring on as is where is basis.	10	Lot	

375	Less buyback of Old DB box/ Steel enclosure etc. on as is where is basis.	48	Each	
376	Less buyback of Old and unserviceable MCB/ MCCB etc. on as is where is basis.	48	Each	
	Total Amount			

- 1. No labour huts shall be allowed in IIT Campus and nothing shall be paid extra on this account.
- **2.** The contractor must visit the site of work /buildings before quoting the rates.
- 3. No labour to stay in IIT Campus nothing shall be paid extra on this account.
- **4.** Site shall be available as per directions of Engineer in Charge.
- **5.** Quoted rates of participating agencies shall be inclusive of GST.