



INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI – 110016
NOTICE INVITING E-TENDER
IITD/WORKS (SP- 1026)/2017

Executive Engineer [Electrical], Indian Institute of Technology Delhi, HauzKhas, New Delhi – 110016 [Phone No. 011-26591742] on behalf of Board of Governors invites online Item Rate Tender from Firms / Contractors Registered in appropriate class And category with CPWD, MES, BSNL and Railways dealing with Composite work for the following work:

1	Name of Work	:	Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).
2	NIT No.	:	109/2016-2017/EE (E), IITD. Composite work (Civil & Electrical work) .
3	Estimated cost	:	Rs. 71,43,638.00
4	Earnest Money	:	Rs. 1,43,000.00
5	Period of completion	:	06 Months
6	Last date & time of bid submission	:	06-06-2017 upto 03:00 PM
7	Performance Bank Guarantee	:	5% of the tendered amount

The bid forms and other details may be downloaded from Central Public Procurement Portal <http://eprocure.gov.in/eprocure/app>. Aspiring Bidders who have not enrolled / registered in e-procurement should enroll / register before participating through the website <http://eprocure.gov.in/eprocure/app>. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at 'Instructions for online Bid Submission'.

Bidders can access Quotation / tender documents on the website (For searching in the NIC site, kindly go to Quotation Search option and type 'IIT'. Thereafter, Click on "GO" button to view all IIT Delhi Quotations). Select the appropriate Quotation / tender and fill them with all relevant information and submit the completed Quotation / tender document online on the website <http://eprocure.gov.in/eprocure/app> as per the schedule given in the next page.

No manual bids will be accepted. All bids (both Technical and Financial should be submitted in the E-procurement portal).

**Executive Engineer [E],
For & on Behalf of BOG, IIT Delhi**

CH. Head **PLN - 05**
Work code **(W02891)**

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



Copy to: -

1. Institute Engineer
2. D.A. (Works Accounts) - for opening of tenders in the office of D.R. [SPS]
3. A.E.E. (E) Plg.
4. A.E (E) Renovation.
5. D.R. (A/Cs)
6. D.R. [SPS]
7. Notice Boards.
8. Office Copy
9. Web site Administrator, IITD



INDEX

SR. NO.	DESCRIPTION	PAGE	
		From	To
1	SCHEDULE	4	4
2	INSTRUCTION FOR ONLINE BID SUBMISSION	5	7
3	INFORMATION & INSTRUCTION TO BIDDERS	8	10
4	IITD 6	11	14
5	INTEGRITY PACT	15	21
6	IITD – 7 / 8	22	23
7	PROFORMA OF SCHEDULE	24	27
8	DECLARATION [ANNEXURE – I]	28	28
9	COMMERCIAL & ADDITIONAL CONDITIONS	29	33
10	SPECIAL TERMS & CONDITIONS	34	34
11	SUBMITTALS TO BE MADE BY THE CONTRACTOR DURING THE EXECUTION OF WORK.	35	35
12	SPECIAL CONDITIONS	36	37
13	ACCEPTED MAKE OF MATERIALS	38	40
14	BID SUBMISSION CHECK LIST	41	41
15	IITD 2010 CORRECTION SLIPS	42	48
16	SCHEDULE OF QUANTITY	49	66

**SCHEDULE**

1	Name of Organisation	:	Indian Institute of Technology Delhi
2	Tender / Quotation Type [open / limited / EOI / auction / single]	:	Open
3	Tender / Quotation Category [services / goods / works]	:	Goods & Works
4	Type / Form of Contract [work / supply / auction / service / buy / empanelment / sell]	:	Work & Supply
5	Product Category [civil works / electrical works / fleet management / computer systems]	:	Composite work (Civil & Electrical Works)
6	Is Multi Currency Allowed?	:	No
7	Date of issue / publishing /start	:	29-05-2017 3:00 PM
8	Document download start date	:	29-05-2017 3:00 PM
9	Document download end date	:	6-06-2017 3:00 PM
8	Last date & time of uploading of bids	:	6-06-2017 upto 03:00 PM
9	Date & time of opening of Technical Bids	:	7-06-2017 3:00 PM
10	Tender fee	:	Nil. 1,000.00
11	EMD	:	Rs. 1,43,000.00 [For EMD] (To be paid through RTGS/NEFT. IIT Delhi Bank details are as under: Name of the Bank A/C : IITD Revenue Account SBI A/C No. : 10773572622 Name of the Bank : State Bank of India, IIT Delhi, HauzKhas, New Delhi-110016 IFSC Code : SBIN0001077 MICR Code : 110002156 Swift No. : SBININBB547 (This is mandatory that UTR Number is provided in the on-line quotation/bid. (Kindly refer to the UTR Column of the Declaration Sheet at Annexure-I)
12	No. of covers [1/2/3/4]	:	02
13	Bid Validity days	:	90 Days
14	Address for communication	:	Executive Engineer [Electrical], Works Organization, HauzKhas, IIT Delhi, New Delhi – 110016
15	Contact No.	:	011- 2659 1742, 1779, 1458
16	E-mail address	:	a26339@admin.iitd.ac.in ; a26335@admin.iitd.ac.in a26335@admin.iitd.ac.in

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this Quotation / tender document has been published on the Central Public Procurement Portal (URL:<http://eprocure.gov.in/eprocure/app>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal.

More information useful for submitting online bids on the CPP Portal may be obtained at:

<http://eprocure.gov.in/eprocure/app>

REGISTRATION

- 1) Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL:<http://eprocure.gov.in/eprocure/app>) by clicking on the link “Click here to Enroll”. Enrolment on the CPP Portal is free of charge.
- 2) As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 3) Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 4) Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify / TCS / nCode / eMudhra etc.), with their profile.
- 5) Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6) Bidder then logs in to the site through the secured log-in by entering their userID / password and the password of the DSC / e-Token.

SEARCHING FOR QUOTATION /TENDER DOCUMENTS

- 1) There are various search options built in the CPP Portal, to facilitate bidders to search active Quotations / Tender by several parameters. These parameters could include Quotation ID, organization name, location, date, value, etc. There is also an option of advanced search for Quotations, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a Quotation published on the CPP Portal.
- 2) Once the bidders have selected the Quotations they are interested in, they may download the required documents / Quotation schedules. These Quotations can be moved to the respective ‘My Quotations’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the Quotation document.
- 3) The bidder should make a note of the unique Quotation ID assigned to Nos. Quotation / Tender, in case they want to obtain any clarification / help from the Helpdesk.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



PREPARATION OF BIDS

- 1) Bidder should take into account any corrigendum published on the Quotation document before submitting their bids.
- 2) Please go through the Quotation / Tender advertisement and the Quotation / Tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and content of Nos. of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3) Bidder, in advance, should get ready the bid documents to be submitted as indicated in the Quotation document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 4) To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1) Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2) The bidder has to digitally sign and upload the required bid documents one by one as indicated in the Quotation document.
- 3) Bidder has to select the payment option as “offline” to pay the Quotation fee / EMD as applicable and enter details of the instrument.
- 4) A standard BoQ format has been provided with the Quotation document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BoQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases Financial Bids can be submitted in PDF format as well (in lieu of BOQ).

- 5) The server time (which is displayed on the bidders’ dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



- 6) All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 7) The uploaded Quotation documents become readable only after the Quotation opening by the authorized bid openers.
- 8) Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9) Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1) Any queries relating to the Quotation document and the terms and conditions contained therein should be addressed to the Quotation Inviting Authority for a Quotation or the relevant contact person indicated in the Quotation.
- 2) Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 1800 233 7315.

GENERAL INSTRUCTIONS TO THE BIDDERS

- 1) The Quotations will be received online through portal <http://eprocure.gov.in/eprocure/app> . In the Technical Bids, the bidders are required to upload all the documents in .pdf format.
- 2) Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link "Information about DSC".

Bidders are advised to follow the instructions provided in the 'Instructions to the Bidder' for the e-submission of the bids online through the Central Public Procurement Portal for e Procurement at <https://eprocure.gov.in/eprocure/app>

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



INFORMATION AND INSTRUCTIONS TO BIDDERS FOR E-TENDERING

Executive Engineer [Electrical], Indian Institute of Technology Delhi, HauzKhas, New Delhi – 100016 [Phone No. 011-26591742] on behalf of Board of Governors invites online Item Rate Tender from Firms / Contractors Registered in appropriate class And category with CPWD, MES, BSNL and Railways dealing with Composite work for the following work:

Sl. No.	N.I.T. No.	Name of work & Location	Estimated cost put to bid	Earnest Money	Period of completion	Last date & time of submission of bid (online mode)	Time & date of opening of Technical Bid	Time & date of opening of Financial Bid
[1]	[2]	[3]	[4]	[5]	[6]	[7]	[8]	[9]
1	109/2016-2017/EE (E), IITD. Composite work (Civil & Electrical work) .	Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).	Rs. 71,43,638.00	Rs. 1,43,000.00	06 Months	06-06-2017 upto 03:00 PM	07-06-2017 at 3:00 PM	To be intimated after assessing technical bid.

1. The successful bidders shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized / Scheduled Bank within 15 days of issue of letter of intent before award of work. In case of failure by the Contractor to submit the performance guarantee within the specified period, full earnest money will be forfeited and the tender shall be treated as null and void. **The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 (Sixty) days beyond that.**

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



2. Contractors who fulfill the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - i) Firms/Contractors should have satisfactorily completed one similar work of value not less than **Rs. 57,15,000.00** or two similar works Nos. of value not less than **Rs. 42,86,200.00** or three similar works Nos. of value not less than **Rs. 28,57,500.00** during last 7 years ending previous day of last date of submission of bids.
 - ii) **Earnest Money of Rs. 1,43,000.00** to be deposited on-line as indicated in Schedule
3. **Similar work means Civil or Electrical works.**
4. **The intending bidder must read the terms and conditions [both commercial & Additional] & IITD - 6 carefully** which will be the part of the Contract. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
5. Information and Instructions for bidders posted on website shall form part of bid document.
6. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website e-procure.gov.in.
7. But the bid can only be submitted after depositing requisite tender fee and EMD as specified in the schedule.
8. Copy of enlistment order and certificate of work experience and other documents as specified in the Press Notice / web notice shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents as specified in press notice web / notice shall have to be submitted by the lowest bidder only within a week physically in the office of e-tendering authority.
9. Online bid documents submitted by intending bidders shall be opened only of those bidders, who has deposited requisite tender fee and EMD and other documents scanned and uploaded are found in order.
10. Completion certificates are required to be got issued by an officer not below the rank of Executive Engineer of similar works completed by the Firm. The work experience certificates submitted by the bidders shall clearly indicate that:
 - a. The similar work executed shall be **as '3' above**
 - b. The completed cost of the work
 - c. Actual date of completion of the work
11. Attested copy of registration certificates to be submitted. Registration of firms/ Contractors must be valid on the day of submission of Tenders or extended date of submission of Tenders whichever is later.
12. Work means only work under Government/ Public Sector Undertaking / Central Autonomous bodies.
13. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
14. IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement. Before submission of bid, **Nos. bidder should sign integrity pact at respective places** and submit the bid. If duly signed integrity pact is not submitted by bidder, such bid shall not be considered.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



15. Those contractors not registered on the website mentioned above, are required to get registered beforehand. If needed they can be imparted training on online bidding process as per details available on the website.
16. When bids are invited in two / three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted then the bid submitted earlier shall become invalid.
17. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
18. **The bid submitted shall become invalid if:**
 - a. The bidder is found ineligible.
 - b. The bidder does not upload all the documents (including service tax registration / VAT registration / Sales Tax registration) as stipulated in the bid document including the undertaking / declaration.
 - c. EMD not deposited as specified
19. The firm shall be registered with EPFO & ESIC

List of Documents to be scanned and uploaded within the period of bid submission:

1. Annexure – I duly filled in and got signed
2. Enlistment order of contractor.
3. Attested certificate of work experience as desired
4. Certificate of Registration for Sales Tax / VAT and acknowledgement of up to date filed return
5. Affidavit as per Notice Inviting Tender Condition [IITD-6] 1.2.2 [To be submitted on stamp paper]
6. Acceptance to execute INTEGRITY PACT [see integrity pact]
7. IITD 7 / 8 duly signed (At page 22– 23)
8. EPF & ESI Registration proof
9. Any other document as specified in the NIT
10. Valid License

**Executive Engineer [Electrical]
For & on Behalf of BOG, IIT Delhi**

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.

**IITD – 6****INDIAN INSTITUTE OF TECHNOLOGY DELHI
NOTICE INVITING E-TENDER**

1.0 Executive Engineer [Electrical], Indian Institute of Technology Delhi, HauzKhas, New Delhi – 100016 [Phone No. 011-26591742] on behalf of Board of Governors invites online Item Rate Tender from Firms / Contractors Registered in appropriate class And category with CPWD, MES, BSNL and Railways dealing with Composite work for the following work: of **Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).**

1.1 The work is estimated to cost **Rs. 71,43,638.00** This estimate, however, is given merely as a rough guide

1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.

For composite bid, besides indicating the combined estimated cost put to tender, should clearly indicate the estimated cost of Nos. component separately. The eligibility of bidders will correspond to the combined estimated cost of different components put to bid.

1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:

Criteria of eligibility for submission of bid documents.**1.2.1 Criteria of eligibility for CPWD as well as non-CPWD contractors.**

Three similar works Nos. of value not less than **Rs. 57,15,000.00** or two similar works Nos. of value not less than **Rs. 42,86,200.00** or three similar works Nos. of value not less than **Rs. 28,57,500.00** in last 7 years ending previous day of last date of submission of bids.

Similar work means Civil or Electrical works.

1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under :-

“I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / we shall be debarred for bidding in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)”

2. **Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IIT Delhi Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.**

3. The time allowed for carrying out the work will be 06 Months from the date of start as defined in schedule ‘F’ or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



4. The site for the work is available.
5. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site **e-procure.gov.in**.
6. After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.
7. While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
8. If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
9. Earnest Money as specified to be paid through RTGS / NEFT.

IIT Delhi Bank details are as under:

Name of the Bank A/C : IITD Revenue Account
SBI A/C No : 10773572622
Name of the Bank : State Bank of India, IIT Delhi,
: HauzKhas, New Delhi-110016
IFSC Code : SBIN0001077
MICR Code : 110002156
Swift No : SBININBB547

(This is mandatory that UTR Number is provided in the on-line quotation/bid. Kindly refer to the UTR Column of the Declaration Sheet at Annexure-II)

Interested contractors who wish to participate in the bid has also to make following payments within the period of bid submission:

- (i) Copy of Enlistment Order and certificate of work experience and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission.
10. The bid submitted shall become invalid, if:
 - a) The bidder is found ineligible.
 - b) The bidder does not upload all the documents (including VAT registration/ Sales Tax registration/Technical bid) as stipulated in the bid document.
 - c) EMD not deposited as specified
 11. The contractor whose bid is accepted will be required to furnish **performance guarantee of 5% (Five Percent)** of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank / Banker' cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



12. Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.
13. The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
14. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
15. The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
16. The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
17. No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract liable to be cancelled, if, either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
18. The bid for the works shall remain open for acceptance for a period of **ninety [90] days from the date of opening of financial bids**, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.



19. This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall **within 15 days** from the stipulated date of start of the work, sign the contract consisting of:-
- a) The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b) Standard IITD Form –7/8 or other Standard IITD Form as applicable.
20. In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as to be submitted physically in IIT Delhi, if so desired by the accepting authority, then the bid submitted shall become invalid and the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the bidding process of the work.



INTEGRITY PACT

To

.....,
.....,
.....

Sub:NIT No. 109/2016-2017/EE (E), IITD. Composite work (Civil & Electrical work) . for the work of Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).

Dear Sir,

It is here by declared that IITD is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the Integrity Agreement, which is an integral part of the tender/bid documents, failing which the tender/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IITD.

Yours faithfully,

Executive Engineer

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



[TO BE SUBMITTED DULY SIGNED BY THE BIDDER ALONGWITH BID DOCUMENTS]

To

Executive Engineer (Elect.),
IIT Delhi, HauzKhas,
New Delhi – 110016

Subject: Submission of Bid for the work of **Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).**

Dear Sir,

I / We acknowledge that IITD. is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I / We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I / We will stand disqualified from the tendering process. I / We acknowledge that **THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE** of this condition of the NIT.

I / We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IITD. I / We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I / We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, IITD shall have unqualified, absolute and unfettered right to disqualify the tenderer /bidder and reject the tender/bid in accordance with terms and conditions of the tender/bid.

Yours faithfully,

(Duly authorized signatory of the Bidder)

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



[To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of IITD]

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of..... 20.....

BETWEEN

The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 16 represented through **Executive Engineer (Elect.)**, IIT Delhi

....., (Hereinafter referred as the '**Principal/Owner**',

(Address of Division)

'**Principal/Owner**', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

AND

.....

(Name and Address of the Individual/firm/Company)

Through

(Hereinafter referred

(Details of duly authorized signatory)

to as the "**Bidder/Contractor**" and which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)

Preamble

WHEREAS the Principal / Owner has floated the Tender (NIT No.109/2016-2017/EE (E), IITD. Composite work (Civil & Electrical work) . (hereinafter referred to as "**Tender/Bid**") and intends to award, under laid down organizational procedure, contract for "**Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).**" (Name of work) hereinafter referred to as the "**Contract**".

AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s).AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "**Integrity Pact**" or "**Pact**"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.

NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



Article 1: Commitment of the Principal / Owner

- 1) The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles: No employee of the Principal / Owner, personally or through any of his / her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - (a) The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - (b) The Principal/Owner shall Endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.
- 3) If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

Article 2: Commitment of the Bidder(s) / Contractor(s)

- 1) It is required that Nos. Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of **fraud or corruption or coercion or collusion** of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2) The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - a) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - b) The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



- c) The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PoC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal / Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
- d) The Bidder(s) / Contractor(s) of foreign origin shall disclose the names and addresses of agents / representatives in India, if any. Similarly Bidder(s) / Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.
- e) The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- 3) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practices **means a willful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.**
- 5) The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

Article 3: Consequences of BrNos.

Without prejudice to any rights that may be available to the Principal /Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of brNos.of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1) If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. **Such exclusion may be forever or for a limited period as decided by the Principal/Owner.**



- 2) **Forfeiture of EMD/Performance Guarantee/Security Deposit:** If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3) **Criminal Liability:** If the Principal/Owner obtains knowledge of conduct a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal / Owner has substantive suspicion in this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

Article 4: Previous Transgression

- 1) The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- 3) If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

Article 5: Equal Treatment of all Bidders/Contractors/Subcontractors

- 1) The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2) The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- 3) The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

Article 6: Duration of the Pact

This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 06 Months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.

If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority of IITD.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



Article 7: Other Provisions

- 1) This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Division of the Principal/Owner, who has floated the Tender.
- 2) Changes and supplements need to be made in writing. Side agreements have not been made.
- 3) If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by Board Resolution.
- 4) Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- 5) It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

Article 8: LEGAL AND PRIOR RIGHTS

All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

.....
(For and on behalf of Principal / Owner)

.....
(For and on behalf of Bidder / Contractor)

WITNESSES:

1.
(Signature, name and address)

2.
(Signature, name and address)

Place:

Dated:

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.

**IITD - 7/8****INDIAN INSTITUTE OF TECHNOLOGY DELHI
HAUZ KHAS, NEW DELHI - 110016****Percentage Rate Tender / Item Rate Tender & Contract for Works**

Tender for the work of “ **Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No. V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).**”

- (A) (I) To be submitted online by **06-06-2017 upto 03:00 PM**
(II) To be opened on **07-06-2017 at 03:00 PM** online

e-TENDER

I / We have read and examined the Notice Inviting Tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I / We hereby tender for the execution of the work specified for the Board of Governors, IIT Delhi within the time specified in Schedule ‘F’ viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (**strike out as the case may be**) and not to make any modification in its terms and conditions.

A sum of **Rs. 1,43,000.00** is hereby deposited in IIT Delhi Revenue Account No. 10773572622as earnest money. If I / We fail to furnish the prescribed performance guarantee within prescribed period I / We agree that the said The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / We fail to commence the work as specified, I / We agree that The Board of Governors, IIT Delhi, HauzKhas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise they said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid I / We shall be debarred for participation in the re-tendering process of the work.

I / We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / We shall be debarred for tendering in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



I / We hereby declare that I / We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I / We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:

Signature of Contractor

Witness:

Postal Address

Address:

Occupation:

ACCEPTANCE

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for an on behalf of The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 110016 for a sum of (Rupees.....).

The letters referred to below shall form part of this contract agreement:-

- (a)
- (b)
- (c)

For & on behalf of Board of Governors, IIT Delhi

Signature

Dated:

Designation

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



PROFORMA OF SCHEDULES

[Operative Schedules to be supplied separately to Nos. intending tenderer]

SCHEDULE 'A'

Schedule of quantities (enclosed)

SCHEDULE 'B'

Schedule of materials to be issued to the contractor

S.No.	Description of item	Quantity	Rates in figures & words at which the material will be charged to the contractor	Place of issue
← Nil →				

SCHEDULE 'C'

Tools and plants to be hired to the contractor

S.No.	Description	Hire charges per day	Place of Issue
← Nil →			

SCHEDULE 'D'

Extra schedule for specific requirements/document for the work, if any.

Nil

SCHEDULE 'E'

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



Reference to General Conditions of contract [GCC]

1	Name of work	:	Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).
2	Estimated cost of work	:	Rs. 71,43,638.00
3	Earnest Money	:	Rs. 1,43,000.00
4	Performance Guarantee	:	5 percent of tendered value
5	Security Deposit	:	5 percent of tendered value

SCHEDULE 'F'**GENERAL RULES & DIRECTIONS**

: Officer inviting tender

Maximum percentage for quantity of items of work to be executed beyond which rates are to be determined in accordance with Clauses 12.2&12.3	:	See below
Definitions:		
2[v] Engineer – in - charge	:	Executive Engineer [Elect]
2[vi] Accepting Authority	:	Institute Engineer
2[x] Percentage on cost of materials and labour to Cover all overheads and profits	:	25 percent
2[xi] Standard schedule of rates	:	DSR 2014 + Market Rate
2[xii] Department	:	E & W, IIT Delhi
9[ii] Standard IITD Contract Form	:	General Conditions of Contract 2010, IITD Form 7/8-2010 modified & Corrected up to date of submission of tender

Clause 1:

[i] Time allowed for submission of Performance Guarantee from the date of issue of letter of acceptance	:	15 days
[ii] Maximum allowable extension with late fees @ 0.1% per day of performance guarantee amount beyond the period provided in (i) above	:	1 to 15 days

Clause 2:

Authority for fixing compensation under clause 2	:	Institute Engineer
--	---	---------------------------

Clause 2 A:

Whether Clause 2A shall be applicable	:	No
---------------------------------------	---	-----------

Clause 5:

Number of days from the date of issue of letter of award for reckoning date of start	:	10 [ten] days
--	---	----------------------

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



Milestone(s) as per table given below:-

Sl. No.	Description of Milestone (Financial)	Time allowed in days (from date of start)	Amount to be with-held in case of non-achievement of mile stone
1	1/8th (of the whole work)	1/4th(of the whole work)	In the event of not achieving the necessary progress as assessed from the running payment, 1% of the Tender value of work will be withheld for failure of each milestone.
2	3/8th (of the whole work)	1/2th (of the whole work)	
3	3/4th (of the whole work)	3/4th (of the whole work)	
4	FULL	FULL	

Time allowed for execution of work	:	06 Months
Authority to decide:		
Extension of time	:	Institute Engineer
Rescheduling of mile stones	:	Institute Engineer
Clause Applicable 6 or 6A:	:	Clause 6A
Clause 7:		
Gross work to be done together with net payment / adjustment of advances for material collected, if any, since the last such payment for being eligible to interim payment	:	Not Applicable
Clause 10 A:		
List of testing equipment to be provided by the contractor at site lab	:	As desired by the Engineer-in-charge relating to the work
Clause 10B(ii):		
Whether Clause 10 B (ii) shall be applicable	:	No
Clause 10C:		
Component of labour expressed as percent of value of work	:	25 percent

Clause 10CA:

S.N.	Material covered under this clause	Nearest Materials (other than cement, reinforcement bars and the structural steel) for which All India Wholesale Price Index to be followed	Base Price of all Materials covered under clause 10 CA*
1			
2			
3			
4			

* Base price of all the materials covered under clause 10 CA is to be mentioned at the time of approval of NIT.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



Clause 10CC

Clause 10 CC to be applicable in contracts with stipulated period of completion exceeding the period shown in next column	:	06 Months
Schedule of component of other Materials, Labour, POL etc. for price escalation		
Component of civil (except materials covered under clause 10CA)/ Electrical construction Materials expressed as percent of total value of work	:	Nil.
Component of Labour expressed as percent of total value of work	:	Y : 25 percent
Component of P.O.L. expressed as percent of total value of work	:	Not Applicable

Clause 11

Specifications to be followed for execution of work	:	CPWD General specifications for Civil & Electrical work with upto date correction slips.
---	---	--

Clause 12

Type of work	:	Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration
Clause 12.2. & 12.3		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for building work	:	30 percent
Clause 12.5		
Deviation Limit beyond which clauses 12.2 & 12.3 shall apply for foundation work	:	100 percent

Clause 16

Competent Authority for deciding reduced rates	:	Institute Engineer
--	---	---------------------------

Clause 18

List of mandatory machinery, tools & plants to be deployed by the contractor at site:

1.....	2.....	3.....
4.....	5.....	6.....
7.....	8.....	9.....

Clause 36 (i)

Requirement of Technical Representative(s) and recovery Rate

S. No.	Minimum Qualification of Technical Representative	Discipline	Designation (Principal Technical/ Technical Representative)	Minimum Experience (Years)	Number	Rate at which recovery shall be made from the contractor in the event of not fulfilling provision of clause 36(i)	
						Figures	Words
	Graduate Engineer Or Diploma Holder	Civil and Electrical	Principal Technical Representative	02 years 05 years	01+01= 2	Rs 15000/- Each.	Rupees Fifteen thousand each only

Assistant Engineers retired from Government services that are holding diploma will be treated at par with Graduate Engineers

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



<< Organization Letter Head >>
DECLARATION

I / We, _____ hereby declare that all the information and data furnished by our organization with regard to this tender specification are true and complete to the best of our knowledge. I / we have gone through the specification, conditions and stipulations in details and agree to comply with the requirements and intent of specification.

1	Name & Address of the bidder	:	
2	Phone	:	
3	E-mail	:	
4	Contact person name	:	
5	Mobile number	:	
6	TIN number	:	
7	PAN number	:	
8	UTR no. [for payment of EMD]	:	
	BANK DETAILS		
9	Bank name	:	
10	Branch address	:	
11	Branch telephone no.	:	
12	MICR Code of the bank	:	
13	IFSC code	:	
14	Bank Account no.	:	
15	Type of account	:	

We further declare that our organization has not been blacklisted / delisted or put to any holiday by any Institutional agency / Govt. Department / Public Sector Undertaking in the last three years.

[Signature of the bidder]

Name:

Seal of the bidder

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



COMMERCIAL AND ADDITIONAL CONDITIONS

1 General

- 1.1** This specification covers manufacture, testing as may be necessary before dispatch, delivery at site, all preparatory work, assembly and installation, final testing, commissioning, as per the CPWD General Specification for Electrical work Part-I, II & IV for the following works.

Name of work & location: Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi. Sub Head: Composite works (Civil and Electrical works).

- 1.2** The work shall be executed as per CPWD General Specifications for Electrical works as amended up to date and as per directions of Engineer-in-charge. These additional specifications and conditions are to be read in the Additional specifications and conditions shall apply. However, nothing extra shall be paid on account of these as the same are to be read along with schedule of quantities for the work.

2 COMMERCIAL CONDITIONS

2.1 Type of contract

The work to be awarded by this tender shall be treated as indivisible works contract.

2.2 Submission of Tender:-

Bidder shall submit the cost of tender documents, if any, e-tendering processing fee and earnest money, other documents, price bid in prescribed manner as indicated in "INFORMATION AND INSTRUCTIONS FOR CONTRACTORS FOR e-TENDERING FORMING PART OF NIT AND TO BE POSTED ON WEBSITE"

- 2.3** The tenderers are advised not to deviate from the technical specifications / items, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.

- 2.4 The department reserves the right to reject any or all the price bids and call for fresh price tenders as the case may be without assigning any reason.**

2.0 Validity

Tenders shall be valid for acceptance for a period of 90 days from the date of opening of price bid.

4.0 Completion period

The completion period indicated in the tender documents is for the entire work of planning, designing, supplying, installation, testing, commissioning and handing over of the entire job to the satisfaction of the Engineer-in-charge.

5.0 SAFETY CODES AND LABOUR REGULATIONS

- (i) In respect of all labour employed directly or indirectly on the work for the performance of the contractor's part of work, the contractor at his own expense, will arrange for the safety provisions as per the statutory provisions, B.I.S. recommendations, factory act, workman's compensation act, CPWD code and instructions issued from time to time. Failure to provide such safety requirements would make the tenderer liable for **penalty as specified in applicable clause**. In addition the Engineer-In-Charge shall be at liberty to make arrangements and provide facilities as aforesaid and recover the cost from the contractor.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



- (ii) The contractor shall provide necessary barriers, warning signals and other safety measures while laying pipelines, cables etc. or wherever necessary so as to avoid accident. He shall also indemnify IITD against claims for compensation arising out of negligence in this respect. Contractor shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause. The department shall not be responsible for any accident occurred or damage incurred or claims arising there from during the execution of work. The contractor shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the contractor due to the above provisions thereof.

6.0 Payment Terms

- 6.1 Unless otherwise specified, in the additional conditions of the contract, the payment shall be made as per the relevant clauses of form PWD 7/8 forming a part of the tender documents.

7.0 Security Deposit

Security deposit shall be deducted from Nos. running bill and the final bill to be the extent of 10 percent of the gross amount payable. However the maximum amount of security deposit will be 5 percent of the tendered value. The earnest money deposited shall be adjusted against this security deposit. The security deposit shall be released on the expiry of guarantee period stipulated in the contract. **Bank guarantee will not be accepted as security deposit.**

8 Performance Guarantee

The successful tenderer shall submit an irrevocable performance guarantee of 5% of the tendered amount in addition to other deposits mentioned elsewhere in the contract in the contract for his proper performance of the contract agreement within 12 Months. Of issued of letter of acceptance of tender. This guarantee shall be in the form of Demand draft/ Pay order or irrevocable bank guarantee bond of any scheduled bank or the State Bank of India in the specified format or in the form of Government security, fixed deposit pledged in favour of Executive Engineer or as specified in the letter of acceptance of tender. **The performance guarantee shall be initially valid up to the stipulated date of completion plus 60 Days beyond.** This bank guarantee shall be kept valid till the recoding of completion certificate for the work by the competent authority.

9. Rates

- 9.1 The rates quoted by the tenderer, shall be firm and inclusive of all taxes (i/c works contract taxes), duties & levies, octroi etc. and all charges for packing forwarding, insurance, freight and delivery, installation, testing, commissioning etc. at site i/c temporary construction of storage, risk, overhead charges, general liabilities / obligations and clearance from concerned authority.
- 9.2 Octroi duty shall not be paid separately but octroi exemption certificate can be furnished by the department on demand. However the department is not liable to re-imburse the octroi duty in case exemption certificates are not honored by the concerned authorities.

10. COMPLETION PERIOD

The completion period of **06 Months** indicated in the tender documents is for the entire work of planning, designing, installation, testing, commissioning and handing over of the entire system to the satisfaction of the Engineer – in – charge.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



11. COMPLETENESS OF TENDER

All sundry equipment, fittings, unit, assemblies, accessories, hardware items, foundation bolts, termination lugs for electrical connections, cable glands, junction boxes and all other items which are useful and necessary for efficient assembly and installation of equipment and components of the work shall be deemed to have been included in the tender irrespective of the fact whether such items are specifically mentioned in the tender documents or not.

12. STORAGE AND CUSTODY OF MATERIALS

The existing Sub Station LT Panel room may be used for storage of materials and equipments. No separate storage accommodation shall be provided by the department. Watch and ward of the stores and their safe custody shall be the responsibility of the contractor till the final taking over the installation by the department.

13. CARE OF THE BUILDING

Care shall be taken by the contractor while handling and installing the various equipments and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

14. WORKS TO BE DONE BY THE TENDERER

Following works shall be done by the contractor and therefore, their cost shall be deemed to be included in their tendered cost-whether specifically indicated in the schedule of work or not:-

- i) Sealing of all floor slab/wall openings with PCC if, provided by the Department or contractor for pipes and cables, from fire safety point of view, after laying of the same.
- ii) Sealing of all wall openings left for duct crossing with brick machinery with plaster.
- iii) Painting of all exposed metal surface of equipments and components with appropriate colour.
- iv) Making opening in the walls/floors/slabs or modification in the existing openings wherever provided for carrying pipe line, ducts etc.
- v) Providing wooden/metallic frames for fixing grills/ diffusers.
- vi) Making good all damages caused to the structure during installation and restoring the same to their original finish.

Any other minor building work required for the successful execution of the system and its operation.

16. Power supply, water supply and Draining

It is clarified that electricity will be provided from the existing connection near building and necessary arrangement for tapping and termination of supply will be done by the contractor. The charges for electricity may be recovered from the running account bill of the contractor as per the bill raised by IIT Delhi authorities.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.

**17. Data manual and Drawings to be furnished by the tenderers:**

17.1 With Tender: The tenderer shall furnish along with the tender, detailed technical literature, pamphlets and performance data for appraisal and evaluation of the offer.

17.2 After Award of work

The successful tenderer would be required to submit the drawings as per para 1.18.2 within 3 days of award of work for approval before commencement of installation.

18.0 Data Manual and Drawings to be furnished by the Tenderers:

18.1 After Award of work the contractor shall prepare & submit three sets of following drawings and get them approved from the Engineer-in-charge before the start of the work. The approval of drawings however does not absolve the contractor not to supply the equipments/ materials as per agreement, if there is any contradiction between the approved drawings and agreement.

Any other drawings relevant to the work

18.2 Completion Drawings

18.2.1 Three sets of the following laminated drawings shall be submitted by the contractor while handing over the complete site to the Department. In addition one set will be given on compact disc.

19. Extent of Work

19.1 The work shall comprise of entire labour including supervision and all materials necessary to make a complete installation and such tests and adjustments and commissioning as may be required by the department. The term complete installation shall not only mean major items of the plant and equipments covered by specifications but all incidental sundry components necessary for complete execution and satisfactory performance of installation with all layout charts whether or not those have been mentioned in details in the tender document in connection with this contract.

19.2 Minor building works necessary for installation of making of opening in floors or in walls and restoring to their original condition, finish and necessary grouting etc. as reqd.

19.4 Any item required for completion of the project but left inadvertently shall be executed with-in the quoted rate.

19.5 Contractor has to create PCC platform outside the building for fabrication and assembling of duct etc. as no fabrication will be allowed inside the building to avoid the damages and hindrance to other works

19.7 Contractor has to construct his own temporary store outside the building till the plant room is not ready and make watch and ward arrangement of the store. The location of the store shall be get approved from Engineer-in-charge.

19.8 Contractor has to provide technical assistance as and when required for approval of drawings etc.

20 Inspection and testing: Initial inspection at works and final inspection and testing at site shall be carried out as per chapter 17 of CPWD General Specification for HVAC works 2004 as amended to date may be read along with 17(22) of technical specifications.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.

**21 Validity**

Tenders shall be valid for acceptance for a period of 90 days from the date of opening of price bid.

22 Compliance with Regulations and Indian Standards, Indemnity & Insurance.

22.1 All works shall be carried out in accordance with relevant regulation, both statutory and those specified by the Indian Standards as detailed in Para 1.21 & 1.22 of CPWD General Specifications for Electrical Work 2005 amended upto date.

23 Mobilization Advance:

23.1 No mobilization advance will be given.

24. Insurance and Storage:

All consignments are to be duly insured up to the destination from warehouse to warehouse at the cost of the contractor. The insurance covers shall be valid till the equipment is handed over duly installed, tested and commissioned.

25. Verification of correctness of Equipment at Destination:

The contractor shall have to produce all the relevant records to certify that the genuine equipment from the manufacturers has been supplied and erected.

26. CLEAN UP WORKS AT SITE

During erection the contractor shall at all times keep the working and storage areas free from waste or rubbish. On completion of erection he shall remove all temporary structures, debris and leave the premises clean to the full satisfaction of the department.

27. RATES

Rates for Nos. of the items of Schedule of Quantity shall be firm and consolidated for the equipment delivered, installed, commissioned and tested at site including all taxes and levies. Prices shall remain firm and free from variation due to rise and fall in the cost of material equipments. Labour or any other reason whatsoever due to changes in statutory rules and regulations so far as admissible under the conditions of the contract.

28. TERMS OF PAYMENT

The terms of payments shall be as indicated in General Conditions of Contract.

29. PAINTING WORK

The painting should be carried out as required and as per the instruction of the department. The procedure and the standard colour codes are as follows:

- 1) Cleaning the surface
- 2) Apply a primer coat of red oxide
- 3) Applying two coats of enamel paint of APPROVED colour code after applying cement primer for plastered surface.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



SPECIAL TERMS & CONDITIONS

1. The Work has to be completed within the stipulated time.
2. In case of delay beyond the control of the contractor due to unforeseen circumstances or force majeure reasons, EOT shall be considered.
3. In case it is noticed that the firm is intentionally delaying the work for one reason or the other, the firm could be debarred for future works i/c forfeiture of the EMD.
4. In case of any extra item, the contractor shall seek prior permission in writing from the Engineer-in-charge and submit analysis of rates.
5. The quantities are tentative and could be increased or decreased.
6. The material shall be got approved from the Engineer-in-charge before utilization. Inferior/substandard material shall have to be removed from the site immediately. In case the contractor fails to remove the inferior / substandard material the Board reserves the right to dispose it off.
7. In case of slow progress/intentional delay by the contractor the work can be withdrawn/rescinded in whole or part thereof and executed at the risk & cost of the defaulting contractor.
8. In case of any dispute, the arbitrator shall be appointed by the Director, IIT Delhi and his decision shall be Final as well as binding on both the parties.
9. Hindrance register shall be maintained by AE (E) / JE(E) at site.
10. Instructions given in Site Order Book would be followed immediately by the contractor.
11. The work shall be carried out as per CPWD specification and to the entire satisfaction of Engineer-in-charge.
12. Contractor and Manufacturer of luminaries shall submit guarantee period of **Fiveyear** for complete LED luminaries from the date of successful installation and testing.
13. Luminaries shall be of IP-20 protective rating having CRI of more then 80, THD be less then 10% and driver efficiency shall be more then 90%. Agency must submit type test certificate for satisfying the above technical parameters.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.

**APPENDIX – II****SUBMITTALS TO BE MADE BY THE CONTRACTOR DURING
THE EXECUTION OF WORK**

1. Daily Progress report stating number of men employed under each trading, Equipment at site etc.
2. Weekly/ fortnightly progressing report showing progress against programme.
3. Programme of work for the forthcoming week.
4. Labour and Equipment Deployed at site Requirement vs. actual deployed - Programmed
- fortnightly
5. Updated approved monthly PERT CHART along with monthly progress chart - Weekly.
6. Construction materials by Contractor Status and mobilization programme : - Fortnightly.
7. Progress Photographs - Fortnightly.
8. Value of work anticipated to be done in the forth-coming including value of any materials and equipment of large value - monthly

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



SPECIAL CONDITIONS

1. No T & P would be supplied by the institute and contractor will have to make own arrangement.
2. The contractors are advised to get acquainted with the proposed work including specifications & its and additional conditions carefully before quoting. No claim of any sort shall be entertained or account of any site conditions ignorance of specification & additional conditions. The work shall be carried out as per the availability of site
3. The work shall be carried out as per CPWD specifications 2009 volume I & II with up – to date correction slips unless otherwise specified in the nomenclature of individual item or in the specification, additional conditions where specifications are silent, the decision of Engineer –in-Charge shall be final and binding on contractor in terms of latest form 7/8 of IITD.
4. The rates quoted by the contractor shall be taken as net and nothing extra shall be paid on any account i.e. Royalty, Cartage, Sales Tax & Stacking of material required at place etc.
5. The rates for different items of work shall apply for Heights & Depths, Leads & Lifts unless otherwise specified in the agreement or specifications applicable in the agreement.
6. Any damage done by the contractor to any existing item / any part of the building during the course of execution of work shall be made good by at his own cost.
7. Articles manufactured by the reputed firms and approved by Engineer-in –Charge shall only be used. Only articles classified as “First quality” by the manufacturer shall be used unless otherwise specified.
8. The sample of material required in the work brought at site shall be got approved from Engineer-in-Charge before use in execution of work.
9. The sample of material required for Testing shall be provided at free of cost by the contractor. Testing charges if any shall be borne by the Department in case the test results are satisfactory and if test results fails testing charges shall be deducted from the bills of the contractor.. All other expenditure to be incurred for taking sample, conveyance, packing etc. shall be borne by the contractor. Testing shall be done at NABL approved lab.
10. The Engineer-in-Charge can modify the programme and the contractors have to work accordingly. In case work does not start within 7 days the same is liable to be rescinded as per latest form 7/8 IITD and In case of delay liquidated damages to be imposed on Contractors as per latest form 7/8 of IITD. Extension of time in work shall be dealt as per latest form 7/8 of IITD.
11. Some restrictions may be imposed by the security staff of IIT Delhi etc. on the working and or movement of labour camp/ huts shall be allowed in IIT Campus. The Contractor shall make his own arrangement for labour huts outside the campus. However constructions of cement go down and Chowkidar’s hut in the Campus shall be permitted. The contractor shall be bound to follow all such restrictions/ instructions and nothing shall be payable on this account.
12. The contractor shall be fully responsible for the safe custody of the material issued or brought at site by him for doing work.
13. The Malba /Garbage generated at site due to construction activities shall be removed from the site immediately & shall be disposed off by the contractor to the approved dumping site of MCD or as approved by Engineer in charge.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



14. The contractor shall clean the site thoroughly of scaffolding materials, rubbish, equipments left out of his work & dress the site around the building to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
15. Contractor has to quote against the item of schedule of credit of material. The contractor cannot quote either minus rate or Zero rate for these items. The amount against these items will be subtracted in calculating lowest agency.
16. Work Contract Tax @ 4% or as applicable and income tax @ 2% or as applicable and other taxes as applicable shall be deducted from the bills of contractor.
17. 1% labour cess or as applicable will be deducted from the bills of contractor.
18. Water charges @ 1% of work done shall be deducted from bills if water supplied by Department.
19. Electricity charges shall be deducted @ 0.5% (Half Percentage) of the bill amount if supplied by the department.
20. The Clause of extension of time is also applicable as per CPWD manual.
21. Contractor will submit LM-79, LM-80 certificate & warranty for 5 years from the original manufacturer for LED fitting.
22. Bio-metric attendance of worker shall be maintain of worker site as desired by Engineer-in-charge.

**ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS**

ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS		
S. No.	Description	Approved Makes
1.	Cement (Grey) OPC/ PPC Grade-43/Ready mixed concrete of any grade .	ACC / L & T/ J.K. / BIRLA/ UTRA TECH/ VIKRAM
2.	Cement (White)	J.K. / BIRLA
3.	Reinforcement Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDARY MANUFACTURERS HAVING VALID BIS LICENSE (to be as per latest BIS provisions)
4.	Structural Steel	PRIMARY MANUFACTURERS APPROVED BY MINISTRY OF STEEL / SECONDARY MANUFACTURERS HAVING VALID BIS LICENSE (to be as per latest BIS provisions)
5.	Stainless steel (Grade 304)	Jindal / SAIL / Salem
6.	Bricks	COMMERCIALY AVAILABLE OR REQUIRED STRENGTH
7.	Aluminium Sections	HINDALCO / JINDAL / MAHAVIR
8.	Flush doors	CENTURY / MERINO / DURO BOARD /GREEN
9.	Laminates	GREENLAM / DURO / ARCHID / MERINO /DECOLAM / CENTURY
10.	Glass / Mirror	SAINT GOBAIN / MODI FLOAT / ASAHI FLOAT
11.	Ceramic Glazed tiles/Border tiles	1 ST QUALITY KAJARIA / NITCO / JOHNSON / ORIENT / SOMANY
12.	Vitrified Tiles	NAVEEN / NITCO / JOHNSON / KAJARIA
13.	Interlocking Precast pavers blocks / Kerb Stone	HINDUSTAN TILES / NIMCO PREFAB / K.K. MANHOLES/Swastik
14.	Stainless Steel Hinges	JOLLY / GARG /AMIT / ASI SUPREME
15.	Stainless Steel Nuts Bolts / Screws	KUNDAN / PUJA / ATUL / GKW
16.	Paint / primer / oil bound distemper /Acrylic paint/plastic paint	1 ST QUALITY PAINTS OF ASIAN / BERGER / NEROLAC / AKZONOBAL INDIA / SHALIMAR
17.	Water Proof. Cement Paint/ Exterior paint	1 ST QUALITY PAINTS OF ASIAN PAINTS / BERGER / NEROLAC / AKZONOBAL / SHALIMAR
18.	Sanitary ware (Vitreous China) (European Seats, Urinals, Wash	HINDWARE / PARRYWARE/ CERA

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS		
S. No.	Description	Approved Makes
	Basins, etc.)	
19.	Seat Covers	HINDWARE / PARRYWARE/ CERA
20.	C.P. brass Fittings / Accessories	JAQUAR / MARC / KOHLAR
21.	G.I. Pipes	TATA / JINDAL (HISSAR)
22.	G.I. Fittings	UNIK / ZOLOTO / AM
23.	Stainless Steel Sink	NEELKANTH / JAINA / KINGSTON (COBRA)
24.	Commercial Board / PLY	MERINO / DURO /GREEN/ CENTURY
25.	CI Pipes / Fittings & Manhole covers	RIF / NECO / BENGAL IRON WORKS / BC / SKF
26.	CI Pipes “Class LA”	NICO / KESORAM / ELECTRO STEEL / KAPILANSH
27.	Floor Spring	DOORKING / EVERITE
28.	Door Closer	EVERITE / SANDHU/ HARDWIN
29.	MIRROR	ATUL,MODIGUARD,SAINT GOBAIN
30.	Vertical Blinds	VISTA / MAC
31.	False Ceiling	ARMSTRONG/ SANIT GOBAIN/ META WORTH
32.	Water proofing compound	CICO / FOSROC / PIDILITE
33.	Polymer Compound	CICO / PIDILITE / FOSROC
34.	Particle Board	NOVA PAN / BHUTAN BOARD/ ECO BOARD
35.	Rust Remover / Anticorrosive	FOSROC / CICO / PIDILITE
36.	Adhesive	FEVICOL / VAMICOL/DUNLOP/VAM ORGANIC
37.	Tile Adhesive	PIDILITE / FERROUSCRETE/BALLNDURA/CICO
38.	Wall Putty	BIRLA / JK / SARA
39	Epoxy Grout	Ballendura / Kerakoll / Ferrouscrete
40	PVC Water storage tank (ISI marked)	Sintex / Uni Plast / Polywell
41.	PVC insulated Water storage tank Heavy duty 4/5 layer	Sintex / Uni Plast / Polywell /Euro.
42.	Brass Ball Valve/ Gate Valve / Float Valve	Zoloto / AM / Leader / Sant
43.	Aluminium Door fittings	Classic/ Everrest/Argent
44.	Brass Bib / Stop cock	AGI / ELITE / Shakti / Sant / Leader

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



ACCEPTABLE MAKE OF EQUIPMENTS AND MATERIALS		
S. No.	Description	Approved Makes
45.	Thermoplastic paint	CBM, CMS, S.N. Industries .
46.	Plaster of Paris Putty	ADHARSHREE/ SHREE RAM/ J.K
47.	RCC Pipe	LAKSHMI/SOOD&SOOD/JAIN &Co./Diwan spun pipes.
48.	PVC Pipe	Prakash /Prince/Supreme
49.	Glass Pans	SAINT GOBAIN,ASAHI INDIA,MODI GUARD
	Electrical items	
50	PVC insulated copper wire (All size)	Finolex / Skytone / Havells / ECKO (ISI Marked)
51	Steel conduit	BEC / AKG / NIC / M.KAY (ISI Marked)
52	PVC conduit	Poly pack / AKG/ Setia I.S.I. Marked.
53	Batten Holder /ceiling rose /call bell & ordinary Switch, socket/regulator (socket type)	Anchor / Antex / M. KAY I.S.I. Marked.
54	Modular type 5A switch , socket & 15A Switch , socket and electronic fan regulator (stepped type)	ROMA / MK / NORTHWEST/ LEGRAND I.S.I. Marked.
55	Modular plate & cover	ROMA / MK / Northwest / LEGRAND I.S.I. Marked.
56	Distribution board /MCB.	Legrand / Schneider / Hager.
57	MCCB's / S.F.U. switches	Legrand / Schneider / Hager.
58	Industrial type socket (SPN)	Hager / Legrand / Schneider / Indo Asian / Havells.
59	Industrial type socket (TPN)	Hager / Legrand / Schneider.
60	Ceiling fans (All size).	Crompton high speed / Usha Stricker/ Havells Velocity,
61	Exhaust fans (All size).	GEC Alstom/ Crompton greaves / Usha / Havells.
62	L.T armored cable.	Havells / Grandlay/ ICL/ NICCO I.S.I. Marked.
63	Energy meters.	Havells / Benitex / Jaipur.
64	Ammeter & Voltmeter.	AE /HPL /Enercon (Conserve).
65	G.I. pipes.	JINDAL /TATA (I.S.I. Marked).
66	LED Fittings. (2 feet x 2 feet)	Wipro cat no - CRCO10R038HP57/ Havells cat no - LHEEBP7CUL1W034 / Philips.
67	Fresh Air Fans.	Usha / Havells / Crompton.
68	G.I box.	Anchor / Legrand / Havells.

N.B.: For any item not covered in the above list, the contractor shall require to get the samples approved from the Engineer-in-charge before the supply is made.

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



BID SUBMISSION

ONLINE BID SUBMISSION:

The Online bids (Complete in all respect) must be uploaded online in **two** envelopes as explained below.

Envelope – 1 (Following documents to be provided as single PDF file)			
Sl. No.	Documents	Content	File Types
1.	Technical Bid	Organization Declaration Sheet as per Annexure - I	PDF.
2.		Attested Certificate of work experience	PDF.
3.		Certificate of registration for sales tax / VAT and acknowledgement of up to date filed return	PDF.
4.		Affidavit as per NIT condition 1.2.2 on stamp paper	PDF.
5.		Enlistment order of contractor.	PDF.
6.		Acceptance to execute integrity pact	PDF.
7.		IITD 7/8 duly signed by the bidder	PDF.
8.		EPFO & ESIC Registration proof	
9.		Any other document as specified in the NIT	PDF.
10.		Valid License	PDF.
Envelope – 2			
Sl. No.	TYPES	Content	
1.	Financial Bid	Price bid should be submitted in BOQ format.	.XLS

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.

**IITD - 2010 CORRECTION SLIPS**

In General condition of contract for IIT Delhi works department 2010 –

Reference	Existing	Modified
Clause 10B (ii), Para-2	Before any installment of advance is released, the contractor shall execute a Bank Guarantee Bond from Scheduled Bank for the amount of advance & valid for the contract period. This shall be kept renewed from time to time to cover the balance amount and likely period of complete recovery, together with interest.	Before any installment of advance is released, the contractor shall execute a Bank Guarantee Bond from Scheduled Bank for the amount equal to 110% of the amount of advance and valid for the contract period. This (Bank Guarantee from Scheduled Bank for the amount equal to 110% of the balance amount of advance) shall be kept renewed from time to time to cover the balance amount and likely period of complete recovery.
Clause 3 (vii)	If the contractor shall obtain a contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering.	If the contractor had secured the contract with Government as a result of wrong tendering or other non-bonafide methods of competitive tendering or commits brNos.of Integrity Agreement.

Reference	Existing Provision	Modified Provision
Page 5, IITD 2010	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, a tenderer shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for Nos. Tender	Page 5, IITD 2010 4A. Applicable for Percentage Rate Tender only (IITD-7) In case of Percentage Rate Tenders, contractor shall fill up the usual printed form, stating at what percentage below/above (in figures as well as in words) the total estimated cost given in Schedule of Quantities at Schedule-A, he will be willing to execute the work. The tender submitted shall be treated as invalid if :- 1. The contractor does not quote percentage above/below on the total amount of tender or any section/sub head of the tender. 2. The percentage above/below is not quoted in figures & words both on the total amount of tender or any section/sub head of the tender.

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	<p>shall have the name and number of the works to which they refer, written on the envelopes.</p>	<p>3. The percentage quoted above/below is different in figures & words on the total amount of tender or any section/sub head of the tender: Tenders, which propose any alteration in the work specified in the said form of invitation to tender, or in the time allowed for carrying out the work, or which contain any other conditions of any sort including conditional rebates, will be summarily rejected. No single tender shall include more than one work, but contractors who wish to tender for two or more works shall submit separate tender for Nos. Tender shall have the name and number of the works to which they refer, written on the envelopes.</p> <p>New Para 4B is added as below:</p> <p>4B: In case the lowest tendered amount (estimated cost + amount worked on the basis of percentage above/ below) of two or more contractors is same, such lowest contractors will be asked to submit sealed revised offer in the form of letter mentioning percentage above/below on estimated cost of tender including all sub sections/sub heads as the case may be, but the revised percentage quoted above/below on tendered cost or on Nos. sub section/ sub head should not be higher than the percentage quoted at the time of submission of tender. The lowest tender shall be decided on the basis of revised offers.</p> <p>In case any of such contractor refuses to submit revised offer, then it shall be treated as withdrawal of his tender before acceptance and 50% of earnest money shall be forfeited.</p> <p>If the revised tendered amount of two more contractors received in revised offer is again found to be equal , the lowest tender, among such contractors, shall be decided by draw of lots in the presence of SE of the circle, EE(s) in-charge of major & minor component(s) (also DDH in case Horticulture work is also included in the tender), EE(P) or EE(HQ) of the circle & the lowest contractors those have quoted equal amount of their tenders.</p> <p>In case all the lowest contractors those</p>
--	---	--

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



		<p>have quoted same tendered amount, refuse to submit revised offers, then tenders are to be recalled after forfeiting 50% of EMD of Nos. contractor.</p> <p>Contractor(s), whose earnest money is forfeited because of non-submission of revised offer, shall not be allowed to participate in the re-tendering process of the work.</p>
Reference	Existing Provision	Modified Provision
10A (page 6-7)	<p>In case of Percentage Rate Tenders only percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy. However if the contractor has worked out the amount of the tender and if any discrepancy is found in the percentage quoted in words and figures, the percentage which corresponds with the amount worked out by the contractor shall, unless otherwise proved, be taken as correct. If the amount of the tender is not worked out by the contractor or it does not correspond with the percentage written either in figures or in words, then the percentage quoted by the contractor in words shall be taken as correct. Where the percentage quoted by the contractor in figures and in words tally but the amount is not worked out correctly, the percentage quoted by the contractor will, unless otherwise proved, be taken as correct and not the amount.</p>	<p>In case of Percentage Rate Tenders only percentage quoted shall be considered. Any tender containing item rates is liable to be rejected. Percentage quoted by the contractor in percentage rate tender shall be accurately filled in figures and words, so that there is no discrepancy.</p> <p>(Remaining part deleted)</p>
Reference	Existing Provisions	Modified Provisions
Deviations/ Variations Extent and Pricing	<p><u>CLAUSE 12</u></p> <p>The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and</p>	<p><u>CLAUSE 12</u></p> <p>The Engineer-in-Charge shall have power (i) to make alteration in, omissions from, additions to, or substitutions for the original specifications, drawings, designs and</p>



	<p>instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.</p>	<p>instructions that may appear to him to be necessary or advisable during the progress of the work, and (ii) to omit a part of the works in case of non-availability of a portion of the site or for any other reasons and the contractor shall be bound to carry out the works in accordance with any instructions given to him writing signed by the Engineer-in-Charge and such alterations, omissions, additions or substitutions shall form part of the contract as if originally provided therein and any altered, additional or substituted work which the contractor may be directed to do in the manner specified above as part of the works, shall be carried out by the contractor on the same conditions in all respects including price on which he agreed to do the main works except as hereafter provided.</p> <p>The completion cost of any agreement for Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration shall not exceed 1.25 times of Tendered amount.</p>
<p>Deviations, Extra Items, Pricing</p>	<p>12.2</p> <p>In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 90 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.</p>	<p>12.2</p> <p>A. For Project and original works:</p> <p>In the case of extra items (items that are completely new and are in addition to the items contained in the contract), the contractor may within 90 days of receipt of order or occurrence of the item(s) claim rate, supported by proper analysis, for the work and the Engineer-in-charge shall within one month of the receipt of the claims supported by analysis after giving considerations to the analysis of the rates submitted by the contractor, determined the rates on basis of market rates and the contractor shall be paid in accordance with the rates so determined.</p>

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



		<p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:</p> <p>In the case of Extra Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plush cost index (at the time of tender) plus/minus percentage above below quoted contract amount.</p> <p>Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
<p>Deviation, Substituted Items, Pricing</p>	<p>In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted)</p>	<p>A. For Project and original works:</p> <p>In the case of substituted items (items that are taken up with partial substitution or lieu of items of work in the contract), the rate for the agreement item (to be substituted) and substituted item shall also be determined in the manner as mentioned in the following Para.</p> <p>(a) If The market rate for the substituted item so determined is more than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted).</p> <p>(b) If the market rate for the substituted item so determined is less than the market rate of the agreement item (to be substituted), the rate payable to the contractor for the substituted item shall be the rate for the agreement item (to be substituted) so decreased to the extent of the difference between the market rates of substituted item and the agreement item (to be substituted). For Maintenance including works of</p>

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



		<p>upgradation, aesthetic, special repair, addition/ alteration:</p> <p>In the case of Substitute Item(s) being the schedule items (Delhi Schedule of Rates items), these shall be paid as per the schedule rate plus cost index (at the time of tender) plus/minus percentage above below quoted contract amount. Payment of Extra items in case of non-schedule items (Non-DSR items) shall be made as per the prevailing market rate.</p>
Deviation, Deviated Quantities, Pricing	<p>In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p>	<p>A. For Project and original works:</p> <p>In the case of contract items, substituted items, contract cum substituted items, which exceed the limits laid down in schedule F, the contractor may within fifteen days of receipt of order or occurrence of the excess, claim revision of the rates, supported by proper analysis for the work in excess of the above mentioned limits, provided that if the rates so claimed are in excess of the rates specified in the schedule of quantities, the Engineer-in-Charge shall within one month of receipt of the claims supported by analysis, after giving consideration to the analysis of the rates submitted by the contractor, determine the rates on the basis of the market rates and the contractor shall be paid in accordance with the rates so determined.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:In the case of contract items, which exceed the limit laid down in schedule F, the contractor shall be paid rates specified in the schedule of quantities.</p>
	12.3 The provisions of the preceding paragraph shall also apply to the	12.3 A. For Project and original works: The provisions of the preceding

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	<p>decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>	<p>paragraph shall also apply to the decrease in the rates of items for the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p> <p>B. For Maintenance including works of upgradation, aesthetic, special repair, addition/ alteration:</p> <p>In the case of decrease in the rates Prevailing in the market of items for the the work excess of the limits laid down in Schedule F, and the Engineer-in-Charge shall after giving notice to the contractor within one month of occurrence of the excess and after taking into consideration any reply received from him within fifteen days of the receipt of the notice, revise the rates for the work in question within one month of the expiry of the said period of fifteen days having regard to the market rates.</p>
Schedule F	<p>Clause 12</p> <p>No provision.</p>	<p>Clause 12</p> <p>Type of work ___ *** _____</p> <p>*** To be filled by NIT approving authority either Project and original work or Maintenance works including works of upgradation, aesthetic, special repair, addition/ alteration.</p>



Name of work: Rehabilitation/Strengthening of fire affected RCC structure and making of chemistry lab, toilets at 3rd floor of Block No.V in academic area at IIT Delhi.
Sub Head: Composite works (Civil and Electrical works).

SCHEDULE OF QUANTITY

S. No.	Description of items.	Qty.	Unit.	Rates	Amount.
	(A) Civil Items.				
1	CARRIAGE OF MATERIALS				
1.1	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade: New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 1.13 ltr/10 sqm)	637	Sqm		
1.2	Providing and fixing cup board shutters with 18-19mm thick commercial block board as per IS : 1659 of approved make with necessary SS hinges of size 75x47x1.8 mm or SS piano hinges of appropriate size etc complete as per direction of Engineer In Charge.	35	Sqm		
1.3	Providing and fixing cup board inside shelves, sides, back portion, drawers etc. with 18-19mm thick commercial block board as per IS : 1659 of approved make with necessary fixing arrangement and as per requirement complete as per direction of Engineer In Charge. (All exposed edges of block board to be lipped with 3 mm thick teak wood beading/ margin.)	112	Sqm		
1.4	Providing and fixing 6mm thick ply wood sheet as per ISI in cup board including necessary glue and nails etc. complete as per direction of Engineer In Charge.	35	Sqm		
1.5	Providing and Fixing 10 mm thick non- asbestos multipurpose cement board reinforced with cellulose fiber manufactured through autoclaving process (high pressure steam cured) as per IS:14862 of Everest industries Ltd or equivalent make, over the existing MS frame work (to be paid in basis items) with 25 mm counter sunk ribbed hard screws @ 200m center to center. The joints of the boards are finished with specially formulated jointing compound and jointing tape to be provided seamlesh finish, etc all complete as per drawing & directionof engineer in charge.	264	Sqm		
1.6	Cleaning of exposed concrete surface of sticking material including loose and foreign material by sand blasting with coarse sand followed by and	672	Sqm		

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	including cleaning with oil free air blast as per direction of Engineer in charge				
1.7	Providing and fixing hard drawn steel wire fabric of size 75 x25 mm mesh or other suitable size wire mesh to be fixed & firmly anchored to the concrete surface by means of "L" shaped mild steel shear key welded with existing reinforcement including the cost of materials, labour, tool & plants as approved by engineer-in-charge.	672	Sqm		
1.8	Guniting R.C.C beam, slab and columns etc. in layer with cementitious ready mixed dry mortar (cost of cementitious ready mixed dry mortar will be paid separately) including the cost of centering and shuttering at edges and corners etc. as directed by Engineer in charge. Note:- Rate shall be include the providing necessary ground wires etc. The levelling gauges, if used, shall be paid for separately. Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding/tapping with a blunt metal instrument. 30mm thick(Average thickness).	672	Sqm		
1.9	Supply of prepacked cementitious ready mixed dry mortar with the following properties. 1.) Compressive strength as per ASTM C109(3 Day,28 days) : 25MPa and 40MPa. 2) Bulk density 2000 to 2300Kg/cum. 3) Appearance :- grey granular powder. 4) Maximum Aggregate size : 5mm	42336	Kg.		
1.10	Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge. 1.1)Bars upto 12 mm diameter	100	metre		
1.11	Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of	20	metre		

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	Engineer-In-Charge. Bars above 12 mm diameter				
1.12	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect SBR Polymer (@10% of cement weight) modified cementitious bond coat @2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer	672	Sqm		
1.13	Providing and fixing of (Make HI-Steel, Armstrong, Saint gobain and Douglas Hunter) metal false ceiling system consisting of 600x600 mm tiles of pre painted galvanised steel in 0.5 mm thickness with bevelled edge in white colour with standard perforation of 2.5 mm dia with 16% perforation area or 1.8 mm with 20% perforation area. The back of the tile should have black acoustical fleece. Tiles to be laid on 15 mm / 24 mm grid system of approved make in module size of 600mm x 600mm. The main runner of size 3000 mm installed at every 1200 mm centre to centre to be hanged with GI wire 4 mm thick at every 1200mm, first hanger being at 450mm. Cross tee not longer than 1200mm to be interlocked into the main runner at every 600mm to form modules of 600mm x 600mm including cutting / making openings for seevices like diffusers, grills, light fittings, fixtures, smoke detectors etc. Perimeter trims to be with wall angles of white colour secured to walls at 450mm maximum centres.	254	sqm		
1.14	Providing and fixing European type W.C. pan with seat and lid, C.P. brass hinges and rubber buffers, 10 Litre low level Chinaware integrated type flushing cistern with cover, fittings, C.I./ M.S brackets and mosquito proof coupling of approved municipal design complete (Constellation set of Hindware, Parryware, CERA in Ivory color) including painting of fittings and cutting and making good the walls and floors wherever required. W.C. pan (wall mouted/ floor mounted) with Ivory solid plastic seat and lid W.C. pan.Wall mounting W.C. with Cistern (Make - CERA - Clair model or equivavlant of Hinware or Parryware	2	Each		
1.15	Dismantling tile work in floors and wall laid in cement mortar including stacking material within	373	sqm		

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	50 meters lead. For thickness of tiles 5mm to 25mm.				
2	CONCRETE WORK				
2.1	Extra for providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification.	103	per 50 kg cement		
3	REINFORCED CEMENT CONCRETE				
3.1	Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	6	cum		
3.2	Centering and shuttering including strutting, propping etc. and removal of form for:				
3.2.1	Suspended floors, roofs, landings, balconies and access platform	65	Sqm		
3.3	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.				
3.3.1	Thermo-Mechanically Treated bars	900	Kg.		
4	BRICK WORK				
4.1	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level.				
4.1.1	Cement mortar 1:3 (1 cement :3 coarse sand)	220	Sqm		
4.2	Extra for providing and placing in position 2 Nos 6mm dia. M.S. bars at every third course of half brick masonry.	110	Sqm.		
5	MARBLE WORK				
5.1	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.				
5.1.1	Granite of any colour and shade				

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



5.1.1.1	Area of slab upto 0.50 sqm	53	Sqm.		
5.2	Extra for fixing marble /granite stone, over and above corresponding basic item, in facia and drops of width upto 150 mm with epoxy resin based adhesive, including cleaning etc. complete.	68	Metre		
6	WOOD AND P.V.C. WORK				
6.1	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters:				
6.1.1	30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws	9	Sqm.		
6.2	Extra for cutting rebate in flush door shutters (Total area of the shutter to be measured).	35	Sqm.		
6.3	Providing and fixing special quality bright finished brass cupboard or ward robe locks with four levers of approved quality including necessary screws etc. complete.				
6.3.1	40 mm	86	Each		
6.4	Providing and fixing bright finished brass handles with screws etc. complete:				
6.4.1	75 mm	86	Each		
6.5	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	8	Each		
6.6	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :				
6.6.1	300x16 mm	4	Each		
6.6.2	250x16 mm	6	Each		
6.7	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
6.7.1	200x10 mm	13	Each		
6.7.2	150x10 mm	50	Each		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



6.7.3	100x10 mm	24	Each		
6.8	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete :				
6.8.1	125 mm	27	Each		
6.8.2	100 mm	21	Each		
6.9	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.				
6.9.1	Single rubber stopper	10	Each		
6.10	Providing and fixing magnetic catcher of approved quality in cupboard / ward robe shutters, including fixing with necessary screws etc. complete.				
6.10.1	Double strip (horizontal type)	62	Each		
6.11	Providing and fixing powder coated telescopic drawer channels 300 mm long with necessary screws etc. complete as per directions of Engineer- in-charge.	24	one set		
6.12	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality.				
6.12.1	1.0 mm thick	45	Sqm		
7	STEEL WORK				
7.1	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.				
7.1.1	Hot finished welded type tubes	2294	Kg.		
8	FLOORING				
8.1	Providing and fixing Ist quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados,	116	Sqm		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.				
8.2	Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement : 4 Coarse sand), including pointing the joints with white cement and matching pigments etc., complete.	159	Sqm		
8.3	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), including grouting the joints with white cement and matching pigments etc., complete.				
8.3.1	Size of Tile 600x600 mm	258	Sqm		
8.4	Deduct for not using 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand) bedding in laying of floor tiles.	-258	Sqm		
8.5	Fixing glazed/ Ceramic/ Vitrified floor tiles with cement based high polymer modified quick-set tile adhesive (Water based) conforming to IS: 15477, in average 3mm thickness.	258	Sqm		
9	ROOFING				
9.1	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.				
9.1.1	110 mm diameter	12	Metre		
9.2	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion.				
9.2.1	Single tee without door				
9.2.1.1	110x110x110 mm	3	Each		
9.3	Providing and fixing to the inlet mouth of rain water pipe cast iron grating 15 cm diameter and weighing not less than 440 grams.	3	Each		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



10	FINISHING				
10.1	12 mm cement plaster of mix :				
10.1.1	1:6 (1 cement: 6 fine sand)	216	Sqm		
10.2	15 mm cement plaster on the rough side of single or half brick wall of mix :				
10.2.1	1:6 (1 cement: 6 fine sand)	154	Sqm		
10.3	Distempering with 1st quality acrylic distemper (ready mixed) of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.				
10.3.1	Two or more coats on new work	979	Sqm		
10.4	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :				
10.4.1	Water thinnable cement primer	979	Sqm		
10.5	Water thinnable cement primer				
10.5.1	With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	387	Sqm		
10.6	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :				
10.6.1	Two or more coats on new work	387	Sqm		
10.7	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	979	Sqm		
11	REPAIRS TO BUILDINGS				
11.1	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete	179	Sqm		
12	DISMANTLING & DEMOLISHING				
12.1	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.				
12.1.1	Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	295	Cum		
12.2	Demolishing brick work manually/ by mechanical means including brick stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.				
12.2.1	In cement mortar	12	Cum		
12.3	Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by	307	Cum		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved.				
13	SANITARY INSTALLATIONS				
13.1	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:				
13.1.1	White Vitreous China Wash basin size 630x450 mm with a single 15 mm C.P. brass pillar tap	4	Each		
13.2	Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug, 40 mm C.P brass waste and 40mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required :				
13.2.1	Size 600x450x200 mm	2	Each		
13.3	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.				
13.3.1	Flexible pipe				
13.3.1.1	32 mm dia	10	Each		
13.4	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	4	Each		
13.5	Providing and fixing soil, waste and vent pipes :				
13.5.1	100 mm dia				
13.5.1.1	Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989	16	Metre		
13.5.2	75 mm diameter :				
13.5.2.1	Centrifugally cast (spun) iron socketed pipe as per IS: 3989	53	Metre		
13.6	Providing and fixing M.S. holder-bat clamps of approved design to Sand Cast iron/cast iron (spun) pipe embedded in and including cement concrete blocks 10x10x10 cm of 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size), including cost of cutting holes and				

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	making good the walls etc. :				
13.6.1	For 100 mm dia pipe	3	Each		
13.6.2	For 75 mm dia pipe	3	Each		
13.7	Providing and fixing bend of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
13.7.1	75 mm dia				
13.7.1.1	Sand cast iron S&S as per IS- 3989	2	Each		
13.8	Providing and fixing plain bend of required degree.				
13.8.1	75 mm dia				
13.8.1.1	Sand cast iron S&S as per IS – 3989	2	Each		
13.9	Providing and fixing single equal plain junction of required degree with access door, insertion rubber washer 3 mm thick, bolts and nuts complete.				
13.9.1	75x75x75 mm				
13.9.1.1	Sand cast iron S&S as per IS – 3989	1	Each		
13.10	Providing lead caulked joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter				
13.10.1	100 mm	10	Each		
13.10.2	75mm	40	Each		
13.11	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors :				
13.11.1	100 mm inlet and 75 mm outlet				
13.11.1.1	Sand cast iron S&S as per IS – 3989	7	Each		
13.12	Providing and fixing white vitreous china battery based infrared sensor operated urinal of approx. size 610 x 390 x 370 mm having pre & post flushing with water (250 ml & 500 ml consumption), having water inlet from back side, including fixing to wall with suitable brackets all as per manufacturers specification and direction of Engineer-in-charge.	3	Each		
14	WATER SUPPLY				
14.1	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall				
14.1.1	20 mm dia nominal bore	35	Metre		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



14.2	Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall :				
14.2.1	15 mm dia nominal bore	10	Metre		
14.2.2	20 mm dia nominal bore	13	Metre		
14.3	Providing and fixing uplasticised PVC connection pipe with brass unions :				
14.3.1	45 cm length				
14.3.1.1	15 mm nominal bore	6	Each		
14.4	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work) :				
14.4.1	15 mm nominal bore	3	Each		
14.4.2	20 mm nominal bore	3	Each		
14.5	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.				
14.5.1	15 mm nominal bore	5	Each		
14.6	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 a) 15 mm nominal bore				
14.6.1	15mm nominal bore	8	Each		
15	ALUMINIUM WORK				
15.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :				
15.1.1	For fixed portion				
15.1.1.1	Powder coated aluminium (minimum thickness of powder coating 50 micron)	1615	Kg.		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



15.1.2	or shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)				
15.1.2.1	or shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	576	Kg.		
15.2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				
15.2.1	Pre-laminated particle board with decorative lamination on both sides	26	Sqm		
15.3	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):				
15.3.1	With float glass panes of 4.0 mm thickness	107	Sqm		
15.4	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
15.4.1	Upto 5mm depth and 5 mm width	61.53	Metre		
15.5	Providing and fixing 100mm brass locks (best make of approved quality) for aluminium doors including necessary cutting and making good etc. complete.	4	Each		
15.6	Providing and fixing aluminium round shape handle of outer dia 100 mm with SS screws etc. complete as per direction of Engineer-in-charge				
15.6.1	Powder coated minimum thickness 50 micron aluminium	16	Each		
15.7	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and	29	Kg.		

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



	fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).				
16	WATER PROOFING				
16.1	Providing and laying water proofing treatment in sunken portion of WCs, bathroom etc., by applying cement slurry mixed with water proofing cement compound consisting of applying : a) First layer of slurry of cement @ 0.488 kg/sqm mixed with water proofing cement compound @ 0.253 kg/ sqm. This layer will be allowed to air cure for 4 hours. b) Second layer of slurry of cement @ 0.242 kg/sqm mixed with water proofing cement compound @ 0.126 kg/sqm. This layer will be allowed to air cure for 4 hours followed with water curing for 48 hours. The rate includes preparation of surface, treatment and sealing of all joints, corners, junctions of pipes and masonry with polymer mixed slurry.	422	sqm		
	Total (A) = Rs.				



S. No.	Description of items.	Qty.	Unit.	Rates	Amount.
	(B) Electrical Items.				
1	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.				
1.1	Group C	116	Point		
2	Wiring for light/ power plug with 2X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 1 No. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	250	Metre		
3	Wiring for light/ power plug with 4X4 sq. mm FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit alongwith 2 Nos. 4 sq. mm FRLS PVC insulated copper conductor single core cable for loop earthing as required.	150	Metre		
4	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed steel conduit as required.				
4.1	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	100	Metre		
4.2	2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire	70	Metre		
4.3	4 X 6 sq. mm + 2X 6 sq. mm earth wire	150	Metre		
5	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.				
5.1	3 x 2.5 sq. Mm	100	Metre		
5.2	3 x 4 sq. Mm	200	Metre		
5.3	6 x 4 sq. Mm	150	Metre		
6	Supplying of 12" (300mm) size exhaust fan complete with suitable size louvers as required (Make - Crompton/ Havells/ GEC USHA	8	Nos.		
7	Supply, installation, testing and commissioning of 34-36 watt recessed mounted 600mm x 600mm size (+ 1%) LED luminaire, IP-20, with 34-36 watt LED complete, directly o ceiling / false ceiling, including connection with 1.5 sq.mm FRLS PVC insulated, copper conductor, single / multi core cable & earthing etc. as reqd. Make:- Wipro cat no – CRCO10R038HP57/ Havells cat No. LHEEBP7CUL1W034 / Philips.	60	Nos.		

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



8	Supply of 12 watt LED square shaped surface mounted LED slim panel (pearl square) light with PMMA diffuser and power coated with finishing housing etc as required. Make- cat no.LCDSPL-S-12-CDL, Crompton greaves / Philips / Havell,s	30	Nos.		
9	Installation, testing and commissioning of pre-wired, fluorescent fitting / compact fluorescent fitting /LED of all types, complete with all accessories and tube etc., including supplying and fixing ball and socket arrangement, 2 Nos. down rods of 20 mm dia X 1.6 mm thick steel conduit upto 30 cm length, painting and wiring the down rods and connections with 1.5 sq. mm FRLS PVC insulated, copper conductor, single core cable and earthing etc. as required.	30	Each		
10	Supply, installation, testing and commissioning of 48" (1200mm size) ceiling fan complete with all accessories for use on 220/240 volts 50 HZ, single phase A/C Supply including wiring the down rods of standard length (upto 30cm) with 1.5 sq. mm FRLS PVC insulated, copper conductor single/ multi core cable etc as reqd. Make:- Havells Velocity / Crompton Greaves Highspeed / Usha Striker)	18	Nos.		
11	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections butexcluding modular plate etc. as required.				
11.1	15/16 A switch	60	Each		
11.2	6 pin 15/16 A socket outlet	60	Each		
12	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required.	18	Each		
13	Supplying and fixing modular blanking plate on the existing modular plate & switch box excluding modular plate as required.	15	Each		
14	Supplying and fixing following size/ modules, GI box alongwith modular base & cover plate for modular switches in recess etc. as required.				
14.1	6 Module (200 mmX75 mm)	10	Each		
14.2	12 Module (200 mmX150 mm)	10	Each		
15	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator)				

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



15.1	12 way, Double door	1	Each		
16	Supplying and fixing of following ways surface/ recess mounting, vertical type, 415 V, TPN MCB distribution board of sheet steel, dust protected, duly powder painted, inclusive of 200 A, tinned copper bus bar, common neutral link, earth bar, din bar for mounting MCBs (but without MCBs and incomer) as required. (Note : Vertical type MCB TPDB is normally used where 3 phase outlets are required.)				
16.1	8 way (4 + 24), Double door	1	Each		
16.2	12 way (4 + 36), Double door	2	Each		
17	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
17.1	Single pole	96	Each		
17.2	Triple Pole	10	Each		
18	Supplying and fixing following rating, double pole, 240 V, MCB in the existing MCB DB complete with connections, testing and commissioning etc. as required.				
18.1	63 A	1	Each		
19	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with onnections, testing and commissioning etc. as required.	10	Each		
20	Supplying and fixing TP sheet steel enclosure on surface/ recess along with 16/25/32 A, 415 V "C" curve TP MCB complete with connections, testing and commissioning etc. as required.	10	Each		
21	Supplying and fixing 125 amps, 25KA, TP MCCB in the existing TPN Distribution board/ panel board including testing & Make:- Hager / Legrand / Schnieder	3	Nos.		
22	Providing and fixing M.S. fan hook for ceiling fan, including digging in RCC & making god the same complete as required	18	Nos.		
23	Installation of exhaust fan / fresh air fan up to 450mm size with cutting of lass & fixing with backeligh sheet complet as required at site	8	Nos		
24	Providing and fixing plastic trunkig without cover etc. Make- Legrand (105mx50mm)/ Hager 100mm x 50mm/ M.K.100mm X 50mm	120	Metre		

C.....Nil I..... Nil O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



25	Providing and fixing suitable size covers etc. Make:- Legrand / M.K. / Hager	120	Metre		
26	Providing and fixing end caps. Make:- Legrand /M.K. / Hager	40	Nos.		
27	Providing and fixing 6/8 modules Arteor frame for existing cover Make:- Legrand /M.K. / Hager	65	Nos.		
28	Providing and fixing flat angle etc. Make:- Legrand / M.K. / Hager	10	Nos.		
29	Providing and fixing internal angel complete as required Make:- Legrand /M.K. / Hager	10	Nos.		
30	Providing and fixing external angel complete as required Make:- Legrand /M.K. / Hager	10	Nos.		
31	Supplying and fixing modular 16A/20 amps switch on the existing modular plate & switch box / channel including connection as required Make:- Legrand /M.K. / Hager	130	Nos.		
32	Supplying and fixing modular 6/16 amps multi socket on the existing modular plate & switch box including connectin as required Make:- Legrand /M.K. / Hager	130	Nos.		
33	Providing and fixing body joint complete as required Make:- Legrand /M.K. / Hager	10	Nos.		
34	Providing and fixing cover joint etc as required Make:- Legrand /M.K. / Hager	10	Nos.		
35	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing along with existing surface/ recessed conduit/ submain wiring/ cable as required.	640	Metre		
36	Laying and fixing of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 kV grade of following size on wall surface as required.				
36.1	Upto 35 sq. mm (clamped with 1mm thick saddle)	130	Metre		
36.2	Above 35 sq. mm and upto 95 sq. mm (clamped with 25x3mm MS flat clamp)	60	metre		
36.3	Above 95 sq. mm and upto 185 sq. mm (clamped with 25/ 40x3mm MS flat clamp)	130	Metre		
37	Supplying of PVC insulated, PVC sheathed XLPE aluminium conductor armored cable of 1.1 KV grade confirming to I.S-1554/1/88 of following size Make- NICCO / Havells / Grandlay, I.S. I mark				
37.1	4 x 35sq mm	130	Metre		
37.2	4 x 95sq mm	60	Metre		
37.3	4 x 120sq mm	130	Metre		
38	Supply and making end Termination with brass cooperation gland and aluminium lugs for following size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required.				

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.



38.1	4 x 35sq mm	2	Each		
38.2	4 x 95sq mm	5	Each		
38.3	4 x 120sq mm	2	Each		
39	Fabrication, supply, installation testing & commissioning of indoor type compartmentalized panel board made out of 2mm thick CRCA sheet having separate cable and bus bar alley double door arrangement with two leaf door on front side and single door with double leaf on rear side with locking arrangement, having 400 amp TPN Aluminium bus bar with base frame made out of 50x50x6mm thick angle iron having 150 mm legs duly erection in ground with connection and interconnection with copper conductor PVC insulated cables/ insulated copper conductor strip of appropriate size and terminals blocks (on outgoing) including supplying and fixing following switch gears & accessories there in powder coating labelling earthing etc. complete as required 1. Having minimum size = 800mm x 1400mm x 300mm deep. (a) 250 amps, 4P, 36KA, 50HZ, 415V, AC MCCB L&T Make= 1 No (b) 125 Amps 3 Pole, 25KA 415V, 50HZ MCCB L&T Make= 3 Nos (c) Earthing studs 2 Nos (d) Danger plate – 02 Nos	1	Nos.		
	TOTAL (B)=Rs.				
	Net Total (A+B)=Rs.				

Special Conditions: -

1. No labour huts shall be allowed in IIT Campus and nothing shall be extra paid on this account.
2. The contractor must visit the site of work before quoting the rates.
3. No labour to stay in IIT Campus, nothing shall be paid extra on this account.
4. Site shall be made available as and when available.

C.....Nil

I..... Nil

O..... Nil

D'Man /J.E.

A.E.E / A.E.

E.E.