

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI - 110016

NOTICE INVITING E-TENDER

IITD/WORKS (SP- 4489)/2024

Executive Engineer (Electrical), Indian Institute of Technology Delhi, Hauz Khas, New Delhi – 110016, Ph. No. 011-2654 8437 on behalf of Board of Governors invites online Item Rate Tender from approved and eligible contractors of CPWD and those of appropriate list of M.E.S., BSNL, Railway dealing with HVAC work and Specialised Agencies as per details given below.

1	Name of work	:	Replacement of 4 x 11.0 TR Packaged AC
			of LT-6 (1&2), IIT Delhi (including CAMC)
2	NIT No.	:	91/0416/IITD/AC/2023-24
3	Estimated Cost (Rs.)	:	27,85,025.00
4	Earnest Money Deposit (Rs.)	:	55,700.00
5	Period of completion	:	45 days (plus CAMC for 1 + 5 Years)
6	Last date & time of bid submission	:	Upto 03.00 PM of 10-01-2024
7	Performance Bank Guarantee	:	5 percent of the tendered amount

The bid forms and other details may be downloaded from Central Public Procurement Portal (http://eprocure.gov.in/eprocure/app). Aspiring bidders who have not enrolled / registered in e-procurement should enrol / register themselves before participating through web site http://eprocure.gov.in/eprocure/app. The portal enrolment is free of cost. Bidders are advised to go through instructions provided at "Instructions for online bid submission."

Bidders can access quotation / tender documents on the website (for searching in the NIC site), kindly go to quotation search option and type 'IIT'. Thereafter, click on "GO" button to view all IIT quotations. Select the appropriate quotation / tender and fill them with all relevant information and submit the completed Quotation / Tender document online on the website http://eprocure.gov.in/eprocure/app as per the schedule given in the next page.

No manual bids will be accepted. All bids (both Technical & Financial) should be submitted in the e-procurement portal.

Executive Engineer (Electrical) For & on behalf of BOG, IIT Delhi

Ch. Head : 35.01.02(IOE) & 31.06.30 Work Code : 2021/006/0416 & 0417

Page 1 of 54

C... Nil I.... Nil O..... Nil



Copy to:-

- 1. Assistant Executive Engineer (AC)
- 2. D.A. (Works Accounts)
- 3. D.R. (A/C)
- 4. D.R. (Store Purchase Section)
- 5. Notice Board
- 6. Website Administrator, IIT Delhi
- 7. Office copy

INDEX

Sr.	Description	Pa	ge
No.		From	То
1	Notice	01	02
2	Schedule of NIT	03	04
3	Instruction for online bid submission	04	07
4	Information & instruction to bidders	08	11
5	List of Documents to be uploaded	11	12
6	IITD 6 Form	13	16
7	Integrity Pact	17	23
8	IITD – 7/8 Form	24	25
9	Proforma of Schedule	26	32
10	Commercial & Additional conditions	33	39
11	Declaration (Annexure – 1)	40	40
12	CAMC Schedule (Annexure – 2)	41	43
13	Technical Specifications	44	48
14	Bid Submission Check List	49	49
15	Schedule of Quantity	50	56

C ... Nil I Nil O Nil



SCHEDULE

1	Name of organisation	:	Indian Institute of Technology Delhi
2	Tender / Quotation type (open / limited / EOI / auction / single)	:	Open
3	Tender / Quotation category (services / goods / works)	:	Goods & Works
4	Type of Contract (work / supply /	:	Work & Supply
	auction / service / buy / empanelment	-	
	/ sell)		
5	Form of contract (IITD – 7/8)	:	IITD – 8
6	Work Category (civil / electrical / fleet management / computer systems)	:	
7	Is multi-currency allowed?	:	No
8	Date of publishing / issue / start	:	03/01/2024 (17.00 PM)
9	Document download start date	:	03/01/2024 (17.00 PM)
10	Document download end date	:	10/01/2024 (15.00 PM)
11	Date & time of pre-bid meeting	:	No pre-bid meeting be held
12	Venue of pre-bid meeting	:	Not applicable
13 14	Last date & time of uploading of bids Date & time of opening of technical	l:	Upto 03.00 PM of 10-01-2024 11-01-2024 after 03.00 PM
14	bids	•	11-01-2024 after 03.00 PM
15	Tender fee	:	No fees to be paid
16	Earnest Money Deposit (EMD) Rs.	:	55,700.00
17	Mode of payment of EMD	:	Can be paid through RTGS/NEFT. IIT Delhi
			Bank details are as under:
			Name of the Bank A/C : IITD Revenue
			Account
			SBI A/C No. : 10773572622
			Name of the Bank : State Bank of India, IIT Delhi,
			Hauz Khas, New
			Delhi-110016
			IFSC Code : SBIN0001077
			MICR Code : 110002156
			Swift No. : SBININBB547
			(This is mandatory that UTR Number is
			provided in the on-line quotation/bid. (Kindly
			refer to the UTR Column of the Declaration
			Sheet at Annexure-II)
			OR Demand Draft / FDR favouring Registrar, IIT
			Delhi Payable at SBI, IIT Delhi Branch.
			Scanned copy of DD / FDR needs to be
		<u> </u>	Countries copy of DD / LDN liceus to be

Page 3 of 54

C ... Nil I Nil O Nil



			uploaded alongwith the Technical Bid. Original DD shall have to be submitted to the tender inviting authority by the bidder as and when required after opening of bid.
17	Bid without EMD / Non-submission of original DD	:	To be considered as UNRESPONSIVE and bid shall summarily be rejected
18	No. of bids / covers (1 / 2 / 3 / 4)	:	2
19	Address for communication	:	Executive Engineer (ED-1), AEE (AC), Works Department, AC Division, IIT Delhi, Hauz Khas, New Delhi – 110016
20	Contact No.	:	011 2654 8437 / 2659 1746
21	e-mail address for communication	:	a26984@admin.iitd.ac.in; Ashish.Kumar.Vinodiya@admin.iitd.ac.in

INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this quotation / tender document has been published on the Central Public Procurement Portal (URL: http://eprocure.gov.in/eprocure/app). The bidders are required to submit softcopies of their bids electronically on the CPP portal, using valid Digital Signature Certificates (DSC). The instructions given below are meant to assist the bidders in registering on the CPP portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP portal.

More information useful for submitting online bids on the CPP portal may be obtained at http://eprocure.gov.in/eprocure/app

REGISTRATION

- 1. Bidders are required to enrol on the e-procurement module of the Central Public Procurement portal (URL: http://eprocure.gov.in/eprocure/app) by clicking on the link, "click here to enrol". Enrolment on the CPP portal is free of charge.
- 2. As part of the enrolment process, the bidders will be required to choose a unique user name and assign a password for their accounts.
- 3. Bidders are advised to register their valid e-mail address and mobile number as part of the registration process. These would be used for any communication from the CPP Portal.

Page 4 of 54

C... Nil I.... Nil O..... Nil



- 4. Upon enrolment, the bidders will be required to register their valid Digital Signature Certificate (class 2 or class 3 certificates with signing key usage) issued by any certifying authority recognised by CCA India (e.g. Sify / TCS /
- 5. Only one valid DSC should be registered by a bidder. Please note that bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 6. Bidder then logs into the site through the secured log-in by entering their user ID / password and the password of the DSC / eToken.

SEARCHING FOR TENDER DOCUMENTS

nCode / eMudhra etc.) with their profile.

- 1. There are various search options built in the CPP portal to facilitate bidders to search active tenders by several parameters. These parameters could include tender ID, organisation name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organisation name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP portal.
- 2. Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. The tenders can be moved to the respective "My Tenders" folder. This would enable the CPP portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 3. The bidder should make a note of the unique Tender ID assigned to each other, in case they want to obtain any clarification / help from the Helpdesk.

PREPARATION OF BIDS

- 1. Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- Please go through the tender advertisement and the tender document carefully
 to understand the documents required to be submitted as part of the bids. Please
 note the number of covers in which the bid documents have to be submitted. Any
 deviations from these may lead to rejection of the bids.
- 3. Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF / XLS / RAR / DWF formats. Bid documents may be scanned with 100 dpi with black & white option.
- 4. To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports,

Page 5 of 54

C ... Nil I Nil O Nil



auditor's certificates, etc.) has been provided to the bidders. Bidders can use "My Space" area available to them to upload such documents. These documents may be directly submitted from the "My Space" area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.

SUBMISSION OF BIDS

- 1. Bidder should log into the site well in advance for bid submission so that he / she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 2. The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 3. Bidder has to select the payment option as "on-line" to pay the tender fee / EMD as applicable and enter details of the instrument. Whenever, EMD / Tender fees is sought, bidders need to pay the tender fee and EMD separately on-line through RTGS (Refer to Schedule, Page no. 3)
- 4. A standard BOQ Format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the white coloured [unprotected] cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.

OR

In some cases financial bids can be submitted in PDF format as well (in lieu of BOQ).

- 5. The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 6. All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorised persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.

Page 6 of 54

C ... Nil I Nil O Nil



.....

7. The uploaded tender documents become readable only after the tender opening by the authorised bid openers.

- 8. Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 9. Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

ASSISTANCE TO BIDDERS

- 1. Any queries relating to tender document and the terms and conditions contained therein should be addressed to the tender inviting authority for a tender or the relevant contact person indicated in the tender.
- 2. Any queries relating to the process of online bid submission or queries relating to CPP portal in general may be directed to the 24 x 7 CPP Portal Help Desk. The contact number of the helpdesk is 18002337315.

GENERAL INSTRUCTIONS TO THE BIDDERS

- 1. The tenders will be received online through portal https://eprocure.gov.in/eprocure/app. In the technical bids, the bidders are required to upload all the documents in PDF format.
- 2. Possession of a valid class II / III Digital Signature Certificate (DSC) in the form of smart card / e-token in the company's name is a prerequisite for registration and participating in the bid submission activities through https://eprocure.gov.in/eprocure/app. Digital Signature Certificates can be obtained from the authorised certifying agencies, details of which are available in the website https://eprocure.gov.in/eprocure/app under the link "Information about DSC".
- 3. Tenderers are advised to follow the instructions provided in the "Instructions to the tenderer" for the e-submission of the bids online through the Central Public Procurement Portal for e-procurement at https://eprocure.gov.in/eprocure/app.

Page 7 of 54

C... Nil I.... Nil O..... Nil



INFORMATION & INSTRUCTION TO BIDDERS FOR E-TENDERING

Executive Engineer (Electrical), Indian Institute of Technology Delhi, Hauz Khas, New Delhi – 110016, Ph. No. 011-2654 8437 on behalf of Board of Governors invites online Item Rate Tender from approved and eligible contractors of CPWD and those of appropriate list of M.E.S., BSNL, Railway dealing with HVAC work and Specialised Agencies as per details given below:

Sr. No.	NIT No.	Name of Work & Location	Estimated cost put to bid (Rs.)	Earnest money (Rs.)	Period of completion	Last date & time of submission of bid	Time & date of opening of Technical Bid	Time & date of opening of Financial Bid
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
1	91/0416/IITD/AC/2023-24	Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)	27,85,025.00	55,700.00	45 days (plus CAMC for 1 + 5 Years)	Upto 03.00 PM of 10-01-2024	11-01-2024 after 03.00 PM	To be decided after assessing Technical Bids

- 1. The successful bidder shall be required to submit a performance guarantee of 5% of the tendered amount in the form of Bank Guarantee or F.D.R. from a Nationalized / Scheduled Bank within fifteen days of issue of letter of intent before award of work. In case of failure by the Contractor to submit the performance guarantee within the specified period, full earnest money will be forfeited by the Institute and the tender shall be treated as null and void. EMD shall be refunded after submission of PBG. The performance guarantee shall be initially valid up to the stipulated date of completion (i.e. 45 days) plus sixty days beyond that.
- 2. Earnest money (EMD) shall have to be deposited / submitted as stipulated in the schedule.
- 3. Contractors who fulfil the following requirements shall be eligible to apply. Joint ventures are not accepted.
 - a. Should have satisfactorily completed the works as mentioned below during the last Seven years ending previous day of last date of submission of bids.

Page 8 of 54

C... Nil I.... Nil O..... Nil



- i. **Three** similar works each costing not less than **Rs.9,04,500.00**, or **two** similar works each costing not less than **Rs.13,56,800.00**, or one similar work costing not less than **Rs.18,09,100.00**.
- 4. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
- 5. Similar work means Supply, Installation, Testing & Commissioning of Packaged type AC or VRF/VRV type AC or Chiller AC plant in buildings.
- 6. Work means work done with some Central Government Department / State Government Department / Central Autonomous Body / State Autonomous Body / Central Public Sector Undertaking / State Public Sector Undertaking / City Development Authority / Municipal Corporation of City formed under any Act by Central / State Government and published in Central / State Gazette.
- 7. Completion certificates are required to be got issued by an officer not below the rank of Executive Engineer of similar works completed by the Firm. The work experience certificates submitted by the bidders shall clearly indicate that:
 - a. The similar work executed shall be as per '5' above
 - b. The completed cost of the work
 - c. Actual date of completion of the work
- 8. IITD is committed to follow the principle of transparency, equity, and competitiveness in public procurement. Before submission of bid, each bidder should sign integrity pact at respective places and submit the bid. If duly signed integrity pact is not submitted by bidder, such bid shall not be considered.
- 9. The intending bidder must read the terms and conditions [both commercial & Additional] & IITD 6 carefully which will be the part of the Contract. He should only submit his bid if he considers himself eligible and he is in possession of all the documents required.
- **10.** Information and Instructions for bidders posted on website shall form part of bid document.
- 11. The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website e-procure.gov.in free of cost.
- 12. But the bid can only be submitted after submission of EMD as prescribed in the schedule.
- 13. Copy of all mandatory documents as desired in the NIT shall be scanned and up-loaded to the e-Tendering website within the period of bid submission. However, certified / original copy of all the scanned and up-loaded documents shall have to be submitted by the lowest bidder only within a week physically in the office of e-tendering authority, if so desired, by the tender inviting authority. During scrutiny of technical bids, if required, bidders may be asked to submit original documents for cross checking.

Page 9 of 54

C... Nil I.... Nil O..... Nil



- **14.** Online bid documents submitted by intending bidders shall be opened only of those bidders, who has submitted prescribed EMD, and other documents scanned and uploaded are found in order.
- 15. Those contractors not registered on the website mentioned above, are required to get registered beforehand. Bidders should refer "Instruction for Online Bid Submission" given earlier for further assistance.
- **16.** When bids are invited in two / three stages systems and if it is desired to submit revised financial bid it shall be mandatory to submit revised financial bid. If not submitted, then the bid submitted earlier shall become invalid.
- 17. The department reserves the right to reject any prospective application without assigning any reason and to restrict the list of qualified contractors to any number deemed suitable by it, if too many bids are received satisfying the laid down criterion.
- **18.** Contractors must ensure to quote rate of each item.
- 19. The bid submitted shall become invalid if:
 - d. The bidder is found ineligible.
 - e. The bidder does not upload all the documents (including GSTIN registration) as stipulated in the bid document including the undertaking / declaration if any.
 - f. EMD not deposited as specified
 - g. Not registered with EPFO & ESIC
- 20. 'Class 1 Local Supplier' means a supplier or service provider, whose goods, services or works offered for procurement has local content equal to or more than 50% as defined under Order No. P-45021/2/2017-PP(BE-II) dated 04-06-2020 issued by Department for Promotion of Industry and Internal Trade (Public Procurement Section), Ministry of Commerce and Industry, Govt of India.
 - h. 'Local Content' means the amount of value added in India which shall unless and otherwise prescribed by the nodal ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all domestic duties) as a proportion of the total value, in percent.
 - i. For the purpose of verification of 'Local Content', the Class-1 Local Supplier / Service Provider at the time of bidding, tender or solicitation shall be required to indicate percentage of local content and provide self-certification that the items offered meet the local content requirement for Class 1 Local Supplier. They shall also give details of the location(s) at which the local value addition is made.
 - j. In cases of procurement for a value in excess of 10 crore, the Class 1 Local Supplier shall be required to provide a certificate from the statutory auditor or cost auditor of the company (in case of the companies) or from a practicing cost accountant or practicing chartered accountant (in respect of suppliers other than companies) giving the percentage of local content.
 - k. Nodal Ministries may constitute committees with internal and external experts for independent verification of self-certifications and auditor's / accountant's certificates on random basis and in the case of complaints.
 - I. False declarations will be in breach of Code of Integrity under rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for upto

Page **10** of **54**

C... Nil I.... Nil O..... Nil



two years as per Rule 151 (iii) of the General Financial Rules along with such other actions as may be permissible under law.

List of Mandatory Documents to be scanned and uploaded within the period of bid submission:

- 1. Annexure 1 duly filled in and got signed
- 2. Proof of EMD deposit / Scanned copy of DD / FDR submission (favouring 'Registrar, IIT Delhi')
- **3.** Valid enlistment order in case of CPWD, MES, BSNL, Railways enlisted. (not required for specialised agencies)
- **4.** Certificate of work experience as desired (vide clause 3 to 7 pg 8, 9)
- 5. Certificate of GST Registration of the State in which the work is to be taken up, if already obtained by the bidder. If the bidder has not obtained GST registration in the State in which the work is to be taken up, or as required by GST authorities then in such a case the bidder shall scan and upload following undertaking along with other bid documents.
 - "if work is awarded to me, I/we shall obtain GST registration certificate of the State, in which work is to be taken up within one month from the date of receipt of award letter or before release of any payment by IIT Delhi, whichever is earlier, failing which I/we shall be responsible for any delay in payments which will be due towards me/us on a/c of the work executed and/or for any action taken by IIT Delhi or GST department in this regard."
- 6. Affidavit as per provision of the clause 1.1.2 of IITD-6 [To be submitted on stamp paper and date of affidavit and purchase of stamp paper shall not be earlier than the publication of NIT.
 NIT number, name of work shall invariably be written on the 1st page of the Affidavit. Any deviation may lead to rejection of bid without further notice]
- **7.** Acceptance to execute INTEGRITY PACT [see integrity pact]
- 8. IITD 7 / 8 duly signed
- 9. EPFO & ESIC Registration proof

Page 11 of 54

C ... Nil I Nil O Nil



10. Valid Electrical Licence in the name of the contractor. if the bidder does not possess electrical licence in his own name, he shall have to submit an undertaking on their letter head and the bidder shall scan and upload following undertaking along with other bid documents.

"I/We undertake that, if I/we do not possess in my/our name a valid electrical license as required, I/we shall associate an agency having such a licence for execution of work which requires such a licence".

11. Any other document as specified in the NIT

Note:

a. Original copies are to be submitted as per clause 9.1 of IITD-6

Executive Engineer [Electrical] For & on Behalf of BOG, IIT Delhi

PWD/IITD - 6

INDIAN INSTITUTE OF TECHNOLOGY DELHI NOTICE INVITING E-TENDER

1.0 Item rate tenders are invited on behalf of The Board of Governors, IIT Delhi, Hauz Khas, New

Page 12 of 54

C ... Nil I Nil O Nil



Delhi - 110016 from approved and eligible contractors of CPWD and those of appropriate list of M.E.S., BSNL, Railway dealing with HVAC work and Specialised Agencies as per details given below for the work of Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)

- 1.1 The work is estimated to cost **Rs.27,85,025.00**. This estimate, however, is given merely as a rough guide.
- 1.1.1 The authority competent to approve NIT for the combined cost and belonging to the major discipline will consolidate NITs for calling the bids. He will also nominate Division which will deal with all matters relating to the invitation of bids.
- 1.2 Intending bidder is eligible to submit the bid provided he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified below:-
- 1.2.1 Criteria of eligibility for submission of bid documents: Conditions for intending bidders / contractors
- 1.2.1.1 **Three** similar works each costing not less than Rs.9,04,500.00, or **two** similar works each costing not less than Rs.13,56,800.00, or one similar work costing not less than Rs.18,09,100.00 in last 7 years ending previous day of last date of submission of bids. The value of executed work shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum; calculated from the date of completion to last date of submission of financial bid.
- 1.2.2 To become eligible for issue of bid, the bidders shall have to furnish an affidavit as under: "I / We undertake and confirm that eligible similar works(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / we shall be debarred for bidding in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee (Scanned copy to be uploaded at the time of submission of bid)"
- 2.0 Agreement shall be drawn with the successful bidders on prescribed Form No. IITD 7/8 which is available as IIT Delhi Publication. Bidders shall quote their rates as per various terms and conditions of the said form which will form part of the agreement.
- 3.0 The time allowed for carrying out the work will be 45 days (plus CAMC for 1 + 5 Years) from the date of start as defined in schedule 'F' or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in the bid documents.
- **4.0** The site for the work is available.
- 5.0 The bid document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents except Standard General Conditions of Contract Form can be seen from the web Site e-procure.gov.in.
- After submission of the bid the contractor can re-submit revised bid any number of times but before last time and date of submission of tender as notified.

Page 13 of 54

C... Nil I.... Nil O..... Nil



- 7.0 While submitting the revised bid, contractor can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of tender as notified.
- 8.0 If it is desired to submit revised financial bid then it shall be mandatory to submit revised financial bid. If not submitted then the tender submitted earlier shall become invalid.
- **9.0** EMD shall have to be deposited / submitted as stipulated in the schedule of the NIT.
- 9.1 Copy of all 'mandatory documents' and other documents as specified in the press notice shall be scanned and uploaded to the e-tendering website within the period of bid submission. However, certified copy of all the scanned and uploaded documents as specified in press notice shall have to be submitted by the lowest bidder only within a week physically in the office of tender opening authority.
- **10.0** The bid submitted shall become invalid, if:
- 10.1 The bidder is found ineligible.
- The bidder does not upload all the documents (including GSTIN registration) as stipulated in the bid document including the undertaking / declaration if any.
- 10.3 EMD not deposited as specified
- 10.4 Not registered with EPFO & ESIC
- 10.5 If any discrepancy is noticed between the documents as uploaded at the time of submission of bid and hard copies as submitted *physically by the lowest bidder* in the office of the bid opening authority.
- The contractor whose bid is accepted will be required to furnish **performance guarantee of**5% (Five Percent) of the bid amount within the period specified in Schedule F. This guarantee shall be in the form of Deposit at Call receipt of any scheduled bank / Banker' cheque of any scheduled bank/ Demand Draft of any scheduled bank/Pay order of any Scheduled Bank (in case guarantee amount is less than Rs.1,00,000/-) or Government Securities or Fixed Deposit Receipts or irrevocable Bank Guarantee Bonds of any Scheduled Bank or the State Bank of India in accordance with the prescribed form. In case the contractor fails to deposit the said performance guarantee within the period as indicated in Schedule 'F' including the extended period if any, the Earnest Money deposited by the contractor shall be forfeited automatically without any notice to the contractor.
- Intending Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and subsoil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their bid. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a bid by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work

Page 14 of 54

C ... Nil I Nil O Nil



to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Government and local conditions and other factors having a bearing on the execution of the work.

- 13.0 The competent authority on behalf of the Board of Governors does not bind itself to accept the lowest or any other bid and reserves to itself the authority to reject any or all the bids received without the assignment of any reason. All bids in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
- 14.0 Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the bids submitted by the contractors who resort to canvassing will be liable for rejection.
- The competent authority on behalf of the Board of Governors reserves to himself the right of accepting the whole or any part of the bid and the bidder shall be bound to perform the same at the rate quoted.
- The contractor shall not be permitted to bid for works in the IITD responsible for award and execution of contracts, in which his near relative is posted a Divisional Accountant or as an officer in any capacity between the grades of Superintending Engineer and Junior Engineer (both inclusive). He shall also intimate the names of persons who are working with him in any capacity or are subsequently employed by him and who are near relatives to any Gazetted officer in the IIT Delhi. Any breach of this condition by the contractor would render him liable to be debarred from bidding process in future in IIT Delhi.
- 17.0 No Engineer of Gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to work as a contractor for a period of one year after his retirement from Government service, without the prior permission of the Government of India in writing. This contract liable to be cancelled, if, either the contractor or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the bid or engagement in the contractor's service.
- The bid for the works shall remain open for acceptance for a period of ninety days from the last date of submission of bids, if any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the department, then the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the re-bidding process of the work.
- This notice inviting bid shall form a part of the contract document. The successful bidder / contractor, on acceptance of his bid by the Accepting Authority shall within fifteen days from the stipulated date of start of the work, sign the contract consisting of:-
- 19.1 The Notice Inviting Bid, all the documents including additional conditions, specifications and drawings, if any, forming part of the bid as uploaded at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
- 19.2 Standard IITD Form –7/8 or other Standard IITD Form as applicable.

Page 15 of 54

C ... Nil I Nil O Nil



- In case any discrepancy is noticed between the documents as uploaded at the time of submission of the bid online and hard copies as to be submitted physically in IIT Delhi, if so desired by the accepting authority, then the bid submitted shall become invalid and the IIT Delhi shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the bidder shall not be allowed to participate in the bidding process of the work.
- 21.0 GST or any other tax applicable in respect of inputs procured by the contractor for this contract shall be payable by the Contractor and Government will not entertain any claim whatsoever in respect of the same. However, component of GST at time of supply of service (as provided in CGST Act 2017) provided by the contract shall be varied if different from that applicable on the last date of receipt of tender including extension if any.

INTEGRITY PACT

Го	
	,
	,

Page 16 of 54

C ... Nil I Nil O Nil



Sub: NIT No. 91/0416/IITD/AC/2023-24 for the work of "Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)"

Dear Sir.

It is hereby declared that IIT Delhi (IITD) is committed to follow the principle of transparency, equity and competitiveness in public procurement.

The subject Notice Inviting Tender (NIT) is an invitation to offer made on the condition that the Bidder will sign the Integrity Agreement, which is an integral part of the tender/bid documents, failing which the tender/bidder will stand disqualified from the tendering process and the bid of the bidder would be summarily rejected.

This declaration shall form part and parcel of the Integrity Agreement and signing of the same shall be deemed as acceptance and signing of the Integrity Agreement on behalf of the IITD.

Yours faithfully,

Executive Engineer

Page 17 of 54

C... Nil I.... Nil O..... Nil



[TO BE SUBMITTED DULY SIGNED BY THE BIDDER ALONGWITH BID DOCUMENTS]

Τo

Executive Engineer (Electrical),

IIT Delhi, Hauz Khas, New Delhi – 110016

Subject: Submission of Bid for the work of "Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)"

Dear Sir,

I / We acknowledge that IIT Delhi is committed to follow the principles thereof as enumerated in the Integrity Agreement enclosed with the tender/bid document.

I / We agree that the Notice Inviting Tender (NIT) is an invitation to offer made on the condition that I / We will sign the enclosed integrity Agreement, which is an integral part of tender / bid documents, failing which I / We will stand disqualified from the tendering process. I / We acknowledge that THE MAKING OF THE BID SHALL BE REGARDED AS AN UNCONDITIONAL AND ABSOLUTE ACCEPTANCE of this condition of the NIT.

I / We confirm acceptance and compliance with the Integrity Agreement in letter and spirit and further agree that execution of the said Integrity Agreement shall be separate and distinct from the main contract, which will come into existence when tender/bid is finally accepted by IITD. I / We acknowledge and accept the duration of the Integrity Agreement, which shall be in the line with Article 1 of the enclosed Integrity Agreement.

I / We acknowledge that in the event of my/our failure to sign and accept the Integrity Agreement, while submitting the tender/bid, IITD shall have unqualified, absolute and unfettered right to disqualify the tenderer /bidder and reject the tender/bid is accordance with terms and conditions of the tender/bid.

Yours faithfully,

(Duly signed by authorized signatory of the Bidder)

Page 18 of 54

C ... Nil I Nil O Nil



[To be signed by the bidder and same signatory competent / authorized to sign the relevant contract on behalf of IITD]

INTEGRITY AGREEMENT

This Integrity Agreement is made at on this day of
BETWEEN
The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 represented through Executive Engineer (Electrical), IIT Delhi
the 'Principal/Owner', (Address of Division) 'Principal/Owner', which expression shall unless repugnant to the meaning or context hereof include its successors and permitted assigns)
AND
(Name and Address of the Individual/firm/Company) Through
PREAMBLE
WHEREAS the Principal / Owner has floated the Tender (NIT No. 91/0416/IITD/AC/2023-24) (hereinafter referred to as "Tender/Bid") and intends to award, under laid down organizational procedure, contract for "Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)" (Name of work) hereinafter referred to as the "Contract".
AND WHEREAS the Principal/Owner values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness/transparency in its relation with its Bidder(s) and Contractor(s) AND WHEREAS to meet the purpose aforesaid both the parties have agreed to enter into this Integrity Agreement (hereinafter referred to as "Integrity Pact" or "Pact"), the terms and conditions of which shall also be read as integral part and parcel of the Tender/Bid documents and Contract between the parties.
NOW, THEREFORE, in consideration of mutual covenants contained in this Pact, the parties hereby agree as follows and this Pact witnesses as under:
Page 19 of 54 C Nil I Nil O Nil



ARTICLE 1: COMMITMENT OF THE PRINCIPAL / OWNER

1. The Principal/Owner commits itself to take all measures necessary to prevent corruption and to observe the following principles:

- 1.1. No employee of the Principal / Owner, personally or through any of his / her family members, will in connection with the Tender, or the execution of the Contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
 - **1.1.1.** The Principal/Owner will, during the Tender process, treat all Bidder(s) with equity and reason. The Principal/Owner will, in particular, before and during the Tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the Tender process or the Contract execution.
 - **1.1.2.** The Principal/Owner shall Endeavour to exclude from the Tender process any person, whose conduct in the past has been of biased nature.
- 2. If the Principal/Owner obtains information on the conduct of any of its employees which is a criminal offence under the Indian Penal code (IPC)/Prevention of Corruption Act, 1988 (PoC Act) or is in violation of the principles herein mentioned or if there be a substantive suspicion in this regard, the Principal/Owner will inform the Chief Vigilance Officer and in addition can also initiate disciplinary actions as per its internal laid down policies and procedures.

ARTICLE 2: COMMITMENT OF THE BIDDER(S) / CONTRACTOR(S)

- 1. It is required that each Bidder/Contractor (including their respective officers, employees and agents) adhere to the highest ethical standards, and report to the Government / Department all suspected acts of fraud or corruption or coercion or collusion of which it has knowledge or becomes aware, during the tendering process and throughout the negotiation or award of a contract.
- 2. The Bidder(s)/Contractor(s) commits himself to take all measures necessary to prevent corruption. He commits himself to observe the following principles during his participation in the Tender process and during the Contract execution:
 - 2.1. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal/Owner's employees involved in the Tender process or execution of the Contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the Tender process or during the execution of the Contract.
 - **2.2.** The Bidder(s)/Contractor(s) will not enter with other Bidder(s) into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to cartelize in the bidding process.
 - 2.3. The Bidder(s) / Contractor(s) will not commit any offence under the relevant IPC/PoC Act. Further the Bidder(s) / Contractor(s) will not use improperly, (for the purpose of competition or personal gain), or pass on to others, any information or documents provided by the Principal / Owner as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
 - 2.4. The Bidder(s) / Contractor(s) of foreign origin shall disclose the names and addresses of agents

Page 20 of 54

C ... Nil I Nil O Nil



/ representatives in India, if any. Similarly Bidder(s) / Contractor(s) of Indian Nationality shall disclose names and addresses of foreign agents/representatives, if any. Either the Indian agent on behalf of the foreign principal or the foreign principal directly could bid in a tender but not both. Further, in cases where an agent participate in a tender on behalf of one manufacturer, he shall not be allowed to quote on behalf of another manufacturer along with the first manufacturer in a subsequent/parallel tender for the same item.

- **2.5.** The Bidder(s)/Contractor(s) will, when presenting his bid, disclose any and all payments he has made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the Contract.
- **3.** The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.
- 4. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm indulge in fraudulent practices means a wilful misrepresentation or omission of facts or submission of fake/forged documents in order to induce public official to act in reliance thereof, with the purpose of obtaining unjust advantage by or causing damage to justified interest of others and/or to influence the procurement process to the detriment of the Government interests.
- 5. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm use Coercive Practices (means the act of obtaining something, compelling an action or influencing a decision through intimidation, threat or the use of force directly or indirectly, where potential or actual injury may befall upon a person, his/ her reputation or property to influence their participation in the tendering process).

ARTICLE 3: CONSEQUENCES OF BREACH

Without prejudice to any rights that may be available to the Principal / Owner under law or the Contract or its established policies and laid down procedures, the Principal/Owner shall have the following rights in case of breach of this Integrity Pact by the Bidder(s)/Contractor(s) and the Bidder/ Contractor accepts and undertakes to respect and uphold the Principal/Owner's absolute right:

- 1. If the Bidder(s)/Contractor(s), either before award or during execution of Contract has committed a transgression through a violation of Article 2 above or in any other form, such as to put his reliability or credibility in question, the Principal/Owner after giving 14 days' notice to the contractor shall have powers to disqualify the Bidder(s)/Contractor(s) from the Tender process or terminate/determine the Contract, if already executed or exclude the Bidder/Contractor from future contract award processes. The imposition and duration of the exclusion will be determined by the severity of transgression and determined by the Principal/Owner. Such exclusion may be forever or for a limited period as decided by the Principal/Owner.
- 2. Forfeiture of EMD/Performance Guarantee/Security Deposit: If the Principal/Owner has disqualified the Bidder(s) from the Tender process prior to the award of the Contract or terminated/determined the Contract or has accrued the right to terminate/determine the Contract according to Article 3(1), the Principal/Owner apart from exercising any legal rights that may have accrued to the Principal/Owner, may in its considered opinion forfeit the entire amount of Earnest Money Deposit, Performance Guarantee and Security Deposit of the Bidder/Contractor.
- 3. Criminal Liability: If the Principal/Owner obtains knowledge of conduct a Bidder or Contractor, or of an employee or a representative or an associate of a Bidder or Contractor which constitutes corruption within the meaning of IPC Act, or if the Principal / Owner has substantive suspicion in

Page 21 of 54

C ... Nil I Nil O Nil



this regard, the Principal/Owner will inform the same to law enforcing agencies for further investigation.

ARTICLE 4: PREVIOUS TRANSGRESSION

- 1. The Bidder declares that no previous transgressions occurred in the last 5 years with any other Company in any country confirming to the anticorruption approach or with Central Government or State Government or any other Central/State Public Sector Enterprises in India that could justify his exclusion from the Tender process.
- 2. If the Bidder makes incorrect statement on this subject, he can be disqualified from the Tender process or action can be taken for banning of business dealings/ holiday listing of the Bidder/Contractor as deemed fit by the Principal/ Owner.
- **3.** If the Bidder/Contractor can prove that he has resorted / recouped the damage caused by him and has installed a suitable corruption prevention system, the Principal/Owner may, at its own discretion, revoke the exclusion prematurely.

ARTICLE 5: EQUAL TREATMENT OF ALL BIDDERS/CONTRACTORS/SUBCONTRACTORS

- 1. The Bidder(s)/Contractor(s) undertake(s) to demand from all subcontractors a commitment in conformity with this Integrity Pact. The Bidder/Contractor shall be responsible for any violation(s) of the principles laid down in this agreement/Pact by any of its Sub-contractors/sub-vendors.
- 2. The Principal/Owner will enter into Pacts on identical terms as this one with all Bidders and Contractors.
- **3.** The Principal/Owner will disqualify Bidders, who do not submit, the duly signed Pact between the Principal/Owner and the bidder, along with the Tender or violate its provisions at any stage of the Tender process, from the Tender process.

ARTICLE 6: DURATION OF THE PACT

- 1. This Pact begins when both the parties have legally signed it. It expires for the Contractor/Vendor 6 months after the completion of work under the contract or till the continuation of defect liability period, whichever is more and for all other bidders, till the Contract has been awarded.
- 2. If any claim is made/lodged during the time, the same shall be binding and continue to be valid despite the lapse of this Pacts as specified above, unless it is discharged/determined by the Competent Authority of IIT Delhi.

ARTICLE 7: OTHER PROVISIONS

- **1.** This Pact is subject to Indian Law, place of performance and jurisdiction is the Head Quarters of the Division of the Principal/Owner, who has floated the Tender.
- 2. Changes and supplements need to be made in writing. Side agreements have not been made.
- 3. If the Contractor is a partnership or a consortium, this Pact must be signed by all the partners or by one or more partner holding power of attorney signed by all partners and consortium members. In case of a Company, the Pact must be signed by a representative duly authorized by Board Resolution.
- 4. Should one or several provisions of this Pact turn out to be invalid; the remainder of this Pact remains

Page 22 of 54

C ... Nil I Nil O Nil



valid. In this case, the parties will strive to come to an agreement to their original intensions.

5. It is agreed term and condition that any dispute or difference arising between the parties with regard to the terms of this Integrity Agreement / Pact, any action taken by the Owner/Principal in accordance with this Integrity Agreement/ Pact or interpretation thereof shall not be subject to arbitration.

ARTICLE 8: LEGAL AND PRIOR RIGHTS

1. All rights and remedies of the parties hereto shall be in addition to all the other legal rights and remedies belonging to such parties under the Contract and/or law and the same shall be deemed to be cumulative and not alternative to such legal rights and remedies aforesaid. For the sake of brevity, both the Parties agree that this Integrity Pact will have precedence over the Tender/Contact documents with regard any of the provisions covered under this Integrity Pact.

IN WITNESS WHEREOF the parties have signed and executed this Integrity Pact at the place and date first above mentioned in the presence of following witnesses:

(For and on behalf of Principal / Owner)
(For and on behalf of Bidder / Contractor)
WITNESSES:
1
(signature, name and address)
2(signature, name and address)
Place:
Dated :

Page 23 of 54

C... Nil I.... Nil O..... Nil



PWD/**IITD - 7/8**

INDIAN INSTITUTE OF TECHNOLOGY DELHI

HAUZ KHAS, NEW DELHI - 110016

Percentage Rate Tender / Item Rate Tender & Contract for Works

Tender for the work of "Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)"

- 1. To be submitted online by Upto 03.00 PM of 10-01-2024
- 2. To be opened on 11-01-2024 after 03.00 PM online

e-TENDER

I / We have read and examined the Notice Inviting Tender, schedule, A, B, C, D, E & F, Specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, Clauses of Contract, Special conditions, Schedule of Rate & other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.

I/We hereby tender for the execution of the work specified for the Board of Governors, IIT Delhi within the time specified in Schedule 'F' viz., schedule of quantities and in accordance in all respect with the specifications, designs, drawing and instructions in writing referred to in Rule-1 of General Rules and Directions and in Clause 11 of the Conditions of contract and with such materials as are provided for, by, and in respect of accordance with, such conditions so far as applicable.

We agree to keep the tender open for ninety (90) days from the due date of its opening / ninety days from the date of opening of financial bid in case tenders are invited on 2/3 envelop system (**strike out as the case may be**) and not to make any modification in its terms and conditions.

A sum of Rs. 55,700.00 is hereby deposited in IIT Delhi Revenue Account No. 10773572622 as earnest money / A Demand Draft / FDR of Rs.55,700.00 favouring Registrar, IIT Delhi has been scanned and uploaded with the Technical Bid. If I / We, fail to furnish the prescribed performance guarantee within prescribed period I / We agree that the said The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 or his successors, in office shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely. Further, if I / We fail to commence the work as specified, I / We agree that The Board of Governors, IIT Delhi, Hauz Khas, New Delhi - 16 or the successors in office shall without prejudice to any other right or remedy available in law, be at liberty to forfeit the said earnest money and the performance guarantee absolutely, otherwise the said earnest money shall be retained by him towards security deposit to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in Clause 12.2 and 12.3 of the tender form. Further, I / We agree that in case of forfeiture of Earnest Money & Performance Guarantee as aforesaid I / We shall be debarred for participation in the re-tendering process of the work.

Page 24 of 54

C... Nil I.... Nil O.... Nil



I / We undertake and confirm that eligible similar work(s) has/have not been got executed through another contractor on back to back basis. Further that, if such a violation comes to the notice of Department, then I / We shall be debarred for tendering in IIT Delhi in future forever. Also, if such a violation comes to the notice of Department before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I / We hereby declare that I / We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I / We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

Dated:	
	Signature of Contractor
Witness:	
Address:	Postal Address
Occupation:	
	ACCEPTANCE
accepted by me for an on behalf of The Bo	you as provided in the letters mentioned hereunder) is ard of Governors, IIT Delhi, Hauz Khas, New Delhi - 110016). orm part of this contract agreement:-
(a)	
(b)	
(c)	
	For & on behalf of Board of Governors, IIT Delhi
	Signature
	Designation MA OF SCHEDULES
	D 25 . C 54

Page 25 of 54

 $C \ldots Nil \quad I \ldots \ldots Nil \quad O \ldots \ldots Nil$



.....

SCHEDULE "A"

Schedule of Quantities (enclosed)

SCHEDULE "B"

Schedule of materials to be issued to the contractor

Sr. No.	Description of item	Quantity	Rates in figures & words at which the materials will be charged from the contractor	Place of issue
(1)	(2)	(3)	(4)	(5)
	NIL			

SCHEDULE "C"

Tools and Plants to be hired to the contractor

Sr. No.	Description	Hire charges per day	Place of issue
(1)	(2)	(3)	(4)
	NIL		

SCHEDULE "D"

Extra schedule for specific requirements / documents for the work, if any.



SCHEDULE "E"

Reference to General Conditions of Contract: GCC of Maintenance Work 2020 published by CPWD as amended up to last date of submission of bid.

1	Name of work	:	Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)
2	Estimated cost of work (Rs.)	:	27,85,025.00
3	Earnest Money (Rs.)	:	55,700.00
4	Performance Guarantee	:	5 percent of tendered value
5	Security Deposit	:	2.5 percent of tendered value

SCHEDULE "F"

GENERAL RULES & DIRECTIONS:

Page 26 of 54

C ... Nil I Nil O Nil



Officer inviting tender	:	Executive Engineer (Electrical)
Maximum percentage for quantity of items of	:	clause 12
work to be executed beyond which rates are to		
be determined in accordance with Clauses 12.2		
& 12.3		

DEFINITIONS:

2 (V)	Engineer-in-charge	:	Executive Engineer (Electrical)		
2 (viii)	Accepting authority	:	Executive Engineer (Electrical)		
2 (x)	Percentage on cost of materials and	:	15 percent		
	labour to cover all overheads and profits				
2 (xi)	Standard Schedule of Rates	•	Market, DSR		
2 (xii)	Department	:	Estate & Works, IIT Delhi		
9 (ii)	Standard IITD Contract Form	:	CPWD / IITD Form 7 / 8 as modified and corrected upto date, GCC 2020 for Maintenance work of CPWD with latest modifications		

CLAUSE 1

i)	Time allowed for submission of	:	15 days
	Performance Guarantee from the		
	date of issue of letter of acceptance		
ii)	Maximum allowable extension		10 days
	beyond the period provided in (i)		
	above with late fees @0.1% per day		
	of performance guarantee		

CLAUSE 2

(i)	Authority for	fixing	compensation	:	Institute Engineer
	under Clause	2			

CLAUSE 2A

(i)	Whether	Clause	2A	shall	be	:	No
	applicable						

CLAUSE 5

(i)	Number of days from the date of	:	10 days
	issue of letter of acceptance for		
	reckoning date of start		

TABLE OF MILE STONE(S):

Page **27** of **54**

 $C \ldots Nil \quad I \ldots \ldots Nil \quad O \ldots \ldots Nil$



No.	(physical)	days (from date of start)	in case of non- achievement of milestone
(1)	(2)	(3)	(4)

Time allowed for execution of work	: 45 days (plus CAMC for 1 + 5 Years)	
------------------------------------	---------------------------------------	--

Authority to	Extension of time	:	Engineer-in-charge
decide:	Rescheduling of milestones	:	Institute Engineer

CLAUSE 5

Clause applicable 5 / 5A	:	5

CLAUSE 6

MB applicable: Computerised Measurement Book (CMB) /	:	CMB
Electronic Measurement Book (EMB)		

CLAUSE 7

G	ross	work	to	be	done	together	with	net	payment	: /	
ac	adjustment of advances for materials collected, if any, since						се	11 Lakhs			
th	e las	t such	pay	men	it for b	eing eligib	le to i	nterii	m paymer	nt	

CLAUSE 10A

	List of testing equipment to be provided by the contractor at site lab							
1	500 Volt Megger	2	Digital Multimeter	3	Anemometer			
4	Psychrometer	5	NIL	6	NIL			

CLAUSE 10B (ii)

Whether Clause 10 B (ii) shall be applicable (Yes /	:	No
No)		

CLAUSE 10 C

Page **28** of **54** C ... Nil I Nil O Nil



Component of labour expressed as percent of value of	:	15 Percent
work		

CLAUSE 10CC

Whether Clause 10CC shall be applicable	:	Not applicable

CLAUSE 11

Specification	to	be	followed	for	:	CPWD	General	Specifications	for	Electrical
execution of w	/ork					Works	for HVAC	Work with other	rele	vant parts
						as ame	nded upto	date		

CLAUSE 12

12.2	Deviation limit beyond which clauses	:	100%
	12.2 shall apply for building work /		
	HVAC work		

CLAUSE 16

Competent authority for deciding reduced rates	:	Institute Engineer
		1

CLAUSE 18

	List of mandatory machine	ery,	tools & plants to be deployed	ed b	by the contractor at site
1	NIL	2	NIL	3	NIL
4	NIL	5	NIL	6	NIL

CLAUSE 19C

Authority to decide penalty for each default	: Engineer-in-charge	
--	----------------------	--

CLAUSE 19D

Authority to decide penalty for each default	: Engineer-in-charge	
--	----------------------	--

CLAUSE 19G

Authority to decide penalty for each default	: Engineer-in-charge	
--	----------------------	--

CLAUSE 19K

Page **29** of **54** $C \dots Nil \quad I \dots Nil \quad O \dots Nil$

D'Man/JE AEE / AE

EE



	Authority to	decide pen	ilty for each default	:	Not applicable
--	--------------	------------	-----------------------	---	----------------

CLAUSE 25

Constitution of Dispute Redressal Committee (DRC)

Conciliator	:	Associate Dean Infra
Arbitrator Appointing Authority	••	Director
Place of Arbitration	••	IIT Delhi

CLAUSE 32

Requirement of Technical Representative for SITC (s) and recovery rate

Sr. No.	Minimum qualification of Technical Representative	Discipline	Designation Principal Technical / Technical representative)	Minimum experience	Number	shall be mo contractor i not fulfilling	ich recovery ade from the n the event of g provision of e 36 (i)
			1)			Figures	Words
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
	Graduate	Electrical	Supervisor	2 years	1	15,000/-	Fifteen
	or	or		Graduate			Thousand
	Diploma	Mechanical		or			
	Engg.			5 years			
				Diploma			

Assistant Engineers retired from Govt. / IIT Delhi services that are holding Diploma will be treated at par with Graduate Engineers. Diploma holder with minimum 10 year relevant experience with a reputed construction co. can be treated at par with Graduate Engineers for the purpose of such deployment subject to the condition that such diploma holders should not exceed 50% of requirement of degree engineers.

CLAUSE 38

	Applicability of Clause 38	:	Not applicable
--	----------------------------	---	----------------

COMMERCIAL AND ADDITIONAL CONDITIONS

Page 30 of 54

C... Nil I.... Nil O..... Nil



1. GENERAL

1.1. This specification covers supply and delivery of materials at site, all preparatory work assembly and installation, commissioning and putting into operation of Air Cooled Packaged type AC system & final testing & commissioning at site.

- 1.2. Location: The equipments will be installed at the 1st Floor LT-1 & 2 of Academic Block 6 at IIT Delhi
- 1.3. The work shall be executed as per CPWD General Specifications for Electrical Works Part-I (Int.) 2013, Part-II (Ext.) 1994, HVAC Work 2017, as amended upto date, relevant I.E. Rules, BIS/IEC and as per directions of Engineer-in- Charge. These additional specifications/conditions are to be read in conjunction with above and in case of variations; specifications given in these additional conditions shall apply. However, nothing extra shall be paid on account of these additional specification and conditions, as the same are to be read along with schedule of quantities for the work.
- **1.4.** The tenderer should in his own interest visit the site and get familiarize with the site conditions before tendering.
- **1.5.** No T&P shall be issued by the Department and nothing extra shall be paid on account of this.

2. COMMERCIAL CONDITIONS:

2.1. Type of contract: The work to be awarded by this tender shall be treated as indivisible works contract.

2.2. Submission and opening of Tenders:

- **2.2.1.** The tender is in two parts:
 - 2.2.1.1. Part-I -Technical cum Un-priced commercial Bid
 - 2.2.1.2. Part-II-Price Bid
- **2.3.** The tender shall be submitted online, duly completed as per NIT conditions within period of bid submission.
- **2.4.** The tenderers are advised not to deviate from the technical specifications / item, commercial terms and conditions of NIT like terms of payment, guarantee, arbitration clause, escalation etc.
- **2.5.** Technical cum un-priced commercial bid only shall be opened on the due date and time in the presence of tenderers or their authorized representative who wish to remain present.
- **2.6.** Scrutiny/evaluation of the technical-cum-commercial bid shall be done by the department. In case, it is found that the technical-cum-commercial bid of a tenderer is not in line with NIT specifications/requirements and/or contains too many deviations, the department reserves the right to reject the technical bid of such firms(s) without making any reference to the tenderer(s).

Page 31 of 54

C... Nil I.... Nil O.... Nil



- 2.7. Necessary clarifications required by the department shall have to be furnished by the tenderer within the time given by the department for the same. The tenderer will have to depute his representative to discuss with the officer(s) of the department as and when so desired. In case, in the opinion of the department a tenderer is taking undue long time in furnishing the desired clarifications, his bid will be rejected without making any reference.
- **2.8.** After obtaining clarification from all the tenders, the department will intimate the tenders whose technical cum commercial bids are acceptable.
- **2.9.** The price bids of only those tenderers shall be opened whose technical bids are found to be technically acceptable. The time and date of opening of price bid shall be fixed after the technical cum unpriced commercial bid is accepted and intimated to them by post/Fax/e-mail.
- **2.10.** The department reserves the right to reject any or all the price bids and call for fresh prices/tenders as the case may be without assigning any reason.

3. TERMS OF PAYMENTS

3.1. Running Account Payment may be processed only after submission of bill after supply and installation of items to the extent of only 80% of the tendered amount of Packaged AC. Original copies of supplier's GST invoice showing contact number, goods description, quantity, packing list, unit price and total amount, dispatch detail, test done at factory etc. have to be submitted by agency for ascertaining the genuinity of materials' source and supply. Rest of the 30% shall be released after successful testing and commissioning. Bidder should note that necessary documents (PAN card, Cancelled cheque, GST Reg. proof and RTGS mandate form as per prescribed proforma of IIT Delhi) be submitted as soon as the work is awarded to them. Separate Contractor's Code shall be generated in IIT Delhi if the bidder is a new contractor to IIT Delhi ('Code' is perpetual in nature). Payment shall be processed after submission of Invoice and necessary documents / certificates (as mentioned in the NIT). There is a prevailing practice of pre-audit (for total tendered amount more than 6 lakhs) at IIT Delhi before releasing payment. Bidder shall have to comply all necessary documents as outlined in the Contract as to be desired by the Auditor and or by the accountant. It may take one to two months in the whole process (from submission / acceptance of bill in CMB / MB by the contractor upto processing by Accounts section) to release payment subject to quick compliance of all submittals by the contractor. Applicable Taxes shall be got deducted from the bill as per prevailing orders of the Government. 'GST part of the bill' shall be released after submission of proof of payment of GST, i.e. B2B challan, etc. by the contractor.

4. AWARD OF WORK

4.1. Work shall be awarded to the successful bidder only after concurrence of the **Auditor of the Internal Audit Section** of the IIT Delhi as per extant Rules of the Institute.

5. SECURITY DEPOSIT

5.1. Security Deposit shall be deducted from each running bill to the extent of 5% of the gross amount payable till the total security deposit becomes 2.5% of the tendered amount. **The**

Page 32 of 54

 $C \, \dots \, Nil \hspace{5mm} I \, \dots \dots \, Nil \hspace{5mm} O \, \dots \dots \, Nil$



security deposit shall be released after complete Defect Liability Period is over i.e. 1 year after date of commissioning after submission of fresh PBG for AMC work. Separate SD shall be deducted from each running bill of CAMC.

6. PERFORMANCE GUARANTEE

- 6.1. The successful tenderer shall submit an irrevocable performance guarantee of 5% of the tendered amount in addition to other deposit mentioned elsewhere in the contract for his proper performance of the contract agreement within 15 days of issue of letter of acceptance of tender. This guarantee shall be in the form of Demand Draft/Pay order of irrevocable bank guarantee bond of any schedule bank or the State Bank of India in the specified perform a of Government Security, fixed deposit receipt pledged in favour of Registrar, IIT Delhi or as specified in the letter of acceptance of tender. The performance guarantee shall be initially valid up to the stipulated date of completion plus sixty days. This bank guarantee shall be kept valid till the recording of completion certificate for the work by the competent authority. This shall be released after submission of fresh bank guarantee for the comprehensive maintenance. Fresh bank guarantee shall have to be submitted @5% of the contract amount of comprehensive maintenance for the whole period of maintenance plus sixty days beyond.
- 6.2. Income tax, GST, labour cess & other statutory deduction etc. shall be made at source as per the prevalent laws. The deduction of Security Deposit, Income Tax, etc., shall be done after calculation for the above due payment as per clause 3 above and net payment shall reduce accordingly.

7. RATES

7.1. The work shall be treated as on works contract basis and the rates tendered shall be for complete items of work (except the materials, if any, stipulated for supply by the department) inclusive of all taxes, GST (including works contract tax, if any), duties, and levies etc. and all charges for items contingent to the work, such as, packing, forwarding, insurance, freight and delivery at site for the materials to the supplied by the contractor, watch and ward of all materials (including those, if any, supplied by the department), post installation services till defect liability period etc. for the work at site etc.

8. COMPLETENESS OF TENDER

8.1. All sundry equipments, fitting, unit assemblies, accessories, hardware items, foundation bolts, termination lugs for electrical connections and all other items which are useful and necessary for efficient assembly and installation of equipment and components of the work shall be deemed to have been included in the tender irrespective of the fact whether such items are specially mentioned in the tender documents or not.

9. STORAGE AND CUSTODY OF MATERIAL

9.1. The agency has to make his own arrangement for storage. No separate storage accommodation shall be provided by the department Watch and ward of the storage and their safe custody shall be responsibility till the final taking over of the installation by the department.

Page 33 of 54

C ... Nil I Nil O Nil



10. CARE OF THE BUILDING

10.1. Care shall be taken by the contractor while handling and installing the various equipment and components of the work to avoid damage to the building. He shall be responsible for repairing all damages and restoring the same to their original finish at his cost. He shall also remove at his cost all unwanted and waste material arising out of the installation from the site of work.

11. COMPLETION PERIOD

11.1. The completion period indicated in the tender documents is for the entire work of planning, designing, approval of drawings etc., arrangement of materials & equipments, delivery at site including transportation, installation, testing, commissioning and handing over of the entire system to the satisfaction of the Engineer-in-charge.

12. GUARANTEE

- 12.1. The contractor shall guarantee all Packaged ACs installation as per specifications both for components and for system as a whole. All equipments shall be guaranteed for **one year** from the date of commissioning against unsatisfactory performance and / or breakdown due to defective design, workmanship or material. The equipment or component, or any part thereof, so found defective during guarantee period shall be forthwith replaced free of cost to the satisfaction of the Engineer-in-Charge. In case, it is felt by the department that undue delay is being caused by the contactor in doing this, the same will be got done by the department at the risk and cost of the contractor. The decision of Engineer-in-Charge in this regard shall be final & binding on the contractor.
- 12.2. The tenderer shall guarantee among other things, the following:
- 12.2.1. Quality, strength and performance of the material used as per manufacturer's standards.
- 12.2.2. Safe mechanical and electrical stress on all part under all specified conditions of operation.
- 12.2.3. Satisfactory operation during the maintenance period.

13. POWER SUPPLY

13.1. Power supply shall be made available by the department at one point near the site free of cost, if required. Further, the arrangement for tapping power supply from this point shall be made by the contractor.

14. EXTENT OF WORK

14.1. The work shall comprise of entire labour including supervision and all material necessary to make a complete installation and such tests and adjustment and commissioning as may be required by the department. The term complete installation shall not only mean major items of the plant and equipments covered by the specification but all incidental sundry components necessary for complete execution and satisfactory performance of installation with all layout charts whether or not those have been mentioned in details in the tender documents in connection with this contract as this is a turnkey job.

Page 34 of 54

C... Nil I.... Nil O.... Nil



- 14.2. In addition to supply, installation, testing and commissioning of Packaged type AC system including Ceiling mounted indoor units, following works shall be deemed to be included with the scope of work to be executed by the tenderer-
- 14.2.1. Minor building works necessary for installation of equipments, foundation making of opening in walls or in floors and restoring them to their original condition / finish and necessary grouting etc. as required.

15. VALIDITY

15.1. Tenders shall be valid for acceptance for a period 90 days of days from the last date of submission of bid.

16. COMPLIANCE WITH REGULATIONS AND INDIAN STANDARDS

- **16.1.** All works shall be carried out in accordance with relevant regulation both statutory and those specified by the Indian Standards related to the works covered by this specification in particular, the equipment and installation will comply with the following:
- **16.1.1.** Factories Act
- 16.1.2. Indian Electricity Rules
- **16.1.3.** B.I.S. & other standards as applicable
- 16.1.4. Workmen's compensation Act
- **16.1.5.** Statutory norms prescribed by local bodies like fire department, CEA, Power Supply Co. etc.

17. INDEMNITY

17.1. The successful tenderer shall at all times indemnify the department, consequent on this works contract. The successful tenderer shall be liable, in accordance with the Indian Law and Regulations for any accident occurring due to any cause and the contractor shall be responsible for any accident or damage incurred or claims arising there from during the period of erection, construction and putting into operation the equipments and ancillary equipment under the supervision of the successful tenderer in so far as the latter is responsible. The successful tenderer shall also provide all insurance including third party insurance as may be necessary to cover the risk. No extra payment would be made to the successful tenderer on account of the above.

18. ERECTION TOOLS

18.1. No tools and tackles either for unloading or for shifting the equipments for erection purposes would be made available by the department. The successful tender shall make his arrangement for all these facilities.

19. COOPERATION WITH OTHER AGENCIES AND OCCUPANTS OF THE BUILDING

19.1. The successful tenderer shall co-ordinate with other working contractors, if any and other occupants of different offices / Labs, etc., and exchange freely all technical information so as

Page 35 of 54

C ... Nil I Nil O Nil



to make the execution of this work / contract smooth. No remuneration should be claimed from the department for such technical cooperation. If any unreasonable hindrance is caused to other agencies and any completed portion of the work has to be dismantled and re-done for want or cooperation and coordination by the tenderer during the course of work, such expenditure incurred will be recovered from the successful tenderer if the restoration work to the original condition or specification of the dismantled portion of work was not under taken by the tenderer himself.

20. MOBILIZATION ADVANCE

20.1. No mobilization advance shall be paid for this work.

21. INTERPRETING SPECIFICATION

- **21.1.** In interpreting the specification, the following order of decreasing importance shall be followed in case of contradictions:
- 21.1.1. Schedule of quantities
- 21.1.2. Technical Specification
- **21.1.3.** Drawing (if any)
- **21.1.4.** General Specification for Electrical Works of CPWD (relevant Parts)
- 21.1.5. Relevant BIS or other international code in case BIS code is not available.

22. POLICY OF THE INSTITUTE

22.1. Institute has a policy against **sexual harassment** and is committed to providing an environment free from **sexual harassment of women** at the workplace. Contractor shall have to abide by the policy of the Institute with due diligence. Any violation on the part of the contractor shall be dealt with the extant rules of the Institute.

23. QUALITY OF MATERIALS

23.1. All materials and equipment supplied by the contractor shall be new. They shall be of such design, size and materials as to satisfactorily function under the rated conditions of operation and to withstand the environmental conditions at site. None of the material/ items/ equipment etc supplied shall be more than six months old from date of supply at site. Copy of GST Gate Pass/ Invoice/ Shipment / Custom Clearance certificate/ details (in case of imported equipment) shall be submitted to prove the date of manufacture & genuineness of the equipment/ machines supplied.

24. SUBMISSION OF DRAWINGS AND COMPLIANCE SHEET

- **24.1.** The contractor shall submit the drawings and compliance sheet to the Engineer-in-charge for approval before start of work.
- **24.2.** Conformity to The Electricity Act 2003, Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulations 2023.

Page 36 of 54

C ... Nil I Nil O Nil



24.3. All Electrical works shall be carried out in accordance with the provisions of Indian Electricity Act, 2003 and Central Electricity Authority (Measures relating to Safety and Electric Supply) Regulations 2023, amended up to date (Date of call of tender unless specified otherwise).

25. OPERATION & MAINTENANCE

25.1. The general guidance has been given for the comprehensive maintenance as per Annexure - 2 of the NIT and as per CPWD General Specifications for HVAC work 2017 as amended up to date. A separate **supplementary agreement** shall be made with the successful tenderer for sub head "CAMC *including* Routine, Preventive & Breakdown Maintenance" (for 5 years after one year guarantee period) of schedule of work. The payment of maintenance may be made yearly after successful maintenance.

ANNEXURE - 1

<< Organization Letter Head >>
 DECLARATION

Page 37 of 54



I/W	,		hereby declare that all the information and data
			s tender specification are true and complete to the best
			e specification, conditions and stipulations in details and
agree	e to comply with the requirements and i	inte	ent of specification.
1	Name & Address of the bidder	:	
2	Phone	:	
3	E-mail	:	
4	Contact person name	:	
5	Mobile number	:	
6	GSTIN number	:	
7	PAN number	:	
8	UTR no. [if deposited online] for EMD	:	
9	DD / FDR / Banker's Cheque No. [if	:	
	uploaded scanned copy] for EMD		
	BANK DETAILS of the Bidder		
10	Bank name	:	
11	Branch address	:	
12	Branch telephone no.	:	
13	MICR Code of the bank	:	
14	IFSC code	:	
15	Bank Account no.	:	
16	Type of account	:	
17	Pl attach one cancelled cheque	:	
	•		t been blacklisted / delisted or put to any holiday by any Sector Undertaking in the last three years. (Signature& name of the bidder)
			Seal of the bidder Annexure - 2
	COMPREHENSIVE	M	IAINTENANCE SCHEDULE
1.0	This section covers the mainten subsequent to guarantee period.	an	ce schedule during guarantee period and 5 years
C 1	Nil I Nil O Nil		Page 38 of 54



- 2.0 The maintenance provided during the guarantee period and 5 years beyond that shall be fully comprehensive and shall include but not limited to all equipments, labour part and emergency calls providing and site response within 24 hours. However during the maintenance period, the material shall be arranged by the contractor, if any replacement is warranted. Full repairing is within the scope of the contractor.
- 3.0 The maintenance shall also include a minimum 12 monthly preventive maintenance visits by qualified personnel who are thoroughly familiar with the type of equipment and system provided for this project.
- **4.0** Refrigerant required for top up or filling shall be supplied by the contractor.

PKG UNIT INCLUDING INDOOR INDOOR AND OUTDOOR UNIT INTERIOR INDOOR AND OUTDOOR UNIT INCLUDING INDOOR AND OUTDOOR UNIT INCLUDING INDOOR AND OUTDOOR INDOOR INDOOR INDOOR UNIT INCLUDING INSPECTION AND WRITING THE PROPERTY OF THE PROPERTY		
deficiency is of a major nature, arrange with department for shutdown to rectify equipment. 9. Check connections in starter 10. Check motor earthing, megger motor and connection wiring on each leg 11. Check motor temperature cut-out, tighten motor terminals 12. Test and calibrate overload setting 13. Inspect, calibrate and adjust to original specifications all gauges, safety and operating controls including low temperature and highpressure cut-out, oil pressure switch, load limit relay and electrical interlocks 14. Dust should not be allowed to accumulate on the condenser coil surfaces. Cleaning shall be as often as necessary [every three months] to keep coil clean. Exercise care when cleaning the coil, so that the coil fins are not damaged. Under no circumstances this unit be cleaned with acid based cleaner.	PKG UNIT INSpection and service schedule AND OUTDOOR UNIT Service schedule AND SCHEDURE SCHEDURE AND SCHEDU	 writing on the rectification. Check the liquid line sight glasses for proper flow Check all operating pressure and temperature. Inspect and adjust, if required, all operating safety controls. Lubricate pulley linkage / bearings. Visually inspect machine and associated components, and listen for unusual sound or noise for evidence of unusual conditions. Review daily operating log maintained by department's operating personnel. Providing written report to department, outlining services carried out, adjustment made, rectification carried out and if the deficiency is of a major nature, arrange with department for shutdown to rectify equipment. Check connections in starter Check motor earthing, megger motor and connection wiring on each leg Check motor temperature cut-out, tighten motor terminals Test and calibrate overload setting Inspect, calibrate and adjust to original specifications all gauges, safety and operating controls including low temperature and high-pressure cut-out, oil pressure switch, load limit relay and electrical interlocks Dust should not be allowed to accumulate on the condenser coil surfaces. Cleaning shall be as often as necessary [every three months] to keep coil clean. Exercise care when cleaning the coil, so that the coil fins are not damaged. Under no circumstances

Page 39 of 54

C ... Nil I Nil O Nil



17. Check all blower fan bearings and lubricate with grease as necessary
18. Check the tension of all belt drives and adjust as necessary
19. Check and clean all the condensate pans, trays and drain
20. Check, measure and re-calibrate all sensors if necessary
21. Check, clean and service smoke detectors.
22. Check spring vibration isolators for abnormal vibration. Rectify if necessary.
23. Coil to be cleaned by [a] spray of high pressure clean water [not exceeding 30 psi] [b] with chemical spray if necessary
24. Carry out space temperature checks on air conditioned areas with thermo hydrograph.

RECOVERY RATES FOR NON-COMPLIANCES DURING CAMC PERIOD

The various amounts as mentioned below are the recovery rates to be deducted from the bills payable to the contractor. Activities of maintenance shall be recorded in **maintenance register** and to be verified by E-in-C or his representative.

Sr. No.	Description of non-compliance	:	Amount to be recovered (Rs.)			
1	Not cleaning of condenser with cleaning agent and pressurised water jet unit once in 3 months in a year (All necessary arrangements for conducting de-scaling / cleaning to be done by the contractor, however, specific period of shutdown to be facilitated by the department)	(to be done in presence of Engineer-incharge or his representative and to be recorded in maintenance register) of shutdown to be nent) (to be done in presence of Engineer-incharge or his representative and to be recorded in maintenance register)				
2	Not servicing and cleaning of indoor unit's coils, cleaning of filters at least 3 times per year during the contract period	:	: Rs.7500.00 per FCU / indoor unit per year irrespective of size			
3	year during the contract period Not repairing / replacing of any other spare parts within 3 days after occurrence		After having been notified of the defects / service requirement during warranty as well as CAMC period, Contractor has to complete the required Service / Rectification within 3 days' time limit. If the Contractor fails to complete service / rectification with defined time limit, a penalty of 0.5% of the contract amount shall be charged as penalty for each week of delay from the Contractor. Engineer-incharge shall have a right to recover all such penalty amount from the bill payable to the contractor or from Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total			

Page **40** of **54**

C ... Nil I Nil O Nil



	contract value after which the E-in-C shall
	have the right to get the service /
	rectification done from alternate sources
	at the risk and cost of the Contractor
	besides forfeiture of PBG.

TECHNICAL SPECIFICATIONS: AIRCOOLED PACKAGED TYPE PLANT

The work shall be carried out as per CPWD General Specifications for HVAC works 2017 as amended upto date alongwith the

Page **41** of **54**



following changes, CPWD general Specifications for Electrical Works Part – I, II & IV as amended upto date, relevant IE Rules and as per directions of Engineer-in-Charge. For electrical panels, CPWD General Specifications for Electrical Works Part-IV shall be applicable.

1.1. General Construction

- 1.1.1. The air-cooled package unit shall be supplied in two portions –outdoor portion made up of the condenser & condenser fan and indoor unit made up of the evaporator & evaporator fan. The compressor can be provided along with the condenser or the evaporator depending upon the manufacturer's practice or the required application at site.
- 1.1.2. The two portions shall be piped together at site.
- 1.1.3. The packaged type plants shall be self-contained units generally conforming to IS: 8148 1976 (packaged air- conditioner). The plant may have a single or multi refrigeration circuit as per design of respective manufacturers. Each compressor, however, shall have a independent condenser, evaporator & refrigerant circuit.
- 1.1.4. The packaged unit shall be constructed with adequate strength and rigidity to withstand handling, transportation and usage.
- 1.1.5. The unit shall be fabricated so as to be free from undue noise and vibration. All valves and refrigerant piping shall be suitably clamped.
- 1.1.6. The internal components of the unit shall be located so as to be easily accessible for inspection and maintenance. All parts which are accident hazard shall be effectively guarded.
- 1.1.7. Due care shall be taken in the use of materials likely to come in contact with water, namely, condensate tray, etc. by the use of corrosion resistant material, or by treatment with corrosion resistant coating.
- 1.1.8. The unit shall be completely factory assembled.

2. Cabinet

- 2.1. The cabinet will have a framework of either M.S. angles or formed M.S. sheet sections in order to provide structural rigidity. Properly formed close fittings and easily removable sheet metal panels shall be provided all around this framework to make a closed & streamlined cabinet. The sheet used shall be of minimum 1.25mm thickness.
- **2.2.** Inside and outside surfaces shall be finished with polyester epoxy powder coating.

Page **42** of **54**

 $C \dots Nil \quad I \dots Nil \quad O \dots Nil$



- **2.3.** The fan section and coil section of cabinet shall be insulated with at least 25mm resin bonded fibre glass lining on the inside duly finished with minimum 0.5mm thick aluminium sheet.
- 2.4. An insulated condensate tray shall be provided beneath the cooling coil so as to avoid dripping over the equipment installed in the lower portion of the cabinet. The drip tray should have a drain connection for leading away the condensate.
- **2.5.** A conditioned air outlet from the cabinet should be provided with suitable flanges in order to connect it to the canvas of the supply air ducting at the cabinet top.
- **2.6.** A return grill of streamlined design shall be provided in the elevation in front of the filter section. This grill should be easily removable for inspection / maintenance of filter.

3. Compressor

- **3.1.** Compressor shall be scroll hermetic or semi hermetic type inverter controlled suitable for CFC/HCFC free refrigerant.
- **3.2.** It shall be fitted with suction and discharge stop valves, permitting full servicing facilities, built-in safety controls, filters, release valves, control valve and other standard accessories.
- **3.3.** The compressor shall be installed on vibration isolating resilient material, so as to ensure operation with the minimum noise and vibrations.
- **3.4.** Each compressor shall be provided with protection against high refrigerant pressure and low refrigerant pressure, anti-cycle timer, indication lamps, fault alarm etc. through microprocessor controller.
- **3.5.** Compressor shall be designed for 4.4 deg C suction temperature and 43.3 deg C discharge temperature.

4. Compressor Drive

- **4.1.** The compressor motor shall be squirrel cage induction motor capable of continuous operation at 415 V + 10%, 50 Hz, 3 phase AC supply.
- **4.2.** The motor shall be suction cooled, in case of sealed semi-hermetic type units.

4.3. Motor Starter

- 4.3.1. The motor starter shall conform to IS: 1822 "Motor starters of voltage not exceeding 1000 volts" and shall be air insulated and suitable for 415 volts± 10%, 50 Hz., 3 phase AC supply. Enclosures shall have protection of IP 42 for Indoor applications and IP 55 for outdoor applications.
- 4.3.2. Starter for the motor shall be direct-on-line (D.O.L) for motors up to and including 7.5 H.P. rating and automatic star-delta close transition type for motors of higher ratings unless otherwise specified in the tender specifications. Starters shall be rated for intermittent duty. Starting current should not exceed two times the full load current.

Page 43 of 54



- 4.3.3. The starter shall be mounted on the main electrical control panel/ unit mounted/ self-mounted per OEM.
- 4.3.4. Each starter shall be provided with the following protections:
- 4.3.4.1. Thermal overload on all the three phases with adjustable settings,
- 4.3.4.2. Under voltage protection, and
- 4.3.4.3. Independent single phasing preventor. (current sensing type)
- 4.3.5. Adequate number of extra NO/ NC contacts for interlocks, indicating lamps etc. shall be provided on the starter/ contactor.

Air Cooled Condenser

5.1. Material and Construction

- 5.1.1. The condenser coil shall be fabricated of seamless hard drawn copper tubes and aluminium fins of 0.18 mm minimum thickness, fins spacing ranging from 3 to 5 fins per cm. The minimum wall thickness of tubes shall be 1.0 mm.
- 5.1.2. The coil shall normally be 2/3/4 rows deep as per manufacturer's design.
- 5.1.3. The condenser shall be designed so as to hold 1.25 times the refrigerant charge in the system during the idle periods.
- 5.1.4. Suitable number and capacity of propeller type fans shall be provided for moving the air through the entire condenser coils. For more uniform flow over the condenser coil, the condenser shall be designed on the draw through principle. The air velocity over the condenser coil shall be maintained upto 200 mpm maximum.

5.2. Connections and Accessories

- 5.2.1. The following connections and accessories shall be provided on the condenser and conforming to Section "Refrigeration Piping" where applicable.
- 5.2.2. Hot gas inlet and liquid outlet connections. The liquid outlet connections shall be provided with (a) isolating valves, b) Pressure relief device.

5.3. Pressure Testing

5.3.1. The pressure testing shall be done at 31 kg/sq.cm on refrigerant side.

6. Cooling Coil

- **6.1.** Cooling coil shall be 3 or 4 rows deep, as per manufacturer's standards, made of copper tubes of minimum 0.5 mm thickness and aluminium fins of minimum 0.15 mm thickness, mechanically bonded to the coils.
- **6.2.** Number of fins per cm of tube shall be 4 to 5.

Page 44 of 54



- _____
- **6.3.** Coil shall be fitted with equalizing copper distributor to ensure that each coil circuit receives equal amount of refrigerant.
- **6.4.** The coil shall be designed for a face velocity of not more than 155 m/min. Coil shall be thoroughly evacuated, dried and pressure tested to 21 Kg /sq.cm (300 psi).

7. Refrigerant Piping

- **7.1.** The unit shall be complete with refrigerant piping using copper tubes.
- **7.2.** The refrigerant circuit shall include thermo-static expansion valve and suction gas stainer.
- **7.3.** The work shall include provision of suction line insulation as per manufacturer standards.

8. Fan and Drive

- **8.1.** Fan shall be statically and dynamically balanced single/double inlet centrifugal type, designed for quiet operation. The fan wheel shall be constructed of aluminium or galvanised steel. Self-oiling bearing easily accessible for maintenance, with thrust collar shall be provided. Preferably, the bearings shall be life lubricated sealed type, mounted on vibration absorbing resilient supports.
- **8.2.** The fan shall be belt driven through adjustable pulley permitting air quantity to be varied by adjusting the fan speed. Suitable fan belt tension adjusting arrangement shall be provided.
- **8.3.** The fan motor shall be mounted within the cabinet. This shall be of TEFC enclosure, squirrel cage, induction motor of suitable HP for the duty involved. This shall be located with proper alignment with fan pulley for the belt drive.
- **8.4.** Starter (DOL) and independent SPP shall be provided.
- **8.5.** Separate fans along with their drives shall be provided for the condenser and evaporator portions.
- 9. The compressor motor shall be interlocked with the following:
- **9.1.** Air flow switch in the evaporator fan discharge.
- **9.2.** Air flow switch in the condenser fan discharge
- 10. Filters
- **10.1.** Cleanable aluminium wire mesh/ synthetic media type air filters, at least 25 mm thick, shall be provided, swung fit to prevent air by pass.
- **10.2.** Face velocity across the filters shall not exceed 100 m/min.

11. Micro process controller

11.1. Each packaged units shall be equipped with a micro-processor controller having all operating & safety controls.

Page 45 of 54



12. Insulation

12.1. Insulation of packaged units shall be as per manufacturer's standards

Page **46** of **54**



BID SUBMISSION CHECK LIST

ONLINE BID SUBMISSION:

The Online bids (complete in all respect) must be uploaded online in two Envelops as explained below:-

Envelope – 1 (Following documents to be provided as single PDF file)				
SI. No.	File Types			
1	Technical Bid	Annexure – 1	.PDF	
2		EMD submission proof	.PDF	
3		Valid enlistment order in case of CPWD, MES, BSNL, Railways enlisted. (not required for specialised agencies)		
4		Certificate of work experience as desired	.PDF	
5 Certificate of GST Registration		Certificate of GST Registration	.PDF	
6	Affidavit as per provision of the clause 1.1.2 of IITD-		.PDF	
7		Acceptance to execute INTEGRITY PACT	.PDF	
8		IITD 7 / 8 duly signed	.PDF	
9		EPFO & ESIC Registration proof		
10		Valid Electrical Licence / Undertaking	.PDF	
11		Any other document as specified in the NIT	.PDF	
		Envelope – 2		
Sl. No.	TYPES	Content		
1.	Financial Bid	Price bid should be submitted in BOQ format.	.EXL	

Page **47** of **54**



SCHEDULE OF QUANTITY

Name of work: Replacement of 4 x 11.0 TR Packaged AC of LT-6 (1&2), IIT Delhi (including CAMC)

Item	n Baradadian ditana				
No.	Description of items	Qty.	Unit	Rate	Amount
110.	SUB HEAD - 1				
1	Supply Installation, Testing &				
•	Commissioning of factory assembled and				
	factory tested 11.0 TR Packaged type Air				
	conditioner suitable for cooling having air				
	cooled Outdoor units, all hermetically				
	sealed inverter type Scroll Compressor(s) designed for 4.4 deg C suction temperature				
	and 43.3 deg C discharge temperature,				
	microprocessor-based Controller, top / side discharge type condensing unit(s), with R-				
	•				
	410 a (or CFC and HCFC free) Refrigerant,				
	vibration isolators, with suitable foundation				
	vibration isolators, with suitable foundation etc. complete as required. The unit shall deliver not less than 4400 CFM supply air.				
	deliver not less than 4400 CFM supply air. The unit shall be suitable to work on 400 V				
	The unit shall be suitable to work on 400 V ±10%, 3 Phase, 50Hz AC power supply.				
	±10%, 3 Phase, 50Hz AC power supply. Indoor unit shall be equipped with washable				
	Indoor unit shall be equipped with washable synthetic media pre-filter (95 percent down				
	synthetic media pre-filter (95 percent down to 5 micron), fan section with low noise				
	to 5 micron), fan section with low noise fan/dynamically balanced blower,				
	multispeed motor, coil section with DX				
	copper coil, electronic expansion valve,				
	compressor, corded remote control, outer				
	cabinet, drain pan, other necessary				
	supports etc. The unit shall be filled with				
	first charge of the refrigerant and ready for				
	use as required. As per the attached				
	specifications. The cooling capacity of				
	indoor unit will be at air inlet conditions of				
	27 degree centigrade dry bulb (DB) an 19				
	degree centigrade wet bulb (WB) temperature.				
	(Acceptable Make: Daikin / LG / BlueStar /	4		Each	

Page **48** of **54**



Toshiba / Carrier / O'General / Mitsubishi / Voltas) 2 Supply, Installation, testing and commissioning including Vaccumiazation and Nitrogen testing of following nominal sizes hard drawn copper refrigerant piping for the packaged AC system, complete with fittings, with suitable adjustable ring type hanger supports (wherever required), jointing / brazing including accessories, making hole on wall wherever required with proper finishina. for Suction and Liquidlines, all accessories per specifications etc. [Acceptable make of copper pipes: Uniflow / Manibhadra / Ganpati / Mexflow / Mandev / Indigo / Godrei / Visiaro) Acceptable make of tubular insulation: Visiaro / Marshland / Avi Global / Armaflex / Aajjo / Dynamic / Uttam] NOTE: (1) The copper piping and piping circuit should be with minimum number of joints, which shall be attained (a) Using one end expanded tubes (b) bending the tubes instead of using elbow joints wherever 90 degree bending is required (2) Piping should be routed at site in such a that brazed ioints refrigeration piping are kept to a minimum (3) The makes of tube fittings shall be same that of as tubes (4) The thickness of fittings used shall be same as that of the pipe 15.86 mm dia (OD) (Soft drawn) with tube 2.01 thickness 1.2 mm with 19 mm thick 70 insulation Metre 19 mm dia (OD) (Hard drawn) with tube 2.02 thickness 1.2 mm with 19 mm thick insulation 70 Metre



22.2 mm dia (OD) (Hard drawn) with tube 2.03 thickness 1.2 mm with 19 mm thick insulation 70 Metre 28.58 mm dia (OD) (Hard drawn) with tube 2.04 thickness 1.2 mm with 19 mm thick insulation 70 Metre 3 GI TRAY SUPPORT: Supplying installing following size of perforated Hot Galvanised Iron Cable Dipped (galvanisation thickness not less than 50 microns) with perforation not more than 17.5% in convenient sections, joined with connectors, suspended / supported from the ceiling / wall with GI suspenders including GI bolts and nuts, GI C-Channels, etc. including GI protective sheet covering outside the room as required. (Only for outdoor portion) 225 mm width x 50 mm depth x 1.6 mm 3.01 50 thickness Metre 150 mm width x 50 mm depth x 1.6 mm 3.02 30 thickness Metre 4 **DRAIN PIPE:** Supplying and laying of ISI marked CPVC pipe of 32 mm dia for draining of sweated water from AC evaporator (indoor) unit including providing tee, joints, elbows, supports, etc. insulated with XLPE class - O tubular insulation / with Class-O closed cell elastomeric nitrile rubber tubular sleeves sections of 13 mm 50 thick etc. complete as required. Metre 5 Fabricating, Providing and fixing M.S. iron frame fabricated with M.S. C-channel of size 50 mm x 50 mm x 6 mm (thick) for resting the condenser unit on the roof / floor of the building duly supported from the bottom as required including painting and grouting the framework with cement concrete etc. complete as required. 25 Metre

Page 50 of 54



Supplying and laying of ISI marked PVC insulated XLPE copper cable of following size of 1.1 kv grade conforming to IS694:2010 on surface including making connections with end termination with copper lugs, etc. as required. (Acceptable make: Polycab / Havells / Gloster / RR Kabel / Nicco / Skytone / Finolex / KEI / Universal / Anchor) [NB: Single stranded cable not to be used] 6.01 3 core x 6 sqmm 100 Metre 6.02 4 core x 10 sgmm 100 Metre 6.03 4 core x 16 sqmm 150 Metre 7 Fabrication, supply, installation, testing & commissioning of electrical control panel of cubicle construction, floor mounted type, fabricated out of 2 mm thick CRCA sheet. compartmentalised with hinged lockable doors, dust and vermin proof, powder coated with approved shade after 7 tank process. cable treatment interconnection with suitable size copper conductor cable / solid copper strip, having switchgears and accessories, mountings and internal wiring, earth terminals, etc. complete in all respect suitable for incoming and outgoing power supply for 2 x 11.0 TR Packaged ACs complete as per **CPWD** specifications with following incoming and outgoings, suitable for operation on 400 V, 3 phase, 50 Hz, ac supply with enclosure protection class IP42 as required of size not less than 800 mm x 800 mm x 300 mm (depth) [drawing of panel shall be got approved from IITD before fabrication and making] **INCOMING:** (a) 63 A, 30 kA, 4 Pole MCCB, (b) Digital Multifunction Meter of class 1.0 for Voltage, Current, Frequency, Power Factor (c) & CTs (d) LED type RYB phase

Page 51 of 54



indicating lamps, set of copper busbar of 100 A - 01 set OUTGOING: 32 A, 16 kA, 4 Pole MCCB, current sensing type single phase preventor complete with all accessories and internal wiring required for connection upto bolted type heavy duty terminals - 03 sets Set 8 Installation, Supply, testing commissioning of GI volume control duct damper complete with neoprene rubber gaskets, nuts, bolts, screws, linkages, 2 flanges, etc. as per specifications. Sqm 9 Providing and fixing 4 mm dia copper wire on surface or in recess for loop earthing along with existing surface / recessed conduit / submain wiring / power cable as required. 100 Metre Cleaning of inside surface of ducts of HVAC 10 system by NADCA (National Air Duct Cleaners Association) certified agency using high power vacuum, robotic camera, air hammer, special nozzle air sweep and other required accessories including checking of of dust level before and after cleaning using colour video inspection method to ascertain the quality of cleaning etc. upto the satisfaction of the Engineer-in-charge. 2500 sqft 11 Cleaning and servicing of LT Panel by high pressure air-blower, CTC solution, de-rusting of all connections, busbars, switchgears, wiring, replacement of all rusted nuts, bolts, washers, connectors, re-thimbling termination of cables) after taking shutdown, re-connecting all accessories, meggering, etc. complete as directed. 2 Job

Page 52 of 54



Dismantling and removing of existing outlived 11.0 TR Packaged AC units, all units. refrigerant outdoor pipes disconnection of existing tray, cables, etc. other associated accessories as directed by Engineer -in-charge. 4 Job SUB HEAD - 2 (AMC) (Supplementary agreement shall be formed after DLP) under ARMO Fund 13 Comprehensive (Routine, **Preventive** and Breakdown) maintenance of 4 x 11.0 TR Air Cooled Packaged Type AC unit including its all accessories, condensers, evaporator units, time to time checking of refrigerant leakage, electrical circuits, etc. for smooth operation of the entire AC units during the defect liability period of 1 year after date of commissioning as per maintenance schedule. (No payment shall be made separately for this period): 1st Year 14 Comprehensive (Routine, **Preventive** and Breakdown) maintenance of 4 x 11.0 TR Air Cooled Packaged Type AC unit including its all accessories, condensers, evaporator units, time to time checking of refrigerant leakage, electrical circuits, etc. for smooth operation of the entire AC units after defect liability period of 1 year from date of commissioning as per maintenance schedule. Any breakdown shall be attended within 4 hours of reporting. Spare parts required during breakdown maintenance shall be arranged and replaced by the Contractor. (N.B.: 01 Job means during a period of one year) 2nd year (For 12 months) 14.01 1 Job 14.02 3rd year (For 12 months) 1 Job 4th year (For 12 months) 14.03 1 Job

Page 53 of 54



_				 	
	14.04	5th year (For 12 months)	1	Job	
	14.05	6th year (For 12 months)	1	Job	
	15			Each	

TOTAL ***

T.S. Plg. AEE (AC) EE (E)

Page **54** of **54**